




United States
Department of
Agriculture

Forest Service

Pacific
Northwest
Region

September 2004

Riparian Plant Communities of Northwest Oregon: Streamside Plant Communities



Adiantum pedatum

Riparian Plant Communities of Northwest Oregon:
Streamside Plant Communities

Mt. Hood N.F., Siuslaw N.F., and Willamette N.F.
Eugene District, BLM, and Salem District, BLM

By Cindy McCain,
USFS Ecologist-Northwest Oregon Ecology Group

United States Department of Agriculture
Forest Service
Pacific Northwest Region

Technical Paper
R6-NR-ECOL-TP-10-04

September, 2004

Persons of any race, color, national origin, sex, age, religion, or with any handicapping condition are welcome to use and enjoy all facilities, programs and services of the USDA. Discrimination in any form is strictly against agency policy, and should be reported to the Secretary of Agriculture, Washington, DC 20250

Dedicated to **Art McKee**

Acknowledgements

John Christy (Oregon Natural Heritage Information Center-author of companion wetland volume)

Nancy Diaz (Oregon State Office, Bureau of Land Management-data source for Mt. Hood NF riparian data and original classifier of Mt. Hood riparian ecological types (see Diaz and Mellen 1996))

Miles Hemstrom (USFS PNW Research Station-former Area Ecologist who initiated this work)

Jimmy Kagan (Oregon Natural Heritage Information Center-keystone in making riparian classifications available for watershed management across Oregon)

Jon Titus (Columbia University-data source for The Nature Conservancy/EPA riparian data and original classifier of Willamette Valley riparian plant communities)

This interagency project was the result of collaboration among members of the Northwest Oregon Ecology Group and cooperators from The Nature Conservancy/Oregon Natural Heritage Program (now Oregon Natural Heritage Information Center). Mt. Hood, Siuslaw, and Willamette National Forests and Eugene and Salem BLM Districts strongly supported the effort and encouraged synthesis of existing, independently collected data into a unified product for northwest Oregon.

Special thanks go to all the field crews, but especially to Wendy Boyd, David Alley, Peter Stocking, and Rachel Schwindt.

Soil sketches and field observations: David Alley
Transect sketches: Peter Stocking
Manuscript preparation: Sara Prueitt Lovtang

Cover art: *Adiantum Pedatum*, from the United States Department of Agriculture Forest Service Collection, Hunt Institute for Botanical Documentation, Carnegie Mellon University, Pittsburgh, PA.

If you move your computer's cursor down the Table of Contents you will find links to other sections of this Guide. The open hand will turn into a pointing hand when a link is available.

TABLE OF CONTENTS

Introduction	1
Purpose.....	1
Scope/study area	2
Methods/data sources	3
Community description.....	6
About keys	10
Plant community distribution and valley cross-sections	11
Processes	13
Coast Range and Cascades: major patterns by geomorphic group	26
Non-natives	31

CASCADES

Cascades key	35
In channel	42
Streambank springbeauty: MOPA2.....	43
Yellow monkeyflower: MIGU	44
Cold-water corydalis: COAQ	46
Coltsfoot group: PEFR5 group	48
Coltsfoot- <i>Sitka willow phase</i> : PEFR5-SASI2 phase.....	50
Coltsfoot- <i>common horsetail phase</i> : PEFR5-EQAR phase	53
Channel margin-cobble bars/banks	55
Coltsfoot-Cooley's betony: PEFR5-STCO14	56
Coast boykinia-oval-leaved mitrewort: BOOC2-MIOV.....	61
Foamflower: TITR	66
Stink currant/coltsfoot: RIBR/PEFR5.....	68
Cobble bars and low floodplains	71
Arrowleaf groundsel-great northern aster: SETR-ASMO3.....	72
Red alder/blue wildrye: ALRU2/ELGL	74
Thimbleberry/vanilla leaf: RUPA/ACTR.....	76
Red alder/piggyback plant-Siberian miner's lettuce: ALRU2/TOME-CLSI2	78
(Red alder-big leaf maple)/stink currant-salmonberry/piggyback: (ALRU2-ACMA3)/RIBR-RUSP/TOME	80
Salmonberry/piggyback plant group: RUSP/TOME GROUP:.....	83
Salmonberry/piggyback plant- <i>shrub phase</i> : RUSP/TOME- <i>shrub phase</i>	86
Salmonberry/piggyback plant- <i>red alder phase</i> : RUSP/TOME - <i>ALRU2 phase</i>	90
Stink currant-salmonberry/foamflower-oval-leaved mitrewort: RIBR-RUSP/TITR-MIOV	94
Stink currant-salmonberry/sorrel group: RIBR-RUSP/OXALI GROUP:....	99
Stink currant-salmonberry/sorrel- <i>shrub phase</i> : RIBR-RUSP/OXALI- <i>shrub phase</i> :.....	102
Stink currant-salmonberry/sorrel- <i>red alder phase</i> : RIBR-RUSP/OXALI- <i>ALRU2 phase</i>	105

Sitka alder: ALVI5	108
Oval-leaved huckleberry: VAOV	110
Steep banks/terraces	115
Sorrel-Pacific waterleaf: OXALI-HYTE	116
(Red alder-big leaf maple)/sorrel: (ALRU2-ACMA3)/OXALI	119
Salmonberry/sorrel group: RUSP/OXALI GROUP:	123
Salmonberry/sorrel- <i>shrub phase</i> : RUSP/OXALI- <i>shrub phase</i>	126
Salmonberry/sorrel- <i>red alder phase</i> : RUSP/OXALI- <i>ALRU2 phase</i> ...	129
Salmonberry/sorrel- <i>western redcedar phase</i> : RUSP/OXALI- <i>THPL phase</i>	131
Red alder/common snowberry-salmonberry: ALRU2/SYAL-RUSP	134
High terraces/major floodplains	136
(Big leaf maple-red alder)/vine maple/foamflower: (ACMA3-ALRU2)/ACCI/TITR	137
Forested California hazel/sword fern group: Forested COCO6/POMU GROUP:	139
Forested California hazel/sword fern- <i>hardwood phase</i> : Forested COCO6/POMU- <i>hardwood phase</i>	141
Forested California hazel/sword fern- <i>western hemlock/vine maple/sorrel phase</i> : Forested COCO6/POMU- <i>TSHE/ACCI/OXALI phase</i>	143
Forested California hazel/sword fern- <i>big leaf maple/vine maple phase</i> : Forested COCO6/POMU- <i>ACMA3/ACCI phase</i>	146
Others (seeps, swamps, wetlands, other)	149
Maidenhair fern: ADPE	150
Arrowleaf groundsel-broad-leaved marshmarigold: SETR-CALE4.....	154
Devil's club-salmonberry group: OPHO-RUSP GROUP:	156
Devil's club-salmonberry phase: OPHO-RUSP- <i>shrub phase</i>	158
Devil's club-salmonberry- <i>red alder phase</i> : OPHO-RUSP- <i>ALRU2 phase</i>	161
Devil's club-salmonberry- <i>western redcedar phase</i> : OPHO-RUSP- <i>THPL phase</i>	165
Engelmann spruce/big huckleberry: PIEN/VAME.....	168
Oval-leaved huckleberry-salmonberry/skunk cabbage: VAOV-RUSP/LYAM3	170
Western redcedar/salmonberry/skunk cabbage-sorrel: THPL/RUSP/LYAM3-OXALI	173
Silver fir/oval-leaved huckleberry: ABAM/VAOV	176

COAST RANGE	178
Coast Range key	178
In channel	184
Horsetail: EQUIS	185
Water-carpet: CHGL5	188
Waterparsley: OESA	192
Mid-channel bars or channel margin	195
Sorrel-piggyback plant: OXALI-TOME	196
Salmonberry-stink currant/water-carpet: RUSP-RIBR/CHGL5	200
Active channel shelf/active floodplain/first floodplains	204
Salmonberry-stink currant group: RUSP-RIBR group	205
Salmonberry-stink currant- <i>betony phase</i> :	
RUSP-RIBR- <i>STACH phase</i>	207
Salmonberry-stink currant- <i>foamflower phase</i> :	
RUSP-RIBR- <i>TITR phase</i>	211
Devil's club-stink currant: OPHO-RIBR	214
Salmonberry/piggyback plant-sorrel group:	
RUSP/TOME-OXALI group	218
Salmonberry/piggyback plant-sorrel- <i>oval-leaved mitrewort phase</i> :	
RUSP/TOME-OXALI- <i>MIOV phase</i>	221
Salmonberry/piggyback plant-sorrel- <i>sword fern phase</i> :	
RUSP/TOME-OXALI- <i>POMU phase</i>	225
Terraces/steep toeslopes & Steep slide areas	230
California hazel-vine maple/sorrel: COCO6-ACCI/OXALI	231
Salmonberry/sword fern: RUSP/POMU	234
Alaska huckleberry-salmonberry: VAAL-RUSP	239
Big leaf maple/California hazel-salmonberry: ACMA3/COCO6-RUSP ...	242
Salmonberry-vine maple: RUSP-ACCI	244
 WILLAMETTE VALLEY	248
Willamette Valley Key	249
(Big leaf maple-alder)/nettle: (ACMA3-ALNUS)/URDI	254
Black cottonwood/scouring-rush: POBAT/EQHY	256
(Oregon ash-black cottonwood)California hazel/Pacific waterleaf:	
(FRLA-POBAT)/COCO6/HYTE	257
Common snowberry/nettle group: SYAL/URDI GROUP	259
Common snowberry/nettle-Oregon ash/red elderberry-California hazel	
<i>phase: SYAL/URDI-FRLA/SARA2-COCO6 phase</i>	261
Common snowberry/nettle-(Big leaf maple-black cottonwood)/	
California hazel <i>phase: SYAL/URDI-(ACMA3-POBAT)/COCO6 phase</i> ..	263
Common snowberry/nettle-(Big leaf maple-black cottonwood)/Indian	
plum <i>phase: SYAL/URDI-(ACMA3-POBAT)/OECE phase</i>	265
Oregon ash/vine maple/Pacific waterleaf-nettle: FRLA/ACCI/HYTE-URDI .	267
Hardwood/salmonberry/Pacific waterleaf: Hardwood/RUSP/HYTE	269

(Black cottonwood-Oregon ash)/salmonberry-common snowberry: (POBAT-FRLA)/RUSP-SYAL	271
(Oregon ash-Oregon white oak)/common snowberry: (FRLA-QUGA4)/SYAL	274
Big leaf maple/common snowberry: ACMA3/SYAL	279
Forested common snowberry/starry false Solomon's seal: Forested SYAL/MAST4	281
Oregon ash/common snowberry/common camas: FRLA/SYAL/CAQU2	283
Western redcedar/starry false Solomon's seal: THPL/MAST4	285
Plant community distribution: valley cross-sections	287

APPENDICES

Appendix I Species list	328
Appendix II References	338
Appendix III Constancy tables (with characteristic and absolute covers)	340

There is no link to the Constancy table because it is not in a PDF format. Please open this MS Excel file directly from the webpage.