Extension Miscellaneous 8530

Reprinted March 1999 \$12.00

Oregon Crop Water Use and Irrigation Requirements



Water Resources Engineering Team, Department of Bioresource Engineering, Agricultural Experiment Station, and OSU Extension Service, Oregon State University; Diputación General de Aragón, Servicio de Investigación Agraria, Zaragoza, España (Spain); U.S. Department of Agriculture, Office of International Cooperation and Development; and Water Resources Department, State of Oregon



Archival copy. For current information, see the OSU Extension Catalog: https://catalog.extension.oregonstate.edu/em8530

Ordering Information

If you would like additional copies of Oregon Crop Water Use and Irrigation Requirements, EM 8530, please order by title and series number from:

Publication Orders Extension & Station Communications Oregon State University 422 Kerr Administration Corvallis, OR 97331-2119

Please include \$12.00 per copy ordered. For information on quantity discounts, please call 541-737-2513.

OREGON CROP WATER USE AND IRRIGATION REQUIREMENTS

PROJECT LEADER:

Richard H. Cuenca

PROJECT MANAGER:

Jeffery L. Nuss

LEAD PROGRAMMER:

Antonio Martinez-Cob

ASSISTANT PROGRAMMER:

Gabriel G. Katul

Oregon State University
Corvallis, Oregon
United States

CO-PRINCIPAL INVESTIGATOR:

José Mª Faci González

Diputación General de Aragón Servicio de Investigación Agraria Unidad de Suelos y Riegos (Department of Solls and Irrigation) Zaragoza, España (Spain)

June 1992



Table of Contents

Α	CKNOWLEDGEMENTS	1
1	INTRODUCTION	2
	1.1 CONSUMPTIVE USE	2
	1.2 NET IRRIGATION REQUIREMENTS	2
2	PROJECT	3
	2.1 BACKGROUND	3
	2.2 ESTIMATING METHOD	3
	2.3 CLIMATIC DATA	4
	2.4 CROP INFORMATION	5
3	RESULTS	10
	3.1 ET _{erop} and NET IRRIGATION TABLES	10
	3.2 ETref CONTOUR MAPS	164
4	EXAMPLES	177
	4.1 APPLICATION TO SYSTEM DESIGN	177
	4.2 APPLICATION TO IRRIGATION SCHEDULING	181
5	REFERENCES	182
6	APPENDIX	183
	APPENDIX A.Conversion between English and Système International (SI) units for quantities applicable to irrigation system design and management.	183

ACKNOWLEDGEMENTS

The Office of International Cooperation and Development of the United States Department of Agriculture and the Oregon State University (OSU) Agricultural Experiment Station provided major support for this work through a cooperative project. This project brought together principal investigators from Oregon State University and the Diputación General de Aragón in northeast Spain to study crop water requirement estimating methods. As a result, we decided to revise the irrigation recommendations for Oregon and Aragón province in Spain. This report is the result of that study.

Valuable assistance was provided by Kelly Redmond, former Oregon State Climatologist and Clint Jensen of the U.S. Weather Service in Portland, Oregon. The Oregon State Water Resources Department made a significant contribution to publication costs.

Numerous individuals assisted this project through review of draft report material at various stages of development. The project team is especially grateful for the cooperation of Hugh Hansen, former Extension specialist and WRAES Editor, Marvin Shearer, former Extension irrigation specialist, Walter Trimmer, current Extension irrigation specialist, all of Oregon State University, and Michael Mattik and Randy Sellig, Oregon State Water Resources Department. Invaluable secretarial assistance was provided by Joanne Wenstrom, department of Bioresource Engineering at OSU.

1 INTRODUCTION

1.1 CONSUMPTIVE USE

The hydrologic cycle describes the movement of water on, above, and below the surface of the Earth. The two major components of the hydrologic cycle on a continental scale are precipitation and evapotranspiration, the combined process of evaporation and transpiration. Evaporation can occur from wet leaf or soil surfaces, as after a rainfall, as well as from water surfaces. Transpiration is the term used to describe water movement in plants starting from the root zone, through the root system, up the plant stem, to the leaves, and finally into the atmosphere through small pores in the leaves. The combination of evaporation and transpiration is termed evapotranspiration (ET). Reference Evapotranspiration has become a commonly used term to describe the rate of ET from a green grass cover of uniform height in well-watered condition which is disease and weed free. In this case, the grass cover is termed the reference crop. Rates of reference evapotranspiration are related to a number of meteorological variables such as air temperature, solar radiation, relative humidity, and wind speed.

Reference evapotranspiration (ET_{ref}) at a location or region is used to determine the water requirements of various crops. The water requirement is calculated by multiplying ET_{ref} by a crop factor (K_o) to relate the reference value to the evapotranspiration of a particular crop. The result is termed ET_{crop} and is also called the *consumptive use* or *crop water requirement*. ET_{crop} describes the water requirement of the crop itself and must be adjusted for on-farm irrigation efficiency to determine the amount of water that needs to be delivered to the field.

Estimates of evapotranspiration are critical for irrigation system design, determination of the net irrigation requirements for a crop, and irrigation management. They are also vital to engineers, planners, and others involved in water resources management and policy decisions.

1.2 NET IRRIGATION REQUIREMENTS

The net irrigation requirement of a crop is the difference between the crop water requirement and the effective precipitation. *Effective precipitation* is any amount of precipitation that plants can use to meet the evapotranspiration of the crop during the period of interest. The amount of precipitation that goes to runoff or deep percolation below the root zone is not considered effective in reducing the irrigation requirement. If effective precipitation exceeds consumptive use over the period of interest, the net irrigation requirement is zero.

The term *net* refers to the irrigation requirements of the plant. It does not include inefficiencies of the application system such as deep percolation due to over-irrigation or nonuniform application of water to the field. Water not reaching the field due to fine spray and drift from sprinkler systems or surface runoff is also not included in the net irrigation requirement. These inefficiencies, as demonstrated later, must be considered when determining the total irrigation water requirement for a field or farm. Purposeful over-irrigation which may be necessary to avoid accumulation of salts or to leach salts out of the root zone has also not been considered. (See, for example, Cuenca (1989) for calculation of leaching fraction depending on soil and water salinity.)

2 PROJECT

2.1 BACKGROUND

The previous report on crop water requirements for Oregon was compiled by Watts, Dehlinger, Wolfe, and Shearer (1968) and entitled *Consumptive Use and Net Irrigation Requirements for Oregon* (Oregon State University, Agricultural Experiment Station Circular of Information 628). The method used to calculate evapotranspiration for that publication was the Soil Conservation Service (SCS) Blaney-Criddle method, a temperature-based method (USDA-SCS, 1964). Estimates contained in that publication have been effectively used by engineers, farmers, planners, and others for allocation of water resources in the state of Oregon for the last 25 years.

Improved estimating methods for evapotranspiration which include meteorological data in addition to temperature have been developed since Circular of Information 628 was published. In 1984, Dan Basketfield, an OSU graduate student working with Richard Cuenca, completed analysis of consumptive use and net irrigation requirement estimates for selected locations in Oregon using a revised estimating method. Basketfield found considerable difference between the previous and revised estimates (Basketfield, 1986). This prompted us to update Circular of Information 628.

A Water Resources Engineering Team (WRET) was formed by Cuenca in the Department of Bioresource Engineering to focus on water resources issues. One of the top priorities identified by the team was revision of the consumptive use and net irrigation requirements for Oregon. The goal was set to compute consumptive use and net irrigation requirements for all economically important crops in Oregon using an improved estimating method together with the computerized climatic data base available from the Oregon Office of the State Climatologist. Initial funding for this project was provided in a cooperative project with Spain by the U.S. Department of Agriculture (USDA) Office of International Cooperation and Development and the OSU Agricultural Experiment Station.

2.2 ESTIMATING METHOD

The modified Blaney-Criddle method (Doorenbos and Pruitt, 1977; Cuenca, 1989) developed at the United Nations Food and Agriculture Organization (FAO) was used to compute values of consumptive use given in the Results section. Adjustments developed at the USDA Snake River Water Conservation Research Laboratory for application in arid western states were also applied (Allen and Brockway, 1982). The FAO modified Blaney-Criddle method was selected for a number of reasons. First, this method relies predominantly on temperature data, the most common meteorological data available in Oregon. Secondly, this method represents an improvement to the SCS modified Blaney-Criddle formula used in Circular of Information 628. Cuenca (1989) compared the SCS modified Blaney-Criddle method with evapotranspiration measured by accurate weighing lysimeters. Results showed an underestimation of measured evapotranspiration, particularly for arid and high elevation sites similar to many important agricultural areas in Oregon. In a comparison of 20 evapotranspiration estimating methods with accurate lysimeter-measured evapotranspiration from 11 sites around the world (Jensen et al., 1990), the FAO modified Blaney-Criddle method had a lower error than any other estimating method applicable on a state-wide basis, considering the data available in Oregon.

The FAO modified Blaney-Criddle procedure consists of first determining the reference evapotranspiration using the following equation,

$$ET_{ref} = a + b \{ p (0.46T + 8.13) \}$$
 (1)

where

ET_{ref} = reference ET for grass, mm/d

p = percent of annual sunshine during month on a daily basis, %/d

T = mean air temperature, °C

a, b = climatic calibration coefficients

The a and b coefficients reflect effects of local meteorological conditions other than air temperature on the evapotranspiration estimate. They are functions of the secondary meteorological parameters of minimum relative humidity (RH_{min}), ratio of actual to maximum possible sunshine hours (n/N), and daytime wind speed. The complete procedure to determine the a and b coefficients, both graphically and by equation, is indicated in Doorenbos and Pruitt (1977) and Cuenca (1989).

To calculate the consumptive use or crop water requirement, ETrof is multiplied by a crop coefficient, Ko. The form of the equation is,

$$\mathsf{ET}_{\mathsf{crop}} = \mathsf{K}_{\mathsf{c}}\left(\mathsf{ET}_{\mathsf{ref}}\right) \tag{2}$$

where

ET_{crop} = crop evapotranspiration, mm/d

We determined a set of crop coefficients for important crops in Oregon using the report of Doorenbos and Pruitt (1977) and from crop planting and development information collected from OSU Agricultural Extension agents throughout Oregon. The complete procedure for development of the FAO crop coefficient curve is given in Doorenbos and Pruitt (1977) and Cuenca (1989).

The last step was to calculate the net irrigation requirement by subtracting effective precipitation from ET_{crop}. We calculated effective precipitation using the Soil Conservation Service method as fully described in Cuenca (1989).

2.3 CLIMATIC DATA

We selected two hundred and forty-four Oregon weather stations with long-term temperature records for this project. The stations were distributed more or less evenly throughout the state. The longest period of record for these stations was 88 years, the shortest record was 13 years, and the average was 46 years. The lowest elevation station was at 3 m (10 ft), the highest at 1490 m (4888 ft), and the average weather station was at 671 m (2201 ft).

The secondary meteorological data of minimum relative humidity (RH_{min}), ratio of actual to maximum possible sunshine hours (n/N) and wind speed are required in Equation (1) for ET_r. These data were available for 21, 32, and 25 weather stations, respectively. The state of Oregon was divided into three regions for the secondary meteorological data: (a) Coastal, (b) Willamette and southwestern valleys, and (c) east of the Cascades. We used secondary weather stations corresponding to each region to interpolate these parameters to the 244 weather stations with temperature data.

We used precipitation data from the 244 primary stations to compute effective precipitation. All meteorological data were computerized with the assistance of the Oregon Office of the State Climatologist.

2.4 CROP INFORMATION

The U. S. Weather Service has subdivided the state of Oregon into nine major climatic regions. The seven regions that are most important agriculturally were subdivided into 27 smaller regions. For consistency, the 27 agricultural regions identified in this report are identical to those used in the Circular of Information 628 (Watts et al., 1968). The boundaries of the regions are shown in Figure 1.

We determined the economically significant crops for the 27 regions through 1988 harvest statistics for Oregon obtained from the OSU Agricultural Resources and Economics Department. The growing season must be expressed in terms of four stages for application of the FAO crop coefficients; (a) initial, (b) crop development, (c) mid-season, and (d) late season (Doorenbos and Pruitt, 1977; Cuenca, 1989). We sent a questionnaire to each Oregon county extension office requesting information concerning crop stage dates. We also utilized information from previous work (Basketfield, 1984; Doorenbos and Pruitt, 1977) to determine the stages for the various crops. The Crop and Soil Science Department at OSU provided assistance to determine the planting and harvest dates. Table 1 shows the growing season of the selected crops for the 27 regions. Actual dates may vary from year-to-year, thus the listed dates in Table 1 should be considered only as a general guideline.




Table 1. Typical growing season of selected Oregon crops by region.

Fruit Trees	* *	* * *	* * *	* * * * * *			
		Sep 10 Sep 10 Sep 10	Sep 15 Sep 15	Sep 05 Aug 20 Aug 20 Aug 20 Aug 20	Sep 05	Sep 05 Sep 05	Aug 14
Corn		May 12-Sep 10 May 12-Sep 10 May 12-Sep 10	May 01-Sep 15 May 01-Sep 15	May 15-Sep 05 May 15-Aug 20 May 15-Aug 20 May 15-Aug 20	May 15-Sep 05	May 15-Sep 05 May 15-Sep 05	May 03-Aug 14
Corn Sllage	May 05-Sep 15 May 20-Oct 01	May 05—Sep 08 May 05—Sep 08 May 05—Sep 08	May 05-Sep 08 May 05-Sep 08 May 05-Sep 08		May 05-Oct 01		May 03-Oct 01 May 03-Oct 01
Com Field		May 05—Sep 20 May 05—Sep 20 May 05—Sep 20		May 05-Oct 01 May 05-Oct 01 May 05-Oct 01		May 05Oct 01 May 05Oct 01	May 03-Oct 15 May 03-Oct 15
Berries		Apr 30 – Nov 23 Apr 30 – Nov 23 Apr 30 – Nov 23		May 21—Oct 24 May 14—Nov 07 May 21—Oct 24 May 14—Nov 07 May 14—Nov 07 May 14—Nov 07 May 14—Nov 07	·		
Beans	·	May 01 – Jul 25 May 01 – Jul 25 May 01 – Jul 25	May 01-Jul 25				
Affalfa Hay		Apr 10 – Nov 08 Apr 10 – Nov 08 Apr 10 – Nov 08	Mar 15 – Oct 01 Mar 29 – Oct 01 Mar 29 – Oct 01	Apr 10-Oct 01 Apr 10-Oct 01 Apr 10-Oct 01 Apr 10-Oct 01 Apr 10-Oct 01 Apr 10-Oct 01	Apr 10-Oct 01 Apr 10-Oct 01 May 15-Aug 30 May 15-Aug 30 May 15-Aug 30 Apr 10-Oct 01	Apr 10-Oct 01 Apr 10-Oct 01 Apr 10-Oct 01 Apr 10-Oct 01	Apr 03-Jul 23 Apr 03-Jul 23
Region	North South	nette Valley 3 Columbia River below Hood R. 4 Tualatin 5 Willamette	Southwestern Yalleys 6 Umpqua River 7 Medford—Grants Pass 8 Lake Creek—Little Butte Creek	i Certifali 9 Hood River Valley 10 Columbia River above Hood R. 11 East Slope of Mt. Hood 12 Columbia Basin Wheat Land 13 Pendleton—Heppner 14 Hermiston 15 Milton—Freewater	th Certical 16 Madras-Redmond 17 Bend 18 Kamath 19 Lakeview 20 Harney Valley 21 Dayville-Canyon City	tigaast 22 Wallowa Valley 23 Grande Ronde Valley 24 Baker Valley 25 Pine and Eagle Valleys	heast 26 Malheur 27 Jordan Valley
	Coastal 1 North 2 South	Willamette Yetley 3 Columbie 4 Tualatin 5 Willamett	Southwest 6.Un 7 Me 8 Lal	North Central 9 Hood 10 Colum 11 East 5 12 Colum 13 Pendl 15 Milton	South Central 16 Madras- 17 Bend 18 Kamath 19 Lakeviev 20 Harney / 21 Dayville	Northeast 22 We 23 Gr 24 Ba 25 Pir	Southeast 26 Malheur 27 Jordan '

Table 1. Typical growing season of selected Oregon crops by region. (continued)

Region	Grain Spring	Grain Winter	Grass Seed Spring	Grass Seed Fall	Mint	Onions	Pasture
Coastal 1 North 2 South							Mar 20 – Oct 30 Mar 20 – Oct 30
Willamette Valley 3 Columbia River below Hood R. 4 Tualatin 5 Willamette	Mar 15-Aug 10 Mar 15-Aug 10 Mar 15-Aug 10	Mar 05-Aug 05 Mar 05-Aug 05 Mar 05-Aug 05	Apr 01 – Mar 31 Apr 01 – Mar 31 Apr 01 – Mar 31	Oct 01 – Sep 30 Oct 01 – Sep 30 Oct 01 – Sep 30	Mar 15-Jul 28	Apr 15-Sep 01 Apr 15-Sep 01 Apr 15-Sep 01	Mar 10 - Nov 15 Mar 10 - Nov 15 Mar 10 - Nov 15
Southwestern Valleys 6 Umpqua River 7 MedfordGrants Pass 8 Lake Creek Little Butte Creek	Mar 15-Aug 08 Mar 15-Aug 08 Mar 15-Aug 08	Mar 05-Aug 01 Mar 05-Aug 01 Mar 05-Aug 01	Apr 01-Mar 31 Apr 01-Mar 31 Apr 01-Mar 31			Mar 15-Sep 01 Mar 15-Sep 01	Mar 01 – Nov 15 Mar 01 – Nov 15 Mar 01 – Nov 15
North Central 9 Hood River Valley 10 Columbia River above Hood R. 11 East Slope of Mt. Hood 12 Columbia Basin Wheat Land 13 Pendleton – Heppner 14 Hermiston 15 Milton – Freewater	Apr 01-Aug 16 Apr 01-Aug 16 Apr 01-Aug 16 Apr 01-Aug 16 Apr 01-Aug 16 Mar 15-Aug 18	Mar 05—Jul 20 Mar 05—Jul 20 Mar 05—Jul 20 Mar 05—Jul 20 Mar 05—Aug 01 Mar 05—Aug 01	Apr 01-Mar 31 Apr 01-Mar 31 Apr 01-Mar 31		Mar 30-Aug 07	Apr 20—Sep 15 Mar 25—Sep 22 Mar 25—Sep 22 Mar 25—Sep 22	Mar 20 – Oct 30 Mar 20 – Oct 30
South Central 16 Madras-Redmond 17 Bend 18 Mamath 19 Lakeview 20 Harney Valley 21 Dayville-Canyon City	Apr 01-Aug 16 Apr 01-Aug 16 May 10-Sep 15 May 10-Sep 15 May 10-Sep 15 Apr 01-Aug 16	Mar 15-Aug 10 Mar 15-Aug 10 Apr 05-Aug 10 Apr 05-Aug 10 Apr 05-Aug 10 Mar 15-Aug 01	Apr 01 – Mar 31	Oct 01 Sep 30	Mar 30-Aug 07 Mar 30-Aug 07 Mar 30-Aug 07 Mar 30-Aug 07	Apr 20 – Sep 15	Apr 12-Oct 24 Apr 12-Oct 24 Apr 01-Oct 15 Apr 01-Oct 15 Apr 01-Oct 15 Apr 12-Oct 24
Northeast 22 Wallowa Valley 23 Grande Ronde Valley 24 Baker Valley 25 Pine and Eagle Valleys	Apr 01-Aug 16 Apr 01-Aug 16 Apr 01-Aug 16 Apr 01-Aug 16	Mar 15-Aug 01 Mar 15-Aug 01 Mar 15-Aug 01 Mar 15-Aug 01	Apr 01 – Mar 31 Apr 01 – Mar 31 Apr 01 – Mar 31 Apr 01 – Mar 31	Oct 01 – Sep 30	Mar 30-Aug 07	Apr 20-Sep 15 Apr 20-Sep 15	Mar 20 – Oct 30 Mar 20 – Oct 30 Mar 20 – Oct 30 Mar 20 – Oct 30
Scutheast 26 Malheur 27 Jordan Valley	Mar 28 – Aug 08 Mar 28 – Aug 08	Feb 09-Aug 01 Feb 09-Aug 01	Apr 01 – Mar 31 Apr 01 – Mar 31			Apr 04–Aug 28 Apr 04–Aug 28	Mar 27 – Oct 31 Mar 27 – Oct 31

Table 1. Typical growing season of selected Oregon crops by region. (continued)

недви	Peas	Potatoes	cmatoes
Coasthi 1 North 2 South			
Willametta Valley 3 Columbia River below Hood R. 4 Tualatin 5 Willamette	Mar 01 – Jun 12 Mar 01 – Jun 12 Mar 01 – Jun 12	Apr 25-Oct 10 Apr 25-Oct 10 Apr 25-Oct 10	May 01-Aug 21 May 01-Aug 21 May 01-Aug 21
Southwestern Valleys 6 Umpqua River 7 Medford-Grants Pass 8 Lake Creek-Little Butte Creek	Mar 15-Jul 01 Mar 15-Jul 01	May 15–Oct 15	May 01 Aug 21
	Apr 10-Jul 25	Apr 01 – Oct 10	
12 Columbia Basin Wheat Land 13 Pendleton—Heppner 14 Hermiston	Mar 15-Jul 20 Mar 15-Jul 20	Mar 10-Aug 01 Apr 10-Oct 01 Apr 25-Oct 15	; ;
	IVIRI 10-011 20	Apr 10-0ct 01	May 01 Aug 21
tital actas-Redmond and amath keview arney Valley ayville-Canyon City	Apr 10-Jul 25 Apr 10-Jul 25	May 15-Oct 15 May 15-Oct 15 May 15-Oct 15	·
allowa Valley ande Ronde Valley iker Valley ne and Eagle Valleys	Apr 10 – Jul 25 Apr 10 – Jul 25 Apr 10 – Jul 25 Apr 10 – Jul 25	May 10-Oct 10 May 10-Oct 10 May 10-Oct 10 May 10-Oct 10	
Southeast 26 Malheur 27 Jordan Valley		Apr 14-Sep 20 Apr 14-Sep 20	

3 RESULTS

3.1 ETcrop and NET IRRIGATION TABLES

The primary and secondary meteorological data were used to compute reference evapotranspiration [ETref from Equation (1)] on a monthly basis. The FAO modified Blaney-Criddle method, although originally developed and recommended for application on a monthly basis, has shown surprisingly good comparison with more sophisticated and data-intensive methods even on a daily basis (Allen and Brockway, 1983). On a monthly basis, the error of the estimate is less than that for shorter time periods, thereby producing more reasonable estimates for irrigation planning and management purposes.

The ET values for all weather stations within a region were averaged to compute the regional value. Equation 2 was used to compute estimates of the crop water requirement, ETcop, on a monthly basis using the values of Ka developed for Oregon crops. The results are indicated by region and by crop in the tables that make up the remainder of this section. These tables are presented on a probability basis to be more useful for irrigation system design and management. For each crop, monthly ET op values are listed on the basis of 5 out of 10 years (the mean or average), 6 out of 10 years, 7 out of 10 years, 8 out of 10 years, 9 out of 10 years, and 19 out of 20 years, corresponding to the water requirement with a 50, 60, 70, 80, 90 and 95 percent probability. The amount of water required increases with the probability level. For example, at 70 percent probability or 7 out of 10 years, the EToop value listed would be equal to or more than the expected requirement for all but 3 years out of 10. Only 3 years out of 10 would we expect a higher water requirement. 'The seasonal total is also given for each probability level. These probability values were determined using the actual frequency distribution given by all years of data for each month at each probability level without assuming an underlying statistical distribution. Previous studies have shown ETre to be normally distributed (Cuenca, 1989). The tabulated values are very close to a normal distribution, where one can assume that the 5 out of 10 years is the mean or average value.

Knowledge of the probability level allows farmers, designers, planners, and others to evaluate trade-offs between system cost and level of risk. For example, designing or managing an irrigation system at the 70 percent probability, or 7 out of 10 year level, suggests that for 3 out of 10 years the system will not have enough capacity, causing a potential reduction in crop yield. However, the added cost to design the system at a higher level of probability than 70 percent could prove to be more than the possible losses due to expected yield reduction in 3 years out of 10. The most appropriate probability level depends on the value of the crop, its susceptibility to yield reduction due to water stress, and the acceptable level of risk on the part of the grower. Guidelines are shown in the Examples section.

We computed the net irrigation requirement by subtracting the corresponding level of effective precipitation (described in the Introduction section) from the crop water requirement for each month. We used the actual frequency distribution of effective precipitation from analysis of all years of available data for each probability level at each site. In this manner, no underlying statistical distribution was assumed for effective precipitation. Net seasonal and monthly irrigation requirements include the combined probability of ETrof based on meteorological data and effective precipitation based on precipitation data.

To locate your region and crop of interest, find the region number closest to the site of interest from Figure 1. Table 1, with crop season dates, also lists major towns and region names. Table 2 lists the region numbers, major town or region name, and the corresponding pages for these regions in the results tables. Once the correct pages for the region of interest are located in the results tables, the most economically important crops in that region are listed alphabetically. Example applications for irrigation design and management purposes are given in the Examples section.

Table 2. Index to ETcrop and Net Irrigation Requirement tables by region for Oregon.

NUMBER	REGION	PAGES
1	North Coastal	13 - 15
2	South Coastal	16 - 18
3	Columbia River below Hood River	19 - 29
4	Tualatin Valley	29 - 39
5	Willamette Valley	40 - 50
6	Umpqua River	51 - 58
7	Medford-Grants Pass	59 - 64
8	Lake Creek-Little Butte Creek	65 - 71
9	Hood River Valley	71 - 78
· 10	Columbia River above Hood River	79 - 85
11	East Slope of Mt. Hood	86 - 90
12	Columbia Basin Wheat Land	91 - 95
13	Pendleton-Heppner	96 - 102
14	Hermiston	102 - 110
15	Milton-Freewater	111 - 117
16	Madras-Redmond	118 - 123
17	Bend	123 - 127
18	Klamath	128 - 130
19	Lakeview	130 - 132
20	Harney Valley	132 - 134
21	Dayville-Canyon City	135 - 137
22	Wallowa Valley	137 - 140
23	Grande Ronde Valley	141 - 144
24	Baker Valley	145 - 149
25	Pine and Eagle Valleys	150 - 154
26	Malheur	155 - 159
27	Jordan Valley	160 - 163

REGION: 1 North Coast CROP: Apples

	5 oui	5 out of 10 years	6 out of 10 years	of 10 ars	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 rs	9 out	9 out of 10 years	19 out ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May	35 (1.38) 61 (2.40) 92 (3.62)		37 (1.46) 62 (2.44) 95 (3.76)	0 (0.00)	38 (1.50) 62 (2.44) 96 (3.78)	0 (0.00)	39 (1.54) 63 (2.48) 97 (3.82)	0 (0.00)	42 (1.65) 64 (2.52) 101 (3.98)	0 (0.00)	43 (1.69) 66 (2.60)	0 (0.00)
June	<i></i>	88		32.8	, , ,	60 (2.36) 97 (3.82)	,	73 (2.87)		81 (3.19) 109 (4.29)	, , ,	
Sep Sep	\sim \sim	227		233		<u> </u>	\sim	<u> </u>	J .	J J ,	J J .	-
Nov	بر	10		40	-	0 (0.00)		0 (0.00)		0 (0.00)	J _	
Season	633 (24.92)) 225 (8.86)	Season 633 (24.92) 225 (8.86) 648 (25.51) 267 (10.5)	267 (10.52)	655 (25.79) 304 (11.97)	304 (11.97)	667 (26.27) 356 (14.02)	356 (14.02)	683 (26.90)	418 (16.46)	695 (27.37) 471	471 (18.56)

REGION: 1 North Coast CROP: Cherries

	5 2 4	5 out of 10 years	6 out ye	6 out of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 rs	19 ou ye	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April June July Aug Sep Oct	35 (1.38) 61 (2.40) 92 (3.62) 101 (3.98) 112 (4.41) 96 (3.78) 77 (3.03) 42 (1.65) 17 (0.67)	0 (0.00) 13 (0.51) 13 (0.51) 38 (1.50) 89 (3.50) 70 (2.76) 12 (0.47) 0 (0.00)	37 (1.46) 62 (2.44) 95 (3.74) 104 (4.09) 114 (4.09) 78 (3.78) 78 (3.07) 45 (1.77) 17 (0.67)	0 (0.00) 22 (0.08) 23 (0.91) 51 (2.01) 93 (3.66) 75 (2.95) 21 (0.83) 0 (0.00)	38 (1.50) 62 (2.44) 96 (3.78) 104 (4.09) 115 (4.53) 96 (3.78) 80 (3.15) 45 (1.77) 19 (0.75)	0 (0.00) 2 (0.08) 33 (1.30) 60 (2.36) 97 (3.82) 80 (3.15) 29 (1.14) 3 (0.12) 0 (0.00)	39 (1.54) 63 (2.48) 97 (3.82) 107 (4.51) 116 (4.57) 100 (3.94) 80 (3.15) 45 (1.77) 20 (0.79)	0 (0.00) 2 (0.08) 44 (1.73) 73 (2.87) 102 (4.02) 85 (4.02) 85 (4.02) 87 (1.85) 3 (0.12) 0 (0.00)	42 (1.65) 64 (2.52) 101 (3.98) 110 (4.29) 117 (4.61) 100 (3.94) 83 (3.27) 20 (0.79)	0 (0.00) 6 (0.24) 63 (2.48) 81 (3.19) 109 (4.29) 92 (3.62) 64 (2.52) 3 (0.10)	43 (1.69) 66 (2.60) 102 (4.02) 110 (4.33) 102 (4.72) 102 (4.72) 84 (3.31) 48 (1.89) 20 (0.79)	0 (0.00) 20 (0.79) 68 (2.68) 87 (3.43) 115 (4.53) 69 (2.72) 15 (0.59) 0 (0.00)
Season	633 (24.92)) 225 (8.86)	Season 633 (24.92) 225 (8.86) 648 (25.51) 267 (10	267 (10.52)	655 (25.79)	304 (11.97)	667 (26.27)	356 (14.02)	683 (26.90)	418 (16.46)	695 (27.37) 471	471 (18.56)

REGION: 1 North Coast CROP: Corn (Silage)

	5 out ye	5 out of 10 years	6 out of 10 years	of 10 Irs	7 out of 10 years	of 10 ars	8 out of 10 years	of 10 irs	9 out ye	9 out of 10 years	19 out yes	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep Season	23 (0.91) 56 (2.20) 103 (4.06) 37 (1.38) 308 (12.13)	1 (0.04) 24 4 (0.16) 57 81 (3.19) 106 65 (2.56) 91 5 (0.20) 35	May 23 (0.91) 1 (0.04) 24 (0.94) 1 (0.04 June 56 (2.20) 4 (0.16) 57 (2.24) 8 (0.31 July 103 (4.06) 81 (3.19) 106 (4.17) 86 (3.39 Aug 91 (3.58) 65 (2.56) 91 (3.58) 70 (2.76 Sep 35 (1.38) 5 (0.20) 35 (1.38) 9 (0.35 Season 308 (12.13) 156 (6.15) 313 (12.31) 174 (6.85	1 (0.04) 8 (0.31) 86 (3.39) 70 (0.35) 9 (0.35) 174 (6.85)	24 (0.94) 57 (2.24) 106 (4.17) 91 (3.58) 37 (1.46) 315 (12.39)	24 (0.94) 1 (0.04) 57 (2.24) 15 (0.59) 106 (4.17) 90 (3.54) 91 (3.58) 76 (2.99) 37 (1.46) 13 (0.51) 315 (12.39) 195 (7.67)	24 (0.94) 58 (2.28) 107 (4.21) 93 (3.66) 37 (1.46) 319 (12.55)	24 (0.94) 1 (0.04) 58 (2.28) 30 (1.18) 107 (4.21) 95 (3.74) 93 (3.65) 80 (3.15) 37 (1.46) 22 (0.87) 319 (12.55) 228 (8.98)		1 (0.04) 36 (1.42) 101 (3.98) 85 (3.35) 30 (1.18)	25 (0.98) 1 (0.04) 25 (0.98) 3 (0.12) 60 (2.36) 36 (1.42) 60 (2.36) 42 (1.65) 108 (4.25) 101 (3.98) 111 (4.37) 107 (4.21) 94 (3.70) 85 (3.35) 97 (3.82) 87 (3.43) 38 (1.50) 30 (1.18) 38 (1.50) 32 (1.26) 325 (12.79) 253 (9.97) 331 (13.03) 271 (10.67)	3 (0.12) 42 (1.65) 107 (4.21) 87 (3.43) 32 (1.26) 271 (10.67)

REGION: 1 North Coast CROP: Pasture

	5 out ye	5 out of 10 years	6 out of 10 years	of 10 irs	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 Irs	9 out of 10 years	of 10 rs	19 out of years	of 20 rs
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March	· ~	0	17 (0.67)	0 (0.00)	17 (0.67)	0 (0.00)	18 (0.71)	0 (0.00)	19 (0.75)	0 (0.00)	19 (0.75)	0 (0.00)
April	$\overline{}$	7		2 (0.	J	J	$\overline{}$	3 (0.12)		9 (0.35)		22 (0.87)
May	$\overline{}$	8		20 0.	J	J	$\overline{}$	38 (1.50)		55 (2.17)		62 (2.44)
June	_	27 (36 (1.	J	J	J	61 (2.40)		67 (2.64)		72 (2.83)
\lnr	_	74 (79 (3.	J	J	$\overline{}$	87 (3.43)		94 (3.70)		99 (3.90)
Aug	84 (3.31)	57 (2.24)	84 (3.31)	52 (2.	J	J	$\overline{}$	73 (2.87)		77 (3.03)		79 (3.11)
Sep	_	7		13 (0.	J	V	_	40 (1.57)		53 (2.09)		60 (2.36)
0ct	47 (1.85)	2 (3 (0.	J	$\overline{}$	$\overline{}$	3 (0.12)		4 (0.16)		20 (0.79)
Season	550 (21.67)	177 (6.96)	Season 550 (21.67) 177 (6.96) 560 (22.05) 215 (8.	215 (8.47)	566 (22.28)	249 (9.81)	574 (22.60)	305 (12.01)	585 (23.04)	359 (14.14)	594 (23.39) 414	414 (16.30)

REGION: 1 North Coast CROP: Pears

	5 oui	5 out of 10 years	6 out of 10 years	of 10 Irs	7 out ye	7 out of 10 years	8 out of Y	of 10 Irs	9 out of years	of 10 Irs	19 out of years	of 20 rs
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	35 (1.38) 58 (2.28) 83 (3.27) 92 (3.62) 101 (3.98) 89 (3.50) 70 (2.76) 41 (1.61)	0 (0.00) 8 (0.31) 28 (1.10) 78 (3.07) 62 (2.44) 7 (0.28) 0 2 (0.08)	37 (1.46) 58 (2.28) 84 (3.31) 94 (3.70) 104 (4.09) 89 (3.50) 71 (2.80) 42 (1.65) 17 (0.67)	0 (0.00) 1 (0.04) 18 (0.71) 38 (1.50) 83 (3.27) 68 (2.68) 13 (0.51) 2 (0.08) 0 (0.00)	38 (1.50) 59 (2.32) 85 (3.35) 95 (3.74) 104 (4.09) 89 (3.50) 73 (2.87) 42 (1.65) 19 (0.75)	0 (0.00) 2 (1.02) 26 (1.02) 50 (1.97) 87 (3.43) 72 (2.83) 22 (0.87) 0 (0.00)	39 (1.54) 60 (2.36) 88 (3.46) 96 (3.78) 105 (4.13) 91 (3.58) 73 (2.87) 43 (1.69) 20 (0.79)	0 (0.00) 2 (0.08) 36 (1.42) 65 (2.56) 92 (3.62) 77 (3.03) 40 (1.57) 3 (0.12) 0 (0.00)	42 (1.65) 61 (2.40) 91 (3.58) 97 (3.82) 106 (4.17) 91 (3.58) 74 (2.91) 44 (1.73) 20 (0.79)	0 (0.00) 3 (0.12) 52 (2.05) 72 (2.83) 99 (3.90) 82 (3.23) 53 (2.09) 0 (0.00)	43 (1.69) 62 (2.44) 92 (3.62) 100 (3.94) 109 (4.29) 93 (3.66) 75 (2.95) 45 (1.77) 20 (0.79)	0 (0.00) 16 (0.63) 59 (2.32) 78 (3.07) 105 (4.13) 85 (3.35) 59 (2.32) 13 (0.51) 0 (0.00)
Seasor	586 (23.07	Season 586 (23.07) 186 (7.32) 596 (23.46) 223 (8.79	596 (23.46)	223 (8.79)	604 (23.77)	261 (10.28)	615 (24.20)	315 (12.40)	626 (24.63)	626 (24.63) 364 (14.34)	639 (25.15) 415	415 (16.33)

Net 7 20 19 out of a years 415 (25.15)crop in. ᄪ 639 **2**329628239 (14.34) 0.00 0.12) 2.05) 2.05) 0.00) IRR in. Net 043288240 364 out of years (24.63) in. ᄪ 626 (12.40)IR. Net m 315 out of years (24.20) crop in. E 615 8688863 0.00) 1.02) 1.97) 3.43) 2.83) 0.87) 0.08) (10.28)i. Net mm 261 0 52 58 50 0 0 23 34 50 0 out of years (23.77)2.32) 3.35) 3.74) 4.09) 2.87) 1.65) crop in. 量量 604 8.79) 0.00) 0.71) 0.71) 1.50) 3.27) 2.68) 0.08) in. Net mm 9 0 - 21 83 83 5 2 0 223 out of years (23.46) 1.46) 2.28) 3.31) 3.31) 4.09) 3.50) 1.65) 0.67) crop in. E E 37 104 127 177 177 178 596 (7.32) IRR in. Net ™ 186 0 - 8 8 8 8 - 0 0 out of (23.07)crop in. E E 35 58 83 83 70 70 71 71 586 MONTH March April May June July Aug Sep Oct

0.00) 0.63) 2.32) 3.07) 4.13) 2.32) 0.51)

ir.

(16.33)

1 North Coast Plums

REGION: CROP:

South Coast Apples REGION: CROP:

5	on day.											
	5 out	5 out of 10 years	6 out of 10 years	out of 10 years	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 rs	9 out of 10 years	of 10 rs	19 ou ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	35 (1.38) 58 (2.28) 86 (3.39) 113 (4.06) 111 (4.37) 95 (3.74) 76 (2.99) 47 (1.85) 22 (0.87)	0 (0.00) 22 (0.08) 23 (0.91) 69 (2.72) 104 (4.09) 85 (3.35) 35 (1.38) 3 (0.12)	35 (1.38) 59 (2.32) 86 (3.39) 103 (4.06) 112 (4.41) 96 (3.78) 76 (2.99) 78 (1.89) 22 (0.87)	0 (0.00) 3 (0.12) 30 (1.18) 77 (3.03) 106 (4.17) 89 (3.50) 41 (1.61) 3 (0.12) 0 (0.00)	36 (1.42) 59 (2.32) 87 (3.43) 105 (4.13) 112 (4.41) 96 (3.78) 78 (3.07) 49 (1.93) 23 (0.91)	0 (0.00) 3 (0.12) 42 (1.65) 85 (3.35) 109 (4.29) 92 (3.62) 51 (2.01) 4 (0.16)	37 (1.46) 60 (2.36) 89 (3.50) 106 (4.17) 113 (4.45) 98 (3.86) 79 (3.11) 50 (1.97) 23 (0.91)	0 (0.00) 9 (0.35) 55 (2.17) 91 (3.58) 111 (4.37) 94 (3.70) 64 (2.52) 4 (0.16)	40 (1.57) 62 (2.44) 90 (3.54) 106 (4.17) 117 (4.61) 98 (3.86) 79 (3.11) 23 (0.91)	0 (0.00) 21 (0.83) 64 (2.52) 98 (3.86) 114 (4.49) 97 (3.82) 71 (2.80) 11 (0.43)	42 (1.65) 63 (2.48) 94 (3.70) 108 (4.25) 118 (4.65) 99 (3.90) 81 (3.19) 52 (2.05) 24 (0.94)	0 (0.00) 36 (1.42) 76 (2.99) 102 (4.02) 116 (4.57) 98 (3.86) 75 (2.95) 39 (1.54) 1 (0.04)
Season	633 (24.93)	Season 633 (24.93) 321 (12.65) 637 (25.09) 349 (13.7	637 (25.09)	349 (13.73)	645 (25.40)	645 (25.40) 387 (15.24)		655 (25.79) 429 (16.89)		665 (26.18) 477 (18.79) 681 (26.81) 543	681 (26.81)	543 (21.39)

(21,39) Net ... 2 543 out of years (26.81) ₩ E 681 (18.79) in. Net 477 οţ years ont (26.18) crop in. E E 999 (16.89) IRR in. Net T 456 out of years (25.79)crop in. ထ 甲 655 (15.24)0.00) 0.12) 1.65) 1.65) 4.29) 3.62) 2.01) 0.04) ir. Net mm 9 387 out of (25.40)1.42) 2.32) 3.43) 4.13) 4.41) 3.78) 1.93) 0.91) crop in. ᄪ 645 (13.73) 0.00) 0.12) 1.18) 3.03) 4.17) 1.61) 0.12) IR in. Net mm 9 349 out of years (25.09) 1.38) 2.32) 3.39) 4.06) 4.41) 2.99) 1.89) crop in. ৵ **= ■** 637 (12.65) IR. out of 10 321 (24.93) crop in. E E 633 March April May June July Aug Sep Oct

0.00 1.42) 2.99) 4.57) 3.86) 1.54) 0.04)

i.R.

South Coast Cherries

~

REGION: CROP:

REGION: 2 South Coast CROP: Corn (Silage)

יירטאט		colli (si (age)										
	5 out ye	5 out of 10 years	6 out of 10 years	ut of 10 years	7 out of 10 years	of 10 ars	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 ars	19 out	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep Season	17 (0.67) 59 (2.32) 94 (3.70) 91 (3.58) 72 (2.83) 333 (13.10)	1 (0.04) 28 (1.10) 88 (3.46) 81 (3.19) 32 (1.26)	May 17 (0.67) 1 (0.04) 18 (0.71) 2 (0.08) 1 June 59 (2.32) 28 (1.10) 59 (2.32) 37 (1.46) 1 July 94 (3.70) 88 (3.46) 95 (3.74) 91 (3.58) 81 (3.19) 92 (3.62) 85 (3.35) 8ep 72 (2.83) 32 (1.26) 72 (2.83) 36 (1.42) 8sason 333 (13.10) 230 (9.05) 336 (13.22) 251 (9.89)	2 (0.08) 37 (1.46) 91 (3.58) 85 (3.35) 36 (1.42) 251 (9.89)	18 (0.71) 60 (2.36) 96 (3.78) 92 (3.62) 74 (2.91) 340 (13.38)	3 (0.12) 42 (1.65) 93 (3.66) 88 (3.46) 45 (1.77) 271 (10.66)	18 (0.71) 60 (2.36) 96 (3.78) 94 (3.70) 75 (2.95) 343 (13.50)	9 (0.35) 47 (1.85) 95 (3.74) 90 (3.54) 61 (2.40) 302 (11.88)	18 (0.71) 60 (2.36) 98 (3.86) 94 (3.70) 75 (2.95) 345 (13.58)	12 (0.47) 55 (2.17) 97 (3.82) 93 (3.66) 68 (2.68) 325 (12.80)	19 (0.75) 61 (2.40) 99 (3.90) 95 (3.74) 77 (3.03) 351 (13.82)	15 (0.59) 58 (2.28) 98 (3.86) 94 (3.70) 71 (2.80) 336 (13.23)

REGION: 2 South Coast CROP: Pasture

	5 out	5 out of 10 years	6 out of 10 years	of 10 rrs	7 out of 10 years	of 10 Irs	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 rs	19 out	19 out of 20 years	
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net 1	IRR in.
March April May July Aug Sep Oct	16 (0.63) 61 (2.40) 81 (3.19) 89 (3.50) 94 (3.70) 82 (3.23) 69 (2.72) 51 (2.01)	0 (0.00) 19 (0.75) 19 (0.75) 55 (2.17) 89 (3.50) 72 (2.83) 29 (1.14) 3 (0.12)	16 (0.63) 62 (2.44) 83 (3.27) 89 (3.50) 96 (3.78) 70 (2.76) 51 (2.01)	0 (0.00) 3 (0.12) 28 (1.10) 65 (2.56) 92 (3.62) 76 (2.99) 34 (1.34) 4 (0.16)	17 (0.67) 63 (2.48) 84 (3.31) 91 (3.58) 96 (3.78) 70 (2.76) 53 (2.09)	0 (0.00) 4 (0.16) 39 (1.54) 70 (2.76) 94 (3.70) 79 (3.11) 42 (1.65) 4 (0.16)	17 (0.67) 63 (2.48) 85 (3.35) 91 (3.58) 97 (3.82) 85 (3.35) 71 (2.80) 54 (2.13)	0 (0.00) 11 (0.43) 51 (2.01) 77 (3.03) 96 (3.78) 81 (3.19) 56 (2.20) 5 (0.20)	18 (0.71) 66 (2.60) 87 (3.43) 92 (3.62) 99 (3.90) 85 (3.35) 71 (2.80) 54 (2.13)	0 (0.00) 24 (0.94) 60 (2.36) 84 (3.31) 98 (3.38) 84 (3.31) 64 (2.52) 17 (0.67)	19 (0.75) 67 (2.64) 90 (3.54) 93 (3.66) 100 (3.94) 86 (3.39) 73 (2.87) 56 (2.20)	39 C C C C C C C C C C C C C C C C C C C	0.00) 2.80) 3.46) 3.90) 3.35) 2.68)
Season	543 (21.38)	270 (10.63)	Season 543 (21.38) 270 (10.63) 550 (21.66) 302 (11	302 (11.89)	557 (21.94)	332 (13.08)	563 (22,18)	377 (14.84)	572 (22.54) 431	431 (16.97)	584 (22,99)	493	(19,42)

REGION: 2 South Coast CROP: Pears

	5 6	5 out of 10 years	10		6 out of 10 years	of 10 rs	7 out of 10 years	of 10 irs	8 out	8 out of 10 years	9 out of 10 years	of 10 irs	19 ou ye	19 out of 20 years
MONTH	ET crop mm in.		Net IRR mm in.	ETC	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	35 (1.38) 55 (2.17) 77 (3.03) 94 (3.70) 101 (3.98) 86 (3.39) 70 (2.76) 46 (1.81) 22 (0.87)	58) 0 17) 2 17) 2 13) 17 70) 61 70) 61 78) 78 78) 78 78) 78 78) 78 78) 78	(0.00)	255 103 25 25 25 25 25 25 25 25 25 25 25 25 25	1.38) 2.17) 3.71) 3.70) 3.43) 2.76) 1.81)	0 (0.00) 3 (0.12) 24 (0.94) 68 (2.68) 96 (3.78) 81 (3.19) 34 (1.34) 0 (0.00)	36 (1.42) 56 (2.20) 80 (3.15) 95 (3.74) 104 (4.09) 87 (3.43) 72 (2.83) 46 (1.81) 23 (0.91)	0 (0.00) 3 (0.12) 35 (1.38) 74 (2.91) 99 (3.90) 84 (3.31) 42 (1.65) 3 (0.12) 1 (0.04)	37 (1,46) 56 (2.20) 81 (3.78) 96 (3.78) 104 (4.09) 89 (3.50) 73 (2.87) 74 (1.85) 23 (0.91)	0 (0.00) 6 (0.24) 49 (1.93) 81 (3.19) 101 (3.98) 86 (3.39) 55 (2.17) 4 (0.16) 1 (0.04)	40 (1.57) 59 (2.32) 83 (3.27) 96 (3.27) 106 (4.17) 89 (3.50) 73 (2.87) 47 (1.85) 23 (0.91)	0 (0.00) 18 (0.71) 57 (2.24) 88 (3.46) 104 (4.09) 88 (3.46) 65 (2.56) 10 (0.39) 1 (0.04)	42 (1.65) 59 (2.32) 84 (3.31) 98 (3.86) 107 (4.21) 90 (3.54) 75 (2.95) 24 (1.93)	0 (0.00) 32 (1.26) 68 (2.68) 92 (3.62) 106 (4.17) 89 (3.50) 69 (2.72) 37 (1.46) 1 (0.04)
Season	Season 586 (23.09) 284 (11.18) 591 (23.29) 309 (12.	19) 284	(11.18)	591 (2	23.29)		17) 599 (23.58) 341 (13.43)	341 (13.43)	606 (23.85)	606 (23.85) 383 (15.10)	616 (24.24) 431 (16.95)	431 (16.95)	628 (24.71)	494 (19.45)

REGION: 2 South Coast CROP: Plums

		5 out of 10 years	of 10 Irs		6 out of 10 years	of 10 rs		7 out	7 out of 10 years	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 ou	out of 20 years
MONTH	ET	crop in.	Net IRR mm in.	ET	crop in.	Net IRR mm in.		ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March April May July July Sep Sep Oct	35 (77 (94 (101 (86 (70 (22 (1.38) 2.17) 3.03) 3.70) 3.70) 3.39) 2.76) 1.81) 0.87)	0 (0.00) 2 (0.08) 17 (0.67) 61 (2.40) 94 (3.70) 78 (3.07) 30 (1.18) 2 (0.08) 0 (0.00)	35 79 79 103 70 70 70 70	(1.38) (2.17) (3.11) (3.70) (4.06) (4.06) (2.76) (1.81) (0.87)	0 (0.0 3 (0.1 24 (0.5 68 (2.6 88 (2.6 98 (3.7 3 (0.1 0 (0.0	00) 3 12) 8 94) 8 68) 9 68) 10 11) 8 12) 7 12) 7	36 (1.42) 86 (3.20) 86 (3.15) 95 (3.74) 104 (4.09) 87 (3.43) 72 (2.83) 46 (1.81) 23 (0.91)	0 (0.00) 3 (0.12) 35 (1.38) 74 (2.91) 99 (3.39) 84 (3.31) 42 (1.65) 3 (0.12)	37 (1.46) 56 (2.20) 81 (3.19) 96 (3.78) 104 (4.09) 89 (3.50) 73 (2.87) 47 (1.85) 23 (0.91)	0 (0.00) 6 (0.24) 49 (1.93) 81 (3.19) 101 (3.39) 86 (3.39) 55 (2.17) 4 (0.16) 1 (0.04)	40 (1.57) 59 (2.32) 83 (3.27) 96 (3.78) 106 (4.17) 89 (3.50) 73 (2.87) 47 (1.85) 23 (0.91)	0 (0.00) 57 (2.24) 88 (3.46) 104 (3.46) 88 (3.46) 65 (2.56) 10 (0.39) 1 (0.04)	42 (1.65) 84 (3.31) 84 (3.31) 98 (4.21) 90 (4.21) 75 (2.95) 49 (1.93) 24 (0.94)	0 (0.00) 32 (1.26) 68 (2.68) 92 (3.62) 106 (4.17) 89 (3.50) 69 (2.72) 37 (1.46) 1 (0.04)
Season	586 (23.09)	Season 586 (23.09) 284 (11.18)	j	591 (23.29) 309 (12		17) 59	599 (23.58)	341 (13.43)	606 (23.85)	383 (15.10)	616 (24.24) 431	431 (16.95)	628 (24.71)	494 (19.45)

REGION: 3 Columbia River below Hood River CROP: Alfalfa Hay

		5 out ye	5 out of 10 years		ል ዓ	6 out of 10 years	0		7 out of 10 years	of 10 rs		∞	8 out of 10 years	f 10 s		U .	9 out of 10 years	of 10 rs			19 out of 2 years	of 20 irs	
MONTH	ET C	crop in.	Net IRR mm in.		ET crop mm in.	Net mm	t IRR in.	ET o	crop in.	Net I	IRR in.	ET CF	crop in.	Net I	IRR in.	ET Cr	crop in.	Met	IRR in.	E	crop in.	Net	IRR in.
April		(2.05)		-	\	3 3		55 (į .				ŀ	ا ر	.28)) ~,		U	0.98)	09	2.36)	32 (1.26)
June	18	4.57)	56 (2.20)	-	118 (4.65)		(2.80)	282	4.72)	83 (3	3.27)	122 (4	4.80)	. S	3.54)	125 (4	4.92) 1	88	4.02)	126 (4.96)	2 2 2 2 3	4.33)
July		5.28)		•	<u> </u>	-	(4.88)	137 (•		$\overline{}$		$\overline{}$	(57)	J	•	J	5.51)	143 (5.63)	143 (5.63)
Aug		4.55)		•	<u> </u>	286	3.86)	117				<u> </u>		<u> </u>	.33)	<u>.</u>	•	<u>.</u> ر	4.57)	126 (4.96)	123 (4.84)
oct Oct		2.13)			54 (2.13)		(0.16)	2.5							.20)	J _		- -	(62.0	\$ 5	2.32)	38 2	1.50)
Nov		0.20)	0.0 0	6)	5 (0.20	0 ((00.0)	2		-		$\overline{}$		_	(00.	\sim		_	0.00	9	0.24)	0	0.00
Season	669 (2	26.36)	Season 669 (26.36) 334 (13.15) 676 (26.62) 376 (14.81	15) 6	576 (26.62) 376 ((14.81)	?) 889	688 (27.09) 417 (16.42) 700 (27.56) 457 (18.00)	117 (16	.42)	700 (27	.56) 4	57 (18	(00.	719 (28.30) 548 (21.58)	3.30)	348 (2		732 (2	732 (28.82) 605 (23.82)	605 (2	3.82)

REGION: 3 Columbia River below Hood River CROP: Apples

									The Paris of the P					
		5 out of 10 years	of 10 rs	9	6 out of 10 years	10	7 out ye	7 out of 10 years	8 out of 10 years	of 10 ars	9 out of 10 years	of 10 rs	19 out of years	t of 20 ars
MONTH	ET (crop in.	Net IRR mm in.	ET crop mm in.	=	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug Sep Oct	43 (125 (125 (125 (125 (125 (125 (125 (125	1.69) 3.07) 4.92) 5.94) 6.89) 7.21) 2.09)	0 (0.00) 4 (0.16) 52 (2.05) 85 (3.35) 158 (6.22) 126 (4.96) 48 (1.89) 3 (0.12)	44 (80 (127 (12	1.73 0 3.15) 5 5.00) 59 6.02) 101 6.93) 167 5.91) 133 4.25) 58 2.13) 4	0 (0.00) 0 (2.32) 0 (2.32) 1 (3.98) 7 (6.57) 8 (5.24) 8 (5.28) 4 (0.16)	45 (1.77) 83 (3.27) 130 (5.12) 150 (6.14) 178 (7.01) 151 (5.94) 110 (4.33) 55 (2.17)	0 (0.00) 5 (0.20) 64 (2.52) 113 (6.73) 171 (6.73) 141 (5.55) 69 (2.72) 5 (0.20)	48 (1.89) 85 (3.35) 134 (5.28) 159 (6.26) 179 (7.05) 155 (6.10) 115 (4.53) 55 (2.17) 19 (0.75)	1 (0.04) 11 (0.43) 69 (2.72) 122 (4.80) 176 (6.93) 147 (5.79) 84 (3.31) 5 (0.20) 0 (0.00)	50 (1.97) 88 (3.46) 137 (5.39) 165 (6.50) 161 (6.34) 118 (4.65) 57 (2.24) 20 (0.79)	1 (0.04) 38 (1.50) 82 (3.23) 137 (5.39) 180 (7.09) 154 (6.06) 101 (3.98) 19 (0.75) 0 (0.00)	53 (2.09) 90 (3.54) 140 (5.51) 167 (6.57) 190 (6.46) 119 (4.69) 57 (2.24) 20 (0.79)	3 (0.12) 49 (1.93) 94 (3.70) 145 (5.71) 187 (6.34) 110 (4.33) 37 (1.46) 0 (0.00)
Seasor	896 (.	35.27)	Season 896 (35.27) 476 (18.75)	5) 908 (35.75) 527 (20	75) 527	7 (20.75)	925 (36.42)	568 (22.37)	949 (37.38)	615 (24.22)	982 (38.66)	712 (28.04)	712 (28.04) 1000 (39.37)	786 (30.95)

REGION: 3 Columbia River below Hood River CROP: Beans (Dry Field)

5	•	(man) (man)										
	5 out	5 out of 10 years	6 out of 10 years	out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 rs	9 out	9 out of 10 years	19 out of 20 years	of 20 's
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July	61 (2.40) 124 (4.88) 109 (4.29)	3 (0.12) 64 (2.52) 1 99 (3.90) 1	62 (2.44) 26 (4.96) 10 (4.33)	4 (0.16) 79 (3.11) 104 (4.09)	62 (2.44) 129 (5.08) 113 (4.45)	8 (0.31) 89 (3.50) 107 (4.21)	63 (2.48) 132 (5.20) 114 (4.49)	12 (0.47) 97 (3.82) 111 (4.37)	64 (2.52) 134 (5.28) 115 (4.53)	24 (0.94) 111 (4.37) 115 (4.53)	65 (2.56) 135 (5.31) 120 (4.72)	32 (1.26) 119 (4.69) 119 (4.69)
Season	294 (11.57)	Season 294 (11.57) 166 (6.54) 298 (11.73) 187 (7.36)	298 (11.73)	187 (7.:	(11.97)	304 (11.97) 204 (8.02)	309 (12.17)	220 (8.66)	313 (12.33)	309 (12.17) 220 (8.66) 313 (12.33) 250 (9.84) 320 (12.59) 270 (10.64)	320 (12.59)	270 (10.64)

REGION: 3 Columbia River below Hood River CROP: Berries

	5 out of 10 years	of 10 Irs	6 out	6 out of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 rs	9 out of 10 years	of 10 ars	19 or 76	19 out of 20 years	
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net mm	IRR in.
May June July Aug Sep Oct Nov	64 (2.52) 80 (3.15) 104 (4.09) 90 (2.68) 42 (1.65) 10 (0.39)	4 (0.16) 25 (0.98) 92 (3.62) 69 (3.72) 11 (0.43) 3 (0.12) 0 (0.00)	64 (2.52) 83 (3.27) 105 (4.13) 91 (3.58) 68 (2.68) 43 (1.69) 11 (0.43)	5 (0.20) 38 (1.50) 96 (3.78) 76 (2.99) 21 (0.83) 3 (0.12) 0 (0.00)	66 (2.60) 84 (3.31) 106 (4.17) 92 (3.62) 70 (2.76) 44 (1.73) 11 (0.43)	9 (0.35) 50 (1.97) 100 (3.94) 82 (3.23) 29 (1.14) 4 (0.16) 0 (0.00)	67 (2.64) 86 (3.39) 107 (4.21) 95 (3.74) 73 (2.87) 45 (1.77) 11 (0.43)	14 (0.55) 56 (2.20) 103 (4.06) 87 (3.43) 43 (1.69) 4 (0.16) 0 (0.00)	68 (2.68) 87 (3.43) 110 (4.33) 98 (3.85) 74 (2.91) 46 (1.81) 12 (0.47)	25 (0.98) 65 (2.56) 109 (4.29) 91 (3.58) 57 (2.24) 10 (0.39) 0 (0.00)	69 (2.72) 88 (3.46) 113 (4.45) 100 (3.94) 75 (2.95) 46 (1.81) 12 (0.47)	34 C 112 C 96 C 27 C	1.34) 2.91) 4.41) 3.78) 2.68) 1.06)
00000	758 718 021	204 (8 03)	0) 056 (18 81) 577 (8 13) 706 (08 81) 857 000000	(67 0) 026	227	(18,62) 274 (10,79)	787	(19.05) 307 (12.09)	752 (10,40) 357	357 (14.04)	503 (19.80) 411		(16, 18)

REGION: 3 Columbia River below Hood River CROP: Cherries

	2	5 out of 10		6 out of 10	of 10	7 out	of 10	8 out	of 10	9 out	of 10	19 out	of 20
	`	years		years		years	ars	years	PLS	λe	years	years	ırs
MONTH	ET crop	op Net IRR n. mm in.	IRR in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March	U.	0	0.00	(1.73)		45 (1.77)		48 (1.89)	1 (0.04)	50 (1.97)	1 (0.04)	53 (2.09)	3 (0.12)
Aprıl Mav	125 (4	- -	2.05)	127 (5.00)	59 (2.32)	<i>-</i> -	, 2 			<i>-</i>	<i>-</i>	<i>,</i> –	, _
June		85 (3.35)	(6.02)	_	J	113 ($\overline{}$		<u> </u>	<u>.</u>	<u>.</u>	<u>.</u>
July	<u> </u>	158 (6.22)	(6.93)	_	<u> </u>	7.7	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>
Aug Sep		9 2 9	1.89	(52.4)			69	<i>-</i> –		<i>-</i> –	<i>-</i>	<i>-</i> –	<i>-</i>
Oct	<i>,</i> _	m	0.12)	(2.13)	_	_	2	$\overline{}$		J	$\overline{}$	$\overline{}$	J
Nov	· •	0	0.00	$\overline{}$	00.000	$\overline{}$	0	\sim		\sim	(00.0)	~	~ l
Season	896 (35	.27) 476 (18.75)	Season 896 (35.27) 476 (18.75) 908 (35.75) 527 (20.75	527 (20.75)	925 (36.42)	568 (22.37)	949 (37.38)	615 (24.22)	982 (38.66)	712 (28.04)	982 (38.66) 712 (28.04) 1000 (39.37) 786 (30.95)	786 (30.95)

REGION: 3 Columbia River below Hood River CROP: Corn (Field)

	IRR in.	0.04) 2.24) 6.50) 5.83) 1.93)	6.54)
of 20 's	Net 1	1 (() 148 () 49 ()	t20 (1)
19 out of 20 years	crop in.	0.94) 2.87) 6.57) 5.94) 2.13)	469 (18.45) 420 (16.54)
	ET (24 C 73 C 167 C 151 C) 697
	IRR in.	0.04) 2.05) 6.34) 5.55)	5.75)
of 10 rs	Net mm	1 (52 (161 (141 (45 (400 (1
9 out of 10 years	crop in.	0.94) 2.80) 6.34) 5.87) 2.09)	458 (18.04) 400 (15.75)
	ET ET	24 (71 (161 (149 (53 (458 (
	IRR in.	1 (0.04) 42 (1.65) 154 (6.06) 135 (5.31) 35 (1.38)	448 (17.64) 367 (14.44)
of 10 rs	Net mm	1 (42 (154 (135 (35 (367 (
8 out of 10 years	ET crop mm in.	0.94) 2.76) 6.22) 5.67) 2.05)	17.64)
	ET E	24 (70 (158 (144 (52 (448 (
	IRR in.	0.04) 1.42) 5.87) 5.04) 0.98)	13.35)
of 10 Irs	Net	1 (36 (149 (128 (25 (339 (
7 out of 10 years	crop in.	23 (0.91) 70 (2.76) 157 (6.18) 142 (5.59) 50 (1.97)	(17.41) 339 (13.35)
	ET C	23 C 70 C 157 C 142 C 50 C	442
	IRR in.	(0.00) (0.98) (5.67) (4.76)	12.12)
of 10 rs	Net mm	25 144 121 18	308
6 out of 10 years	ET crop mm in.	23 (0.91) 68 (2.68) 155 (6.10) 137 (5.39) 50 (1.97)	17.05)
	ET E	23 (68 (155 (137 (50 (433 (
	Net IRR mm in.	0 (0.00) 14 (0.55) 136 (5.35) 114 (4.49) 12 (0.47)	Season 429 (16.89) 276 (10.86) 433 (17.05) 308 (12.12)
ut of 10 years	Net m	136 C 174 C 174 C	276 (
5 out of 10 years	crop in.	23 (0.91) 67 (2.64) 154 (6.06) 136 (5.35) 49 (1.93)	16.89)
	E E	23 67 136 49 69	459 (
	MONTH	May June July Aug Sep	Season

REGION: 3 Columbia River below Hood River CROP: Corn (Silage)

	5 out	5 out of 10 years	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out	9 out of 10 years	19 out	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep	31 (1.22) 98 (3.86) 165 (6.50) 139 (5.47) 26 (1.02)	1 (0.04) 141 (1.61) 147 (5.79) 114 (4.49) 12 (0.47)	31 (1.22) 100 (3.94) 167 (6.57) 140 (5.51) 27 (1.06)	1 (0.04) 55 (2.17) 155 (6.10) 120 (4.72) 15 (0.59)	32 (1.26) 102 (4.02) 168 (6.61) 141 (5.55) 27 (1.06)	1 (0.04) 64 (2.52) 160 (6.30) 127 (5.00) 17 (0.67)	32 (1.26) 105 (4.13) 170 (6.69) 143 (5.63) 28 (1.10)	1 (0.04) 73 (2.87) 166 (6.54) 134 (5.28) 22 (0.87)	33 (1.30) 107 (4.21) 173 (6.81) 148 (5.83) 28 (1.10)	2 (0.08) 83 (3.27) 173 (6.81) 140 (5.51) 25 (0.98)	33 (1.30) 108 (4.25) 179 (7.05) 150 (5.91) 28 (1.10)	7 (0.28) 92 (3.62) 177 (6.97) 147 (5.79) 27 (1.06)
Seasor	1 459 (18.07)	315 (12.40)	Season 459 (18.07) 315 (12.40) 465 (18.30) 346 (13.62)	346 (13.62)	470 (18.50)	369 (14.53)	470 (18.50) 369 (14.53) 478 (18.81) 396 (15.60) 489 (19.25) 423 (16.65) 498 (19.61) 450 (17.72)	396 (15.60)	489 (19.25)	423 (16.65)	498 (19.61)	450 (17.72)

REGION:	M	Columbia River	, below	Hood	River
CROP:		Corn (Sweet)			

	5 out	5 out of 10 years	6 out of 10 years	of 10 irs	7 out of 10 years	of 10 ars	8 out of 10 years	10	9 out	9 out of 10 years	19 out of 2 years	t of 20 ars
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop N mm in. mm	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep	38 (1.50) 99 (3.90) 164 (6.46) 142 (5.59) 33 (1.30)	2 (0.08) 41 (1.61) 147 (5.79) 118 (4.65)	38 (1.50) 101 (3.98) 165 (6.50) 143 (5.63) 33 (1.30)	3 (0.12) 56 (2.20) 155 (6.10) 124 (4.88) 19 (0.75)	39 (1.54) 103 (4.06) 166 (6.54) 144 (5.67) 34 (1.34)	6 (0.24) 66 (2.60) 160 (6.30) 131 (5.16) 23 (0.91)	40 (1.57) 8 (105) 105 (4.13) 74 (105) 165 (1	3 (0.31) 1 (2.91) 2 (6.54) 3 (1.10)	40 (1.57) 107 (4.21) 173 (6.81) 151 (5.94) 36 (1.42)	18 (0.71) 83 (3.27) 173 (6.81) 143 (5.63) 33 (1.30)	41 (1.61) 109 (4.29) 176 (6.93) 153 (6.02) 37 (1.46)	21 (0.83) 92 (3.62) 176 (6.93) 149 (5.87) 35 (1.38)
Season	476 (18.75)	323 (12.72)	Season 476 (18.75) 323 (12.72) 480 (18.91) 357 (14.05)	357 (14.05)	486 (19.15) 386	386 (15.21)	494 (19.44) 413 (16.25)	(16.25)	507 (19.95) 450	450 (17.72)	516 (20.31) 473 (18.63)	473 (18.63)

REGION: 3 Columbia River below Hood River CROP: Filberts

5 out of 10 years	out of years	ֆ ջ	9		0 9	6 out of 10 years	10		7 out	7 out of 10 years		8 00	8 out of 10 years	10		9 out of 10 years	if 10		19 out of 2 years	t of 20 ars	
ET crop Net IRR ET crop mm in. mm in.	Net IRR ET mm in. mm	IRR ET in. mm	IRR ET in. mm	_ 1			Net IRR mm in.	ET mm	crop in.	Net IRR mm in.		ET crop mm in.	Net	et IRR in.	E E	in.	Net IRR mm in.	ET ET	T crop in.	Net mm	IRR in.
43 (1.69) 0 (0.00) 44 (1.73) 72 (4.92) 2 (2.05) 127 (5.00) 151 (5.94) 85 (3.35) 153 (6.02) 175 (6.89) 158 (6.22) 176 (6.93) 148 (5.83) 126 (4.96) 150 (5.91) 107 (4.21) 48 (1.89) 108 (4.25) 53 (2.09) 3 (0.12) 54 (2.13) 16 (0.63) 0 (0.00) 16 (0.63)	0 (0.00) 44 (4 (0.16) 80 (52 (2.05) 127 (85 (3.35) 153 (158 (6.22) 176 (126 (4.96) 150 (48 (1.89) 108 (3 (0.12) 54 (0 (0.00) 16 ((0.00) 44 (0.00) 64 (0.05) 127 (0.05) 127 (0.22) 176 (0.49) 150 (0.12) 54 (0.00) 16 (0.00)	24 C 127 C 127 C 128 C 178 C 1			3) 0 5) 59 0) 59 2) 101 3) 167 1) 133 5) 58 3) 6	(0.00) (2.32) (3.98) (6.57) (5.24) (5.28) (0.16)	45 (83 (130 (178 (178 (178 (178 (178 (178 (178 (178	5.12) 5.12) 6.14) 7.01) 5.94) 6.33) 6.17)	0 (0.00) 5 (0.20) 64 (2.52) 113 (4.45) 171 (6.73) 141 (5.55) 69 (2.72) 5 (0.20)	60 48 55 134 55 159 179 179 179 179 179 179 179 179 179 17	88 (1.89) 4 (5.28) 9 (6.26) 9 (6.26) 5 (6.10) 5 (4.53) 9 (0.75)	122 122 122 147 147 158 158 158 158 158 158 158 158 158 158	(0.20)	20 137 137 165 165 165 176 176 176 176 176 176 176 176 176 176	1.97) 3.46) 5.39) 6.50) 1 7.32) 1 6.34) 1 2.24)	1 (0.04) 28 (1.50) 82 (3.23) 137 (5.39) 1437 (5.09) 154 (6.06) 174 (6.06) 175 (6.06) 175 (6.06) 175 (6.06) 175 (6.06) 175 (6.06)	25 25 25 25 25 25 25 25 25 25 25 25 25 2	(2.09) (3.54) (5.51) (6.57) (6.46) (6.46) (6.46) (6.224)	3 (94 () 94 () 145 () 161 () 110 () 37 () 0	0.12) 1.93) 5.71) 7.36) 6.34) 1.46)
Season 896 (35.27) 476 (18.75) 908 (35.75) 527 (20.75	.27) 476 (18.75) 908 (35.75	476 (18.75) 908 (35.75	8.75) 908 (35.75	908 (35.75	ייתן) 527	(20.75)	925 ((36.42)	568 (22.37)	7) 949	9 (37.38)	3) 615	615 (24.22)	982 (36	(38.66) 7	712 (28.04)	1000	(39.37)	786 (3	(30.95)

REGION: 3 Columbia River below Hood River CROP: Grain (Spring)

		5 out of 10 years	of 10 ars	6 out of 10 years	of 10 irs	5 2	7 out of 10 years	8 out of 10 years	of 10 ars	9 out	9 out of 10 years	19 out of 2 years	of 20 Irs
MONTH	ET ET	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug	17 109 144 16	17 (0.67) 55 (2.17) 109 (4.29) 142 (5.59) 144 (5.67) 16 (0.63)	0 (0.00) 2 (0.08) 37 (1.46) 77 (3.03) 128 (5.04) 11 (0.43)	17 (0.67) 56 (2.20) 110 (4.33) 144 (5.67) 146 (5.75) 16 (0.63)	0 (0.00) 2 (0.08) 43 (1.69) 94 (3.70) 134 (5.28) 13 (0.51)	18 (0.71) 58 (2.28) 113 (4.45) 147 (5.79) 147 (5.79) 16 (0.63)	11) 0 (0.00) 18) 3 (0.12) 15) 49 (1.93) 9) 105 (4.13) 9) 139 (5.47) 33) 14 (0.55)	18 (0.71) 60 (2.36) 115 (4.53) 150 (5.91) 148 (5.83) 16 (0.63)	0 (0.00) 3 (0.12) 54 (2.13) 114 (4.49) 144 (5.67) 15 (0.59)	19 (0.75) 60 (2.36) 118 (4.65) 153 (6.02) 149 (5.87) 17 (0.67)	0 (0.00) 16 (0.63) 68 (2.68) 128 (5.04) 149 (5.87) 16 (0.63)	20 (0.79) 62 (2.44) 120 (4.72) 154 (6.06) 154 (6.06)	0 (0.00) 28 (1.10) 75 (2.95) 136 (5.35) 154 (6.06) 17 (0.67)
Season	483	(19.02)	255 (10.04)	Season 483 (19.02) 255 (10.04) 489 (19.25) 286 (11.26)	286 (11.26)	499 (19.6	499 (19.65) 310 (12.20)	507 (19.97)	330 (13.00)	516 (20.32) 377	377 (14.85)	527 (20.74) 410	410 (16.13)

REGION: 3 Columbia River below Hood River CROP: Grain (Winter)

years	6 out of 10 years	of 10 rs	7 out of 10 years	of 10 Irs	8 out of 10 years	of 10 rs	9 out of 10 years	of 10 ars	19 out yea	19 out of 20 years
Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
0.0		01	(1.14)	0 (0.00)	31 (1.22)	(0.00)	(1.26)	00.000	33 (1.30)	
2 (0.08) 40 (1.57)	3) 60 (2.36) 37) 113 (4.45)	5 (0.12) 46 (1.81)	116 (4.57)	51 (2.01)	65 (2.48) 118 (4.65)	5 (0.12) 56 (2.20)	121 (4.76)	70 (2.76)	122 (4.80)	50 (1.18) 77 (3.03)
3.		8	(5.79)	105 (4.13)	150 (5.91)	114 (4.49)	(6.02)	128 (5.04)	154 (6.06)	
123 (4.8		129	(5.47)	134 (5.28)	141 (5.55)	139 (5.47)	(5.63)	143 (5.63)	149 (5.87)	
		Ŋ	(0.20)	5 (0.20)	7 (0.28)	6 (0.24)	(0.28)	6 (0.24)	7 (0.28)	
9.6	Season 480 (18.89) 246 (9.68) 488 (19.21) 277 (10.9°	277 (10.91)	(497 (19.57)	298 (11.74)	497 (19.57) 298 (11.74) 510 (20.09) 318 (12.52) 520 (20.47) 364 (14.34) 530 (20.87) 399 (15.71)	318 (12.52)	520 (20.47)	364 (14.34)	530 (20.87)	399 (15.71)

REGION:	М	Columbia	River	below	Hood	Rive
- 4000		40000				

	5 out of 10 years	of 10 rs	6 out of 10 years	of 10 irs	7 out of 10 years	of 10 Irs	8 out of 10 years	of 10 Irs	9 out ye	9 out of 10 years	19 ou yea	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April	l	1 (0.04)		1 (0.04)	│	1 (0.04)	 				I ~	
May	68 (2.68)	5 (0.20)	68 (2.68)	7 (0.28)	70 (2.76)	11 (0.43)	72 (2.83)	17 (0.67)	73 (2.87)	32 (1.26)	74 (2.91)	38 (1.50)
lune	_	_		J	J	J	$\overline{}$		$\overline{}$		_	
luly	_	84 (3.31)		89 (3.50)	J	$\overline{}$	_		J		_	
ğ	_	V		J	J	J	$\overline{}$		J		$\overline{}$	
e G	_	7 (0.28)		14 (0.55)	J	J	V		J		_	
ğ.	_	2 (0.08)		2 (0.08)	J	2 (0.08)	J		$\overline{}$		$\overline{}$	
٥	$\overline{}$	\smile		00.000	$\overline{}$	0 (0.00)	$\overline{}$	0 (0.00)	\sim	0 (0.00)	$\overline{}$	
dosee	473 (18 63)	189 (7,45)	Season 473 (18 63) 189 (7.45) 481 (18 94) 223 (8.78)	223 (8.78)	488 (19.22)	488 (19.22) 261 (10.27)	490 (19 64) 295 (11 62)	705 (11 62)	500 (20 03)	509 (20 02) 344 (13 54) 523 (20 58) 30/ (15 50)	523 (20 58)	30% (15 50)

REGION: 3 Columbia River below Hood River CROP: Grass Seed (Fall)

	5 out	5 out of 10 years	6 out of 10 years	of 10 Irs	7 out	7 out of 10 years	8 out of 10 years	of 10 rs	9 out of 10 years	of 10 ars	19 out of years	out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
Jan Feb March April May July Aug Sep Oct	7 (0.28) 17 (0.67) 43 (1.69) 83 (3.27) 130 (5.12) 142 (5.59) 164 (6.46) 126 (4.96) 50 (1.97) 41 (1.61) 14 (0.55) 7 (0.28)	0 (0.00) 0 (0.00) 0 (0.00) 4 (0.16) 56 (2.20) 78 (3.07) 146 (5.75) 103 (4.06) 2 (0.00) 0 (0.00)	7 (0.28) 18 (0.71) 44 (1.73) 85 (3.35) 131 (5.16) 144 (5.67) 165 (6.50) 50 (1.97) 42 (1.65) 15 (0.59) 7 (0.28)	0 (0.00) 0 (0.00) 5 (0.20) 63 (2.48) 95 (3.74) 110 (4.33) 110 (4.33) 3 (0.12) 3 (0.00)	9 (0.35) 45 (1.77) 88 (3.46) 135 (5.31) 147 (5.79) 166 (6.54) 129 (5.08) 51 (2.01) 43 (1.69) 15 (0.59) 7 (0.28)	0 (0.00) 0 (0.00) 0 (0.00) 6 (0.24) 67 (2.64) 166 (4.17) 146 (6.30) 14 (6.55) 3 (0.12) 0 (0.00)	10 (0.39) 19 (0.75) 47 (1.85) 90 (3.54) 139 (5.47) 150 (5.91) 162 (6.57) 162 (6.57) 17 (6.57) 17 (0.67) 8 (0.31)	0 (0.00) 1 (0.04) 16 (0.63) 72 (2.83) 115 (4.53) 122 (4.53) 4 (0.16) 0 (0.00)	10 (0.39) 21 (0.83) 49 (1.93) 93 (3.66) 142 (5.59) 153 (6.02) 173 (6.81) 174 (2.13) 54 (2.13) 45 (1.77) 17 (0.67) 9 (0.35)	0 (0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11 (0.43) 23 (0.91) 24 (2.01) 86 (3.78) 145 (5.71) 176 (6.93) 179 (5.47) 55 (2.17) 45 (1.77) 17 (0.67)	0 (0.00) 3 (0.12) 53 (2.09) 93 (3.66) 137 (5.39) 134 (5.28) 124 (5.28) 0 (0.00)
Season	824 (32.45)	393 (15.48)	Season 824 (32,45) 393 (15,48) 835 (32,89) 436 (17.1	436 (17.17)	854 (33.62)	854 (33.62) 472 (18.59)	875 (34.44) 522 (20.55)	522 (20.55)	903 (35.54)	(35.54) 610 (24.01)	922 (36.30) 672 (26.46)	672 (26.46)

REGION: 3 Columbia River below Hood River CROP: Grass Seed (Spring)

	5	5 out of 10 years	f 10 s	6 out ye	6 out of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 Irs	9 out of 10 years	of 10 rs	19 out of years	out of 20 years
MONTH	ET crop		Net IRR mm in	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
Jan Feb March May June July Aug Sep Oct Nov	25 C C C C C C C C C C C C C C C C C C C	0.28) 0.51) 1.81) 2.80) 3.70) 5.70) 1.4.13) 4.13) 0.83)	0 (0.00) 0 (0.00) 0 (0.00) 1 (0.04) 5 (0.20) 41 (1.61) 114 (4.49) 43 (1.69) 0 (0.00)	8 (0.31) 15 (0.59) 21 (0.83) 21 (0.83) 47 (1.85) 71 (2.80) 101 (3.98) 147 (5.79) 137 (5.39) 107 (2.60) 22 (0.87)	0 (0.00) 0 (0.00) 0 (0.00) 2 (0.08) 10 (0.39) 56 (2.20) 135 (5.31) 121 (4.76) 53 (2.20) 54 (2.20) 6 (0.00)	9 (0.35) 22 (0.59) 22 (0.87) 47 (1.85) 72 (2.83) 104 (4.09) 148 (5.83) 139 (5.47) 139 (5.47) 107 (2.64) 23 (0.91) 10 (0.39)	0 (0.00) 0 (0.00) 2 (0.00) 14 (0.55) 67 (2.64) 140 (5.51) 128 (5.04) 64 (0.25) 0 (0.00)	9 (0.35) 16 (0.63) 23 (0.91) 49 (1.93) 73 (2.87) 150 (5.91) 145 (5.71) 110 (6.73) 69 (2.72) 25 (0.98) 10 (0.39)	0 (0.00) 0 (0.00) 2 (0.00) 19 (0.75) 75 (2.95) 145 (5.71) 74 (5.28) 79 (3.11) 7 (0.00) 0 (0.00)	12 (0.47) 17 (0.67) 23 (0.91) 50 (1.97) 74 (2.91) 109 (4.29) 153 (6.02) 148 (5.83) 143 (4.45) 70 (2.76) 26 (1.02) 13 (0.51)	0 (0.00) 0 (0.00) 0 (0.00) 6 (0.24) 33 (1.30) 87 (3.43) 152 (5.83) 140 (5.51) 29 (1.14) 0 (0.00)	13 (0.51) 19 (0.75) 24 (0.75) 26 (1.97) 75 (2.95) 110 (4.33) 150 (5.91) 114 (2.89) 71 (2.89) 71 (2.89) 71 (2.89) 71 (2.89)	0 (0.00) 0 (0.00) 17 (0.67) 39 (1.54) 93 (3.66) 156 (6.14) 147 (5.79) 147 (5.79) 0 (0.00)
Season	739 (29.	.10) 3	Season 739 (29.10) 337 (13.27)	752 (29.61) 382 (15	382 (15.03)	764 (30.07)	764 (30.07) 421 (16.58)	784 (30.86) 461	461 (18.16)	808 (31.81)	(31.81) 545 (21.46)	823 (32.40)	(32.40) 608 (23.94)

REGION: 3 Columbia River below Hood River CROP: Onions

		5 out ye	5 out of 10 years		-	6 out of 10 years	of 10			7 out of 10 years	of 10 ars			8 out of 10 years	of 10 irs		•	9 out of 10 years	f 10			19 out of 20 years	of 20 's	
MONTH	ET	ET crop mm in.	Net IRR mm in.	IRR in.	ET CI	crop in.	Net IRR mm in.	IRR in.	ET (crop in.	Net	IRR in.	ET	crop in.	Net 1	IRR in.	ET CT	crop in.	Net II	IRR in.	ET Cr	crop in.	Net	IRR in.
April May June July Aug	25 (101 (101 (101 (101 (101 (101 (101 (10	0.98 3.98 5.73 4.37	1 (0.04) 43 (1.69) 74 (2.91) 133 (5.24) 91 (3.58)	0.04) 1.69) 2.91) 5.24) 3.58)	25 ((102 () 131 () 148 ()	0.98) 4.02) 5.16) 5.83) 1 4.41)	1 (48 (88 (140 (97 (0.04) 1.89) 3.46) 5.51) 3.82)	25 (105 (134 (152 (113 (0.98) 4.13) 5.28) 5.98) 4.45)	1 (51 (98 (144 (1 (0.04) 51 (2.01) 98 (3.86) 144 (5.67) 102 (4.02)	26 (107 (137 (154 (114 (1.02) 4.21) 5.39) 6.06) 4.49)	1 (0.04) 55 (2.17) 107 (4.21) 148 (5.83) 107 (4.21)	1	27 (1 110 (4 139 (5 156 (6 119 (4	1.06) 4.33) 5.47) 1 6.14) 11	8 (0.31) 65 (2.56) 117 (4.61) 152 (5.98) 113 (4.45)	1	27 (1 111 (4 140 (5 162 (6 121 (4	(1.06) (4.37) (5.51) 1 (6.38) 1 (4.76) 1	13 C C 75 C S 124 C C 157 C C	0.51) 2.95) 4.88) 6.18)
Season	512	(20.16)	342 (1	3.46)	Season 512 (20.16) 342 (13.46) 518 (20.40) 374 (14.72) 529 (20.82) 396 (15.60)	0.40) 3	374 (1	14.72)	529 (20.82)	396 (15.60)	538 (21.17)	538 (21.17) 418 (16.46) 551 (21.69) 455 (17.91)	6.46)	551 (21	.69) 4	55 (17,	91) 5	61 (22	561 (22.08) 487 (19.17)	87 (19	.17)

REGION: 3 Columbia River below Hood River CROP: Pasture

	5 out	5 out of 10 years	6 ou:	6 out of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 Irs	9 out of 10 years	of 10 Irs	19 ou ye	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March	∵ ,	10,	υ ,	1 0.0.	J .	~·	(1.61)	I	(1.65)	1	~	1 V
Apr 1 (May	114 (4.49)	4 (0.16) 42 (1.65)	85 (5.27) 115 (4.53)		86 (5.39) 119 (4.69)	6 (0.24) 55 (2.17)	122 (4.80)	14 (0.55)	90 (3.54) 124 (4.88)	39 (1.54) 73 (2.87)	93 (3.66)	50 (1.97)
June	J	65 (J	82 (3.	_	$\overline{}$	(5.24)		(5.31)		<i>,</i>	<i>-</i>
July.	<u>٠</u> ,	127 (<u>٠</u> ,	135 (5.	<u>.</u>	∵	(5.91)		(5.98)		\smile	$\overline{}$
Sep		33		44 6 4.	<u> </u>	<u> </u>	3.00)		(5.20)		<u> </u>	$\overline{}$
Sct	. ب	7		2 (0	<i>-</i> -	<i>-</i>	(2.40)		(2.48)		<i>-</i> -	-
Nov	9 (0.35)	0	J	0 0	$\overline{}$	$\overline{}$	(0.43)		(0.47)			\sim
Season	780 (30.70)	Season 780 (30,70) 377 (14,85) 797 (31,38) 428 (16	797 (31.38)) 428 (16.85)	811 (31.94) 469 (18.47)	469 (18.47)	1	832 (32, 75) 514 (20, 24)	851 (33 40)	851 (33 40) 612 (24 10)	87/ (3/ 10) 68/ (24 93)	48/ (24 02)

REGION: 3 Columbia River below Hood River CROP: Pears

	5 out	5 out of 10 years	6 out of 10 years	of 10 irs	7 out of 10 years	of 10 rs	8 out yes	8 out of 10 years	9 out of 10 years	of 10 ars	19 out	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug Sep Oct	43 (1.69) 74 (2.91) 114 (4.49) 118 (5.43) 162 (6.38) 139 (5.47) 100 (3.94) 50 (1.97)	0 (0.00) 3 (0.12) 41 (1.61) 76 (2.99) 143 (5.63) 114 (4.49) 38 (1.50) 3 (0.12)	44 (1.73) 76 (2.99) 115 (4.53) 140 (5.51) 140 (5.51) 140 (5.51) 101 (3.98) 51 (2.01) 16 (0.63)	0 (0.00) 4 (0.16) 49 (1.93) 92 (3.62) 152 (5.98) 120 (4.72) 47 (1.85) 6 (0.16)	45 (1.77) 79 (3.11) 119 (4.69) 143 (5.63) 165 (6.50) 141 (5.55) 103 (4.06) 52 (2.05) 17 (0.67)	0 (0.00) 5 (2.12) 103 (4.06) 157 (6.18) 127 (5.00) 61 (2.40) 0 (0.00)	48 (1.89) 81 (3.19) 122 (4.80) 146 (5.75) 167 (6.57) 143 (5.63) 104 (4.09) 52 (2.05) 19 (0.75)	1 (0.04) 7 (0.28) 60 (2.36) 112 (4.41) 163 (6.42) 134 (5.28) 74 (2.91) 5 (0.20) 0 (0.00)	50 (1.97) 83 (3.27) 124 (4.88) 149 (5.87) 168 (6.61) 148 (5.83) 107 (4.21) 54 (2.13) 20 (0.79)	1 (0.04) 35 (1.38) 72 (2.83) 125 (4.92) 168 (6.61) 140 (5.51) 93 (3.66) 17 (0.67) 0 (0.00)	53 (2.09) 85 (3.35) 127 (5.00) 150 (5.91) 176 (6.93) 150 (5.91) 108 (4.25) 54 (2.13) 20 (0.79)	3 (0.12) 46 (3.18) 79 (3.11) 133 (5.24) 174 (5.89) 100 (3.94) 32 (1.26) 0 (0.00)
Season	836 (32.91)	Season 836 (32.91) 418 (16.46) 847 (33.35) 468 (18.42	847 (33.35)	468 (18.42)	864 (34.03) 512 (20.17)	512 (20.17)	882 (34.72)	882 (34.72) 556 (21.90)	903 (35.56)	903 (35.56) 651 (25.62)	923 (36.36) 714	714 (28.12)

REGION: 3 Columbia River below Hood River CROP:

t of 20 ars	Net IRR mm in.	0 (0.00) 57 (2.24) 92 (3.62) 53 (2.09)	202 (7.95)
19 out of years	ET crop mm in.	41 (1.61) 93 (3.66) 143 (5.63) 59 (2.32)	336 (13 22)
of 10 rs	Net IRR mm in.	0 (0.00) 40 (1.57) 83 (3.27) 50 (1.97)	173 (6.81)
9 out of 10 years	ET crop mm in.	37 (1.46) 91 (3.58) 141 (5.55) 58 (2.28)	327 (12.87) 173 (6.81)
of 10 irs	Net IRR mm in.	0 (0.00) 14 (0.55) 72 (2.83) 45 (1.77)	(12,55) 131 (5,15)
8 out of 10 years	ET crop mm in.	36 (1.42) 88 (3.46) 138 (5.43) 57 (2.24)	319 (12.55)
of 10 irs	Net IRR mm in.	0 (0.00) 6 (0.24) 67 (2.64) 41 (1.61)	114 (4.49)
7 out of 10 years	ET crop mm in.	36 (1.42) 86 (3.39) 134 (5.28) 55 (2.17)	311 (12-26) 114 (4.49)
of 10 rs	Net IRR mm in.	0 (0.00) 5 (0.20) 62 (2.44) 36 (1.42)	(90
6 out of 10 years	ET crop mm in.	35 (1.38) 83 (3.27) 130 (5.12) 54 (2.13)	302 (11,90)
of 10 rs	Net IRR mm in.	0 (0.00) 4 (0.16) 56 (2.20) 31 (1.22)	Season 297 (11.70) 91 (3.58) 302 (11.90) 103 (4.
5 out of 10 years	ET crop mm in.	34 (1.34) 81 (3.19) 129 (5.08) 53 (2.09)	297 (11,70)
:	MONTH	March April May June	Season

REGION: 3 Columbia River below Hood River CROP: Plums

	5 ou	5 out of 10 years	6 out of 10 years	of 10 irs	7 out ye	7 out of 10 years	8 out of 10 years	of 10 ars	9 out ye	9 out of 10 years	19 ou ye	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug Sep Oct	43 (1.69) 74 (2.91) 74 (2.91) 114 (4.49) 138 (5.43) 162 (6.38) 139 (5.47) 100 (3.94) 16 (0.63)	0 (0.00) 3 (0.12) 3 (0.12) 3 (0.12) 3 (0.12) 14 (2.89) 114 (4.49) 13 (1.50) 3 (0.00)	44 (1.73) 76 (2.99) 115 (4.53) 140 (5.51) 140 (5.51) 140 (5.51) 101 (3.98) 51 (2.01) 16 (0.63)	0 (0.00) 4 (1.93) 92 (3.62) 152 (5.98) 120 (4.72) 47 (1.85) 6 (0.16)	45 (1.77) 79 (3.11) 119 (4.69) 143 (5.63) 165 (6.50) 141 (5.55) 103 (4.06) 52 (2.05) 17 (0.67)	0 (0.00) 5 (0.20) 103 (2.17) 157 (6.18) 127 (5.00) 61 (2.40) 7 (6.16) 0 (0.00)	48 (1.89) 81 (3.19) 122 (4.80) 146 (5.75) 167 (6.57) 143 (5.63) 104 (4.09) 52 (2.05) 19 (0.75)	1 (0.04) 7 (0.28) 60 (2.36) 112 (4.41) 163 (6.42) 134 (5.28) 74 (2.91) 5 (0.20) 0 (0.00)	50 (1.97) 83 (3.82) 124 (5.82) 149 (5.87) 168 (6.61) 148 (5.83) 107 (4.21) 54 (2.13) 20 (0.79)	1 (0.04) 35 (1.38) 72 (2.83) 125 (4.92) 168 (6.61) 140 (5.51) 93 (3.66) 17 (0.67)	53 (2.09) 85 (3.35) 127 (5.00) 150 (5.91) 150 (5.91) 108 (4.25) 54 (2.13) 20 (0.79)	3 (0.12) 46 (1.81) 79 (3.11) 133 (5.24) 174 (6.85) 147 (5.79) 100 (3.94) 32 (1.26) 0 (0.00)
Season	836 (32.91	Season 836 (32.91) 418 (16.46) 847 (33.35) 468 (18.42)	847 (33.35)	468 (18.42)	864 (34.03)	512 (20.17)	882 (34.72)	556 (21.90)	903 (35.56)	903 (35.56) 651 (25.62)	923 (36.36) 714	714 (28.12)

REGION: 3 Columbia River below Hood River CROP:

	5 ou	5 out of 10 years	6 out ye	6 out of 10 years	7 out ye	7 out of 10 years	8 out ye	8 out of 10 years	9 out of 10 years	f 10	19 ou ye	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep Oct	6 (0.24) 52 (2.05) 95 (3.74) 160 (6.30) 142 (5.59) 96 (3.78) 15 (0.59)	0 (0.00) 3 (0.12) 14 (1.61) 144 (5.67) 119 (4.68) 42 (1.65)	6 (0.24) 53 (2.09) 97 (3.82) 161 (6.34) 143 (5.63) 97 (3.82) 15 (0.59)	0 (0.00) 3 (0.12) 55 (2.17) 152 (5.98) 125 (4.92) 51 (2.01) 1 (0.04)	6 (0.24) 54 (2.13) 99 (3.90) 162 (6.38) 144 (5.63) 99 (3.90) 15 (0.59)	0 (0.00) 4 (0.16) 66 (2.60) 156 (6.14) 132 (5.20) 60 (2.35)	6 (0.24) 54 (2.13) 101 (3.98) 163 (6.42) 146 (5.75) 101 (3.98) 15 (0.59)	0 (0.00) 7 (0.28) 73 (2.87) 160 (6.30) 138 (5.43) 74 (2.91) 2 (0.08)	7 (0.28) 55 (2.17) 103 (4.06) 169 (6.65) 16 103 (4.06) 103 (4.06) 16 (0.63)	1 (0.04) 19 (0.75) 84 (3.31) 163 (6.42) 144 (5.67) 8 (6.25)	7 (0.28) 55 (2.17) 104 (4.09) 115 (6.02) 15 (6.02) 16 (0.63)	3 (0.12) 26 (1.02) 90 (3.54) 170 (6.69) 150 (5.91) 97 (5.82)
Season	566 (22.29	Season 566 (22.29) 350 (13.78) 572 (22.53) 387 (15.24)	572 (22.53)	387 (15.24)	579 (22.81)	579 (22.81) 419 (16.50)		586 (23.09) 454 (17.87)	604 (23.79)	06 (19, 93)	611 (24,05)	16) 875

Net IRR mm in.

19 out of 20 years

REGION: 3 Columbia River below Hood River CROP:

	5 out	5 out of 10	6 out of 10	of 10	7 out	7 out of 10	8 out of 10	of 10	9 out	9 out of 10	19 out	19 out of 20
	ye	years	years	rs	ye	years	years	rs	ye	years	yea	years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May	51 (2.01)	2 (0.08)	51 (2.01)	2 (0.08)	51 (2.01)	3 (0.12)	52 (2.05)	3 (0.12)	53 (2.09)	17 (0.67)	53 (2.09)	21 (0.83)
June	118 (4.65)	57 (2.24)	120 (4.72)	74 (2.91)	122 (4.80)	84 (3.31)	125 (4.92)	92 (3.62)	127 (5.00)	105 (4.13)	128 (5.04)	112 (4.41)
July	167 (6.57)	150 (5.91)	168 (6.61)	159 (6.26)	173 (6.81)	164 (6.46)	174 (6.85)	170 (6.69)	175 (6.89)	175 (6.89)	181 (7.13)	181 (7.13)
Aug	72 (2.83)	60 (2.36)	73 (2.87)	64 (2.52)	75 (2.95)	68 (2.68)	77 (3.03)	71 (2.80)	78 (3.07)	75 (2.95)	79 (3.11)	79 (3.11)
Season	408 (16.06)	269 (10.59)	Season 408 (16.06) 269 (10.59) 412 (16.21) 299 (11.77)	299 (11.77)	421 (16.57)	319 (12.57)	421 (16.57) 319 (12.57) 428 (16.85) 336 (13.23) 433 (17.05) 372 (14.64) 441 (17.37) 393	336 (13.23)	433 (17.05)	372 (14.64)	441 (17.37)	393 (15.48)

		5 out of 10 years	of 10 irs			6 out ye	out of 10 years			7 out of 10 years	of 10 ars	0		8 out of 10 years	of 10 irs			9 out of 10 years	of 10 rs			19 our
MONTH	ET C	crop in.	Net IRR mm in.	IRR in.	E	crop in.	Net	IRR in.	ET	crop in.	Net	t IRR in.	ET C	crop in.	Net	IRR in.	ET O	crop in.	Me t	IRR in.	TI E	crop in.
	_	2.05)	13 (0.51)	53 (2.09)	18 (0.71)	54 (2.13)		0.91)	ı ~	2.17)		1.10)	~	i i	~	1.57)	57 (2.24)
May	102 ((4.02)	26	(2.32)	104	(4.09)) 29	5.64)	106	4.17)	7	(5.80)	108	(4.25)	5	2.95)	110	4.33)	. % . ~ ~	3.31)	112 (4.41)
	_	4.33)	2	3.03)	112 ((14.41)	87 (3.43)	115 (4.53)		(3.66)	_	4.65)		3.90)	J	•	_	4.33)	121	4.76)
	_	(96.5	116 (4.57)	127 (5.00)	121	4.76)	128 (5.04)	•	(88.4)	_	5.08)		2.00)	J			5.08)	134 (5.28)
	_	4.25)	ر چ	3.90)	112 ((4.41)	102 (4.02)	113 (4.45)	•	(4.17)	_	(67.7		4.29)		•		4.49)	119	4.69)
	_	3.27)) 25	1.85)	83	3.27)	53 (2.09)	8	3.39)		(2.36)	_	3.43)		2.76)	_			3.23)	8	3.50)
	_	1.93)	M	0.12)	67	1.93)	4	0.16)	20	1.97)		(0.16)	_	1.97)		0.50)	_			0.75)	54 (2, 13)
	4	0.16)	0	0.00)	4	(0.16)	0	0.00)	2	0.20)		(00.0)	_	0.20)	0	0.00)	$\overline{}$			0.00)	2	0.20)
ا د	34 (2	(26.7)	414 (1	Season 634 (24.97) 414 (16.30) 644 (25	644		452 (36) 452 (17.81)	657 (25.88)	481	657 (25.88) 481 (18.94)	1	26.24)	513 (666 (26.24) 513 (20.20) 680 (26.78) 578 (22.76)	680 (2	6.78)	578 (2	12.76)	601	691 (27.21)

691 (27.21) 624 (24.58)

114 113 118 36 36

Tualatin Valley Alfalfa Hay

REGION: CROP:

REGION: 4 Tualatin Valley CROP: Apples

	5 out	5 out of 10 years	6 out ye	6 out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 rs	9 out of 10 years		19 out of 2 years	t of 20 ars
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net I	IRR in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	41 (1.61) 78 (3.07) 122 (4.80) 144 (5.67) 166 (6.54) 143 (5.63) 104 (4.09) 48 (1.89) 14 (0.55)	2 (0.08) 20 (0.79) 77 (3.03) 108 (4.25) 155 (6.10) 131 (5.16) 62 (2.44) 3 (0.12)	43 (1.69) 79 (3.11) 123 (4.84) 147 (5.79) 168 (6.61) 148 (5.83) 105 (4.13) 48 (1.89) 15 (0.59)	2 (0.08) 27 (1.06) 83 (3.27) 119 (4.69) 159 (6.26) 137 (5.39) 69 (2.72) 4 (0.16) 0 (0.00)	44 (1.73) 80 (3.15) 125 (4.92) 150 (5.91) 170 (6.69) 150 (5.91) 109 (4.29) 49 (1.93) 16 (0.63)	2 (0.08) 35 (1.38) 89 (3.50) 126 (4.96) 164 (6.46) 141 (5.55) 77 (3.03) 6 (0.16)	47 (1.85) 82 (3.23) 128 (5.04) 154 (6.06) 171 (6.73) 152 (5.98) 110 (4.33) 49 (1.93)	3 (0.12) 43 (1.69) 97 (3.82) 132 (5.20) 168 (6.61) 145 (5.71) 93 (3.66) 5 (0.20)	48 (1.89) 3 (0 83 (3.27) 60 (2 130 (5.12) 107 (4 156 (6.14) 146 (5 174 (6.85) 173 (6 155 (6.10) 150 (5 112 (4.41) 103 (4 52 (2.05) 18 (0	0.12) 2.36) 2.36) 2.36) 5.73) 11 (1.6) 11 (1.6) 11 (1.6)	51 (2.01) 136 (5.35) 136 (5.35) 178 (6.22) 178 (6.22) 173 (4.45) 53 (2.09) 18 (0.71)	7 (0.28) 67 (2.64) 113 (4.45) 150 (5.91) 177 (6.97) 156 (6.14) 109 (4.29) 35 (1.38) 0 (0.00)
Seasor	1 860 (33.85)	558 (21.97)	Season 860 (33.85) 558 (21.97) 876 (34.48) 600 (23.63)	600 (23.63)	893 (35.16)	638 (25.12)	910 (35.82)	686 (27.01)	927 (36.50) 760 (29.93)	1	950 (37.41)	814 (32.06)

REGION: 4 Tualatin Valley CROP: Beans (Dry Field)

	5 out ye	5 out of 10 years	6 out of 10 years	out of 10 years	7 out of 10 years	10	8 out of 10 years	. 10	9 out of 10 years	of 10 rs	19 out of 2 years	t of 20 ars
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in. m	Net IRR mm in.	ET crop mm in. m	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
May June July	59 (2.32) 119 (4.69) 104 (4.09)	24 (0.94) 85 (3.35) 96 (3.78)	60 (2.36) 120 (4.72) 105 (4.13)	27 (1.06) 95 (3.74) 99 (3.90)	61 (2.40) 3 123 (4.84) 10 106 (4.17) 10	30 (1.18) 101 (3.98) 102 (4.02)	62 (2.44 126 (4.96 107 (4.21) 36 (1.42)) 108 (4.25)) 105 (4.13)	63 (2.48) 128 (5.04) 108 (4.25)	42 (1.65) 119 (4.69) 107 (4.21)	64 (2.52) 129 (5.08) 113 (4.45)	47 (1.85) 123 (4.84) 110 (4.33)
Season	282 (11.10)	205 (8.07)	Season 282 (11.10) 205 (8.07) 285 (11.21) 221 (8.	221 (8.70)	290 (11.41) 23	(81.6)	290 (11.41) 233 (9.18) 295 (11.61) 249 (9.80)	(08.6)	299 (11.77) 268 (10.55) 306 (12.05) 280 (11.02)	268 (10.55)	306 (12.05)	280 (11.02)

REGION: 4 Tualatin Valley CROP: Berries

	5 out ye	5 out of 10 years	6 out of 10 years	ut of 10 years	7 out of 10 years	of 10 Irs	8 out of 10 years	of 10 rs	9 out ye	9 out of 10 years	19 out	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
May June July Aug Sep Oct	63 (2.48) 78 (3.07) 98 (3.86) 86 (3.39) 65 (2.56) 39 (1.54) 9 (0.35)	26 (1.02) 44 (1.73) 89 (3.50) 78 (3.07) 31 (1.22) 2 (0.08) 0 (0.00)	63 (2.48) 79 (3.11) 99 (3.49) 88 (3.46) 66 (2.60) 39 (1.54) 9 (0.35)	30 (1.18) 52 (2.05) 94 (3.70) 80 (3.15) 36 (1.42) 3 (0.12) 0 (0.00)	64 (2.52) 81 (3.19) 100 (3.94) 90 (3.54) 68 (2.68) 39 (1.54) 10 (0.39)	34 (1.34) 61 (2.40) 97 (3.82) 83 (3.27) 41 (1.61) 3 (0.12) 0 (0.00)	65 (2.56) 83 (3.27) 101 (3.98) 91 (3.58) 69 (2.72) 40 (1.57) 11 (0.43)	38 (1.50) 67 (2.64) 100 (3.94) 86 (3.39) 51 (2.01) 4 (0.16) 0 (0.00)	67 (2.64) 84 (3.31) 103 (4.05) 93 (3.66) 70 (2.76) 42 (1.65) 11 (0.43)	45 (1.77) 76 (2.99) 103 (4.06) 90 (3.54) 65 (2.56) 11 (0.43) 0 (0.00)	68 (2.68) 85 (3.35) 107 (4.21) 94 (3.70) 71 (2.80) 43 (1.69) 11 (0.43)	50 (1.97) 80 (3.15) 106 (4.17) 94 (3.70) 69 (2.72) 28 (1.10) 0 (0.00)
Season	438 (17.25)	270 (10.62)	Season 438 (17.25) 270 (10.62) 443 (17.44) 295 (11.62)	295 (11.62)	452 (17.80)	452 (17.80) 319 (12.56)	460 (18.11) 346 (13.64)	346 (13.64)	470 (18.51)	390 (15.35)	479 (18.86) 427	427 (16.81)

REGION: 4 Tualatin Valley CROP: Cherries

	5 0	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	10	8 out of 10 years	of 10 irs	9 out of 10 years	19 ou	19 out of 20 years
MONTH	ET crop	Met IRR	ET crop	Net IRR mm in.	ET crop N mm in. mm	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop mm in.	Net IRR mm in.
March April June July Aug Sep Oct	41 (1.61) 78 (3.07) 122 (4.80) 144 (5.67) 164 (5.63) 104 (4.09) 48 (1.89) 14 (0.55)	(1) 2 (0.08) (17) 20 (0.79) (20) 77 (3.03) (31) 168 (4.25) (4.25) 155 (6.10) (4.25) 131 (5.16) (5.16) 131 (5.16) (6.00) 62 (2.44) (6.00) (6.00)	43 (1.69) 123 (4.84) 123 (4.84) 148 (5.79) 148 (5.83) 105 (4.13) 48 (1.89)	2 (0.08) 27 (1.06) 83 (3.27) 119 (4.69) 137 (5.39) 69 (2.72) 4 (0.16) 0 (0.00)	44 (1.73) 2 (1.73) 2 (1.73) 2 (1.73) 35 (1.75) 125 (1.75) 126 (1.75) 126 (1.75) 126 (1.75) 127 (1.7	(0.08) (3.50) (4.96) (6.46) (5.55) (3.03) (0.16)	47 (1.85) 82 (3.23) 128 (5.04) 154 (6.06) 171 (6.73) 152 (5.98) 110 (4.33) 49 (1.93)	3 (0.12) 43 (1.69) 97 (3.82) 132 (5.20) 168 (6.61) 145 (5.71) 93 (3.66) 5 (0.20) 0 (0.00)	48 (1.89) 3 (0.12) 83 (3.27) 60 (2.36) 130 (5.12) 107 (4.21) 156 (6.14) 146 (5.72) 174 (6.85) 173 (6.81) 155 (6.10) 150 (5.91) 112 (4.41) 103 (4.06) 52 (2.05) 18 (0.71) 17 (0.67) 0 (0.00)	25 51 (2.01) 85 (3.35) 15 136 (5.35) 15 158 (6.22) 17 178 (7.01) 17 158 (6.22) 6) 113 (4.45) 15 53 (2.09) 17 18 (0.71)	7 (0.28) 67 (2.64) 113 (4.45) 150 (5.91) 177 (6.97) 156 (6.14) 109 (4.29) 35 (1.38) 0 (0.00)
Season	860 (33.8	Season 860 (33.85) 558 (21.97) 876 (34.48) 600 (23.63)	876 (34.48)	600 (23.63)	893 (35.16) 638	3 (25.12)	910 (35.82)	686 (27.01)	927 (36.50) 760 (29.93)	3) 950 (37.41)	814 (32.06)

REGION: 4 Tualatin Valley CROP: Corn (Field)

5		(5)										
	5 out	5 out of 10 years	6 out ye	6 out of 10 years	7 out	7 out of 10 years	8 out of 10 years	f 10 s	9 out of 10 years	of 10 srs	19 out	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
May June July Aug Sep	23 (0.91) 63 (2.48) 144 (5.67) 132 (5.20) 47 (1.85)	1 (0.04) 36 (1.42) 134 (5.28) 121 (4.76) 24 (0.94)	23 (0.91) 65 (2.56) 146 (5.75) 133 (5.24) 47 (1.85)	2 (0.08) 42 (1.65) 138 (5.43) 126 (4.96) 29 (1.14)	23 (0.91) 66 (2.60) 147 (5.79) 135 (5.31) 49 (1.93)	2 (0.08) 47 (1.85) 142 (5.59) 130 (5.12) 33 (1.30)	23 (0.91) 68 (2.68) 149 (5.87) 137 (5.39) 50 (1.97)	3 (0.12) 53 (2.09) 146 (5.75) 133 (5.24) 39 (1.54)	24 (0.94) 70 (2.76) 151 (5.94) 143 (5.63) 50 (1.97)	8 (0.31) 59 (2.32) 150 (5.91) 137 (5.39) 47 (1.85)	24 (0.94) 70 (2.76) 155 (6.10) 145 (5.71) 51 (2.01)	12 (0.47) 63 (2.48) 155 (6.10) 143 (5.63) 49 (1.93)
Season	(11.11)	Season 409 (16.11) 316 (12.44) 414 (16.31) 337 (13.26)	414 (16.31)	337 (13.26)	420 (16.54)	354 (13.94)	420 (16.54) 354 (13.94) 427 (16.82) 374 (14.74) 438 (17.24) 401 (15.78) 445 (17.52) 422 (16.61)	74 (14.74)	438 (17.24)	401 (15.78)	445 (17.52)	(16.61)

REGION: 4 Tualatin Valley CROP: Corn (Silage)

	ъ 5 У	5 out of 10 years	6 out ye	6 out of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 Irs	9 out of 10 years	of 10 rs	19 ou ye	19 out of 20 years	1
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	<u>د</u> يو
May June July Aug Sep	31 (1.22) 94 (3.70) 154 (6.06) 131 (5.16) 25 (0.98)	3 (0.12) 64 (2.52) 144 (5.67) 120 (4.72) 17 (0.67)	31 (1.22) 96 (3.78) 156 (6.14) 132 (5.20) 25 (0.98)	4 (0.16) 71 (2.80) 149 (5.87) 126 (4.96) 19 (0.75)	31 (1.22) 99 (3.90) 157 (6.18) 134 (5.28) 26 (1.02)	7 (0.28) 77 (3.03) 153 (6.02) 129 (5.08) 21 (0.83)	32 (1.26) 102 (4.02) 159 (6.26) 139 (5.47) 27 (1.06)	11 (0.43) 83 (3.27) 157 (6.18) 133 (5.24) 23 (0.91)	32 (1.26) 103 (4.06) 161 (6.34) 142 (5.59) 27 (1.06)	17 (0.67) 93 (3.66) 160 (6.30) 138 (5.43) 26 (1.02)	33 (1.30) 104 (4.09) 168 (6.61) 144 (5.67) 27 (1.06)	20 27 143 143 27	3.82) 6.46) 5.63)
Season	435 (17.12	348 (13.70)	Season 435 (17.12) 348 (13.70) 440 (17.32) 369 (14	369 (14.54)		387 (15.24)	(50 21) 207 (18 07) 659 (18 07) (18 07) (18 02)	(50 717 707)	172 217 137 (22 817 727 180 217 727 118 817 547	(3/, /17 08)	77 817 727	154 147	1

REGION: 4 Tualatin Valley CROP: Corn (Sweet)

	5 out	5 out of 10 years	6 out ye	6 out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	f 10 s	9 out	9 out of 10 years	19 out	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
	37 (1.46)			18 (~	ı	(1.54)	23 (0.91)	~	27 (_	~
June	95 (3.74)	64 (2.52)	96 (3.78)	72 (2.83)	99 (3.90)	77 (3.03)	101 (3.98)	83 (3.27)	103 (4.06)	93 (3.66)	104 (4.09)	97 (3.82)
	154 (6.06)			148 (J		(6.26)	56 (6.14)	_	160	•	
	134 (5.28)			128 (J		(5.59)	36 (5.35)	$\overline{}$	141	_	
	32 (1.26)			54 (J		(1.34)	30 (1.18)	$\overline{}$	33 ($\overline{}$	
Season	452 (17.80)	369 (14.53)	Season 452 (17.80) 369 (14.53) 458 (18.03) 390 (15.35	390 (15.35)	464 (18.27)	407 (16.02)	464 (18.27) 407 (16.02) 475 (18.71) 428 (16.85) 482 (18.99) 454 (17.87)	28 (16.85)	482 (18.99)	454 (17.87)	491 (19.33) 471 (18.55)	471 (18.55)

REGION: 4 Tualatin Valley CROP: Filberts

		IRR in.	0.28) 2.64) 7.45) 5.91) 6.14) 1.38)	(90
	f 20	Net IR	7 0 0 113 0 4 113 0 4 113 0 6 4 113 0 6 4 113 0 6 4 113 0 6 4 113 0 6	950 (37.41) 814 (32.06)
	19 out of 20 years		1	1) 81
	19	crop in.	(2.01) (5.35) (5.35) (6.22) (6.22) (6.22) (6.22) (6.22) (6.23) (6.23)	(37.4
		臣	51 136 138 158 178 178 113 53	
	•	IRR in.	0.12) 2.36) 4.21) 5.75) 6.81) 5.91) 0.71)	927 (36.50) 760 (29.93)
	of 10 rs	mm Met	3 (60 (107 (146 (173 (150 (103 (2) 092
	9 out of 10 years	crop in.	1.89) 3.27) 5.12) 6.14) 6.85) 6.10) 7.41) 7.05)	.50)
	5	ET cr mm i	48 (1 83 (3 130 (5 174 (6 175 (6 172 (4 17 (0	27 (36
			, , , , ,	
	0_	et IRR in.	(0.12) (1.69) (3.82) (5.20) (6.61) (5.71) (3.66) (0.00)	686 (27.01)
	8 out of 10 years	Net	43 6 43 6 132 6 145 6 93 6	989
	8 2 2	crop in.	1.85) 3.23) 5.04) 6.06) 6.73) 7.98) 1.93)	910 (35.82)
		ET III	47 (82 (128 (154 (171 (171 (110 (49 (910 (
		IRR in.	0.08) 7.38) 7.50) 6.46) 5.55) 0.16)	.12)
	10 %	Net I	2 (0 35 (1) 89 (3 126 (4 164 (6 141 (5 77 (3 0 (0	893 (35.16) 638 (25.12)
	7 out of 10 years		3.15) 3.15) 3.15) 3.15) 3.15) 3.15) 3.15) 3.15) 4.29) 11.93) 11.93)	16) 6
	7	T crop	00000000	(35.
		E E	44 150 150 169 169 169	
		Net IRR mm in.	0.08) 1.06) 4.69) 6.26) 5.39) 0.16)	23.63)
	6 out of 10 years	Met m	27 C	009
	s out of years	<u>ه</u> ج	3.11) 4.84) 5.79) 6.61) 5.83) 1.89) 0.59)	(87.
Ì	•	ET crop mm in.	43 C 1123 C 4 1147 C 1148 C 1105 C 4 4 8 C 1 15 C 1 15 C 1 15 C 1 1 1 1 1 1 1 1	76 (34
				7) 8
	0	Net IRR mm in.	(0.08) (3.03) (4.25) (6.10) (5.16) (0.12) (0.00)	(21.9
	5 out of 10 years	a E	20 20 77 77 155 131 0	558
	5 out	ET crop mm in.	(1.61) (3.07) (4.80) (5.67) (6.54) (6.54) (4.09) (1.89)	33.85
		ᄪᇀ	78 78 78 78 79 79 79 79 79 79 79 79 79 79 79 79 79	860
		MONTH	March April May June July Aug Sep Oct	Season 860 (33.85) 558 (21.97) 876 (34.48) 600 (23.63)
ł		ΣÍ	z d z j j d k o z j	ű

REGION: 4 Tualatin Valley CROP: Grain (Spring)

	5 out	5 out of 10 years	6 out of 10 years	of 10 ars	7 out of 10 years	of 10 rs	8 out ye	8 out of 10 years	9 out of 10 years	of 10 irs	19 our	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug	16 (0.63) 54 (2.13) 105 (4.13) 136 (5.35) 136 (5.35) 15 (0.59)	1 (0.04) 1 4 (0.16) 5 64 (2.52) 10 99 (3.90) 13 126 (4.96) 13 14 (0.55) 11	17 (0.67) 56 (2.20) 106 (4.17) 138 (5.43) 137 (5.39) 15 (0.59)	1 (0.04) 8 (0.31) 70 (2.76) 111 (4.37) 131 (5.16) 14 (0.55)	18 (0.71) 57 (2.24) 108 (4.25) 141 (5.55) 138 (5.43) 15 (0.59)	1 (0.04) 13 (0.51) 74 (2.91) 118 (4.65) 135 (5.31) 15 (0.59)	18 (0.71) 58 (2.28) 110 (4.33) 144 (5.67) 140 (5.51) 16 (0.63)	1 (0.04) 18 (0.71) 77 (3.03) 123 (4.84) 139 (5.47) 15 (0.59)	19 (0.75) 59 (2.32) 112 (4.41) 147 (5.79) 142 (5.59) 16 (0.63)	1 (0.04) 38 (1.50) 88 (3.46) 136 (5.35) 142 (5.59) 16 (0.63)	19 (0.75) 59 (2.32) 116 (4.57) 148 (5.83) 145 (5.71) 16 (0.63)	1 (0.04) 45 (1.77) 96 (3.78) 141 (5.55) 145 (5.71) 16 (0.63)
Season	462 (18.18)	308 (12.13)	Season 462 (18.18) 308 (12.13) 469 (18.45) 335 (13.	335 (13.19)	477 (18.77) 356 (14.01) 486 (19.13) 373 (14.68) 495 (19.49) 421 (16.57)	356 (14.01)	486 (19.13)	373 (14.68)	495 (19.49)	421 (16.57)	503 (19.81) 444	444 (17.48)

e S	_
Vall	inter
Tualatin Valley	in Ci
Tua	Gra
4	
REGION:	<u>;</u> .

	5 out ye	5 out of 10 years	6 out of 10 years	of 10 Irs	7 out	7 out of 10 years	8 out of 10 years	of 10 Irs	9 out of 10 years	of 10 rs	19 ou ye	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug	28 (1.10) 57 (2.24) 108 (4.25) 136 (5.35) 130 (5.12) 3 (0.12)	1 (0.04) 5 (0.20) 67 (2.64) 99 (3.90) 121 (4.76) 3 (0.12)	28 (1.10) 58 (2.28) 109 (4.29) 138 (5.43) 131 (5.16) 4 (0.16)	1 (0.04) 9 (0.35) 72 (2.83) 111 (4.37) 126 (4.96) 4 (0.16)	29 (1.14) 60 (2.36) 111 (4.37) 141 (5.55) 133 (5.24) 5 (0.20)	1 (0.04) 15 (0.59) 75 (2.95) 118 (4.65) 129 (5.08) 5 (0.20)	30 (1.18) 61 (2.40) 113 (4.45) 144 (5.67) 134 (5.28) 5 (0.20)	1 (0.04) 20 (0.79) 79 (3.11) 123 (4.84) 133 (5.24) 5 (0.20)	31 (1.22) 63 (2.48) 115 (4.53) 147 (5.79) 136 (5.35) 6 (0.24)	2 (0.08) 40 (1.57) 90 (3.54) 136 (5.35) 6 (0.24)	33 (1.30) 64 (2.52) 118 (4.65) 148 (5.83) 139 (5.47) 7 (0.28)	2 (0.08) 48 (1.89) 97 (3.82) 141 (5.55) 139 (5.47) 6 (0.24)
Season	462 (18.18)	296 (11.66)	Season 462 (18.18) 296 (11.66) 468 (18.42) 323 (12.	323 (12.71)	479 (18.86)	343 (13.51)	479 (18.86) 343 (13.51) 487 (19.18) 361 (14.22)	361 (14.22)	498 (19.61) 410 (16.13)	410 (16.13)	509 (20.05)	509 (20.05) 433 (17.05)

REGION: 4 Tualatin Valley CROP: Grapes

	5 out	5 out of 10 years	6 out of 10 years	out of 10 years	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 irs	19 o Y	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April	_	5 (3 (0.12)		_	\sim	28 (
May June	66 (2.60) 80 (3.15)	27 (1.06)	66 (2.60) 81 (3.19)	31 (1.22) 56 (2.20)	68 (2.68) 83 (3.27)	36 (1.42) 62 (2.44)	69 (2.72) 85 (3.35)	40 (1.57) 69 (2.72)	70 (2.76) 86 (3.39)	47 (1.85) 79 (3.11)	72 (2.83) 87 (3.43)	53 (2.09)
July	~ ·	282	\sim	\sim	-	\sim	-	93 (3.66)			\sim	24
Sep	<i>,</i>	123	<i>,</i>	<i>,</i>	<i>,</i>		<i>,</i>	47 (1.85)		,	,	585
Nov Nov	\sim	-0	-	0 (0.00)		0 (0.00)	\sim	0 (0.00)			-	<u> </u>
Season	452 (17.80)	258 (10.15)	Season 452 (17.80) 258 (10.15) 458 (18.03) 285 (11.21)	285 (11.21)	465 (18.30) 307 (12.09)	307 (12.09)	472 (18.58)	333 (13.11)	472 (18.58) 333 (13.11) 484 (19.06) 389 (15.32) 495 (19.49) 429 (16.90)	389 (15.32)	495 (19.49	429 (16.90)

REGION: 4 Tualatin Valley CROP: Grass Seed (Fall)

	-												
	70	5 out of 10 years	of 10 s	6 out ye	6 out of 10 years	7 out of 10 years	of 10 rs	8 out ye	8 out of 10 years	9 out of 10 years	of 10 rs	19 ou ye	19 out of 20 years
MONTH	ET Cr.	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
Jan March April May July Aug Sep Oct	44 C C C C C C C C C C C C C C C C C C	0.28) 0.67) 1.61) 3.27) 4.96) 5.35) 6.06) 1 4.69) 1 1.50)	0 (0.00) 2 (0.00) 2 (0.08) 22 (0.87) 80 (3.15) 99 (3.90) 14 (4.33) 14 (4.33) 0 (0.00)	7 (0.28) 42 (1.65) 85 (3.35) 127 (5.00) 138 (5.43) 156 (6.14) 49 (1.93) 38 (1.93) 38 (1.93)	0 (0.00) 0 (0.00) 2 (0.00) 30 (1.18) 86 (3.39) 111 (4.37) 148 (5.83) 14 (4.49) 16 (0.75) 3 (0.12)	7 (0.28) 18 (0.71) 44 (1.73) 86 (3.39) 129 (5.08) 141 (5.55) 157 (6.18) 125 (4.92) 125 (4.92) 126 (1.93) 139 (1.54) 15 (0.59)	0 (0.00) 0 (0.00) 2 (0.00) 38 (1.50) 92 (3.62) 118 (4.65) 117 (4.61) 25 (0.00)	9 (0.35) 46 (1.81) 87 (3.43) 132 (5.20) 144 (5.67) 126 (4.96) 51 (2.01) 39 (1.54) 15 (0.59)	0 (0.00) 3 (0.12) 45 (1.77) 101 (3.98) 123 (4.84) 126 (6.14) 120 (4.72) 3 ((1.34) 4 (0.16)	10 (0.39) 20 (0.79) 48 (1.89) 89 (3.50) 134 (5.28) 149 (5.87) 161 (6.34) 129 (5.08) 51 (2.01) 41 (1.61)	0 (0.00) 0 (0.00) 3 (0.12) 64 (2.52) 110 (4.33) 136 (5.35) 160 (6.30) 160 (0.39) 0 (0.00)	10 (0.39) 20 (0.79) 51 (2.07) 91 (3.58) 140 (5.51) 151 (5.94) 165 (6.50) 131 (5.16) 52 (2.05) 42 (1.65) 16 (0.63)	0 (0.00) 0 (0.00) 7 (0.28) 71 (2.80) 116 (4.57) 141 (5.55) 130 (5.12) 27 (1.05) 0 (0.00)
Dec	785 (30	(91)	Dec 4 (0.16) 0 (0.00) Season 785 (30.91) 472 (18.59)	6 (0.24) 0 (0. 801 (31.54) 513 (20.	0 (0.00)	(0.28)	~ 2	- ♡	~ °	(33.63)	$\sim \odot$	~ O	0 (

REGION: 4 Tualatin Valley CROP: Grass Seed (Spring)

		5 out of 10 years	of 10 irs	6 out of 10 years	of 10 rs	7 out ye	7 out of 10 years	8 out of 10 years	out of 10 years	9 out of 10 years	out of 10 years	19 ou ye	out of 20 years
MONTH	ET C	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
Jan Feb April May July July Sep Oct Nov	24	0.24) 0.55) 0.55) 0.75) 1.77) 5.43) 5.43) 0.75) 0.75)	0 (0.00) 0 (0.00) 3 (0.12) 29 (1.14) 64 (2.52) 127 (5.00) 120 (4.72) 60 (2.36) 4 (0.16) 0 (0.00)	6 (0.24) 14 (0.55) 21 (0.83) 46 (1.81) 69 (2.72) 97 (3.82) 135 (5.47) 135 (5.47) 135 (5.31) 101 (3.98) 60 (2.36) 20 (0.79) 8 (0.31)	0 (0.00) 0 (0.00) 4 (0.16) 36 (1.42) 73 (2.87) 132 (5.20) 126 (4.96) 5 (0.20) 0 (0.00)	7 (0.28) 21 (0.59) 21 (0.83) 27 (2.76) 70 (2.76) 98 (5.51) 140 (5.51) 137 (5.39) 61 (2.40) 23 (0.91) 9 (0.35)	0 (0.00) 0 (0.00) 0 (0.00) 5 (0.20) 39 (1.54) 78 (3.07) 136 (5.08) 74 (2.91) 6 (0.24) 0 (0.00)	10 (0.39) 15 (0.59) 22 (0.87) 47 (1.85) 71 (2.80) 102 (4.02) 139 (5.47) 106 (4.17) 61 (2.40) 23 (0.91) 9 (0.35)	0 (0.00) 0 (0.00) 1 (0.043) 11 (0.43) 42 (1.65) 84 (3.31) 140 (5.24) 89 (3.50) 16 (0.63) 1 (0.04) 0 (0.00)	10 (0.39) 16 (0.63) 23 (0.91) 48 (1.89) 73 (2.87) 105 (4.13) 144 (5.59) 108 (4.25) 65 (2.56) 24 (0.94) 9 (0.35)	0 (0.00) 0 (0.00) 1 (0.04) 28 (1.10) 53 (2.09) 94 (3.70) 144 (5.67) 174 (5.67) 101 (3.98) 29 (1.14) 1 (0.04)	11 (0.43) 17 (0.67) 26 (1.02) 49 (1.93) 73 (2.87) 106 (4.77) 109 (4.29) 66 (2.60) 24 (0.94) 11 (0.43)	0 (0.00) 0 (0.00) 1 (0.04) 35 (1.38) 56 (2.20) 98 (3.86) 147 (5.79) 147 (5.79) 105 (4.13) 50 (1.97) 1 (0.04)
Season	701 (2	27.61)	407 (16.02)	Season 701 (27.61) 407 (16.02) 716 (28.19) 443 (17.	443 (17.45)	731 (28.79)	467 (18.39)	747 (29.41)	517 (20.35)	767 (30.18)	589 (23.19)	783 (30.81)	636 (25.04)

atin Valle	ş
4 Tualatin	Onio
REGION:	CROP:

		5 out of 10 years	of 10 ars			6 out	6 out of 10 years			7 out of 10 years	of 10 irs			8 out of 10 years	of 10 ars			9 out of 10 years	of 10 rs	:	19	19 out of 20 years	of 20	
MONTH	ET	ET crop mm in.	Net	Net IRR mm in.	ET	crop in.	Net	Net IRR mm in.	ET III	crop in.	Net	IRR in.	ET	crop in.	Net	IRR in.	ET C	crop in.	Net I mm i	IRR in.	ET crop		Net IF	IRR in.
April May June July Aug	48 £1 50 50 50 50 50 50 50 50 50 50 50 50 50	(0.94) (3.86) (4.84) (5.51) (4.13)	25 23 131 98	(0.08) (2.44) (3.66) (5.16) (3.78)	25 (99 (125 (141 ((0.98) (3.90) (4.92) (5.55) (4.29)	5 (103 (135 (101 (0.20) 2.64) 4.06) 5.31) 3.98)	25 (101 (128 (143 (110 (0.98) 3.98) 5.04) 5.63) 4.33)	7 (72 (109 (138 (7 (0.28) 72 (2.83) 109 (4.29) 138 (5.43) 104 (4.09)	25 133 144 111	(0.98) (4.06) (5.16) (5.67) (4.37)	9 (78 (113 (142 (106 (0.35) 3.07) 4.45) 5.59) 4.17)	26 (106 (133 (146 (114 (1.02) 4.17) 5.24) 5.75) 4.49)	17 (0 85 (3 125 (4 146 (5	0.67) 3.35) 4.92) 5.75) 4.37)	26 (1. 107 (4. 134 (5. 150 (5. 116 (4.	1.02) 2 4.21) 9 5.28) 12 5.91) 14 4.57) 11	21 (0 90 (3 128 (5 149 (5 115 (4	0.83) 3.54) 5.04) 5.87) 4.53)
Season	760	(19.28)	384 (15.12)	667	Season 490 (19.28) 384 (15.12) 499 (19.64) 411 (16.	411 (16.19)		19.96)	430 (507 (19.96) 430 (16.92)	514 (514 (20.24) 448	,) 877	(17.63)		525 (20.67) 484	484 (19	(19.06)	533 (20.	(20.99) 50	503 (19	(19.81)

REGION: 4 Tualatin Valley CROP: Pasture

	<u>ب</u> يو ا	0.47) 3.76) 3.98) 4.88) 5.75) 5.04) 0.00)	27)
20	Net IRR mm in.		718 (28.27)
ut of	Z E	124 124 128 128 128 128 128	718
19 out of 20 years	crop in.	7.69) 7.46) 7.46) 7.76) 7.76) 7.76) 7.76) 7.76) 7.76) 7.76) 7.76)	(32.43)
	ET	43 C 88 88 C 88 C 88 C 82 C 97 C 75 C	824 (3
		, , , ,	1
	in.	0.12) 3.66) 4.72) 5.59) 1.02) 0.00)	25.8
out of 10 years	Net	28 25 25 25 2 2 2 2 2 2 2 2 2 2 2 2 2 2	658 (
9 out of 10 years	crop in.	1.61) 4.65) 5.08) 5.08) 5.00) 6.28)	808 (31.81) 658 (25.89)
	ET Cr		8 (31
	E	118 178 178 172 172 172 172 173 173 173 173 173 173 173 173 173 173	1
	IRR in.	0.08) 4.23) 4.23) 4.29) 6.51) 6.39)	2.99
of 10	Net mm	24 28 25 20 20 20 20 20 20 20 20 20 20 20 20 20	84 (3
8 out of 10 years	<u>a</u> .	1.54) 3.39) 4.57) 5.00) 1 5.51) 1 4.88) 1 2.13) 0.39)	791 (31.15) 584 (22.99)
8	T crop	00000000	(31.
	ET	36 116 127 140 177 178 10	791
	IRR in.	0.08) 1.46) 3.07) 4.02) 5.35) 4.53) 0.20)	776 (30.55) 541 (21.31)
10	Net	2 () 37 () 78 () 78 () 102 () 136 () 66 () 5 ()	1 (2
7 out of 10 years			5) 54
2	crop in.	(1.46) (3.35) (4.49) (4.88) (5.47) (5.47) (3.70) (2.13)	(30.5
	ET ET	37 85 114 124 120 94 94 94	776
	in.	0.08) 2.91) 3.78) 5.20) 5.20) 6.41) 0.16)	(96)
5	Net IRR mm in.	0000000	(19
6 out of 10 years	T E	28 27 28 28 27 28 27 27 28 28 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20) 507
6 or	crop in.	3.27) 4.41) 4.76) 5.39) 4.69) 3.54) 0.35)	29.92
	E E	36 C 83 C 83 C 112 C 119 C 9 C 9 C) 092
	~ .		. (7
₀	Net IRR mm in.	(0.04) (2.76) (5.23) (5.20) (6.25) (6.12) (0.00)	(18.4
ut of 1 years	N. EE	221 288 108 108 52 52 0	468
5 out of 10 years	rop in.	1.38) 3.15) 4.33) 5.35) 5.35) 2.09) 0.35)	Season 750 (29.52) 468 (18.44) 760 (29.92) 507 (19.96)
-	ET crop mm in.	35 C 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30 (29
			ion 75
	MONTH	March April May June July Aug Sep Oct Nov	Seas

0.28 2.48 3.90 0.00 0.00 0.00 (29.22) IR in: 2 out of 242 (34.54)crop in. 19 ET E 51 81 18 18 18 18 18 877 0.12) 3.24) 3.58) 5.20) 6.18) 0.00) (27.12)IRR in. Net m 9 57 132 138 17 17 689 out of (33.79)crop in. 0 ᄪ 858 (24.42) in. 9 620 out of (33.15) crop in. ø E E 842 (22.68) 0.08 3.07) 3.07) 3.07) 5.94) 5.94) 0.00) in. Net m 2 576 out of 2.89) 4.49) 5.39) 6.10) 5.28) 1.81) 0.63) (32.32) erop in. E E 821 (21.42)IRR in. out of 10 years Net mm 244 2.95) 2.95) 4.41) 5.28) 5.20) 3.78) 1.81) 0.59) (31.73)crop in. ø 806 (77.71)IR. Net . 9 25252550 502 out of years ort (31.25)crop in. E 794 Season MONTH March April May June July Aug Sep Oct

Tualatin Valley Pears

REGION: CROP:

REGION: 4 Tualatin Valley CROP: Peas

	1	4 26 40	,	96. 30	-	9, 4		10	,			
	no c	years	o out	years	ye.	/ out of 10 years	8 out of 10 years	of 10 rs	9 out ye	9 out of 10 years	19 out yee	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June	32 (1.26) 81 (3.19) 2 125 (4.92) 7 50 (1.97) 4) 1 (0.04)) 21 (0.83)) 79 (3.11)) 40 (1.57)	33 (1.30) 83 (3.27) 126 (4.96) 52 (2.05)	1 (0.04) 29 (1.14) 85 (3.35) 43 (1.69)	34 (1.34) 85 (3.35) 128 (5.04) 53 (2.09)	1 (0.04) 37 (1.46) 91 (3.58) 45 (1.77)	36 (1.42) 87 (3.43) 131 (5.16) 54 (2.13)	2 (0.08) 45 (1.77) 99 (3.90) 48 (1.89)	37 (1.46) 88 (3.46) 133 (5.24) 55 (2.17)	2 (0.08) 63 (2.48) 109 (4.29) 52 (2.05)	40 (1.57) 89 (3.50) 139 (5.47) 55 (2.17)	2 (0.08) 70 (2.76) 115 (4.53)
Season	288 (11.34) 141 (5.55)	Season 288 (11.34) 141 (5.55) 294 (11.58) 158 (6.22)	158 (6.22)	300 (11.82)	174	308 (1	194 (7.64)	313 (12.33)	226 (8.90)	323 (12.71)	240 (9.46)

n Valley	
Tualatin	D
4	
REGION:	- 000

		5 out of 10 years	of 10 rs	ō 9	6 out of 10 years	2 (7 out of 10 years		8 out ye	8 out of 10 years	9 out of 10 years	of 10 rs	19 out	19 out of 20 years
MONTH	ET	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net mm	IRR in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug Sep Oct	132 C 131 C 25 C 25 C 131 C 25 C 2	1.61) 2.91) 5.91) 5.20) 5.98) 5.16) 1.77) 0.55)	2 (0.08) 13 (0.51) 70 (2.76) 97 (3.82) 142 (5.59) 120 (4.72) 55 (2.17) 3 (0.00)	43 (1.69) 75 (2.95) 112 (4.41) 134 (5.28) 153 (6.02) 132 (5.20) 96 (3.78) 46 (1.81) 15 (0.59)	5) 2 (0.08) 5) 23 (0.91) 5) 23 (0.91) 74 (2.91) 8) 106 (4.17) 2) 147 (5.79) 0) 126 (4.96) 8) 63 (2.48) 1) 3 (0.12) 9) 0 (0.00)	44 (1.73) 76 (2.99) 114 (4.49) 137 (5.39) 155 (6.10) 134 (5.28) 99 (3.90) 46 (1.81)	28 28 78 78 78 78 78 714 717 7129 720 720 720 720 720 720 720 720 720 720	0.08) 3.07) 4.49) 5.94) 5.08) 0.16)	47 (1.85) 77 (3.03) 116 (4.57) 141 (5.55) 157 (6.18) 139 (5.47) 101 (3.98) 47 (1.85) 17 (0.67)	3 (0.12) 39 (1.54) 82 (3.23) 121 (4.76) 154 (6.06) 133 (5.24) 84 (3.31) 4 (0.16) 0 (0.00)	48 (1.89) 78 (3.11) 118 (4.65) 143 (5.63) 159 (6.26) 142 (5.59) 102 (4.02) 50 (1.97) 17 (0.67)	3 (0.12) 57 (2.24) 91 (3.58) 132 (5.20) 157 (6.18) 138 (5.43) 94 (3.70) 17 (0.67)	51 (2.01) 81 (3.19) 121 (4.76) 144 (5.67) 144 (5.67) 103 (4.06) 50 (1.97) 18 (0.71)	7 (0.28) 63 (2.48) 99 (3.90) 137 (5.39) 161 (5.63) 99 (3.90) 33 (1.30) 0 (0.00)
Season	794 (3	1.25)	502 (19.77)	Season 794 (31.25) 502 (19.77) 806 (31.73) 544 (21.4	3) 544 (21.42)	821 (32.32)	576	(22.68)	842 (33.15)	842 (33.15) 620 (24.42)	858 (33.79)	689 (27.12)	877 (34.54) 742	742 (29.22)

REGION: 4 Tualatin Valley CROP: Potatoes

years	6 out of 10 years	_	7 out	7 out of 10 years	8 out of 10 years	of 10 ars	9 out ye	9 out of 10 years	19 out yes	19 out of 20 years
ET crop mm în.		Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
0)9				~	<u> </u>		~	2	6 (0.24)	1 -
51 (2.01)	.01) 22 (0.87)	52 (2.05)	25 (0.98)	53 (2.09)	29 (1.14)	53 (2.09)	32	<i>,</i> –	
2 (3			J	J	·	81 (3.19)	J	8	_	
2 (5			J	J	·	_	·	157	٠ _	
8 (5			J	J	J	U	•	140	· •	
2 (3			J	J	·	J	_	6	_	
7 (0	.55) 1 (•	1 (0.04)	$\overline{}$	1 (0 04)	_		15 (0.59)	12 (0.47)
5 (21	Season 537 (21.14) 395 (15.55) 545 (21.45) 425 (16.74)	16.74)	555 (21.85)	555 (21.85) 450 (17.72)	564 (22.21)	483 (19.01)	573 (22.57)	564 (22.21) 483 (19.01) 573 (22.57) 525 (20.67)	585 (23.05) 552 (21.74)	552 (21.74)

REGION: 4 Tualatin Valley CROP: Tomatoes

	2 ou	5 out of 10 years	6 out ye	6 out of 10 years	7 out of 10 years	of 10 ars	8 out ye	8 out of 10 years	9 out of 10 years	10	19 out of 2 years	of 20 Irs
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop N mm in. mm	Net IRR mm in.	ET crop	Net IRR mm in.
May June July Aug	50 (1.97) 112 (4.41) 158 (6.22) 69 (2.72)) 15 (0.59)) 79 (3.11)) 148 (5.83)) 64 (2.52)	50 (1.97) 114 (4.49) 160 (6.30) 71 (2.80)	18 (0.71) 89 (3.50) 152 (5.98) 66 (2.60)	51 (2.01) 118 (4.65) 161 (6.34) 72 (2.83)	22 (0.87) 96 (3.78) 156 (6.14) 68 (2.68)	51 (2.01) 121 (4.76) 163 (6.42) 73 (2.87)	26 (1.02) 102 (4.02) 160 (6.30) 71 (2.80)	52 (2.05) 33 122 (4.80) 113 165 (6.50) 164 75 (2.95) 74	(1.30) (4.45) (6.46) (2.91)	52 (2.05) 123 (4.84) 172 (6.77) 77 (3.03)	38 (1.50) 117 (4.61) 168 (6.61) 76 (2.99)
Season	389 (15.32	Season 389 (15.32) 306 (12.05) 395 (15.56) 325 (12.	395 (15.56)	325 (12.79)	402 (15.83)	342 (13.47)	408 (16.06)	408 (16.06) 359 (14.14)	414 (16.30) 384 (15.12)	(15.12)	424 (16.69)	399 (15.71)

REGION: 5 Willamette Valley CROP: Alfalfa Hay

	5 out ye	5 out of 10 years	6 out of 10 years	of 10 ars	7 out ye	7 out of 10 years	8 out of 10 years	of 10 rs	9 out of 10 years	10	19 out yea	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net mm in. mm	et IRR in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep Oct	49 (1.93) 98 (3.86) 115 (4.53) 139 (5.47) 114 (4.49) 87 (3.43) 54 (2.13) 4 (0.16)	3 (0.12) 36 (1.42) 70 (2.76) 131 (5.16) 103 (4.06) 47 (1.85) 3 (0.12) 0 (0.00)	50 (1.97) 99 (3.90) 118 (4.65) 140 (5.51) 117 (4.61) 88 (3.46) 55 (2.17) 5 (0.20)	4 (0.16) 44 (1.73) 78 (3.07) 135 (5.31) 106 (4.17) 52 (2.05) 4 (0.16) 0 (0.00)	51 (2.01) 102 (4.02) 120 (4.72) 142 (5.59) 119 (4.69) 89 (3.50) 55 (2.17) 5 (0.20)	11 (0.43) 51 (2.01) 89 (5.50) 138 (5.43) 110 (4.33) 58 (2.28) 5 (0.20) 0 (0.00)	52 (2.05) 102 (4.06) 122 (4.80) 143 (5.63) 121 (4.76) 92 (3.62) 56 (2.20) 5 (0.20)	16 (0.63) 58 (2.28) 100 (3.94) 141 (5.55) 114 (4.49) 65 (2.56) 6 (0.24) 0 (0.00)	54 (2.13) 25 (106 (4.17) 72 (123 (4.84) 108 (148 (5.83) 147 (123 (4.84) 121 (94 (3.70) 81 (59 (2.32) 20 (6 (0.24) 0 ()	(0.98) (2.83) (4.25) (5.79) (4.76) (3.19) (0.00)	55 (2.17) 109 (4.29) 123 (4.84) 151 (5.94) 127 (5.00) 95 (3.74) 59 (2.32) 6 (0.24)	29 (1.14) 78 (3.07) 112 (4.41) 150 (5.91) 124 (4.89) 89 (3.50) 66 (1.81)
Season	660 (26.00)	393 (15.49)	Season 660 (26.00) 393 (15.49) 672 (26.47) 423 (16.65	423 (16.65)	683 (26.90)	683 (26.90) 462 (18.18)	694 (27.32) 500 (19.69)	500 (19.69)	713 (28.07) 574 (22.59)	(22.59)	725 (28.54) 628 (24.72)	628 (24.72

REGION: 5 Willamette Valley CROP: Apples

	5 2	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 rs	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 ou	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March April	38 (1.50)		39 (1.54)		40 (1.57) 76 (2.99)	1 (0.04)	42 (1.65)	1 (0.04)	43 (1.69)	2 (0.08) 37 (1.46)	45 (1.77) 84 (3.31)	2 (0.08)
June	- -	. 13 13 13 13	155 (114 (4.	(6.22)		(6 .30)		(4.92)		\sim	100
July Aug	-	55 50	188 (157 (181 (7. 144 (5.	(7.48) (6.26)	-	(7.56)		(7.68)		\sim	201 (
Sep Oct	-	25 20 20	112 (72 (2.	(4.45)	· • •	(4.61)		(4.69)		\sim	113
No.	· 🗸	0	17 (0 (0.	(0.67)		(0.67)		(0.71)		\sim	20
Season	895 (35.23	Season 895 (35.23) 543 (21.39) 913 (35.95) 581 (22.	913 (35.95)	581 (22.88)	927 (36.49) 627 (24.69)	527 (24.69)	944 (37.17) 672 (26.45)	672 (26.45)	966 (38.04) 751 (29.57)	751 (29.57)	985 (38,77)	985 (38, 77) 820 (32, 28)

REGION: 5 Willamette Valley CROP: Beans (Dry Field)

of 20	Net IRR mm in.	42 (1.65) 121 (4.76) 125 (4.92)	188 (11, 33)
19 out of 20 years	ET crop mm in.	62 (2.44) 133 (5.24) 125 (4.92)	\$20 (12,60)
of 10 rs	Net IRR mm in.	32 (1.26) 116 (4.57) 122 (4.80)	307 (12.09) 229 (9.02) 312 (12.28) 248 (9.77) 316 (12.44) 270 (10.63) 320 (12.60) 288 (11.33)
9 out of 10 years	ET crop mm in.	61 (2.40) 133 (5.24) 122 (4.80)	316 (12.44)
8 out of 10 years	Net IRR mm in.	22 (0.87) 108 (4.25) 118 (4.65)	248 (9.77)
8 out ye	ET crop mm in.	60 (2.36) 132 (5.20) 120 (4.72)	312 (12.28)
7 out of 10 years	Net IRR mm in.	15 (0.59) 99 (3.90) 115 (4.53)	229 (9.02)
7 out ye	ET crop mm in.	58 (2.28) 130 (5.12) 119 (4.69)	307 (12,09)
of 10 Irs	Net IRR mm in.	9 (0.35) 87 (3.43) 112 (4.41)	208 (8.19)
6 out of 10 years	ET crop	57 (2.24) 128 (5.04) 117 (4.61)	Season 298 (11.73) 191 (7.52) 302 (11.89) 208 (8.1
of 10 ars	Net IRR mm in.	5 (0.20) 77 (3.03) 109 (4.29)	191 (7.52)
5 out of 10 years	ET crop	57 (2.24) 125 (4.92) 116 (4.57)	298 (11.73)
	MONTH	May June July	Season

REGION: 5 Willamette Valley CROP: Berries

	5 out ye	5 out of 10 years	6 out of 10 years	ut of 10 years	7 out of 10 years	of 10 ars	8 out of 10 years	of 10 Irs	9 out of 10 years	of 10 rs	19 out of 2 years	of 20 rs
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
May June July Aug Sep Oct	61 (2.40) 82 (3.23) 109 (4.29) 90 (3.54) 69 (2.72) 42 (1.65) 9 (0.35)	5 (0.20) 37 (1.46) 100 (3.94) 78 (3.07) 30 (1.18) 2 (0.08) 0 (0.00)	61 (2.40) 82 (3.23) 110 (4.33) 91 (3.58) 70 (2.76) 43 (1.69) 11 (0.43)	11 (0.43) 47 (1.85) 103 (4.06) 83 (3.27) 35 (1.38) 3 (0.12) 0 (0.00)	62 (2.44) 84 (3.31) 111 (4.37) 94 (3.70) 71 (2.80) 43 (1.69) 11 (0.43)	18 (0.71) 56 (2.20) 107 (4.21) 86 (3.39) 42 (1.65) 3 (0.12) 0 (0.00)	63 (2.48) 85 (3.35) 112 (4.41) 95 (3.74) 72 (2.83) 44 (1.73) 11 (0.43)	25 (0.98) 64 (2.52) 110 (4.33) 90 (4.33) 49 (1.93) 4 (0.16) 0 (0.00)	64 (2.52) 87 (3.43) 114 (4.49) 97 (4.49) 74 (2.91) 46 (1.81) 11 (0.43)	39 (1.54) 70 (2.76) 114 (4.49) 95 (3.74) 64 (2.52) 7 (0.28) 0 (0.00)	65 (2.56) 87 (3.43) 117 (4.61) 98 (3.86) 75 (2.95) 47 (1.85) 12 (0.47)	44 (1.73) 77 (3.11) 117 (4.61) 98 (3.86) 70 (2.76) 31 (1.22) 0 (0.00)
Season	462 (18.18)	252 (9.93)	Season 462 (18.18) 252 (9.93) 468 (18.42) 282 (11.1	282 (11.11)	476 (18.74)	476 (18.74) 312 (12.28)	482 (18.97)	342 (13.46)	482 (18.97) 342 (13.46) 493 (19.41) 389 (15.33)	389 (15.33)	501 (19.73) 439	439 (17.29)

REGION: 5 Willamette Valley CROP: Cherries

		5 out ye	5 out of 10 years	6 out of 10 years	of 10 ars	7 out	7 out of 10 years	8 out of 10 years	out of 10 years	9 out	9 out of 10 years	19 ou ye	19 out of 20 years
MONTH	ET	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net 1RR mm in.
March April May June July Aug Sep Oct	38 C 73 C 116 C 152 C 186 C 175 C 111 C	7.50) 7.50) 7.50) 7.50) 7.50) 7.50) 7.50) 7.50)	1 (0.04) 5 (0.20) 103 (4.06) 175 (6.89) 140 (5.51) 65 (2.56) 3 (0.00)	39 (1.54) 75 (2.95) 177 (4.61) 188 (7.40) 188 (7.40) 157 (6.18) 112 (4.41) 53 (2.09) 17 (0.67)	1 (0.04) 6 (0.24) 59 (2.32) 114 (4.49) 181 (7.13) 72 (2.83) 4 (0.16) 0 (0.00)	40 (1.57) 76 (2.99) 120 (4.72) 130 (4.72) 190 (7.48) 159 (6.26) 113 (4.45) 54 (2.13)	1 (0.04) 66 (2.60) 123 (4.84) 186 (7.32) 149 (5.87) 80 (3.15) 5 (0.20)	42 (1.65) 78 (3.07) 122 (4.80) 160 (6.30) 192 (7.56) 161 (6.34) 117 (4.61) 55 (2.17) 17 (0.67)	1 (0.04) 24 (0.94) 75 (2.95) 132 (5.20) 191 (5.20) 194 (6.06) 89 (3.50) 6 (0.24) 0 (0.00)	43 (1.69) 82 (3.23) 125 (4.92) 162 (6.38) 164 (6.46) 119 (4.69) 58 (2.28) 18 (0.71)	2 (0.08) 37 (1.46) 89 (3.50) 142 (5.59) 195 (7.68) 163 (6.42) 105 (4.13) 18 (0.71) 0 (0.00)	45 (1.77) 84 (3.31) 128 (5.04) 162 (6.38) 203 (7.99) 167 (6.57) 120 (4.72) 58 (2.28) 18 (0.71)	2 (0.08) 44 (1.73) 100 (3.94) 148 (5.83) 201 (5.91) 167 (6.57) 113 (4.45) 45 (1.77) 0 (0.00)
Season	895 ((35.23)	543 (21.39	Season 895 (35.23) 543 (21.39) 913 (35.95) 581 (22.88)	581 (22.88)	927 (36.49)	927 (36.49) 627 (24.69)		944 (37.17) 672 (26.45)		966 (38.04) 751 (29.57)	985 (38.77)	820 (32.28)

REGION: 5 Willamette Valley CROP: Corn (Field)

	1	96.30	4	4.40		9						
	ρο X	years	o out of in	or 10 1rs	ye.	/ out of 10 years	8 out of 10 years	ot 10 Irs	9 out of 10 years	of 10 rs	19 out of 2 years	: of 20 Irs
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
May	22 (0.87)	-	23 (1 (0.04)		-	23 (0.91)	1	23 (0.91)	5 (0 20)	73 (0 01)	10 / 0 701
June	68 (2.68)	58	88	_		43	71 (2.80)	52 (72 (2.83)	57 (2.24)	72.87	65 (2.56)
July	161 (6.34)	150 (5.91)	163 (6.42)	155 (6.10)	164 (6.46)	159 (6.26)	166 (6.54)	164 (6.46)	169 (6.65)	169 (6.65)	172 (6.77)	172 (6.77)
Aug	140 (5.51)	127	141	_		136	148 (5.83)	141 (151 (5.94)	149 (5.87)	153 (6.02)	153 (6.02)
Sep	50 (1.97)	54	51 (_		35	52 (2.05)	37 (54 (2.13)	47 (1.85)	55 (2.17)	52 (2.05)
Season	441 (17.37)	328 (12.91)	Season 441 (17.37) 328 (12.91) 446 (17.57) 351 (13.82)	351 (13.82)	455 (17.93)	371 (14.60)	460 (18.13)	395 (15.56)	455 (17.93) 371 (14.60) 460 (18.13) 395 (15.56) 469 (18.46) 427	427 (16.81)	(16.81) 476 (18.74) 452 (17.79)	452 (17.79)

REGION: 5 Willamette Valley CROP: Corn (Silage)

		5 out of 10 years	of 10 ars		no 9	6 out of 10 years	01		7 out of 10 years	of 10 ars			8 out of 10 years	of 10 ars		٥	9 out of 10 years	10	19 0 2	19 out of 20 years	
MONTH	E E	ET crop mm in.	mm mm	IRR in.	ET crop mm in.	NE IIII	Net IRR mm in.	ET	crop in.	Net mm	IRR in.	E E	crop in.	Net	IRR in.	ET crop		Net IRR mm in.	ET crop	Net	IRR in.
May June July Aug Sep	2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1.18) 3.90) 6.81) 5.47) 1.02)	1 (54 (162 (127 (18 (1 (0.04) 54 (2.13) 162 (6.38) 127 (5.00) 18 (0.71)	31 (1.22) 100 (3.94) 174 (6.85) 143 (5.63) 27 (1.06)) 2) 64) 167) 132) 20	(0.08) (2.52) (6.57) (5.20) (0.79)	31 (103 (176 (145 (27 (1.22) 4.06) 6.93) 5.71) 1.06)	ľ	2 (0.08) 73 (2.87) 172 (6.77) 136 (5.35) 21 (0.83)	31 (105 (178 (147 (28 (1.22) 4.13) 7.01) 5.79) 1.10)	83 C 177 C 140 C	0.08) 3.27) 6.97) 5.51)	31 (1. 106 (4. 181 (7. 150 (5. 29 (1.	1.22) 1 4.17) 9 7.13) 18 5.91) 14	12 (0.47) 92 (3.62) 181 (7.13) 148 (5.83) 27 (1.06)	32 (1.26) 106 (4.17) 188 (7.40) 152 (5.98) 29 (1.14)	17 (97 (186 (152 (29 (0.67) 3.82) 7.32) 5.98)
Season	795	18.38)	362 (14.26)	Season 467 (18.38) 362 (14.26) 475 (18.70) 385 (15.16	385	(15.16)	482 (18.98)	404 (482 (18.98) 404 (15.90)	789 (19.25)	425 (489 (19.25) 425 (16.74)	497 (19.	57) 46	497 (19.57) 460 (18.11)	507 (19.95) 481 (18.93)	481 (18	8.93)

REGION: 5 Willamette Valley CROP: Corn (Sweet)

	5 out ye	5 out of 10 years	6 out of 10 years	of 10 ars	7 out ye	7 out of 10 years	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 ou	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
May June July Aug Sep	36 (1.42) 100 (3.94) 173 (6.81) 142 (5.59) 34 (1.34)	3 (0.12) 54 (2.13) 162 (6.38) 129 (5.08) 22 (0.87)	37 (1.46) 101 (3.98) 174 (6.85) 143 (5.63) 35 (1.38)	7 (0.28) 66 (2.60) 167 (6.57) 134 (5.28) 24 (0.94)	37 (1.46) 104 (4.09) 176 (6.93) 148 (5.83) 35 (1.38)	10 (0.39) 76 (2.99) 172 (6.77) 138 (5.43) 26 (1.02)	38 (1.50) 105 (4.13) 178 (7.01) 150 (5.91) 36 (1.42)	15 (0.59) 84 (3.31) 177 (6.97) 143 (5.63) 29 (1.14)	38 (1.50) 107 (4.21) 181 (7.13) 153 (6.02) 37 (1.46)	24 (0.94) 92 (3.62) 181 (7.13) 151 (5.94) 33 (1.30)	39 (1.54) 107 (4.21) 185 (7.28) 155 (6.10) 37 (1.46)	26 (1.02) 97 (3.82) 185 (7.28) 155 (6.10) 36 (1.42)
Season	1 485 (19.10)	370 (14.58)	Season 485 (19.10) 370 (14.58) 490 (19.30) 398 (15.	398 (15.67)	500 (19,69)	500 (19.69) 422 (16.60)	507 (19.97)	(72,64)	507 (19.97) 448 (17.64) 516 (20 32) 481 (18 93)	481 (18 03)	523 (20 50) (80 (10 46)	770 710 777

REGION: 5 Willamette Valley CROP: Filberts

		5 out of 10 years	of 10 Irs	6 out of 10 years	ut of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 ars	19 out of 2 years	t of 20 ars
MONTH	E E	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug Sep Oct	38 0 116 0 152 0 152 0 172 0 111 0 53 0	(1.50) (2.87) (4.57) (5.98) (7.32) (5.98) (4.37) (2.09)	1 (0.04) 5 (0.20) 51 (2.01) 103 (4.06) 175 (6.89) 140 (5.51) 65 (2.56) 3 (0.00)	39 (1.54) 75 (2.95) 117 (4.61) 155 (6.10) 188 (7.40) 157 (6.18) 112 (4.41) 53 (2.09) 17 (0.67)	1 (0.04) 6 (0.24) 59 (2.32) 114 (4.49) 181 (7.13) 72 (2.83) 4 (0.16) 0 (0.00)	40 (1.57) 76 (2.99) 120 (4.72) 158 (6.22) 190 (7.48) 159 (6.26) 113 (4.45) 54 (2.13) 17 (0.67)	1 (0.04) 17 (0.67) 66 (2.60) 123 (4.84) 186 (7.32) 149 (5.87) 80 (3.15) 5 (0.20) 0 (0.00)	42 (1.65) 78 (3.07) 122 (4.80) 160 (6.30) 192 (7.56) 161 (6.34) 117 (4.61) 55 (2.17) 17 (0.67)	1 (0.04) 24 (0.94) 75 (2.95) 132 (5.20) 191 (6.06) 89 (3.50) 6 (0.24) 0 (0.00)	43 (1.69) 125 (4.32) 162 (4.82) 165 (7.63) 164 (6.46) 119 (4.69) 58 (2.28) 18 (0.71)	2 (0.08) 37 (1.46) 89 (3.50) 145 (5.59) 163 (6.42) 165 (4.13) 18 (0.71) 0 (0.00)	45 (1.77) 84 (3.31) 128 (5.04) 162 (6.38) 203 (7.99) 167 (6.57) 120 (4.72) 58 (2.28) 18 (0.71)	2 (0.08) 44 (1.73) 100 (3.94) 148 (5.83) 501 (5.83) 113 (4.45) 45 (1.77) 0 (0.00)
Season	895 ((35.23)	543 (21.39)	Season 895 (35.23) 543 (21.39) 913 (35.95) 581 (22.88	3		927 (36.49) 627 (24.69)	1 1	944 (37.17) 672 (26.45)	966 (38.04)	966 (38.04) 751 (29.57)	985 (38.77)	820 (32.28)

REGION: 5 Willamette Valley CROP: Grain (Spring)

	5 out	5 out of 10 years	6 out of 10 years	of 10 irs	7 out of 10 years	of 10 rs	8 out yes	out of 10 years	9 out of 10 years	of 10 rs	19 ou yea	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug	15 (0.59) 53 (2.09) 102 (4.02) 143 (5.63) 150 (5.91) 15 (0.59)	0 (0.00) 2 (0.08) 38 (1.50) 93 (3.66) 140 (5.51) 13 (0.51)	15 (0.59) 54 (2.13) 103 (4.06) 144 (5.67) 152 (5.98) 16 (0.63)	0 (0.00) 2 (0.08) 46 (1.81) 104 (4.09) 144 (5.67) 14 (0.55)	16 (0.63) 54 (2.13) 105 (4.13) 146 (5.75) 153 (6.02) 16 (0.63)	0 (0.00) 3 (0.12) 53 (2.09) 114 (4.49) 149 (5.87) 15 (0.59)	17 (0.67) 56 (2.20) 107 (4.21) 150 (5.91) 155 (6.10) 16 (0.63)	0 (0.00) 3 (0.12) 60 (2.36) 123 (4.84) 153 (6.02) 16 (0.63)	17 (0.67) 57 (2.24) 110 (4.33) 152 (5.98) 158 (6.22) 17 (0.67)	0 (0.00) 20 (0.79) 76 (2.99) 133 (5.24) 158 (6.22) 16 (0.63)	18 (0.71) 58 (2.28) 113 (4.45) 152 (5.98) 161 (6.34) 17 (0.67)	0 (0.00) 23 (0.91) 85 (3.35) 138 (5.43) 161 (6.34) 17 (0.67)
Season	478 (18.83)	286 (11.26)	Season 478 (18.83) 286 (11.26) 484 (19.06) 310 (12.20)	310 (12.20)	490 (19.29)	334 (13.16)	501 (19.72) 355	355 (13.97)	511 (20.11) 403 (15.87)	403 (15.87)	519 (20.43) 424	424 (16.70)

REGION: 5 Willamette Valley CROP: Grain (Winter)

		5 out of 10 years	of 10 irs		6 out ye	6 out of 10 years			7 out of 10 years	of 10 rs		8 00 ×	8 out of 10 years		6	9 out of 10 years	10		19 out yea	19 out of 20 years	
MONTH	E E	ET crop mm in.	Net IRR mm in.		ET crop mm in.	Net IRR mm in.	IRR in.	ET C	crop in.	Net IRR mm in.		ET crop mm in.	Net	t IRR in.	ET crop		Net IRR mm in.	ET	crop in.	Net I	IRR in.
March April	25 (2.20)			(2.24)	0 M	0.00)	<u> </u>		1 (0.0		28 (1.10 9 (2.32	- 0	(0.04)	29 (1.		(0.04)	8.53	1.14)		0,04)
May June	104 (104 (4.09) 143 (5.63)	39 (1.54) 93 (3.66)	54) 105 (56) 144 (5 (4.13)	104	(1.85)	107 (5.75)	56 (2.2 114 (4.4		109 (4.29 150 (5.91	25	(2.56)	112 (4.		(3.07)	515	4.53)		(94.
July Aug	145 ((5.71)			(5.79)	139 5	5.47)	-		143 (5.63) 6 (0.24)		0 (5.91) 7 (0.28)	148	(5.83)	152 (5.98) 7 (0.28)		152 (5.98) 7 (0.28)	156	6.14)	156 (6 7 (0	6.14)
Season	722	(18.77)	Season 477 (18.77) 273 (10.75) 483 (19.01) 298 (11.73)	75) 483	(19.01)	298 (1	11.73)	493 (1	9.41)	493 (19.41) 323 (12.72) 503 (19.81) 349 (13.75) 513 (20.19) 392 (15.44) 522 (20.55) 415 (16.33)	2) 50	13 (19.81	349 ((13.75)	513 (20.	19) 392	(15.44)	522 (20.55)	415 (16	.33)

REGION: 5 Willamette Valley CROP: Grapes

of 10	6 out yea	of 10 rs	7 out ye	of 10 ars	8 out yea	of 10 Irs	9 out o	of 10 's	19 ou ye	19 out of 20 years
IRR in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
(0.04) (1.57) (3.78) (2.87) (0.08) (0.00)	38 (1.50) 63 (2.48) 86 (3.39) 104 (4.09) 87 (3.43) 64 (2.52) 33 (1.30) 8 (0.31)	1 (0.04) 12 (0.47) 50 (1.97) 99 (3.90) 78 (3.90) 29 (1.14) 2 (0.08) 0 (0.00)	39 (1.54) 64 (3.52) 87 (3.43) 105 (4.13) 88 (2.56) 33 (1.30) 8 (0.31)	2 (0.08) 18 (0.71) 59 (2.32) 102 (4.02) 36 (1.42) 2 (0.08) 0 (0.00)	40 (1.57) 65 (2.56) 88 (3.46) 107 (4.21) 89 (3.50) 67 (2.64) 34 (1.34) 8 (0.31)	2 (0.08) 25 (0.98) 66 (2.60) 105 (4.13) 84 (3.31) 44 (1.73) 3 (0.12) 0 (0.00)	41 (1.61) 67 (2.64) 89 (3.50) 108 (4.25) 91 (3.58) 69 (2.72) 35 (1.38) 9 (0.35)	5 (0.20) 36 (1.42) 73 (2.87) 108 (4.25) 89 (3.50) 60 (2.36) 3 (0.12) 0 (0.00)	42 (1.65) 69 (2.72) 90 (3.54) 111 (4.37) 92 (3.62) 69 (2.72) 35 (1.38) 10 (0.39)	7 (0.28) 48 (1.89) 81 (3.19) 111 (4.37) 92 (3.62) 65 (2.56) 20 (0.79) 0 (0.00)
(9.52)	483 (19.02)	271 (10.67)	489 (19.25)	300 (11.82)	498 (19.59)	329 (12.95)	509 (20.03) 3	574 (14.72)	518	424 (16.70)
	5 out of 10 years in. mm in. 1.46) 1 (0.04) 2.44) 6 (0.24) 3.31) 40 (1.57) 4.06) 96 (3.78) 3.39) 73 (2.87) 2.52) 24 (0.94) 1.26) 2 (0.08) 0.28) 0 (0.00)	Net IRR ET crop mm in. mm in. 1 (0.04) 38 (1.50) 6 (0.24) 63 (2.48) 40 (3.78) 104 (4.09) 73 (3.78) 104 (4.09) 73 (2.87) 87 (3.43) 24 (0.94) 64 (2.52) 2 (0.08) 33 (1.30) 0 (0.00) 8 (0.31)	6 out of 10 years IRR ET crop Net IRR in. mm in. 0.04, 38 (1.50) 1 (0.0 0.24) 63 (2.48) 12 (0.4 1.57) 86 (3.39) 50 (1.9 2.87) 87 (3.49) 99 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99) 6.39 (3.99)	36666666	FT cout of 10 years ET crop Net mm in. mm 4) 39 (1.54) 2 (7) 84 (2.52) 18 (7) 87 (3.43) 59 (7) 88 (3.46) 81 (4) 65 (2.56) 36 (4) 65 (2.56) 36 (7) 88 (3.46) 81 (7) 88 (3.46) 81 (7) 88 (3.46) 81 (7) 88 (3.46) 81 (7) 88 (3.46) 81 (7) 88 (3.46) 81 (7) 88 (3.46) 81 (7) 88 (3.46) 81 (7) 88 (3.46) 81 (7) 88 (7.55) 300 (7) (7) 489 (19.25) 300 (7)	T out of 10 Years ET crop Net IRR ET (The state of the	T out of 10 8 out of 1 years years years years years are in. mm i	T out of 10	T out of 10	Tout of 10 FI crop Wears FI crop Net IRR FI

te Valley	ed (Fall)
Willamette	Grass Se
2	
REGION:	CROP:

20	IRR in.	0.00) 0.00) 0.00) 1.93) 7.24) 7.24) 1.22) 0.00)	(27.43)		20	IRR in.	0.00) 0.00) 0.00) 0.59) 2.01) 3.82) 5.84) 4.25) 2.17) 0.00)
to s	Net mm	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0) 269		of	Net mm	151 163 151 163 151 108 108 109 108 109 109 109 109 109 109 109 109 109 109
19 out year	crop in.	(0.28) (0.28) (1.77) (5.31) (5.98) (7.24) (5.43) (6.43) (6.43) (1.81)	(35.30)		19 out year	crop in.	(0.43) 0 (0.00) (0.63) 0 (0.00) (0.87) 0 (0.00) (1.89) 15 (0.59) (2.83) 51 (2.01) (4.25) 97 (3.82) (6.42) 163 (6.42) (6.42) 163 (6.42) (4.53) 108 (4.25) (2.83) 55 (2.17) (0.35) 0 (0.00)
	ET ET	10 20 20 135 135 138 7 7	897			ET ET	11 163 163 163 151 151 152 25 25 25 25 25 25
of 10	Net IRR mm in.	0 (0.00) 2 (0.08) 42 (1.65) 92 (3.62) 133 (5.24) 146 (1.81) 7 (0.28) 0 (0.00)	637 (25.08)		of 10 ars	Net IRR mm in.	(0.39) 0 (0.00) (0.63) 0 (0.00) (0.83) 0 (0.00) (1.85) 11 (0.43) (2.76) 44 (1.73) (4.21) 93 (3.66) (6.34) 160 (6.30) (5.87) 147 (5.79) (5.87) 147 (5.79) (2.80) 29 (1.14) (0.94) 101 (3.98) (0.94) 101 (3.98) (0.94) 10 (0.00) (0.35) 0 (0.00)
9 out of years	ET crop mm in.	9 (0.35) 43 (1.69) 86 (3.39) 130 (5.12) 152 (5.98) 136 (5.29) 145 (5.13) 154 (5.13) 154 (5.13) 154 (5.13) 154 (6.13) 16 (0.63)	877 (34,53) 6		9 out of years	ET crop mm in.	10 (0.39) 16 (0.63) 21 (0.83) 47 (1.85) 70 (2.76) 107 (4.21) 161 (6.34) 1149 (5.87) 114 (4.49) 71 (2.80) 24 (0.94) 9 (0.35)
of 10	Net IRR mm in.	0 (0.00) 0 (0.00) 1 (0.04) 31 (1.22) 79 (3.11) 77 (5.00) 127 (5.00) 4 (0.16) 0 (0.00)	571 (22.48) 8		of 10	Net IRR mm in.	(0.59) 0 (0.00) (0.59) 0 (0.00) (0.79) 0 (0.00) (1.81) 2 (0.08) (2.72) 30 (1.18) (4.17) 85 (3.35) (6.18) 155 (6.10) (5.75) 139 (5.47) (4.33) 85 (3.35) (2.68) 15 (0.04) (0.28) 0 (0.00)
8 out of years	ET crop mm in.	9 (0.35) 41 (1.61) 83 (3.27) 126 (4.96) 177 (6.97) 177 (6.97) 134 (5.28) 43 (1.69) 45 (0.59) 4 (0.16)	852 (33.55)		8 out of years	ET crop mm in.	10 (0.39) 15 (0.59) 20 (0.79) 46 (1.81) 69 (2.72) 106 (4.17) 157 (6.18) 146 (5.75) 110 (4.33) 24 (0.94) 7 (0.28)
of 10	Net IRR mm in.	0 (0.00) 0 (0.00) 1 (0.04) 21 (0.83) 71 (2.80) 171 (6.49) 173 (4.49) 123 (0.91) 3 (0.12) 0 (0.00)	527 (20.76)		of 10 ars	Net IRR mm in.	(0.28) 0 (0.00) (0.51) 0 (0.00) (0.79) 0 (0.00) (1.77) 2 (0.08) (2.68) 22 (0.87) (4.09) 76 (2.99) (6.10) 151 (5.94) (5.67) 135 (5.31) (4.25) 76 (2.99) (2.64) 6 (0.24) (0.28) 0 (0.00)
7 out of years	ET crop mm in.	7 (0.28) 16 (0.63) 39 (1.54) 81 (3.19) 124 (4.88) 175 (6.89) 132 (5.75) 132 (5.20) 132 (5.20) 13 (1.69) 4 (0.16)	834 (32.85)		7 out of years	ET crop mm in.	7 (0.28) 13 (0.51) 20 (0.79) 45 (1.77) 68 (2.68) 104 (4.09) 155 (6.10) 144 (5.67) 108 (4.25) 67 (2.64) 23 (0.28) 7 (0.28)
of 10 rs	Net IRR mm in.	0 (0.00) 0 (0.00) 1 (0.04) 7 (0.28) 64 (2.52) 104 (4.09) 115 (6.54) 115 (0.59) 3 (0.12) 0 (0.00)	479 (18.87)		of 10 Irs	Net IRR mm in.	0 (0.00) 0 (0.00) 0 (0.00) 2 (0.08) 15 (0.59) 66 (2.60) 147 (5.79) 131 (5.16) 68 (2.68) 5 (0.20) 0 (0.00) 0 (0.00)
6 out of years	ET crop mm in.	7 (0.28) 16 (1.50) 38 (1.50) 79 (3.11) 122 (4.80) 144 (5.67) 173 (6.81) 127 (5.00) 127 (5.00) 42 (1.65) 15 (0.59) 4 (0.16)	818 (32.21)	•	6 out of years	ET crop mm in.	6 (0.24) 0 13 (0.51) 0 18 (0.71) 0 45 (1.77) 2 67 (2.64) 15 102 (4.02) 66 153 (6.02) 147 142 (5.59) 131 107 (4.21) 68 66 (2.60) 5 66 (2.60) 5 6 (0.24) 0 6 (0.24) 0
of 10 rs	Net IRR mm in.	0 (0.00) 0 (0.00) 1 (0.04) 5 (0.20) 55 (2.17) 93 (3.66) 141 (6.34) 115 (4.33) 2 (0.00) 0 (0.00)	443 (17.45)	Willamette Valley Grass Seed (Spring)	of 10 Irs	Net IRR mm in.	0 (0.00) 0 (0.00) 0 (0.00) 1 (0.04) 7 (0.28) 742 (5.59) 126 (4.96) 61 (2.40) 61 (2.40) 0 (0.00) 0 (0.00)
5 out of years	ET crop m in.	(0.16) (0.59) (1.46) (1.46) (1.72) (1.72) (1.77) (1.97) (1.65) (0.51)	(31.61)	r.	5 out of years	ET crop mm in.	6 (0.24) 0 18 (0.47) 0 18 (0.47) 0 44 (1.73) 1 66 (2.60) 7 01 (3.98) 54 52 (5.98) 142 52 (5.98) 142 53 (5.43) 126 66 (4.17) 61 65 (2.56) 4 61 (0.24) 0 61 (0.24) 395
	MONTH E	Jan 4 Feb 15 March 37 April 77 May 120 July 172 July 172 July 172 July 172 Sep 50 Oct 42 Nov 13	Season 803	REGION: CROP:		HLNOM	Jan 6 Feb 12 March 18 April 44 May 66 June 101 July 152 Aug 138 Sep 106 Oct 21 Dec 65

REGION: 5 Willamette Valley CROP: Mint

	5 out ye	5 out of 10 years	6 out ye	6 out of 10 years	7 out of 10 years	of 10 irs	8 out	8 out of 10 years	9 out ye	9 out of 10 years	19 ou ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March	13 (0.51)	0 (0.00)	13 (0.51)		13 (0.51)	0 (0.00)	14 (0.55)	0		0 (0.00)		0
April	51 (2.01)	2 (0.08)	25	~		3 (0.12)	54 (2.13)	m		17 (0.67)		22 (
Мау	117 (4.61)	51 (2.01)	118	26		66 (2.60)	123 (4.84)	ĸ		89 (3.50)		100
June	144 (5.67)	94 (3.70)	148	107		116 (4.57)	152 (5.98)	125 (4.92)	154 (6.06)	135 (5.31)	154 (6.06)	140 (
July	120 (4.72)	111 (4.37)	121	115 (118 (4.65)	124 (4.88)	122		126 (4.96)		
Season	445 (17.52)	258 (10.16)	Season 445 (17.52) 258 (10.16) 452 (17.80) 283 (11.14)	283 (11.14)	459 (18.07)	303 (11.94)	467 (18.38)	325 (12.79)	459 (18.07) 303 (11.94) 467 (18.38) 325 (12.79) 475 (18.70) 367 (14.44) 483 (19.01) 390	367 (14.44)	483 (19.01)	390 (15.36)

REGION: 5 Willamette Valley CROP: Onions

		5 out of 10 years	of 10 ars			6 out of 10 years	of 10 ars			7 out of 10 years	of 10 irs			8 out	8 out of 10 years	_		9 out of 10 years	of 10 irs			19 ou ye	19 out of 20 years	0
MONTH	ET crop mm in.	in.	Net	IRR in.	ET	crop in.	Net IRR mm in.	IRR in.		crop in.	Net mm	IRR in.	單	crop in.	nm mm	IRR in.	E E	crop in.	Net	IRR in.	E E	crop in.	Net	IRR in.
April May June July Aug	23 (94 (129 (155 (23 (0.91) 94 (3.70) 129 (5.08) 155 (6.10) 111 (4.37)	1 (42 (89 (147 (102 (1 (0.04) 42 (1.65) 89 (3.50) 147 (5.79) 102 (4.02)		23 (0.91) 95 (3.74) 133 (5.24) 157 (6.18) 114 (4.49)	1 48 99 151 105	(0.04) (1.89) (3.90) (5.94) (4.13)	24 (98 (134 (158 (116 (0.94) 3.86) 5.28) 6.22) 4.57)	2 5 106 5 155 5 109 5	2 (0.08) 54 (2.13) 106 (4.17) 155 (6.10) 109 (4.29)	25 C 99 C 136 C 160 C	5.35) 4.65)	l .	3 (0.12) 62 (2.44) 114 (4.49) 160 (6.30) 112 (4.41)	25 c 103 c 138 c 163 c	0.98) 4.06) 5.43) 6.42) 4.72)	10 C 122 C 163 C 118 C	(0.39) (2.83) (4.80) (6.42) (4.65)	25 25 25 25 25 25 25 25 25 25 25 25 25 2	(0.98) (4.13) (5.43) (6.54) (4.80)	11 0 81 0 127 0 166 0	0.43) 3.19) 5.00) 6.54) 4.80)
Season	Season 512 (20.16) 381 (15.00) 522 (20.56) 404 (15.90)	(91.16)	381 (1	5.00)	522 (20.56)	404 (15.90)	530 (20.87)	426 (530 (20.87) 426 (16.77)		21.18)	451 (538 (21.18) 451 (17.76)	249 (549 (21.61) 485 (19.09)	485 (19.09)	556 (556 (21.88)	507	(19.96)

REGION: 5 Willamette Valley CROP: Pasture

	0 2	5 out of 10 years	6 out of 10 years	of 10 rs	7 out ye	7 out of 10 years	8 out ye	8 out of 10 years	9 out	9 out of 10 years	19 ou ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	32 (1.26) 75 (2.95) 106 (4.17) 127 (5.09) 151 (5.94) 124 (4.88) 95 (3.74) 9 (0.33)	6) 1 (0.04) 5) 5 (0.20) 7) 40 (1.57) 0) 78 (3.07) 4) 141 (5.55) 8) 112 (4.41) 4) 53 (2.09) 8) 4 (0.16) 5) 0 (0.00)	33 (1.30) 77 (3.21) 107 (4.21) 128 (5.04) 152 (5.08) 127 (5.00) 96 (3.78) 59 (2.32) 10 (0.39)	1 (0.04) 6 (0.24) 50 (1.97) 88 (3.46) 145 (5.71) 116 (4.57) 59 (2.32) 5 (0.20) 0 (0.00)	34 (1.34) 78 (3.37) 110 (5.33) 130 (5.12) 154 (6.06) 130 (5.12) 96 (3.78) 60 (2.36) 10 (0.39)	1 (0.04) 18 (0.71) 57 (2.24) 99 (5.87) 120 (4.72) 66 (2.60) 5 (0.20) 0 (0.00)	36 (1.42) 80 (3.15) 112 (4.41) 131 (5.16) 156 (6.14) 131 (5.16) 100 (3.94) 60 (2.36) 10 (0.39)	2 (0.08) 65 (2.56) 108 (4.25) 153 (6.02) 123 (4.84) 74 (2.91) 13 (0.51) 0 (0.00)	37 (1.46) 84 (3.31) 113 (5.24) 158 (6.22) 134 (5.28) 102 (4.02) 63 (2.48) 11 (0.43)	2 (0.08) 40 (1.57) 80 (3.15) 116 (4.57) 130 (5.12) 88 (3.46) 22 (0.87) 0 (0.00)	39 (1.54) 86 (3.39) 117 (4.61) 133 (5.24) 162 (6.38) 135 (5.31) 103 (4.06) 64 (2.52) 12 (0.47)	2 (0.08) 47 (1.85) 91 (3.58) 121 (4.76) 162 (6.38) 135 (5.31) 96 (3.78) 50 (1.97) 0 (0.00)
Season	777 (30.5	Season 777 (30.57) 434 (17.09) 789 (31.05) 470 (18.5)	789 (31.05)	470 (18.51)		802 (31.57) 515 (20.28)		816 (32.13) 565 (22.23)		837 (32.97) 636 (25.04)	851 (33.52) 704	704 (27.71)

REGION: 5 Willamette Valley CROP: Pears

		5 out of 10 years	of 10 Irs	6 04	6 out of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	out of 10 years	9 out of 10 years	of 10 rs	19 out of years	of 20 Irs
MONTH	ET	crop in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May July Sep Sep Oct	38 69 105 105 105 105 105 105 105 105 105 105	1.50) 2.72) 4.13) 5.47) 6.73) 5.47) 1.93) 0.55)	1 (0.04) 4 (0.16) 41 (1.61) 90 (3.54) 160 (6.30) 127 (5.00) 58 (2.28) 3 (0.12) 0 (0.00)	39 (1.54) 106 (4.17) 142 (5.59) 172 (6.77) 143 (5.63) 102 (4.02) 50 (1.97) 17 (0.67)	(4) 1 (0.04) (5) 5 (0.20) (6) 7 (1.93) (7) 165 (6.50) (8) 132 (5.20) (8) 132 (5.20) (9) 160 (10) 160 (40 (1.57) 72 (2.83) 109 (4.29) 144 (5.67) 174 (6.85) 146 (5.75) 103 (4.06) 51 (2.01) 17 (0.67)	1 (0.04) 12 (0.47) 57 (2.24) 111 (6.69) 170 (6.69) 71 (2.80) 6 (0.16)	42 (1.65) 74 (2.91) 111 (4.37) 146 (5.75) 176 (6.93) 148 (5.83) 106 (4.17) 51 (2.01) 17 (0.67)	1 (0.04) 21 (0.83) 66 (2.60) 120 (4.72) 175 (6.89) 141 (5.55) 80 (3.15) 5 (0.20)	43 (1.69) 77 (3.03) 114 (4.49) 148 (5.83) 179 (7.05) 151 (5.94) 108 (4.25) 54 (2.13) 18 (0.71)	2 (0.08) 35 (1.38) 79 (3.11) 130 (5.12) 149 (5.87) 95 (3.74) 13 (0.51) 0 (0.00)	45 (1.77) 176 (3.11) 148 (5.83) 148 (5.83) 148 (5.32) 153 (6.02) 109 (4.29) 54 (2.13) 18 (0.71)	2 (0.08) 90 (3.54) 135 (5.31) 184 (7.24) 153 (6.02) 103 (4.06) 36 (1.42) 0 (0.00)
Season	825 (32.48)	Season 825 (32.48) 484 (19.05)	842 (33.16	842 (33.16) 521 (20.53)	856 (33.70)	562 (22.12)	871 (34.29)	609 (23.98)	892 (35.12)	682 (26.86)	908 (35.75)	744 (29.28)

REGION: 5 Willamette Valley CROP: Peas

	5 out	5 out of 10 years	6 out of 10 years	ut of 10 years	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out	9 out of 10 years	19 ou	19 out of 20
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June	30 (1.18) 76 (2.99) 119 (4.69) 53 (2.09)	1 (0.04) 5 (0.20) 54 (2.13) 37 (1.46)	31 (1.22) 78 (3.07) 120 (4.72) 53 (2.09)	1 (0.04) 6 (0.24) 63 (2.48) 41 (1.61)	32 (1.26) 79 (3.11) 123 (4.84) 54 (2.13)	1 (0.04) 18 (0.71) 70 (2.76) 45 (1.77)	33 (1.30) 81 (3.19) 125 (4.92) 56 (2.20)	1 (0.04) 30 (1.18) 79 (3.11) 48 (1.89)	34 (1.34) 85 (3.35) 131 (5.16) 56 (2.20)	1 (0.04) 41 (1.61) 91 (3.58) 51 (2.01)	36 (1.42) 87 (3.43) 133 (5.24) 57 (2.24)	1 (0.04) 48 (1.89) 103 (4.06) 53 (2.09)
Season	278 (10.95)	97 (3.83)	Season 278 (10.95) 97 (3.83) 282 (11.10) 111 (4.37	111 (4.37)	288 (11.34)	288 (11.34) 134 (5.28)	295 (11.61)	295 (11.61) 158 (6.22) 306 (12.05) 184 (7.24) 313 (12.33) 205 (8.08)	306 (12.05)	184 (7.24)	313 (12.33)	205 (8.08)

REGION: 5 Willamette Valley CROP: Plums

	5 2	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 .	8 out of 10 years	10	9 out of 10 years	f 10 s	19 ou ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop N mm in. mm	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug Sep Oct	38 (1.50) 69 (2.72) 105 (4.13) 139 (5.47) 171 (6.73) 139 (5.47) 101 (3.98) 49 (1.93) 14 (0.55)	1 (0.04) 4 (0.16) 9 4 (0.16) 9 4 (1.61) 9 6 (3.54) 9 150 (6.30) 9 127 (5.00) 9 58 (2.28) 9 3 (0.12) 0 (0.00)	39 (1.54) 71 (2.80) 106 (4.17) 142 (5.59) 172 (6.77) 143 (5.63) 102 (4.02) 50 (1.97) 17 (0.67)	1 (0.04) 5 (0.20) 49 (1.93) 101 (3.98) 165 (6.50) 64 (2.52) 64 (2.52) 6 (0.00)	40 (1.57) 72 (2.83) 109 (4.29) 144 (5.57) 146 (5.75) 103 (4.06) 51 (2.01) 17 (0.67)	1 (0.04) 57 (2.24) 17 (6.47) 170 (6.69) 136 (5.35) 71 (2.80) 4 (0.16) 0 (0.00)	42 (1.65) 1 74 (2.91) 21 111 (4.37) 66 146 (5.75) 120 176 (6.93) 175 148 (5.83) 141 106 (4.17) 80 51 (2.01) 5	(0.20)	43 (1.69) 77 (3.03) 114 (4.49) 148 (5.83) 115 151 (5.95) 115 151 (5.94) 14 108 (4.25) 5 54 (2.13) 18 (0.71)	2 (0.08) 35 (1.38) 79 (3.11) 130 (5.12) 179 (7.05) 179 (3.74) 13 (0.51) 0 (0.00)	45 (1.77) 79 (3.11) 116 (4.57) 148 (5.83) 186 (7.32) 153 (6.02) 169 (4.29) 54 (2.13)	2 (0.08) 41 (1.61) 90 (3.54) 135 (5.31) 184 (7.24) 153 (6.02) 103 (1.42) 0 (0.00)
Season	825 (32.48	Season 825 (32.48) 484 (19.05) 842 (33.16) 521 (20.53)	842 (33.16)	521 (20.53)	856 (33.70) 5	562 (22.12)	871 (34.29) 609	609 (23.98)	892 (35.12) 68	682 (26.86)	908 (35, 75)	(86 06) 772

REGION: 5 Willamette Valley CROP: Potatoes

	5 out ye	5 out of 10 years	6 out of 10 years	of 10 rs	7 out yes	7 out of 10 years	8 out of 10 years	of 10 rs	9 out	9 out of 10 years	19 out yea	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm_in.	ET crop	Net IRR mm in.
April May June July Aug Sep Oct	6 (0.24) 49 (1.93) 96 (3.78) 168 (5.61) 142 (5.59) 97 (3.82) 15 (0.59)	0 (0.00) 4 (0.16) 55 (2.17) 159 (6.26) 131 (5.16) 57 (2.24) 1 (0.04)	6 (0.24) 50 (1.97) 97 (3.82) 170 (6.69) 143 (5.63) 98 (3.86) 16 (0.63)	0 (0.00) 4 (0.16) 63 (2.48) 163 (6.42) 135 (5.31) 63 (2.48) 1 (0.04)	6 (0.24) 50 (1.97) 100 (3.94) 172 (5.77) 148 (5.83) 99 (3.90) 16 (0.63)	0 (0.00) 10 (0.39) 73 (2.87) 168 (6.61) 139 (5.47) 70 (2.76) 1 (0.04)	6 (0.24) 51 (2.01) 101 (3.98) 174 (6.85) 150 (5.91) 103 (4.06) 16 (0.63)	0 (0.00) 17 (0.67) 82 (3.23) 172 (6.77) 144 (5.67) 79 (3.11) 2 (0.08)	6 (0.24) 52 (2.05) 102 (4.02) 177 (6.97) 153 (6.02) 105 (4.13) 16 (0.63)	2 (0.08) 26 (1.02) 89 (3.50) 177 (6.97) 151 (5.94) 93 (3.66) 6 (0.24)	6 (0.24) 52 (2.05) 102 (4.02) 183 (7.20) 155 (6.10) 106 (4.17) 16 (0.63)	3 (0.12) 32 (1.26) 92 (3.62) 182 (7.17) 155 (6.10) 100 (3.94) 13 (0.51)
Season	573 (22.56)	407 (16.03)	Season 573 (22.56) 407 (16.03) 580 (22.84) 429 (16.89)	429 (16.89)	591 (23.28)	461 (18.14)	591 (23.28) 461 (18.14) 601 (23.68) 496 (19.53) 611 (24.06) 544 (21.41)	496 (19.53)	611 (24.06)	544 (21.41)	620 (24.41) 577 (22.72)	(22.72)

REGION: 5 Willamette Valley CROP: Tomatoes

		5 out of 10 years	of 10 ars		6 or	6 out of 10 years	•		7 out of 10 years	of 10 rs			8 out of 10 years	10		9 out of 10 years	of 10 's	19 or ye	19 out of 20 years
MONTH	ET	ET crop mm in.	Net IRR mm in.	RR n.	ET crop mm in.		Net IRR mm in.	ET	crop in.	Net	IRR in.	E	crop in.	Net IRR mm in.	ET ET	crop in.	Net IRR mm in.	ET crop	Net IRR mm in.
May June July Aug	48 120 178 7 7	1.89) 4.72) 7.01) 2.95)	3 (0.12) 72 (2.83) 167 (6.57) 67 (2.64)		49 (1.93) 122 (4.80) 180 (7.09) 76 (2.99)	81 172 70	3.19) (6.77) (2.76)	49 (124 (182 (77 (1.93) 4.88) 7.17) 3.03)	2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 (0.24) 91 (3.58) 177 (6.97) 73 (2.87)	50 C 126 C 184 C C	1.97) 11 4.96) 10 7.24) 18 3.07) 78	13 (0.51) 103 (4.06) 182 (7.17) 76 (2.99)	51 (127 (187 (80 (2.01) 5.00) 7.36) 3.15)	26 (1.02) 111 (4.37) 187 (7.36) 79 (3.11)	51 (2.01) 127 (5.00) 191 (7.52) 81 (3.19)	32 (1.26) 116 (4.57) 191 (7.52) 81 (3.19)
Season	421 ((16.57)	309 (12.	. 16)	Season 421 (16.57) 309 (12.16) 427 (16.81) 327 (12.88)	1) 327 (12.88)	432 (17.01)	347 (1	(99.5	438 (1	7.24) 37	4 (14.73)	445 (17.52) 4	03 (15.86)	432 (17.01) 347 (13.66) 438 (17.24) 374 (14.73) 445 (17.52) 403 (15.86) 450 (17.72) 420 (16.54)	420 (16.54)

REGION: 6 Umqua River CROP: Alfalfa Hay

	5 out	5 out of 10 years	6 out ye	6 out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 Irs	9 out	9 out of 10 years	19 ou	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug Sep	23 (0.91) 70 (2.76) 98 (3.86) 116 (4.57) 150 (5.91) 93 (3.66)	1 (0.04) 18 (0.71) 59 (2.32) 94 (3.70) 146 (5.75) 117 (4.61)	23 (0.91) 71 (2.80) 99 (3.90) 117 (4.61) 151 (5.94) 125 (4.92) 94 (3.70)	2 (0.08) 24 (0.94) 64 (2.52) 99 (3.90) 149 (5.87) 120 (4.72) 75 (2.95)	24 (0.94) 73 (2.87) 101 (3.98) 119 (4.69) 152 (5.98) 127 (5.00) 95 (3.74)	2 (0.08) 33 (1.30) 72 (2.83) 104 (4.09) 151 (5.94) 124 (4.88) 79 (3.11)	25 (0.98) 75 (2.95) 103 (4.06) 122 (4.80) 154 (6.06) 128 (5.04) 97 (3.82)	2 (0.08) 42 (1.65) 80 (3.15) 110 (4.33) 154 (6.06) 127 (5.00) 85 (3.35)	26 (1.02) 77 (3.03) 106 (4.17) 124 (4.88) 156 (6.14) 132 (5.20) 102 (4.02)	8 (0.31) 50 (1.97) 86 (3.39) 116 (6.14) 132 (5.20) 91 (3.58)	27 (1.06) 78 (3.07) 108 (4.25) 127 (6.26) 134 (5.28) 104 (4.09)	15 (0.59) 57 (2.24) 93 (3.66) 120 (4.72) 159 (6.26) 134 (5.28) 95 (3.74)
Season	673 (26.51)	505 (19.89)	Season 673 (26.51) 505 (19.89) 680 (26.78) 533 (20.98)	533 (20.98)	691 (27.20)	565 (22.23)		704 (27.71) 600 (23.62)		723 (28.46) 639 (25.16)	737 (29.01) 673	673 (26.49)

REGION: 6 Umqua River CROP: Apples

	5 out ye	5 out of 10 years	6 out of 10 years	out of 10 years	7 out of 10 years	of 10 rs	8 out	8 out of 10 years	9 out of 10 years		19 out of years	t of 20 ars	
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net	in.	ET crop	4	IRR in.
March April May July Aug Sep Oct	37 (1.46) 72 (2.83) 175 (4.53) 152 (5.98) 200 (7.87) 163 (6.42) 119 (4.69) 57 (2.24) 18 (0.71)	2 (0.08) 22 (0.87) 72 (2.91) 72 (2.91) 129 (5.08) 192 (7.56) 156 (6.14) 92 (3.62) 5 (0.20)	38 (1.50) 74 (2.91) 117 (4.61) 153 (6.02) 201 (7.91) 166 (6.54) 121 (4.76) 59 (2.32) 19 (0.75)	3 (0.12) 27 (1.06) 82 (3.23) 134 (5.28) 195 (5.28) 161 (6.34) 98 (3.86) 12 (0.47) 1 (0.04)	39 (1.54) 75 (2.95) 119 (4.69) 154 (6.06) 203 (7.99) 168 (6.61) 123 (4.84) 60 (2.36) 22 (0.87)	3 (0.12) 35 (1.38) 90 (3.54) 139 (5.47) 166 (6.54) 18 (0.71) 1 (0.04)	40 (1.57) 77 (3.03) 122 (4.80) 125 (6.22) 205 (8.07) 125 (4.92) 62 (2.44) 23 (0.91)	4 (0.16) 45 (1.77) 96 (3.78) 144 (5.67) 203 (7.99) 109 (4.29) 28 (1.10) 1 (0.04)	42 (1.65) 10 (79 (3.11) 52 (125 (4.92) 102 (161 (6.34) 153 (209 (8.23) 208 (175 (6.89) 175 (128 (5.04) 115 (65 (2.56) 45 (0.39) 6.02) 6.02) 6.02) 6.89) 0.08)	43 (1.69) 80 (3.15) 127 (5.00) 164 (6.46) 212 (8.35) 178 (5.01) 179 (5.03) 129 (5.03) 26 (1.02)	18 () 173 () 173 () 174 () 54 ()	0.71) 2.32) 2.32) 6.22) 8.35) 7.01) 7.01) 2.13)
Season	933 (36.73)	673 (26.50)	Season 933 (36.73) 673 (26.50) 948 (37.32) 713 (28.08	713 (28.08)	963 (37.91)	(37.91) 755 (29.72)	982 (38.65)	800 (31.49)	982 (38.65) 800 (31.49) 1009 (39.72) 862 (33.94)		2	913 (3	5.95)

REGION: 6 Umqua River CROP: Beans (Dry Field)

	5 out	5 out of 10 years	6 out of 10 years	of 10 irs	7 out	7 out of 10 years	8 out of 10 years	of 10 ars	9 out	9 out of 10 years	19 ou	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
May June July	57 (2.24) 125 (4.92) 124 (4.88)	23 (0.91) 102 (4.02) 121 (4.76)	57 (2.24) 126 (4.96) 125 (4.92)	29 (1.14) 107 (4.21) 123 (4.84)	58 (2.28) 128 (5.04) 126 (4.96)	33 (1.30) 113 (4.45) 125 (4.92)	60 (2.36) 131 (5.16) 128 (5.04)	38 (1.50) 118 (4.65) 127 (5.00)	61 (2.40) 134 (5.28) 130 (5.12)	44 (1.73) 125 (4.92) 129 (5.08)	62 (2.44) 136 (5.35) 132 (5.20)	52 (2.05) 129 (5.08) 132 (5.20)
Season	306 (12.04)	246 (9.69)	Season 306 (12.04) 246 (9.69) 308 (12.12) 259 (10.19)	259 (10.19)	312 (12.28)	312 (12.28) 271 (10.67) 319 (12.56) 283 (11.15) 325 (12.80) 298 (11.73) 330 (12.99) 313 (12.33)	319 (12.56)	283 (11.15)	325 (12.80)	298 (11.73)	330 (12.99)	313 (12.33)

REGION: 6 Umqua River CROP: Cherries

באסאי		cherries	es												
	ιτή ·	5 out of 10 years	of 10 rs	6 ot	6 out of 10 years	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 's	0 6	9 out of 10 years		19	19 out of 20 years	20
MONTH	ET Cr	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net	IRR in.	ET crop		Net IRR mm in.
March April May June July Aug Sep Oct	37 (1 72 (2 115 (4 115 (5 200 (7 119 (4 119 (4 18 (0	(1.46) (2.83) (4.53) (5.98) (7.87) (6.42) (4.69) (2.24)	2 (0.08) 22 (0.87) 74 (2.91) 129 (5.08) 192 (7.56) 156 (6.14) 92 (3.62) 5 (0.20) 1 (0.04)	38 (1.50) 74 (2.91) 117 (4.61) 153 (6.02) 201 (7.91) 166 (6.54) 121 (4.76) 59 (2.32) 19 (0.75)	3 (0.12) 1) 27 (1.06) 1) 82 (3.23) 1) 134 (5.28) 1) 195 (7.68) 1) 161 (6.34) 1) 98 (3.86) 1) 12 (0.47) 1) 1 (0.04)	39 (1.54) 75 (2.95) 119 (4.69) 154 (6.69) 203 (7.99) 168 (6.61) 123 (4.84) 22 (0.87)	3 (0.12) 35 (1.38) 90 (3.54) 139 (5.47) 199 (7.83) 166 (6.54) 194 (4.09) 18 (0.71) 1 (0.04)	40 (1.57) 77 (3.03) 122 (4.80) 158 (6.22) 205 (8.07) 170 (6.69) 125 (4.92) 125 (4.92) 23 (0.91)	4 (0.16) 45 (1.77) 96 (3.78) 144 (5.67) 203 (7.99) 170 (6.69) 109 (4.29) 28 (1.10) 1 (0.04)	42 (1.65) 78 (4.31) 125 (4.92) 161 (6.34) 209 (8.23) 175 (6.89) 175 (6.89) 128 (5.04) 65 (2.56) 25 (0.98)	10 52 102 103 10 10 10 10 10 10 10 10 10 10 10 10 10	0.39) 2.05) 6.02) 1.02) 1.03) 1.77) 0.08)	43 (1.127 (5.1764 (6.1	1.69) 18 3.15) 59 5.00) 111 6.46) 158 8.35) 212 7.01) 178 5.08) 121 2.64) 54 1.02) 2	(0.13) (2.32) (4.37) (6.22) (8.35) (7.01) (7.01) (6.76) (0.08)
Season	933 (36	5.73) (673 (26.50)	948 (37.32	Season 933 (36.73) 673 (26.50) 948 (37.32) 713 (28.08)	963 (37.91) 755 (29.72)	755 (29.72)	982 (38.65) 800 (31.49) 1009 (39.72) 862 (33.94) 1026 (40.40) 913 (35.	00 (31.49)	1009 (39.7	2) 862 (33,	.94) 10	26 (40.	40) 913	(35.95)

REGION: 6 Umqua River CROP: Corn (Silage)

		5 out of 10 years	ut of 10 years		9	6 out of 10 years	10	no 2	7 out of 10 years	8 out of 10 years	of 10 irs	9 out	9 out of 10 years	19 out ye	19 out of 20 years
MONTH	ET C	crop in.	Net IRR mm in.	æ .∙	ET crop mm in.	=	Net IRR m in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep	30 (100 (184 (149 (1.18) 3.94) 7.24) 5.87) 1.14)	3 (0.12) 81 (3.19) 181 (7.13) 142 (5.59) 25 (0.98)		30 (1.18) 101 (3.98) 185 (7.28) 151 (5.94) 29 (1.14)		6 (0.24) 85 (3.35) 184 (7.24) 146 (5.75) 26 (1.02)	30 (1.18) 103 (4.06) 186 (7.32) 153 (6.02) 30 (1.18)) 10 (0.39)) 89 (3.50)) 186 (7.32)) 150 (5.91)) 27 (1.06)	31 (1.22) 105 (4.13) 190 (7.48) 155 (6.10) 30 (1.18)	15 (0.59) 94 (3.70) 190 (7.48) 155 (6.10) 28 (1.10)	31 (1.22) 107 (4.21) 194 (7.64) 159 (6.26) 30 (1.18)	21 (0.83) 100 (3.94) 193 (7.60) 159 (6.26) 29 (1.14)	32 (1.26) 109 (4.29) 197 (7.76) 164 (6.46) 31 (1.22)	25 (0.98) 104 (4.09) 197 (7.76) 163 (6.42) 30 (1.18)
Season	1 492 (19.37)	432 (17.	, (10,	Season 492 (19.37) 432 (17.01) 496 (19.52) 447 (17.60)	12) 447	(17.60)	502 (19.76) 462 (18.18)	502 (19.76) 462 (18.18) 511 (20.11) 482 (18.97)	482 (18.97)	521 (20.51)	521 (20.51) 502 (19.77)	533 (20.99) 519 (20.43)	519 (20.43)

REGION: 6 Umqua River CROP: Corn (Sweet)

	2 (5 out of 10 years			6 out of 10 years	of 10 irs			7 out of 10 years	of 10 ars			8 out	8 out of 10 years			9 out of 10 years	of 10			19 out of 2 years	of 20	
MONTH	ET crop mm in.	Net	IRR in.	ET	crop in.	Net IRR mm in.	IRR in.	ET	crop in.	Net	IRR in.	E E	crop in.	Net	IRR in.	ETS	crop in.	Net I	IRR in.	ET CI	crop in.	Net mm	IRR in.
May June July Aug Sep	59 (2.3 113 (4.4 185 (7.2 150 (5.9	2.32) 24 (4.45) 94 (7.28) 179 (5.91) 143 (2.13) 43 ((0.94) (3.70) 1 (7.05) 1 (5.63) 1 (1.69)	60 15 87 53 54	2.36) 4.53) 7.36) 6.02) 2.13)	31 (98 (181 (147 (46 (1.22) 3.86) 7.13) 5.79)	61 (117 (189 (155 (56 (2.40) 4.61) 7.44) 6.10) 2.20)	35 (102 (184 (151 (1.38) 4.02) 7.24) 5.94) 1.93)	61 119 190 157 57	2.40) 4.69) 7.48) 6.18) 2.24)	39 C 107 C 189 C 156 C	1.54) 4.21) 7.44) 6.14) 2.01)	63 122 194 164 57	2.48) 4.80) 7.64) 6.46) 2.24)	47 (1 113 (4 193 (7 162 (6 54 (2	1.85) 4.45) 7.60) 6.38) 2.13)	524 C 197 C 165 C	2.48) 4.88) 7.76) 6.50) 2.36)	54 C 197 C 164 C	2.13) 4.65) 7.76) 6.46) 2.20)
Season	561 (22.0	Season 561 (22.09) 483 (19.01) 569 (22.40) 503 (19.81)	(10.6	269 (22.40)	503 (1	9.81)	578 (578 (22.75) 521		(20.51)	584 (584 (22.99) 542	542 ((21.34)	600 (2	600 (23.62) 569	69 (22	(22.41)	609 (23.98)		589 (2	(23.20)

REGION: 6 Umqua River CROP: Filberts

5 out of 10 years	6 out of 10 years	of 10 rs	7 out ye	7 out of 10 years	8 out of 10 years	of 10 rs	9 out ye	9 out of 10 years	19 out of years	: of 20 irs
Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
	38 (1.50)	_ ~	V	3 (0.12)	(1.57)	∣	~	~	~	~
(0.87)	74 (2.91)	27 (1.06)	75 (2.95)	35 (1.38)	77 (3.03)	45 (1.77)	79 (3.11)	52 (2.05)	80 (3.15)	59 (2.32)
	117 (4.61)	_	V	90 (3.54)	(4.80)	$\overline{}$	$\overline{}$	J	_	<i>.</i> _
	153 (6.02)	_	J	139 (5.47)	(6.22)	J	J	J	V	·
	201 (7.91)	_	J	199 (7.83)	(8.07)	J	J	J	J	
156 (6.14)	166 (6.54)	_	J	166 (6.54)	(69.9)	J	J	J	J	_
	121 (4.76)	_	J	104 (4.09)	(4.92)	J	J	_	· •	
5 (0.20)	26	12 (0.47)	J	18 (0.71)	(5.44)	J	·	·		٠.
(0.04)	19 (1 (0.04)	J	1 (0.04)	(0.91)	$\overline{}$	$\overline{}$	J	26 (1.02)	2 (0.08)
(26.50)	Season 933 (36.73) 673 (26.50) 948 (37.32) 713 (28.08	713 (28.08)	963 (37.91)	755 (29.72)	982 (38.65)	800 (31.49) 1	1009 (39.72)	862 (33.94)	1026 (40.40)	913 (35.95)

REGION: 6 Umqua River CROP: Grain (Spring)

	5 or	5 out of 10 years	6 out yes	6 out of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 ars	9 out of 10 years	of 10 's	19 out of 2 years	of 20 Irs
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug	15 (0.59) 58 (2.28) 116 (4.57) 144 (5.67) 143 (5.63) 11 (0.43)	7) 1 (0.04) 3) 8 (0.31) 7) 76 (2.99) 7) 119 (4.69) 5) 139 (5.47) 5) 11 (0.43)	15 (0.59) 59 (2.32) 118 (4.65) 145 (5.71) 144 (5.67)	1 (0.04) 13 (0.51) 83 (3.27) 124 (4.88) 141 (5.55) 11 (0.43)	16 (0.63) 60 (2.36) 120 (4.72) 147 (5.79) 146 (5.75) 12 (0.47)	1 (0.04) 21 (0.83) 91 (3.58) 129 (5.08) 144 (5.67) 12 (0.47)	16 (0.63) 62 (2.44) 123 (4.84) 148 (5.83) 147 (5.79) 12 (0.47)	1 (0.04) 30 (1.18) 98 (3.86) 134 (5.28) 146 (5.75) 12 (0.47)	17 (0.67) 63 (2.48) 129 (5.08) 1 154 (6.06) 1 150 (5.91) 1	2 (0.08) 39 (1.54) 105 (4.13) 142 (5.59) 150 (5.91) 12 (0.47)	18 (0.71) 64 (2.52) 131 (5.16) 156 (6.14) 152 (5.98) 12 (0.47)	7 (0.28) 44 (1.73) 113 (4.45) 147 (5.79) 152 (5.98) 12 (0.47)
Season	487 (19.17	7) 354 (13.93)	Season 487 (19.17) 354 (13.93) 493 (19.41) 373 (14.68)	373 (14.68)	501 (19.72)	398 (15.67)		508 (20.00) 421 (16.58)	525 (20.67) 450 (17.72)	50 (17.72)	533 (20.98) 475	475 (18.70)

REGION: 6 Umqua River CROP: Grain (Winter)

	5 out ye	5 out of 10 years	6 out of 10 years	of 10 Irs	7 ol.	7 out of 10 years	8 out of 10 years	of 10 Irs	9 out	9 out of 10 years	19 out	19 out of 20 years
ET crop mm in.	٥ - و -	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
47.04B	24 (0.94) 57 (2.24) 112 (4.41) 144 (5.67) 133 (5.24)	1 (0.04) 7 (0.28) 71 (2.80) 119 (4.69) 130 (5.12)	25 (0.98) 58 (2.28) 113 (4.45) 145 (5.71) 135 (5.31)	2 (0.08) 12 (0.47) 79 (3.11) 124 (4.88) 132 (5.20)	26 (1.02) 59 (2.32) 115 (4.53) 147 (5.79) 137 (5.39)	2 (0.08) 2 21 (0.83) 3 87 (3.43) 3 129 (5.08) 3 134 (5.28)	27 (1.06) 60 (2.36) 117 (4.61) 148 (5.83) 138 (5.43)	2 (0.08) 28 (1.10) 93 (3.66) 135 (5.31) 136 (5.35)	28 (1.10) 62 (2.44) 120 (4.72) 154 (6.06) 140 (5.51)	3 (0.12) 36 (1.42) 99 (3.90) 143 (5.63) 139 (5.47)	29 (1.14) 62 (2.44) 122 (4.80) 156 (6.14) 142 (5.59)	9 (0.35) 43 (1.69) 107 (4.21) 147 (5.79) 142 (5.59)
٥	18.50)	328 (12.93)	Season 470 (18.50) 328 (12.93) 476 (18.73) 349 (13.74	\sim	484 (19.05	484 (19.05) 373 (14.70) 490 (19.29) 394 (15.50)	490 (19.29)	394 (15.50)	504 (19.83)	504 (19.83) 420 (16.54)	511 (20.11) 448 (17.63)	448 (17.63)

REGION: 6 Umqua River CROP: Grass Seed (Spring)

	5 out of 10 years	out of 10 years	6 out ye	6 out of 10 years	7 out of 10 years	of 10 rs	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 out of 2 years	of 20
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
Jan March April May June July Aug Sep Oct Nov	9 (0.35) 14 (0.55) 17 (0.67) 44 (1.73) 66 (2.60) 101 (3.88) 114 (4.49) 71 (2.80) 27 (1.06) 9 (0.35)	0 (0.00) 0 (0.00) 1 (0.04) 3 (0.12) 28 (1.10) 82 (3.23) 158 (6.22) 17 (5.55) 15 (0.59) 1 (0.04)	10 (0.39) 15 (0.59) 18 (0.71) 44 (1.73) 67 (2.64) 103 (4.06) 164 (6.46) 151 (5.94) 175 (4.53) 73 (2.87) 28 (1.10)	0 (0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11 (0.43) 15 (0.59) 18 (0.71) 45 (1.77) 68 (2.68) 104 (4.09) 166 (6.54) 153 (6.02) 175 (2.95) 29 (1.14)	0 (0.00) 1 (0.00) 1 (0.00) 1 (0.01) 8 (0.31) 41 (1.61) 90 (3.54) 164 (6.46) 179 (5.87) 932 (1.26) 2 (0.08) 0 (0.00)	14 (0.55) 16 (0.63) 20 (0.77) 45 (1.77) 69 (2.72) 106 (4.17) 158 (6.61) 177 (4.61) 77 (3.03) 30 (1.18)	0 (000) 2 (0.08) 16 (0.63) 46 (1.81) 95 (3.74) 167 (6.57) 154 (6.06) 155 (4.13) 43 (4.13) 2 (0.08) 0 (0.00)	15 (0.59) 18 (0.71) 21 (0.83) 47 (1.85) 70 (2.76) 108 (4.25) 171 (6.73) 159 (6.26) 123 (4.84) 80 (7.30) 13 (1.30) 13 (1.30)	0 (0.00) 2 (0.00) 2 (0.00) 52 (0.01) 52 (2.05) 101 (3.98) 171 (6.73) 171 (4.37) 58 (5.26) 111 (4.37) 58 (5.26) 111 (4.37) 58 (5.26) 0 (0.00)	16 (0.63) 18 (0.71) 22 (0.87) 48 (1.89) 72 (2.83) 110 (4.33) 173 (6.81) 163 (6.42) 126 (4.96) 83 (1.38) 16 (0.63)	0 (0.00) 2 (1.08) 27 (1.08) 61 (2.40) 105 (4.13) 116 (4.57) 67 (2.64) 0 (0.00)
Season	783 (30.83)	516 (20.32)	Season 783 (30.83) 516 (20.32) 798 (31.41) 551 (21.71)	551 (21.71)	810 (31.88)	586 (23.07)	829 (32.63)	630 (24.79)	858 (33.78)	679 (26.74)	882 (34.73)	716 (28.19)

REGION: 6 Umqua River CROP: Pasture

	5 out	5 out of 10 years	6 out of 10 years	of 10 ars	7 out of 10 years	of 10	8 out of 10 years	of 10 rs	ino 6	9 out of 10 years	19	19 out of 20 years	20
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	p Net	t IRR in.
March April May July July Aug Sep Oct	44 (1.73) 75 (2.95) 105 (4.13) 125 (4.92) 132 (5.20) 132 (5.20) 132 (7.02) 131 (7.02)	3 (0.12) 54 (0.94) 65 (2.56) 103 (4.06) 157 (6.18) 125 (4.92) 76 (2.99) 8 (0.31)	45 (1.77) 76 (2.99) 106 (4.17) 126 (4.96) 163 (6.42) 134 (5.28) 104 (4.09) 65 (2.56) 12 (0.47)	4 (0.16) 29 (1.14) 70 (2.76) 107 (4.21) 160 (6.30) 129 (5.08) 81 (3.19) 15 (0.59) 1 (0.04)	46 (1.81) 78 (3.07) 108 (4.25) 128 (5.04) 165 (6.50) 137 (5.39) 105 (4.13) 66 (2.60) 13 (0.51)	4 (0.16) 82 (1.50) 82 (3.23) 113 (4.45) 163 (6.42) 183 (5.24) 86 (3.39) 26 (1.02) 1 (0.04)	48 (1.89) 80 (3.15) 111 (4.37) 131 (5.16) 138 (5.43) 108 (4.25) 68 (2.68) 13 (0.51)	5 (0.20) 46 (1.81) 188 (3.46) 169 (6.69) 178 (5.43) 92 (3.62) 36 (1.42) 1 (0.04)	50 (1.97) 82 (3.23) 114 (4.49) 134 (5.28) 142 (5.59) 142 (5.59) 110 (4.33) 71 (2.80) 16 (0.63)	16 (0.63) 54 (2.13) 93 (3.66) 126 (4.96) 142 (5.59) 98 (3.86) 50 (1.97)	52 (2.05) 83 (3.27) 115 (4.53) 136 (5.35) 172 (6.77) 145 (5.77) 113 (4.45) 73 (2.87) 16 (0.63)	27) 64 53) 101 53) 101 55) 129 77) 172 77) 145 77) 165 78) 103 53) 59	(1.06) (3.98) (5.08) (5.77) (5.71) (4.06) (2.32)
eason	820 (32.28)) 562 (22.12)	Season 820 (32.28) 562 (22.12) 831 (32.71) 596 (23.47)	596 (23.47)	846 (33.30) 646 (25.45)	346 (25.45)	863 (33.98)	691 (27.21)	888 (34.97)	749 (29.49)	905 (35.63)	801	(31.54)

REGION: 6 Umqua River CROP: Pears

	5 out ye	5 out of 10 years	6 out ye	6 out of 10 years	7 out of years	7 out of 10 years	8 out	8 out of 10 years	9 out	9 out of 10 years	19 out of years	t of 20 ars
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May July Aug Sep Oct	37 (1.46) 66 (2.72) 104 (5.72) 132 (5.47) 149 (5.87) 109 (4.29) 53 (2.09) 18 (0.71)	2 (0.08) 44 (2.52) 64 (2.52) 115 (4.53) 172 (5.59) 172 (5.59) 173 (5.59) 174 (6.05)	38 (1.50) 105 (4.13) 105 (4.13) 140 (5.51) 152 (5.98) 110 (4.33) 15 (2.17) 19 (0.75)	3 (0.12) 23 (0.91) 70 (2.76) 120 (4.72) 182 (7.77) 148 (5.75) 8 (5.75) 8 (0.31)	39 (1.54) 107 (5.23) 141 (5.55) 184 (7.24) 154 (6.06) 112 (4.41) 56 (2.20) 22 (0.87)	3 (0.12) 30 (1.18) 79 (3.11) 126 (4.96) 184 (7.24) 150 (5.91) 94 (3.70) 17 (0.67)	40 (1.57) 74 (2.91) 110 (4.33) 144 (5.67) 188 (7.40) 156 (6.14) 14 (2.49) 58 (2.28) 23 (0.91)	4 (0.16) 41 (1.61) 88 (3.39) 132 (5.20) 188 (7.40) 155 (6.10) 26 (1.02)	42 (1.65) 76 (2.99) 113 (4.45) 150 (5.91) 192 (7.56) 117 (4.61) 117 (4.61) 25 (6.83)	10 (0.39) 48 (1.89) 92 (3.62) 139 (5.47) 191 (7.52) 160 (6.30) 2 (4.13) 2 (0.08)	43 (1.69) 77 (3.03) 114 (4.49) 152 (5.98) 165 (7.68) 120 (4.72) 64 (6.46) 64 (2.52)	18 (0.71) 54 (2.13) 100 (3.94) 143 (5.63) 195 (7.68) 163 (6.42) 110 (4.33) 2 (0.97)
Season	860 (33.87)	Season 860 (33.87) 608 (23.95)	872 (34.33) 641 (25.24	641 (25.24)	887 (34.91)	684 (26.93)	907 (35.70)	732 (2	938 (36.93)	. ଅ	/ C	, D

REGION: 6 Umqua River CROP: Peas

	5 out	5 out of 10	6 out of 10	of 10	7 out	7 out of 10	8 out of 10	of 10	9 out	9 out of 10	19 out of 2	of 20
	ye	years	years	rs	ye	years	years	rs	ye	years	years	rs
MONTH	ET crop	Net IRR	ET crop	Net IRR	ET crop	Net IRR	ET crop	Net IRR	ET crop	Net IRR	ET crop	Net IRR
	mm in.	mm in.	mm in.	mm in.	mm in.	mm in.	mm in.	mm in.	mm in.	mm in.	mm in.	mm in.
March	16 (0.63)	1 (0.04)	16 (0.63)	1 (0.04)	17 (0.67)	1 (0.04)	17 (0.67)	2 (0.08)	18 (0.71)	2 (0.08)	18 (0.71)	8 (0.31)
April	73 (2.87)	22 (0.87)	75 (2.95)	28 (1.10)	76 (2.99)	37 (1.46)	78 (3.07)	45 (1.77)	80 (3.15)	53 (2.09)	81 (3.19)	60 (2.36)
May	118 (4.65)	77 (3.03)	120 (4.72)	85 (3.35)	122 (4.80)	93 (3.66)	125 (4.92)	99 (3.90)	131 (5.16)	105 (4.13)	133 (5.24)	114 (4.49)
June	136 (5.35)	114 (4.49)	140 (5.51)	118 (4.65)	142 (5.59)	124 (4.88)	146 (5.75)	131 (5.16)	148 (5.83)	137 (5.39)	150 (5.91)	141 (5.55)
Season	1 343 (13.50)	214 (8.43)	Season 343 (13.50) 214 (8.43) 351 (13.81) 232 (9.14)	232 (9.14)	357 (14.05)	255 (10.04)	357 (14.05) 255 (10.04) 366 (14.41) 277 (10.91) 377 (14.85) 297 (11.69) 382 (15.05) 323 (12.71)	277 (10.91)	377 (14.85)	297 (11.69)	382 (15.05)	323 (12.71)

REGION: 6 Umqua River CROP: Plums

	5 out ye	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 rs	8 out ye	8 out of 10 years	9 out of 10 years	of 10 rs	.19 ou	out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	37 (1.46) 69 (2.72) 104 (4.09) 139 (5.47) 182 (5.47) 149 (5.87) 109 (4.29) 53 (2.09) 18 (0.71)	2 (0.08) 18 (0.71) 64 (2.52) 115 (4.53) 179 (7.05) 142 (5.59) 82 (3.23) 5 (0.20) 1 (0.04)	38 (1.50) 70 (2.76) 105 (4.13) 140 (5.51) 183 (7.20) 152 (5.98) 110 (4.33) 55 (2.17) 19 (0.75)	3 (0.12) 23 (0.70) 70 (2.76) 120 (4.72) 182 (7.17) 146 (5.75) 88 (3.46) 8 (0.31) 1 (0.04)	39 (1.54) 72 (2.83) 107 (4.21) 141 (5.55) 184 (7.24) 154 (6.06) 112 (4.41) 56 (2.20) 22 (0.87)	3 (0.12) 30 (1.18) 79 (3.11) 126 (4.96) 184 (7.24) 150 (5.91) 94 (3.70) 17 (0.67)	40 (1.57) 74 (2.31) 110 (4.33) 144 (5.67) 188 (7.40) 156 (6.14) 114 (4.49) 58 (2.28) 23 (0.91)	4 (0.16) 41 (1.61) 86 (3.39) 132 (5.20) 188 (7.40) 59 (3.90) 26 (1.02) 1 (0.04)	42 (1.65) 76 (2.99) 113 (4.45) 150 (5.91) 192 (7.56) 163 (6.42) 117 (4.61) 60 (2.36) 25 (0.98)	10 (0.39) 48 (1.89) 92 (3.62) 139 (5.47) 191 (7.52) 160 (6.30) 43 (1.69) 2 (0.08)	43 (1.69) 77 (3.03) 114 (4.49) 115 (5.98) 195 (7.68) 1120 (4.72) 64 (2.52) 26 (1.02)	18 (0.71) 54 (2.13) 100 (3.94) 143 (5.63) 195 (7.68) 163 (6.42) 110 (4.33) 50 (1.97) 2 (0.08)
Season	860 (33.87)	Season 860 (33.87) 608 (23.95)	872 (34.33) 641 (25	641 (25.24)	887 (34.91) 684	684 (26.93)	907 (35.70) 732	732 (28.82)	938 (36.93)	790 (31.09)	955 (37.59)	835 (32.89)

REGION: 6 Umqua River CROP: Tomatoes

	, av	years	ye.	years	ye	years	years		years	_	years	ars
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net mm in. mm	IRR in.	ET crop mm in.	Net IRR mm in.
May	48 (1.89)	14 (0.55)		202	\		50 (1.97)		2.01)		51 (2.01)	7 75
July Aug	189 (7.44) 79 (3.11)	183 (7.20) 75 (2.95)	190 (7.48) 190 (7.48) 80 (3.15)	186 (7.32) 77 (3.03)	191 (7.52) 81 (3.19)	189 (7.44) 80 (3.15)	195 (7.68) 83 (3.27)	194 (7.64) 83 (3.27)	199 (7.83) 198 (84 (3.31) 84 (198 (7.80) 20 84 (3.31) 8	202 (7.95) 86 (3.39)	202 (7.95) 86 (3.39)
Seasor	435 (17.13)	372 (14.64)	Season 435 (17.13) 372 (14.64) 439 (17.28) 387 (15.23)	387 (15.23)	443 (17.44)	401 (15.78)	454 (17.88)	419 (16.50)	443 (17.44) 401 (15.78) 454 (17.88) 419 (16.50) 463 (18.23) 439 (17.29) 469 (18.47) 457 (17.99)	17.29) 44	69 (18.47)	457 (17.99)

REGION: 7 Medford-Grants Pass CROP: Alfalfa Hay

	•	ייותיות וות)							
	5 out ye	5 out of 10 years	no 9	6 out of 10 years	7 out of 10 years	of 10 rs	8 out of 10 years	9 out of 10 years	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.
March April May June July Aug Sep	5 (0.20) 85 (3.35) 119 (4.69) 174 (6.85) 176 (5.75) 107 (4.21)	2 (0.08) 52 (2.05) 89 (3.50) 123 (4.84) 171 (6.73) 142 (5.59) 88 (3.46)	5 (0.20) 87 (3.43) 122 (4.80) 144 (5.67) 176 (6.93) 147 (5.79) 108 (4.25)	2 (0.08) 57 (2.24) 95 (3.74) 174 (6.85) 145 (5.71) 93 (3.66)	5 (0.20) 89 (3.50) 125 (4.92) 146 (5.75) 178 (7.01) 150 (5.91) 109 (4.29)	3 (0.12) 62 (2.44) 101 (3.98) 134 (5.28) 176 (6.93) 149 (5.87) 98 (3.86)	5 (0.20) 4 (0.16) 91 (3.58) 69 (2.72) 128 (5.04) 110 (4.33) 150 (5.91) 140 (5.51) 180 (7.09) 179 (7.05) 152 (5.98) 152 (5.98) 112 (4.41) 103 (4.06)	6) 6 (0.24) 5 (0.20) 2) 94 (3.70) 78 (3.07) 3) 132 (5.20) 120 (4.72) 1) 15 (6.10) 149 (5.87) 5) 185 (7.28) 183 (7.20) 8) 156 (6.14) 156 (6.14) 8) 116 (4.57) 108 (4.25)	6 (0.24) 5 (0.20) 97 (3.82) 82 (3.23) 137 (5.39) 126 (4.96) 158 (6.22) 154 (6.06) 187 (7.36) 186 (7.32) 159 (6.26) 159 (6.26) 118 (4.65) 113 (4.45)
Season	779 (30.68)	Season 779 (30.68) 667 (26.25) 789 (31.07) 695 (27.36	789 (31.07) 695 (27.36)	802 (31.58) 723 (28.48)	723 (28.48)	818 (32.21) 757 (29.81)	1) 844 (33.23) 799 (31.45)	862 (33.94) 825 (32.48)

REGION: 7 Medford-Grants Pass CROP: Apples

		5 out of 10 years	out of 10 years		9	6 out of 10 years	f 10 s	2 2	7 out of 10 years	10		8 out of 10 years	of 10 irs		0	9 out of 10 years	0		19 out of 2 years	of 20 Irs	
MONTH	E E	crop in.	Net IRR mm in.	IRR in.	ET crop mm in.		Net IRR mm in.	ET crop mm in.	nm mm	et IRR in.	ET	crop in.	Net I	IRR in.	ET crop	Mm Net	it IRR	ET	crop in.	⊪ Net	IRR in.
March April Aug July Sep Oct Nov	44 (88 (141 (141 (141 (171 (171 (135 (64 (18 (1.73) 3.46) 5.55) 7.32) 9.09) 7.52) 5.31) 0.71)	25 () 1 ()	(0.16) (2.17) (4.25) (6.38) (8.90) (7.40) (4.53) (0.98)	44 (1.1) 145 (5.1) 148 (7.1) 148 (7.1) 148 (7.1) 18 (6.1) 18 (6.1)	2.63 2.73 2.73 2.63 2.63 2.63 2.63 11 (7.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	5 (0.20) 60 (2.36) 115 (4.53) 118 (6.61) 232 (9.13) 192 (7.56) 119 (4.69) 32 (1.26) 1 (0.04)	45 (1.77) 93 (3.68) 148 (5.83) 191 (7.52) 238 (9.37) 199 (7.83) 138 (5.43) 67 (2.64)	7) 7 66) 65 63) 121 121 123 176 133 197 123 123 44) 39	(0.28) (2.56) (4.76) (6.93) (7.76) (7.76) (1.54) (0.04)	49 (95 (151 (196 (240 (202 (202 (141 (141 (19 (1.93) 3.74) 5.94) 7.72) 9.45) 7.95) 5.55) 2.68)	15 (0 72 (2 130 (5 138 (7 238 (9 238 (9 129 (5 48 (1	0.59) 2.83) 7.32) 7.32) 7.91) 5.08) 1.89)	52 (2.05) 158 (6.14) 105 (6.14) 105 (7.95) 207 (9.72) 105 (9.75) 105 (9.75) 105 (9.75) 105 (9.75) 105 (9.75)	55) 28 65) 82 65) 141 75) 143 75) 207 75) 136 75) 57	(1.10) (3.23) (5.55) (7.60) (9.53) (8.15) (5.35) (2.24)	57 (101 (162 (207 (250 (211 (149 (73 (22 (2.24) 6.38) 6.38) 8.15) 9.84) 9.84) 5.87) 0.87)	36 (86 (150 (201 (247 (211 (141 (67 (1.42) 7.91) 7.91) 9.72) 8.31) 5.55)
Season	1098 (43.21)	884 (3	4.81) 1	118 (44.	.01) 92	Season1098 (43.21) 884 (34.81) 1118 (44.01) 924 (36.38)	1138 (44.80)	10) 964	(37.96)	1161 (45.71)1	020 (40	1.15) 1	1161 (45.71)1020 (40.15) 1202 (47.32)1088	2)1088	(42.83)	1232	(48.51)1152	152 (4	(45.36)

REGION: 7 Medford-Grants Pass CROP: Cherries

		5 out ye	5 out of 10 years			6 out of 10 years	of 10 Irs			7 out of 10 years	of 10 ars			8 out	8 out of 10 years			9 out	9 out of 10 years			19 out	19 out of 20 years	
MONTH	ET	ET crop mm in.	Net IRR mm in.	IRR in.	ET 0	crop in.	Net mm	Net IRR mm in.	EŢ	crop in.	Net	IRR in.	E E	crop in.	Net	IRR in.	E	crop in.	Net	IRR in.	₩ €	crop in.	Net	in.
March April May June July Aug Sep Oct	44 (88 (141 (141 (135 (135 (135 (18 (1.73) 3.46) 5.55) 7.32) 9.09) 7.52) 5.31) 0.71)	226 (226 (226 (226 (226 (226 (226 (226	0.16) 2.17) 4.25) 6.38) 8.90) 7.40) 6.53)	44 (90 (145 (14	1.73) 3.54) 5.71) 7.44) 9.25) 7.68) 5.35) 0.71)	5 C C C C C C C C C C C C C C C C C C C	0.20 6.61) 7.56) 1.26) 0.04)	45 (93 (148 (191 (238 (199 (138 (67 (1.77) 3.66) 5.83) 7.52) 9.37) 7.83) 5.43) 0.75)	2535 (172) (174) (0.28) 2.56) 4.76) 6.93) 9.25) 7.76) 1.54)	49 6 95 6 151 6 196 6 202 6 141 6 68 6 19 6 6	1.93) 3.74) 7.72) 9.45) 7.95) 5.55) 0.75)	15 (130 (130 (130 (130 (120 (129 (48 (0.59) 2.83) 5.12) 7.32) 9.37) 7.91) 5.08) 1.89)	52 98 156 156 202 207 207 146 72 22 22	2.05) 3.86) 6.14) 7.95) 9.72) 8.15) 5.75) 0.87)	28 (82 (141 (193 (242 (207 (136 (57 (1.10) 5.55) 7.60) 9.53) 8.15) 5.35) 0.08)	57 (101 (101 (101 (101 (101 (101 (101 (10	2.24) 6.38) 8.15) 9.84) 9.84) 5.87)	36 (86 (150 (201 (247 (211 (141 (67 (1.42) 5.39) 7.91) 7.91) 8.31) 5.55) 0.51)
son	1098 (43.21)	Season1098 (43.21) 884 (34.81) 1118 (44.01) 924 (36.38	4.81)	1118 (4	4.01)	924 (3	\simeq	138 (4	1138 (44.80)	796	(37.96)	1161 (45.71)	1020 (4	1161 (45.71)1020 (40.15)	1202 (1202 (47.32)1088 (42.83) 1232 (48.51)1152	088 (4	2.83)	1232 (48.51)1	152 (4	(45.36)

REGION: 7 Medford-Grants Pass CROP: Filberts

	5	5 out of 10 years	6 out ye	6 out of 10 years	7 out of 10 years	of 10 s	8 out of 10 years	9 out	9 out of 10 years	19 ou ye	19 out of 20 years
MONTH	ET crop mm in.	p Net IRR . mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net mm in. mm	IRR ET crop in. mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct Nov	44 (1.1 (5.1 (1.1 (5.1 (1.1 (5.1 (1.1 (5.1 (1.1 (5	4 (0.16) 3.46) 55 (2.17) 5.55) 108 (4.25) 7.32) 162 (6.38) 9.09) 226 (8.90) 7.52) 188 (7.40) 5.31) 115 (4.53) 2.52) 25 (0.98) 0.71)	44 (1.73) 90 (3.54) 145 (5.71) 189 (7.44) 235 (9.25) 195 (7.68) 136 (5.35) 66 (2.60) 18 (0.71)	5 (0.20) 60 (2.36) 115 (4.53) 168 (6.61) 232 (9.13) 192 (7.56) 119 (4.69) 32 (1.26) 1 (0.04)	45 (1.77) 93 (3.66) 148 (5.83) 1 191 (7.52) 1 238 (9.37) 2 199 (7.83) 1 138 (5.43) 1 67 (2.64)	7 (0.28) 65 (2.56) 121 (4.76) 176 (6.93) 235 (9.25) 197 (7.76) 123 (4.84) 39 (1.54) 1 (0.04)	49 (1.93) 15 (6 95 15 (6 95 15 (6 95 15)	0.59) 52 (2.05) 2.83) 98 (3.86) 5.12) 156 (6.14) 7.32) 202 (7.95) 9.37) 247 (9.72) 7.91) 207 (8.15) 5.08) 146 (5.75) 1.89) 72 (2.83) 0.04) 22 (0.87)	28 (1.10) 82 (3.23) 141 (5.55) 193 (7.60) 242 (9.53) 207 (8.15) 136 (5.35) 57 (2.24) 2 (0.08)	57 (2.24) 101 (3.98) 162 (6.38) 207 (8.15) 250 (9.84) 211 (8.31) 149 (5.87) 73 (2.87) 22 (0.87)	36 (1.42) 86 (3.39) 150 (5.91) 201 (7.91) 247 (8.31) 141 (5.55) 67 (2.64) 13 (0.51)
Season	1098 (43.	Season1098 (43.21) 884 (34.81) 1118 (44.01) 924 (36.	1118 (44.01)	38)	1138 (44.80)	964 (37.96)	1161 (45.71)1020 (40.15) 1202 (47.32)1088 (42.83)	.15) 1202 (47.32)	1088 (42.83)	1232	(48,51)1152 (45,34)

REGION: 7 Medford-Grants Pass CROP: Grain (Spring)

		5 out of 10 years	of 10 irs	6 out ye	6 out of 10 years		7 out of 10 years	of 10 rs		8 out	8 out of 10 years		5	9 out of 10 years	10		19 ou ye	19 out of 20 years	
MONTH	ET crop mm in.	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET C	crop in.	Net IR mm ir	IRR in.	ET crop mm in.	Net	in.	ET Cr	crop in. m	Net IRR mm in.	E E	crop in.	Net	IRR in.
March April May June July Aug	17 (68 (142 (173 (13 (17 (0.67) 68 (2.68) 142 (5.59) 173 (6.81) 165 (6.50) 13 (0.51)	1 (0.04) 36 (1.22) 109 (4.29) 151 (5.94) 162 (6.38) 13 (0.51)	18 (0.71) 70 (2.76) 146 (5.75) 175 (6.89) 168 (6.61) 13 (0.51)	2 (0.08) 42 (1.65) 116 (4.57) 156 (6.14) 165 (6.50) 13 (0.51)	19 (72 (149 (178 (170 (0.75) 2.83) 5.87) 7.01) 6.69)	2 (0.08) 47 (1.85) 122 (4.80) 164 (6.46) 167 (6.57) 13 (0.51)	1	19 (0.75) 74 (2.91) 153 (6.02) 182 (7.17) 171 (6.73) 14 (0.55)	53 131 172 170 13	0.12) 2.09) 5.16) 6.77) 6.69) 0.51)	20 (0 76 (2 157 (6 188 (7 177 (6	0.79) 1 2.99) 6 6.18) 14 7.40) 17 6.97) 17	10 (0.39) 60 (2.36) 142 (5.59) 179 (7.05) 174 (6.85) 14 (0.55)	25 25 26 27 27 28 27 28 27	(0.83) (3.11) (6.46) (7.56) (7.01)	14 (65 (151 (187 (177 (0.55) 2.56) 5.94) 7.36) 6.97)
Season	578 (3	22.76)	472 (18.58)	Season 578 (22.76) 472 (18.58) 590 (23.23) 494 (19.45)	494 (19.45)	601 (2	3.66)	515 (20.	.27)	601 (23.66) 515 (20.27) 613 (24.13) 542 (21.34)	542 (21.34)	632 (24	.88) 57	632 (24.88) 579 (22.79)	979	648 (25.52) 608	608 (2	(23.93)

REGION: 7 Medford-Grants Pass CROP: Grain (Winter)

	2	out of years	5 out of 10 years		6 out of 10 years	of 10 irs		7 01	7 out of 10 years	0		8 out of 10 years	of 10 rs		70 6	9 out of 10 years		19	19 out of 20 years	f 20
MONTH	ET crop mm in.	<u>ة</u> د	Net IRR mm in.		ET crop mm in.	Net IRR mm in.		ET crop mm in.	Net	t IRR in.	ET (crop in.	Net I	IRR in.	ET crop	Net mm	t IRR in.	ET crop		Net IRR mm in.
March April May June July	28 (1.10) 67 (2.64) 135 (5.31) 174 (6.85) 154 (6.06)	. 10) . 31) . 31) . 85)	2 (0.08) 35 (1.38) 103 (4.06) 150 (5.91) 151 (5.94)	3) 29 (8) 68 (5) 136 (5) 176 (4) 157 (4)	1.14) 2.68) 5.35) 6.93) 6.18)	3 (0.12) 42 (1.65) 109 (4.29) 156 (6.14) 153 (6.02)		30 (1.18) 70 (2.76) 138 (5.43) 178 (7.01) 159 (6.26)	3 46 116 165 156	(0.12) (1.81) (4.57) (6.50) (6.14)		31 (1.22) 72 (2.83) 146 (5.75) 183 (7.20) 160 (6.30)	6 (0.24) 52 (2.05) 125 (4.92) 173 (6.81) 158 (6.22)	i .	33 (1.30) 75 (2.95) 150 (5.91) 189 (7.44) 165 (6.50)	14 59 135 181 162	14 (0.55) 59 (2.32) 135 (5.31) 181 (7.13) 162 (6.38)	34 (1.34) 76 (2.99) 156 (6.14) 193 (7.60) 166 (6.54)	34) 2 99) 6 14) 14 54) 18	20 (0.79) 63 (2.48) 144 (5.67) 188 (7.40) 165 (6.50)
Season	558 (21.	.96	Season 558 (21.96) 441 (17.37) 566 (22.28) 463 (18.	7) 566 ((22,28)		22) 57	75 (22.64	987 (1	(19.14)	592 (23.30)	514 (20	1.24)	575 (22.64) 486 (19.14) 592 (23.30) 514 (20.24) 612 (24.10) 551 (21.69) 625 (24.61) 580 (22 84)	551	(21.69)	625 (24.	61) 58	(22,84)

REGION: 7 Medford-Grants Pass CROP: Grass Seed (Spring)

		5 out ye	5 out of 10 years	6 out of 10 years	of 10 rs	7 out ye	7 out of 10 years	8 out of 10 years	of 10 's	9 out of 10 years	of 10 irs	19 out of years	out of 20 years
MONTH	E E	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in
Jan Feb March April May June July Sep Oct Nov	7 21 22 21 22 24 25 25 25 25 25 25 25 25 25 25 25 25 25	0.28) 0.59) 0.59) 1.93) 2.99) 7.36) 6.89) 5.00) 3.07)	0 (0.00) 1 (0.04) 2 (0.08) 18 (0.71) 47 (1.85) 103 (4.06) 170 (6.69) 109 (4.29) 39 (1.54) 1 (0.04) 0 (0.00)	7 (0.28) 17 (0.67) 22 (0.87) 49 (1.93) 77 (3.03) 122 (4.80) 170 (7.48) 177 (6.97) 129 (5.08) 25 (0.98) 7 (0.28)	0 (0.00) 1 (0.04) 2 (0.04) 24 (0.94) 52 (2.05) 106 (4.17) 174 (6.85) 46 (1.81) 2 (0.08) 0 (0.00)	10 (0.39) 17 (0.67) 23 (0.91) 50 (1.97) 78 (3.07) 124 (4.88) 193 (7.60) 131 (5.16) 83 (3.27) 26 (1.02) 7 (0.28)	0 (0.00) 1 (0.04) 2 (0.08) 29 (1.14) 58 (2.28) 110 (4.33) 178 (7.48) 178 (7.48) 178 (7.48) 178 (7.48) 178 (7.48) 178 (7.01) 118 (4.65) 53 (2.09) 0 (0.00)	10 (0.39) 18 (0.71) 24 (0.94) 51 (2.01) 79 (3.11) 126 (4.96) 1185 (7.68) 1183 (5.20) 135 (5.31) 85 (3.35) 9 (0.35)	0 (0.00) 1 (0.04) 2 (0.08) 33 (1.30) 64 (2.52) 116 (4.57) 192 (7.56) 182 (7.56) 182 (7.77) 182 (7.77) 182 (7.77) 182 (7.60) 62 (2.44) 62 (2.44) 62 (0.00)	11 (0.43) 26 (1.02) 26 (1.02) 53 (2.09) 81 (3.19) 129 (5.08) 200 (7.87) 138 (7.40) 138 (7.40) 87 (3.43) 30 (1.18) 9 (0.35)	0 (0.00) 1 (0.04) 4 (0.16) 39 (1.54) 72 (2.83) 124 (4.88) 136 (7.72) 130 (5.72) 71 (2.80) 2 (0.08) 0 (0.00)	11 (0.43) 21 (0.83) 27 (1.06) 54 (2.13) 83 (3.27) 132 (5.20) 202 (7.95) 142 (5.59) 142 (5.59) 89 (3.50) 80 (1.18) 9 (0.35)	0 (0.00) 1 (0.04) 9 (0.35) 76 (2.99) 128 (5.04) 200 (7.87) 191 (7.52) 194 (3.31) 19 (0.75) 0 (0.00)
Season	885 ((34.84)	672 (26.47)	Season 885 (34.84) 672 (26.47) 904 (35.60) 707 (27.83)	707 (27.83)	922 (36.31)	922 (36.31) 741 (29.18)	942 (37.07) 777 (30.60)	77 (30.60)	973 (38.30)	827 (32.57)	991 (39.01)	884 (34.80)

REGION: 7 Medford-Grants Pass CROP: Onions

	5 out	5 out of 10 years	6 out	6 out of 10 years	7 ou	7 out of 10 years	8 out	8 out of 10 years	9 out of 10 years	f 10 s	19 or	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug	17 (0.67) 72 (2.83) 132 (5.20) 158 (6.22) 188 (7.40) 136 (5.35)	2 (0.08) 145 (1.77) 103 (4.06) 139 (5.47) 184 (7.24)	18 (0.71) 73 (2.87) 135 (5.31) 160 (6.30) 190 (7.48) 138 (5.43)	2 (0.08) 49 (1.93) 109 (4.29) 143 (5.63) 189 (7.44) 135 (5.31)	18 (0.71) 75 (2.95) 138 (5.43) 162 (6.38) 191 (7.52) 140 (5.51)	2 (0.08) 52 (2.05) 116 (4.57) 151 (5.94) 191 (7.52) 138 (5.43)	20 (0.79) 77 (3.03) 141 (5.55) 166 (6.54) 194 (7.64) 143 (5.63)	6 (0.24) 59 (2.32) 122 (4.80) 158 (6.22) 194 (7.64)	21 (0.83) 80 (3.15) 145 (5.71) 1 171 (6.73) 1 201 (7.91) 1	11 (0.43) 65 (2.56) 129 (5.08) 164 (6.46) 197 (7.76) 146 (5.75)	21 (0.83) 82 (3.23) 152 (5.98) 175 (6.89) 203 (7.99) 149 (5.87)	14 (0.55) 69 (2.72) 137 (5.39) 170 (6.69) 201 (7.91) 149 (5.87)
Season	703 (27.67)) 605 (23.82)	Season 703 (27.67) 605 (23.82) 714 (28.10) 627 (24.	627 (24.68)		724 (28.50) 650 (25.59)	741 (29.18)	680 (26.77)	741 (29.18) 680 (26.77) 764 (30.08) 712 (28.04)	12 (28.04)		782 (30.79) 740 (29.13)

REGION: 7 Medford-Grants Pass CROP: Pasture

19 out of 20 years	Net IRR mm in.	8) 47 (1.85) 9) 89 (3.50) 9) 135 (5.31) 9) 145 (6.53) 11) 200 (7.87) 12) 169 (6.65) 13) 75 (2.95) 14) 9 (0.35)	77 201 8001 105 C71
19	ET crop mm in.	68 (2.68) 104 (4.09) 147 (5.79) 169 (6.65) 201 (7.91) 169 (6.65) 127 (5.00) 79 (3.11) 13 (0.51)	2 677 7701
9 out of 10 years	Net IRR mm in.	39 (1.54) 126 (4.93) 126 (4.96) 159 (6.26) 197 (7.76) 167 (6.57) 115 (4.53) 63 (2.48)	1 051 727 751
no 6	ET crop mm in.	65 (2.56) 101 (3.98) 141 (5.55) 166 (6.54) 199 (7.83) 167 (6.57) 124 (4.88) 77 (3.03)	1052 (/1 /5)
8 out of 10 years	Net IRR mm in.	24 (0.94) 76 (2.99) 117 (4.61) 151 (5.94) 192 (7.56) 161 (6.34) 108 (4.25) 54 (2.13) 1 (0.04)	005 (30 18) 844 (32 84) 102 (40 10) 884 (34 80) 1015 (41 45) 051 (32 45)
8 out ye	ET crop mm in.	61 (2.40) 98 (3.86) 137 (5.39) 161 (6.34) 193 (7.60) 163 (6.42) 120 (4.72) 76 (2.99)	107 7/0 101
7 out of 10 years	Net IRR mm in.	15 (0.59) 68 (2.68) 109 (4.29) 144 (5.67) 190 (7.48) 158 (6.22) 103 (4.06) 46 (1.81) 1 (0.04)	178 627 728
7 out ye	ET crop mm in.	54 (2.13) 95 (3.74) 134 (5.28) 157 (6.18) 191 (7.52) 161 (6.34) 117 (4.61) 74 (2.91)	181 057 500
of 10 Irs	Net IRR mm in.	8 (0.31) 63 (2.48) 102 (4.02) 137 (5.39) 187 (7.36) 154 (6.06) 99 (3.90) 39 (1.54) 1 (0.04)	700 (31 10)
6 out of 10 years	ET crop mm in.	52 (2.05) 93 (3.66) 131 (5.16) 155 (6.10) 189 (7.44) 157 (6.18) 115 (4.53) 73 (2.87) 11 (0.43)	1 15) 105 (54 85) 450 (55 95) 125 (84 57) 50 mseas
of 10 's	Net IRR mm in.	6 (0.24) 58 (2.28) 96 (3.78) 131 (5.16) 183 (7.20) 150 (5.91) 95 (3.74) 31 (1.22) 1 (0.04)	751 (29 57)
5 out of 10 years	ET crop mm in.	50 (1.97) 91 (3.58) 128 (5.04) 153 (6.02) 1 186 (7.32) 1 154 (6.06) 1 113 (4.45) 72 (2.83)	7 (34 75) 750
	MONTH	March April May July July Sep Oct	Season

REGION: 7 Medford-Grants Pass CROP: Pears

		5 out	5 out of 10 years	0		ه د د	6 out of 10 years	10		oo 2	7 out of 10 years	<u>o</u>		50 × 80	8 out of 10 years	0		9 out of 10 years	of 10 ars			19 out of a years	t of 2 ars	20
MONTH	E E	crop in.	Net I mm i	et IRR in.	ET	T crop	ŽĘ	Net IRR mm in.	百	crop in.	Net	et IRR in.	T3 E	crop in	Net	in.	ᄪᇀ	crop in.	Net	in.	E	crop in.	Net	IRR in.
March April May July Sep Sep Oct	44 81 128 170 170 177 177 123 181 183 181 181 181 181 181 181 181 18	(1.73) (5.04) (6.69) (6.87) (6.97) (6.87) (6.84)	22 104 104 104	(0.04)	48 131 131 131 131 131 131 131 131 131 13	(1.73) (5.27) (6.77) (6.77) (7.05) (7.05) (7.05) (6.74)	55 102 102 176 176 198 198 198 198	(0.20) (2.20) (4.02) (6.02) (8.35) (6.83) (4.25) (1.14)	45 134 175 218 182 126 63	(1.77) (3.46) (5.28) (6.89) (7.17) (7.17) (2.48)	215 109 112 112 112 112	(0.28) (2.40) (4.29) (6.34) (8.46) (7.09) (1.34) (0.04)	49 137 178 178 129 129 149	(1.93) (5.35) (7.05) (7.28) (7.28) (7.28) (7.08) (7.08)	15 68 117 117 118 117 117	(0.59) (2.68) (4.61) (6.65) (8.58) (7.24) (4.61) (1.77)	52 141 185 185 190 133 68	(2.05) (3.66) (5.55) (7.28) (8.94) (7.48) (7.48) (5.24) (5.24)	28 C 126 C 190 C 1	1.10) 3.03) 4.96) 6.93) 7.48) 7.48) 7.48) 7.48) 0.08)	57 (96 (147 (187 (193 (193 (193 (69 (2.24) 3.78) 7.44) 9.02) 7.60) 5.35) 0.87)	36 C 81 C 135 C 135 C 126 C 173 C 173 C 173 C 173 C	1.42) 3.19) 5.31) 7.24) 8.90) 7.60) 5.04) 0.51)
Season	1014	(39.92)	\$ 805	Season1014 (39.92) 805 (31.70) 1030 (40.55) 842 (33.) 1030	(40.55	3) 842	ı · .	1050	15) 1050 (41.34)	> 880	(34.65)		1072 (42.20)	934	(36.77)	1111	1111 (43.75)		997 (39.25)	1138 (44.81)1060 (41.73)	44.81)	1060 (41.73)

REGION: 7 Medford-Grants Pass CROP: Plums

	2	5 out of 10 years	of 10 rs		9	6 out of 10 years	t 10			7 out of 10 years	of 10 ars			8 00	8 out of 10 years	0		9	9 out of 10 years	<u>_</u>		19 0	19 out of 2 years	02
MONTH	ET crop mm in.	8 -	Net IRR mm in.		ET crop mm in.	-	Net IRR mm in.	IRR in.	ET	crop in.	Net	t IRR in.	ET	crop in.	Net	in.	ET	crop in.	Net	et IRR in.	ET	crop in.	Net	t IRR
March April May July July Sep Oct	44 (1.128 (5.178) (1.178) (1.179) (1.1	1.73) 5.04) 6.69) 6.87) 6.87) 7.40)	4 (0.16) 51 (2.01) 96 (3.78) 148 (5.83) 207 (8.15) 172 (6.77) 104 (4.09) 1 (0.04)		44 (1.131 (5.172 (6.1.214 (7.1	1.73) 3.27) 5.16) 10 6.77) 15 8.50) 21 7.05) 17 7.05) 10 2.44) 2	5 (0 56 (2 102 (4 153 (6 212 (8 176 (6 108 (4 29 (1	0.20) 2.20) 6.02) 6.02) 6.93) 1.14)	45 (88 (134 (175 (218 (126 (63 (1.77) 3.46) 5.28) 6.89) 8.58) 7.17) 4.96) 0.75)	61 61 61 61 61 61 61 61 61 61 61 61 61 6	(0.28) (2.40) (4.29) (6.34) (8.46) (7.09) (7.09) (1.34)	49 137 173 129 129 129 129	(1.93) (5.35) (7.05) (8.66) (7.28) (7.28) (7.28) (7.28) (7.08)	15 68 117 117 117 117 117 117	(0.59) (2.68) (4.61) (6.65) (8.58) (7.24) (7.24) (1.77)	227 185 185 190 190 133 227 227	(2.05) (3.66) (7.28) (7.28) (7.48) (7.48) (7.48) (7.28) (0.87)	252 252 25 252 252 25 253 253 253 253 253 253 253 253 253 253	(1.10) (2.03) (4.84) (7.48) (7.48) (7.48) (7.48) (7.48) (7.48)	57 96 147 189 229 136 69 22	(2.24) (3.78) (5.79) (7.44) (7.60) (7.60) (5.35) (6.72)	36 37 37 37 37 37 37 37 37 37 37 37 37 37	(1.42) (3.19) (5.31) (7.24) (8.90) (7.60) (5.04) (2.52)
Season	Season1014 (39.92) 805 (31.70) 1030 (40.55) 842 (33.	.92) {	305 (31.7	70) 103	30 (40.	55) 84	42 (33		020 (15) 1050 (41.34)	880 (880 (34.65)	1072	1072 (42.20)	934	(36.77)	1111	1111 (43.75)	2 997	(39.25) 1138		(44.81)1060	0901	(41.73)

REGION: 7 Medford-Grants Pass CROP: Potatoes

out of 20 years	Net IRR mm in.	26 (1.02) 94 (3.70) 222 (8.74) 196 (7.72) 128 (5.04) 30 (1.18)	107 227 969
19 ou ye	ET crop	28 (1.10) 97 (3.82) 224 (8.82) 196 (7.72) 135 (5.31) 32 (1.26)	712 (28.03)
9 out of 10 years	Net IRR mm in.	24 (0.94) 92 (3.62) 217 (8.54) 193 (7.60) 124 (4.88) 25 (0.98)	701 (27.60) 675 (26.56)
9 out ye	ET crop	28 (1.10) 95 (3.74) 222 (8.74) 193 (7.60) 132 (5.20) 31 (1.22)	
8 out of 10 years	Net IRR mm in.	22 (0.87) 88 (3.46) 214 (8.43) 187 (7.36) 117 (4.61) 22 (0.87)	650 (25,60)
8 out	ET crop mm in.	27 (1.06) 93 (3.66) 215 (8.46) 188 (7.40) 128 (5.04) 30 (1.18)	681 (26.80)
out of 10 years	Net IRR mm in.	19 (0.75) 82 (3.23) 211 (8.31) 182 (7.17) 112 (4.41) 19 (0.75)	625 (24.62)
7 out yea	ET crop mm in.	27 (1.06) 91 (3.58) 213 (8.39) 185 (7.28) 125 (4.92) 30 (1.18)	671 (26.41) 625
of 10 Irs	Net IRR mm in.	16 (0.63) 77 (3.03) 208 (8.19) 177 (6.97) 108 (4.25) 15 (0.59)	601 (23.66)
6 out of 10 years	ET crop mm in.	26 (1.02) 90 (3.54) 211 (8.31) 182 (7.17) 124 (4.88) 29 (1.14)	662 (26.06)
of 10 Irs	Net IRR mm in.	14 (0.55) 74 (2.91) 203 (7.99) 173 (6.81) 104 (4.09)	Season 653 (25.70) 580 (22.82) 662 (26.06) 601 (23.
5 out of 10 years	ET crop mm in.	26 (1.02) 89 (3.50) 207 (8.15) 180 (7.09) 122 (4.80) 29 (1.14)	653 (25.70)
	MONTH	May June July Aug Sep Oct	Season

REGION: 8 Lake Creek-Little Butte Creek CROP: Alfalfa Hay

		5 out of 10 years	of 10 ars		3	6 out of 10 years	of 10 rs			7 out of 10 years	of 10 irs			8 out of 10 years	of 10 ars			9 out of 10 years	of 10 Irs		5	19 out of 20 years	25 20	
MONTH	ET crop	in.	Net IRR mm in.		ET crop mm in.		Net IRR mm in.	IRR in.	ET	crop in.	Net	IRR in.	ET	crop in.	Net	in.	ET	crop in.	Net IRR mm in.		ET crop mm in.		Net 1	IRR in.
March April May June July Sep Sep	4 (80 (116 (1176 (1	(0.16) (3.15) (4.57) (5.35) 1 (6.65) 1 (5.47) 1 (4.02)	March 4 (0.16) 0 (0.00) 5 (0.20) 0 (0.00) April 80 (3.15) 27 (1.06) 82 (3.23) 36 (1.45) May 116 (4.57) 70 (2.76) 118 (4.65) 79 (3.11) June 136 (5.35) 110 (4.33) 139 (5.47) 119 (4.65) July 169 (6.65) 165 (6.50) 171 (6.73) 167 (6.55) Aug 139 (5.47) 132 (5.20) 142 (5.59) 136 (5.35) Sep 102 (4.02) 78 (3.07) 104 (4.09) 83 (3.23) Season 746 (29.37) 582 (22.92) 761 (29.96) 620 (24.41)	25 75 75 75 75 75 75 75 75 75 75 75 75 75	5 (0 82 (3 118 (4 171 (6 172 (5 104 (4	(0.20) (3.23) (4.65) (5.47) 1 (6.73) 1 (5.59) 1 (4.09)	0 (36 (79 (119 (115 (136 (83 (8828888	86 (119 (142 (173 (107 (5 (0.20) 0 (0.00) 86 (3.39) 46 (181) 119 (4.69) 86 (3.39) 142 (5.59) 127 (5.00) 173 (6.81) 170 (6.69) 145 (5.71) 139 (5.47) 107 (4.21) 88 (3.46)	0 (46 (86 (127 (170 (139 (88 (0.00) 1.81) 3.39) 5.00) 6.69) 5.47) 3.46)	89 (122 (145 (145 (145 (147 (147 (147 (147 (147 (147 (147 (147	0.20) 3.50) 4.80) 5.71) 6.89) 5.79) 4.29)	2 697 (c)	5 (0.20) 2 (0.08) 89 (3.50) 55 (2.17) 122 (4.38) 94 (3.70) 145 (6.89) 172 (6.77) 147 (5.79) 144 (5.67) 109 (4.29) 95 (3.74) 792 (31.18) 697 (27.44)		0.24) 3.62) 4.96) 5.94) 7.01) 6.91) 4.45)	6 (0.24) 4 (0.16) 92 (3.62) 67 (2.64) 126 (4.96) 108 (4.25) 151 (5.94) 175 (5.71) 178 (7.01) 177 (6.97) 150 (5.91) 149 (5.87) 113 (4.45) 104 (4.09) 816 (32.13) 754 (29.69)	{	6 (0.24) 5 (0.20) 94 (3.70) 72 (2.83) 130 (5.12) 117 (4.61) 154 (6.06) 153 (6.02) 182 (7.17) 181 (7.13) 153 (6.02) 152 (5.98) 115 (4.53) 108 (4.25) 834 (32.84) 788 (31.02)	0.24) 3.70) 7.17) 14 6.06) 15 7.17) 18 6.02) 15 4.53) 10	5 (0 72 (2 117 (4 153 (6 181 (7 152 (5 108 (4	0.20) 2.83) 4.61) 7.13) 5.98) 4.25)

REGION:	ထ	Lake	Creek-Little	Butte	Creek
CBOB.		Applac	Ų		

!		5 out	5 out of 10 years			y y	6 out of 10 years	0		7 out	7 out of 10 years	0		8 out	8 out of 10 years			9 out of 10 years	of 10 rs			19 out yea	out of 20 years	
MONTH	E E	crop in.	Net mm	t IRR in.	E	crop in.	¥ €	Net IRR mm in.	ET ET	crop in.	Net	t IRR in.	ET	crop in.	Net	IRR in.	E	crop in.	Net I	IRR in.	ETC	crop in.	Net	in.
March April May June July Aug Sep Oct	40 C 83 C 137 C 178 C 223 C 223 C 184 C 128 C 16 C	3.27) 5.39) 7.01) 8.78) 7.24) 5.04) 5.04) 0.63)	20 30 88 88 148 221 178 7	(0.08) (1.18) (3.46) (5.83) (8.70) (7.01) (7.09) (0.28)	44 85 139 181 225 188 131 63	(5.47) (5.47) (7.13) (8.86) (7.40) (7.40) (6.16)	3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	(0.12) (1.54) (3.74) (6.22) (8.82) (7.17) (6.29) (0.43)	45 141 185 192 135 64	(1.77) (3.50) (5.55) (7.28) (8.94) (7.56) (7.56) (7.56) (7.56)	3 (49 (104 (104 (104 (104 (104 (104 (104 (104	(0.12) (1.93) (4.09) (6.57) (8.94) (7.36) (6.53) (0.75)	232 C 194 C 198 C	(1.85) (3.66) (7.48) (7.48) (7.43) (7.64) (7.64) (7.64) (7.64)	231 C 122 C 133 C 135 C	0.16) 2.28) 4.49) 6.97) 7.56) 1.30)	50 6 149 6 197 6 198 6 143 6 70 70 70 70 70 70 70 70 70 70 70 70 70 7	1.97) 3.78) 7.76) 9.33) 5.63) 0.79)	11 (0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0.43) 2.76) 5.04) 7.48) 9.33) 7.80) 7.80) 1.81)	51 (98 (154 (201 (242 (203 (146 (75 (2.01) 5.08) 7.91) 7.93) 7.93) 6.83)	26 C 76 C	1.02) 2.99) 2.99) 7.83) 9.49) 7.91) 5.35) 0.12)
Season	1050 ((41.33)	779 (Season1050 (41.33) 779 (30.67) 1073 (42.25) 822 (32.37	1073	(42.25)	825	(32.37)	1097	(43.18)	872 ((43.18) 872 (34.33)		1124 (44.25) 932 (36.69)	932 (3		1160 (4	1160 (45.69)1013 (39.89)	013 (39	1 (68.	191 (4	1191 (46.89)1084		(42.66)

REGION: 8 Lake Creek-Little Butte Creek CROP: Cherries

		5 out of 10 years	ut of 10 years			9 V	6 out of 10 years	0		no 2	7 out of 10 years			8 out of 10 years	of 10 ars			9 out of 10 years	of 10 Irs			19 out of a years	of 20 s	
MONTH	ET C	crop in.	Net	t IRR in.	ET	crop in.	N E	Net IRR mm in.	ET	crop in.	Net	t IRR in.	ET	crop in.	Net mm	t IRR in.	E E	crop in.	Net I	IRR in.	ET CT	crop in.	Net mm	IRR in.
March April May June July Aug Sep Oct	40 (83 (137 (178 (223 (128 (61 (1.57) 3.27) 5.39) 7.01) 8.78) 7.24) 5.04) 0.63)	2 0 30 88 88 148 0 148 0 221 0 178 0 104 0	(0.08) (1.18) (3.46) (5.83) (8.70) (7.01) (6.28) (0.04)	44 85 139 131 225 131 131 63	(1.73) (3.35) (5.47) (7.13) (8.86) (7.40) (5.16) (2.48) (0.67)	33 35 35 35 35 35 35 35 36 36 37 37 37 37 37 37 37 37 37 37 37 37 37	(0.12) (1.54) (3.74) (6.22) (8.82) (7.17) (6.29) (6.29) (0.64)	45 89 141 185 135 135 14 195 14 14 15	(1.77) (3.50) (5.55) (7.28) (8.94) (7.56) (5.31) (6.75)	3 104 104 107 1227 187 115	(0.12) (1.93) (4.09) (6.57) (8.94) (7.36) (6.73) (0.75)	232 194 194 194 198 198 198 198 198 198 198 198 198 198	1.85) 3.66) 7.48) 7.48) 7.64) 5.43) 0.79)	231 231 172 122 133 133	(0.16) (2.28) (4.49) (6.97) (9.09) (7.56) (7.56) (1.30) (0.04)	50 96 149 197 237 198 143 70	(1.97) (5.87) (7.76) (9.33) (7.80) (7.80) (7.80) (7.80) (7.80)	11 (0 70 (2 128 (5 190 (7 237 (9 198 (7 131 (5 2 2 46 (1 2	0.43) 2.76) 5.04) 1 7.48) 2 9.33) 2 7.80) 2 7.80) 2 1.81)	242 C S C S C S C S C S C S C S C S C S C	2.01) 5.06) 7.91) 7.91) 7.93) 7.99) 7.99) 7.75) 7.75) 0.83)	26 C C C C C C C C C C C C C C C C C C C	1.02) 2.99) 5.43) 9.49) 7.91) 5.35) 0.12)
Season	1050 (4	(1.33)	779 (Season1050 (41.33) 779 (30.67) 1073 (42.25) 822 (32.3	1073	(42.25) 822	(32.37)	1097	1097 (43.18)	872	872 (34.33) 1124 (44.25)	1124 (44.25)	932	(36.69)	1160	(36.69) 1.160 (45.69)1013		(39.89) 11	1191 (46	(46.89)10	1084 (42	(42.66)

REGION: 8 Lake Creek-Little Butte Creek CROP: Corn (Sweet)

	IRR in.	2.36) 5.67) 8.78) 7.24) 2.44)	5.49)
of 20 Irs	Net	223 C C C C C C C C C C C C C C C C C C	693 (27.29) 673 (26.49)
19 out of a years	crop in.	2.76) 5.75) 8.86) 7.32) 2.60)	(62.7
	E	70 C 146 C 225 C 186 C	
	IRR in.	2.13) 5.43) 8.58) 7.17) 2.36)	680 (26.78) 652 (25.67)
of 10 rs	a ket	54 (138 (218 (182 (60 (652 (2
9 out of 10 years	crop in.	2.72) 5.63) 8.70) 7.17) 2.56)	6.78)
	ETC	69 (143 (221 (182 (65 (680 (2
	IRR in.	1.73) 5.04) 8.39) 6.97) 2.24)	4.37)
of 10 rs	Met	44 (128 (213 (177 (57 (519 (2
8 out of 10 years	crop in.	2.64) 5.43) 8.46) 7.05) 2.40)	5.98)
	ET C	67 (138 (215 (179 (61 (660 (25.98) 619 (24.37)
	IRR in.	1.46) 4.69) 8.27) 6.77) 2.13)	
of 10 rs	Net	37 (7 119 (7 210 (8 172 (6 54 (5	592 (23.32)
7 out of 10 years	crop in.	2.60) 5.31) 8.27) 6.93) 2.36)	(25.47)
	ET C	66 (135 (210 (176 (60 (647 (2
	IRR in.	1.22) 4.33) 8.11) 6.57) 2.05)	2.28)
of 10 rs	Net IRR mm in.	31 (' 110 (4 206 (8 167 (6 52 (5	29 999
6 out of 10 years	crop in.	2.56) 5.24) 8.19) 6.81) 2.32)	5.12)
	ET C	65 (133 (208 (173 (59 (638 (2
	IRR in.	91) 02) 99) 42)	.23)
of 10 's	Net I mm i	23 (0.91) 102 (4.02) 203 (7.99) 163 (6.42) 48 (1.89)	39 (21
5 out of 10 years	crop in.	2.56) 5.16) 1 8.11) 2 6.65) 1 2.32)	80) 5
นา	ET cr mm i	65 (2 131 (5 206 (8 169 (6 59 (2	30 (24
	MONTH	May June 1 July 2 Aug 1 Sep	Season 630 (24.80) 539 (21.23) 638 (25.12) 566 (22.

REGION: 8 Lake Creek-Little Butte Creek CROP: Filberts

19 out of 20	ET crop Net IRR
years	mm in. mm in.
9 out of 10	ET crop Net IRR
years	mm in. mm in.
8 out of 10 years	ET crop Net IRR mm in. mm in.
7 out of 10	ET crop Net IRR
years	mm in.
6 out of 10	ET crop Net IRR
years	mm in. mm in.
5 out of 10	ET crop Net IRR
years	mm in. mm in.
	MONTH

REGION: 8 Lake Creek-Little Butte Creek CROP: Grain (Spring)

,		5 out of 10 years	of 10 3rs		•	6 out of 10 years	f 10		7 out of 10 years	of 10 Irs	ಐ	8 out of 10 years	10		9 out of 10 years	of 10 's		19 0	19 out of 20 years	50
MONTH	ET	crop in.	Net mm	IRR in.	ET crop mm in.		Net IRR mm in.	ET	crop in.	Net IRR mm in.	ET crop		Net IRR mm in.	ET c	crop in.	Net IRR mm in.		ET crop	Net	t IRR in.
March April May June July Aug	168 168 168 160 17	(0.63) (2.52) (5.43) (6.61) (6.30)	14 (89 (138 (156 (0.04) 0.55) 3.50) 5.43) 6.14)	18 (0. 66 (2. 140 (5. 172 (6. 162 (6.	(0.71) (2.60) 2 (5.51) 9 (6.77) 14 (6.38) 15 (0.51) 1	1 (0.04) 22 (0.87) 96 (3.78) 146 (5.75) 159 (6.26) 12 (0.47)	18 (69 (142 (174 (164 (0.71) 2.72) 5.59) 6.85) 6.46) 0.51)	1 (0.04) 32 (1.26) 104 (4.09) 155 (6.10) 162 (6.38) 13 (0.51)	19 (0. 72 (2. 145 (5. 176 (6. 13 (0.	0.75) 2.83) 3 5.71) 11 6.93) 16 6.50) 16	1 (0.04) 39 (1.54) 114 (4.49) 163 (6.42) 165 (6.50) 13 (0.51)	20 75 150 170 170 170 170	0.79) 2.95) 5.91) 7.20) 6.69)	2 (0.08) 51 (2.01) 130 (5.12) 176 (6.93) 170 (6.69)	į	20 (0.79) 76 (2.99) 155 (6.10) 187 (7.36) 173 (6.81) 14 (0.55)	8 0 140 0 140 0 172 0	(0.31) (2.17) (5.51) (7.24) (6.77)
Season	558	(21.96)	410 (16.13)	571 (22.	.48) 43	Season 558 (21.96) 410 (16.13) 571 (22.48) 436 (17.17)		22.84)	580 (22.84) 467 (18.38)		.23) 49	590 (23.23) 495 (19.50)) 611 (24.05)	4.05)	542 (21.34)		625 (24.60) 573 (22.55)	573	(22.55)

REGION: 8 Lake Creek-Little Butte Creek CROP: Grain (Winter)

		5 out of 10 years	ut of 10 years			6 out	6 out of 10 years	_		7 out of 10 years	of 10 Irs			8 out of 10 years	of 10 ars	_	٥	9 out of 10 years	10		19 ou ye	19 out of 20 years	0
MONTH	E E	ET crop mm in.	Net	Net IRR mm in.	ET	ET crop mm in.	Net	Net IRR mm in.	ET	crop in.	Net mm	IRR in.	ET	crop in.	Net	IRR in.	ET crop		Net IRR mm in.	ET	crop in.	Net	IRR in.
March April May June July	27 (63 (131 (168 (149 (1.06) 2.48) 5.16) 6.61) 5.87)		1 (0.04) 13 (0.51) 84 (3.31) 138 (5.43) 145 (5.71)		28 (1.10) 65 (2.56) 133 (5.24) 173 (6.81) 151 (5.94)	20 20 92 146 147	(0.08) (0.79) (3.62) (5.75)	30 (68 (135 (175 (153 (1.18) 2.68) 5.31) 6.89) 6.02)	2 (31 (99 (155 (150 (0.08) 1.22) 3.90) 6.10) 5.91)	30 (70 (139 (177 (154 (1.18) 2.76) 5.47) 6.97) 6.06)	2 (37 (108 (164 (153 (0.08) 1.46) 4.25) 6.46) 6.02)	32 (1. 74 (2. 143 (5. 184 (7. 157 (6.	1.26) 2.91) 4 5.63) 12 7.24) 17 6.18) 15	2 (0.08) 49 (1.93) 124 (4.88) 177 (6.97) 157 (6.18)	32 75 149 187 161	1.26) 2.95) 5.87) 7.36) 6.34)	13 (55 (134 (185 (161 (0.51) 2.17) 5.28) 7.28) 6.34)
Season	538 ((21.18)	381 (Season 538 (21.18) 381 (15.00) 550 (21.65) 407 (16.03)	550 (21.65)	707	16.03)	561 (22.08)	437 (561 (22.08) 437 (17.21)	570 (22.44)	797	18.27)	590 (23.	22) 50	570 (22.44) 464 (18.27) 590 (23.22) 509 (20.04) 604 (23.78) 548 (21.58)	907	23.78)	548 (21.58)

Creek	
Butte	2
Creek-Little Butte	(Sprine
Creek-	Seed
Lake (Grass
ဆ	
REGION:	CROP

		5 out of 10 years	of 10 rs	6 out ye	6 out of 10 years	7 out yea	7 out of 10 years	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 out of years	of 20
MONTH	ET	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
Jan Feb	9 2 2	0.24)	0 (0.00)	6 (0.24) 15 (0.59)	0 (0.00)	7 (0.28)	0 (0.00)	7 (0.28)	0 (0.00)	10 (0.39)	0 (0.00)	10 (0.39)	
March April	5 3 5 3	1.81)	$\overline{}$	$\overline{}$		<u> </u>	<u> </u>	<u> </u>	J		<u> </u>	$\overline{}$	-
May	114	2.91)	30 (1.18) 92 (3.62)	75 (2.95) 118 (4.65)	37 (1.46) 99 (3.90)	J J	47 (1.85) 105 (4.13)	78 (3.07) 123 (4.84)	54 (2.13) 112 (4.41)	80 (3.15) 126 (4.96)	62 (2.44) 122 (4.80)	83 (3.27) 129 (5.08)	69 (2.72) 129 (5.08)
July Aug	181 167 (6.57)	<u> </u>	<u> </u>	 	<u> </u>	ب ب	<u> </u>	J _	رأب	<u> </u>	<u> </u>	<u> </u>
Sep Oct	122 0		Ų U	<u> </u>		<u> </u>		<u> </u>	Ų Ų		<u> </u>	<u> </u>	<u> </u>
Nov	323	0.87)	1 (0.04)	23 (0.91) 6 (0.24)	1 (0.04)	\sim	-	-	-	J			\sim
Season	847 (33.35)	Season 847 (33.35) 574 (22.60)	868 (34.18) 615 (24	615 (24.24)	890 (35.04)	665 (26.17)	913 (35.96)	709 (27.92)	941 (37.05)	776 (30.55)	967 (38.06)	832 (32.77)

REGION: 8 Lake Creek-Little Butte Creek CROP: Onions

		5 out ye	5 out of 10 years			6 out ye	6 out of 10 years	0		7 out	7 out of 10 years		ω	8 out of 10 years	f 10		۰ م	9 out of 10 years	10		19 out of 2 years	of 20 rs	
MONTH	₽ E	T crop in.	THE RET	in.	E E	r crop in.	Net	t IRR in.	ET (crop in.	Net II	IRR in.	ET crop		Net IRR mm in.		ET crop	_	Net IRR mm in.	E	crop in.	Net	IRR in.
March April May June July Aug	16 68 128 151 131	(0.63) (2.68) (5.04) (5.94) (7.17) (5.16)		1 (0.04) 23 (0.91) 84 (3.31) 127 (5.00) 179 (7.05) 125 (4.92)	17 70 130 154 133	(0.67) (2.76) (5.12) (6.06) (7.24) (5.24)	30 91 135 182 128	0.04) 1.18) 3.58) 5.31) 7.17) 5.04)	18 (72 (132 (157 (186 (135 (0.71) 2.83) 5.20) 6.18) 7.32) 5.31)	1 (0 39 (1 98 (3 142 (5 131 (5	(0.04) (1.54) (3.86) (5.59) (7.24) (5.16)	18 (0.71) 75 (2.95) 135 (5.31) 161 (6.34) 188 (7.40) 137 (5.39)	34) 11 34) 11 36) 12 39) 12	2 (0.08) 47 (1.85) 108 (4.25) 150 (5.91) 187 (7.36) 135 (5.31)	1 :	19 (0.75) 78 (3.07) 139 (5.47) 167 (6.57) 193 (7.60) 140 (5.51)	5) 4 (7) 57 (7) 121 (7) 161 (9) 192 (1) 140 ((0.16) (2.24) (4.76) (6.34) (7.56) (5.51)	20 80 170 170 143	0.79) 3.15) 5.67) 6.69) 7.76)	11 6 61 6 130 6 169 6 142 6	0.43) 2.40) 5.12) 6.65) 7.68) 5.59)
Season	929	Season 676 (26.62) 539 (21.23) 688 (27.09) 567 (22.32)	236 (21.23)	889	(27.09)	267 ((22.32)	200 (27.55)	595 (23	.43)	714 (28.	.10) 6	29 (24.	76) 7.	36 (28.97	7) 675	700 (27.55) 595 (23.43) 714 (28.10) 629 (24.76) 736 (28.97) 675 (26.57)		754 (29.69) 708 (27.87)	708 (2	7.87)

REGION: 8 Lake Creek-Little Butte Creek CROP: Pasture

	5 out	5 out of 10 years	9 9	6 out of 10 years	7 out of 10 years	of 10 's	8 out ye	8 out of 10 years	9 out of 10 years		19 or ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net	IRR in.	ET crop	Net IRR mm in.
March April May June July Aug Sep Oct	48 (1.89) 84 (3.31) 124 (4.88) 147 (5.79) 180 (7.09) 149 (5.87) 108 (4.25) 68 (2.68) 9 (0.35)	3 (0.12) 72 (1.26) 74 (2.29) 118 (4.69) 175 (6.89) 142 (5.59) 85 (3.35) 8 (0.31)	53 (2.09) 86 (3.39) 126 (4.96) 151 (5.94) 183 (7.20) 151 (5.94) 111 (4.37) 69 (2.72)	4 (0.16) 40 (1.57) 84 (3.31) 126 (4.96) 178 (7.01) 146 (5.75) 90 (3.54) 19 (0.75) 1 (0.04)	55 (2.17) 90 (3.54) 128 (5.04) 153 (6.02) 184 (7.24) 115 (6.10) 114 (4.49) 71 (2.80) 11 (0.43)	4 (0.16) 50 (1.97) 92 (3.62) 135 (5.31) 149 (5.87) 95 (3.74) 27 (1.06) 1 (0.04)	57 (2.24) 93 (3.66) 131 (5.16) 155 (6.10) 186 (7.32) 157 (6.18) 117 (4.61) 73 (2.87) 12 (0.47)	5 (0.20) 59 (2.32) 101 (3.98) 144 (5.67) 184 (5.24) 154 (6.06) 102 (4.02) 37 (1.46)	61 (2.40) 21 (98 (3.86) 73 (134 (5.28) 116 (161 (6.24) 154 (192 (7.56) 189 (160 (6.30) 159 (121 (4.76) 110 (77 (3.03) 55 (12 (0.47) 1	0.83) 4.57) 6.06) 7.44) 6.26) 7.44) 7.44) 0.26)	62 (2.44) 139 (5.47) 140 (6.46) 154 (6.46) 165 (6.46) 163 (6.42) 163 (4.84) 123 (4.84) 12 (0.47)	31 (1.22) 77 (3.03) 125 (4.92) 161 (6.34) 193 (7.60) 162 (6.38) 115 (4.53) 71 (2.80) 5 (0.20)
Season	917 (36.11)	639 (25.16)	940 (37.00	Season 917 (36.11) 639 (25.16) 940 (37.00) 688 (27.09)	961 (37.83) 734 (28.90)	34 (28.90)	981 (38.61)	(38.61) 787 (30.99) 1016	(40.00)	878 (34.57) 1	1041 (40.99)	940 (37.02)

REGION: 8 Lake Creek-Little Butte Creek CROP: Pears

REGION: 8 Lake Creek-Little Butte Creek CROP: Peas

	5 out	5 out of 10	6 out of 10	of 10	7 out of 10	of 10	8 out of 10	of 10	9 out of 10	of 10	19 ou	out of 20
	ye	years	years	rs	years	Irs	years	ars	years	rs	ye	years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March	17 (0.67)) 1 (0.04) 19 (19 (0.75)	1 (0.04)	19 (0.75)	1 (0.04)	20 (0.79)	2 (0.08)	20 (0.79)	2 (0.08)	21 (0.83)	9 (0.35)
April	83 (3.27)) 29 (1.14) 85 (85 (3.35)	38 (1.50)	88 (3.46)	49 (1.93)	91 (3.58)	58 (2.28)	97 (3.82)	71 (2.80)	99 (3.90)	76 (2.99)
May	140 (5.51)) 90 (3.54) 142 (142 (5.59)	98 (3.86)	144 (5.67)	106 (4.17)	148 (5.83)	117 (4.61)	152 (5.98)	132 (5.20)	157 (6.18)	142 (5.59)
June	162 (6.38)) 133 (5.24) 165 (165 (6.50)	140 (5.51)	168 (6.61)	148 (5.83)	170 (6.69)	157 (6.18)	176 (6.93)	170 (6.69)	180 (7.09)	178 (7.01)
Seasor	(15.83)	253 (9.96)	season 402 (15.83) 253 (9.96) 411 (16.19) 277 (10.	277 (10.91)	419 (16.49)	304 (11.97)	429 (16.89)	334 (13.15)	419 (16.49) 304 (11.97) 429 (16.89) 334 (13.15) 445 (17.52) 375 (14.77) 457 (18.00) 405	375 (14.77)	457 (18.00)	405 (15.94)

REGION: 8 Lake Creek-Little Butte Creek CROP: Plums

		5 out of 10 years	of 10 irs		-	6 out of 10 years	of 10 rs			7 out of 10 years	of 10 ars			% 80 7,	8 out of 10 years	0		و م ک	9 out of 10 years	0		19	19 out of 20 years	50
MONTH	ET C	crop in.	Net IRR mm in.	88 c	ETCI	crop in.	Net IRR mm in.	IRR in.	ET (crop in.	Net	IRR in.	ET	crop in.	Net	t IRR in.	ET	r crop in.	Ta Net	it IRR	ET	T crop		Net IRR mm in.
March April May July July Sep Oct	40 C 78 C 125 C 167 C 204 C 169 C 117 C 17 C	1.57) 3.07) 4.92) 6.57) 6.65) 7.61) 0.63)	25 C 0 25 C 0 27 C 3 202 C 7 202 C 7 203 C 6 204 C 3 6 C 0	0.08 0.08 5.35 6.42 0.24 0.04	44 () 127 () 170 (6) 173 (6) 1	2.73) 5.00) 6.69) 6.69) 7.72) 7.72) 7.72) 6.73)	33 C 34 C	0.12) 3.35) 5.67) 8.07) 6.57) 0.39)	45 (85 (129 (172 (208 (176 (123 (193 (1.77) 3.35) 5.08) 6.77) 8.19) 6.93) 2.48)	3 (44 (92 (153 (208 (172 (17 (17 (0.12) 1.73) 3.62) 6.02) 8.19) 6.77) 0.67)	47 88 132 174 213 179 126 63	(1.85) (3.46) (5.20) (6.85) (8.39) (7.05) (7.05) (2.48) (0.79)	53 101 101 162 177 112 112	(0.16) (2.09) (3.98) (6.38) (6.33) (6.97) (6.97) (0.98)	219 136 137 130 130 202	(1.97) (3.58) (5.35) (7.13) (8.62) (7.17) (5.12) (6.60)	20 117 117 120 117 120 120 120 120 120 120	(0.08)	25 25 25 25 25 25 25 25 25 25 25 25 25 2	(2.01) (3.66) (7.24) (7.24) (7.32) (7.32) (7.32) (7.32) (7.32) (7.32)	1) 26 5) 71 1) 126 1) 126 4) 183 8) 221 2) 184 6) 125 6) 61	(1.02) (2.80) (4.96) (7.20) (8.70) (8.70) (7.24) (7.24) (7.24) (7.24)
Season	974 (3	38.33)	Season 974 (38.33) 706 (27.79) 997 (39.24) 747 (29.4	.79)	997 (3	9.24)	747 (2	-) 1018 (40.08)	(80.03)	795 (31.29)	1042	795 (31.29) 1042 (41.03)		846 (33.32)	1075	(42.33) 931 (36.65)) 931	(36.65	1102	(43.3	(43.39)1000	(39.36)

Valley	
Hood River	falfa Hay
<u>ه</u>	
REGION	CROP

	5 out	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 rs	8 out of 10 years	9 out yes	9 out of 10 years	19 out of 2 years	t of 20 ars
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net IR mm in. mm ir	IRR ET crop in. mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep	60 (2.36) 124 (4.88) 141 (5.55) 171 (6.73) 142 (5.59) 99 (3.90)	27 (1.06) 90 (3.54) 121 (4.76) 166 (6.54) 134 (5.28) 75 (2.95)	61 (2.40) 126 (4.96) 142 (5.59) 172 (6.77) 144 (5.67) 101 (3.98)	32 (1.26) 97 (3.82) 127 (5.00) 169 (6.65) 137 (5.39) 81 (3.19)	63 (2.48) 128 (5.04) 143 (5.63) 173 (6.81) 145 (5.71) 103 (4.06)	40 (1.57) 104 (4.09) 132 (5.20) 172 (6.77) 140 (5.51) 88 (3.46)	65 (2.56) 45 (1. 132 (5.20) 111 (4. 148 (5.83) 137 (5. 174 (6.85) 174 (6. 147 (5.79) 143 (5. 104 (4.09) 95 (3.	1.77) 66 (2.60) 4.37) 136 (5.35) 5.39) 152 (5.98) 6.85) 179 (7.05) 5.63) 152 (5.98) 3.74) 106 (4.17)	50 (1.97) 118 (4.65) 144 (5.67) 178 (7.01) 150 (5.91) 101 (3.98)	67 (2.64) 138 (5.43) 153 (6.02) 181 (7.13) 154 (6.06) 108 (4.25)	57 (2.24) 124 (4.88) 149 (5.87) 181 (7.13) 154 (6.06) 104 (4.09)
Season	737 (29.01)	Season 737 (29.01) 613 (24.13) 746 (29.37) 643 (25	746 (29.37.) 643 (25.31)	755 (29.73)	676 (26.60)	770 (30.32) 705	(27.75) 791 (31.13)	791 (31.13) 741 (29.19)	801 (31.53)	769 (30.27)

REGION: 9 Hood River Valley CROP: Apples

•		الماماد																						
	2	5 out of 10 years	of 10 's			9 7 8	6 out of 10 years			7 out	7 out of 10 years	_		8 out	8 out of 10 years			9 out	9 out of 10 years			19 out of 20 years	of 20	
MONTH	ET crop mm in.		Net IRR mm in.	IRR in.	E E	crop in.	Ne mm	Net IRR mm in.	ET	crop in.	Net	IRR in.	ET	crop in.	Net	t IRR in.	ET	r crop in.	Net mm	in.	ET WE	crop in.	Net mm	IRR in.
March April May 1 June 1 July 2 Aug 1 Sep 1	41 (1) 87 (3) 148 (5) 148 (5) 183 (7) 183 (7) 185 (7) 125 (6) 175 (7) 175 (7) 175 (7) 170 (7)	1.61) 3.43) 7.20) 8.90) 7.40) 7.40) 1.20)	2 (40 (112 (113 (113 (113 (177 (97 (5 ((0.08) (1.57) (4.41) (6.22) (8.62) (6.97) (3.82) (0.20)	42 91 150 186 228 190 127 14	(1.65) (3.58) (5.91) (7.32) (8.98) (7.48) (5.00) (2.24)	2 48 6 119 119 119 119 119 119 119 119 119 1	(0.08) (1.89) (4.69) (6.46) (8.74) (7.20) (4.09) (0.24)	43 6 95 1 153 6 122 6 130 6 15 6 15 6	(1.69) (3.74) (6.02) (7.40) (7.56) (7.56) (5.12) (2.28)	2 (58 (125 (171 (226 (187 (112 (0.08) 2.28) 4.92) 6.73) 8.90) 7.36) 0.43)	45 0 178 0 178 0 170 0 170 0 131 0 15 0 15 0 15 0 15 0	1.77) 3.82) 6.22) 7.48) 7.68) 7.68) 7.68) 7.68) 7.08)	3 (230 (120 (120 (120 (120 (120 (120 (120 (12	(0.12) (2.60) (5.20) (7.01) (7.52) (7.52) (4.72) (1.26)	48 98 161 198 237 201 134 62	(1.89) (3.86) (6.34) (7.80) (7.80) (7.91) (7.91) (5.28) (6.63)	12 (142 (142 (142 (142 (142 (142 (142 (1	0.47) 2.87) 5.59) 7.36) 9.33) 7.87) 5.04) 1.54)	51 (101 (101 (101 (101 (101 (101 (101 (1	2.01) 3.98) 6.42) 7.87) 9.45) 8.03) 2.48)	23 (83 (149 (194 (204 (131 (57 (0.91) 3.27) 7.64) 9.45) 8.03) 5.16)
Season1065 (41.92) 810 (31.89) 1085 (42.71) 848 (33.30	65 (41	.92) 8	310 G	31.89)	1085	(42.71	848	2		1103 (43.42)	892 (35.11)	1121	44.14)	952	(37.49)	1155	(45.48)	1018	892 (35.11) 1121 (44.14) 952 (37.49) 1155 (45.48)1018 (40.07) 1178	1178 ((46.38)1081	081 (4	(42.57)

REGION: 9 Hood River Valley CROP: Berries

	5 ou y	5 out of 10 years	6 out of 10 years	of 10 Irs	7 out	7 out of 10 years	8 out of 10 years	of 10 Irs	9 out of 10 years	of 10	19 out of 2 years	of 20 irs
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Wet IRR mm in.
May June July Aug Sep Oct	21 (0.83) 83 (3.27) 123 (4.84) 110 (4.33) 77 (3.03) 32 (1.26)) 14 (0.55) 7 65 (2.56) 8) 120 (4.72) 8) 102 (4.02) 8) 51 (2.01) 8) 51 (2.01)	22 (0.87) 84 (3.31) 124 (4.88) 111 (4.37) 78 (3.07) 32 (1.26)	15 (0.59) 71 (2.80) 122 (4.80) 106 (4.17) 59 (2.32) 3 (0.12)	22 (0.87) 85 (3.35) 126 (4.96) 112 (4.41) 79 (3.11) 34 (1.34)	17 (0.67) 75 (2.95) 124 (4.88) 109 (4.29) 64 (2.52) 3 (0.12)	22 (0.87) 87 (3.43) 128 (5.04) 113 (4.45) 80 (3.15) 35 (1.38)	19 (0.75) 79 (3.11) 126 (4.96) 112 (4.41) 71 (2.80) 15 (0.59)	23 (0.91) 88 (3.46) 130 (5.12) 117 (4.61) 82 (3.23) 36 (1.42)	21 (0.83) 84 (3.31) 130 (5.12) 115 (4.53) 78 (3.07) 22 (0.87)	23 (0.91) 89 (3.50) 132 (5.20) 119 (4.69) 83 (3.27) 37 (1.46)	22 (0.87) 87 (3.43) 132 (5.20) 119 (4.69) 80 (3.15) 32 (1.26)
Season	446 (17.56	Season 446 (17.56) 354 (13.94) 451 (17.76) 376 (14.8	451 (17.76)	376 (14.80)	458 (18.04)	392 (15.43)	465 (18.32) 422	422 (16.62)	476 (18.75) 450	450 (17.73)	483 (19.03) 472	472 (18.60)

REGION: 9 Hood River Valley CROP: Cherries

		5 out of 10 years	of 10 irs			6 or	6 out of 10 years	₽		_	7 out of 10 years	5			8 out of 10 years	of 10 3rs	0		9 out	9 out of 10 years	0		19 ou ye	19 out of 20 years	0
MONTH	ET crop		Net I	IRR in.		ET crop mm in.		Net IRR mm in.		ET crop mm in.		Net I	IRR in.	ET C	crop in.	Met mm	t IRR in.	E E	T crop in.	Net	t IRR in.	E	crop in.	Net	IRR in.
March April May June July Aug Sep Oct	41 (41 (42 (41 (42 (41 (42 (41 (41 (41 (41 (41 (41 (41 (41 (41 (41	1.61) 7.23) 7.283 7.20) 7.40) 7.40) 7.40) 0.43)	2 0 40 0 112 0 158 0 219 0 219 0	0.08) 1.57) 4.41) (6.22) (8.62) (6.97) (6.97) (0.20)	42 91 150 186 228 228 190 127 127	(1.65) (3.58) (5.91) (7.32) (8.98) (7.48) (5.00) (0.55)	25 25 25 25 26 26 26 26 26 26 26 26 26 26 26 26 26	(0.08) (1.89) (4.69) (6.46) (7.20) (7.20) (0.24)	(8) 43 (8) 65 (8		1.69) 3.74) 5.02) 12 7.40) 7.40) 7.50) 12 12 12 13 10 10 10 10 10 10 10 10 10 10 10 10 10	2 (0 58 (2 125 (4 171 (6 171 (6 187 (7 112 (4	0.08) 2.28) 4.92) 6.73) 8.90) 7.36) 4.41) 0.43)	45 (97 (158 (190 (195 (131 (60 (1.77) 5.22) 6.22) 7.48) 9.06) 7.68) 5.16) 0.59)	3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	(0.12) (2.60) (5.20) (7.01) (9.06) (7.52) (4.72) (1.26)	48 98 161 198 237 201 134 62	(1.89) (3.86) (6.34) (7.80) (7.81) (7.91) (7.28) (7.28) (7.28) (7.28) (7.28)	12 (73 (73 (73 (73 (73 (73 (73 (73 (73 (73	(0.47) (2.87) (5.59) (7.36) (7.35) (7.87) (7.87) (1.54)	51 101 163 200 240 204 139 63	(2.01) (3.98) (6.42) (7.87) (9.45) (8.03) (5.47) (2.48)	23 (83 (149 (194 (240 (204 (131 (57 (0.91) 3.27) 5.87) 7.64) 9.45) 8.03) 5.16)
Season1065 (41.92) 810 (31.89) 1085 (42.71) 848 (33.39	065 (4	1.92)	810 (31.89)	1085	(42.71	1) 848	(33.3	1103 (3 (43.42)		892 (35.11)	5.11) 1	1121 (44.14)	4.14)	952	(37.49)	1155	952 (37.49) 1155 (45.48)1018 (40.07)	1018	(40.07)	1178	1178 (46.38)1081		(42.57)

REGION: 9 Hood River Valley CROP: Corn (Field)

		5 out ye	5 out of 10 years			6 out	6 out of 10 years	_		7 out of 10 years	of 10 rs			8 out of 10 years	of 10 irs			9 out of 10 years	of 10 's			19 out of 20 years	of 20	
MONTH	E E	ET crop mm in.	Net I	in.	E E	crop in.	m Wet	Net IRR mm in.	ET ET	crop in.	Net mm	IRR in.	ET (crop in.	Net mm	IRR in.	ET C	crop in.	Net I	IRR in.	ET C	crop in.	Net m	in.
May June July Aug Sep	87228 5252	2.36) 4.92) 8.03) 6.89)	85 <u>8</u> 2	1.42) 4.17) 7.80) 6.46) 2.56)	61 (127 (206 (176 (91 (61 (2.40) 127 (5.00) 206 (8.11) 176 (6.93) 91 (3.58)	202 202 169 73	1.57) 4.41) 7.95) 6.65) 2.87)	61 (129 (207 (178 (93 (2.40) 5.08) 8.15) 7.01) 3.66)	45 (116 (207 (173 (78 (1.77) 4.57) 8.15) 6.81) 3.07)	62 (133 (209 (180 (94 (2.44) 5.24) 8.23) 7.09) 3.70)	51 (121 (209 (177 (85 (2.01) 4.76) 8.23) 6.97) 3.35)	63 (135 (215 (187 (96 (2.48) 5.31) 8.46) 7.36) 3.78)	57 (2 127 (5 214 (8 184 (7 91 (3	2.24) 5.00) 8.43) 7.24) 3.58)	64 (136 (190 (100 (2.52) 5.35) 8.58) 7.48) 3.94)	59 (132 (217 (187 (94 (2.32) 5.20) 8.54) 7.36) 3.70)
Season	654 (Season 654 (25.74) 569 (22.41) 661 (26.02) 596 (23.45	2) 695	22.41)	661	(26.02)	2% ((23.45)	999	668 (26.30)	619 (619 (24.37)		678 (26.70)	643 (643 (25.32)		696 (27.39) 673 (26.49)	573 (26		708 (27.87)	7.87	689 (27.12)	7.12)

REGION: 9 Hood River Valley CROP: Corn (Sweet)

		COLUMN CONTRACTOR										
	5 out of 10 years	ut of 10 years	6 out of 10 years	ut of 10 years	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out ye	9 out of 10 years	19 out of 2 years	of 20
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep	35 (1.38) 103 (4.06) 192 (7.56) 175 (6.89) 19 (0.75)	21 (0.83) 85 (3.35) 187 (7.36) 164 (6.46) 16 (0.63)	35 (1.38) 106 (4.17) 194 (7.64) 176 (6.93) 19 (0.75)	24 (0.94) 91 (3.58) 191 (7.52) 169 (6.65) 18 (0.71)	36 (1.42) 108 (4.25) 195 (7.68) 178 (7.01) 20 (0.79)	26 (1.02) 96 (3.78) 194 (7.64) 173 (6.81) 18 (0.71)	36 (1.42) 110 (4.33) 197 (7.76) 180 (7.09) 20 (0.79)	30 (1.18) 100 (3.94) 197 (7.76) 177 (6.97) 19 (0.75)	37 (1.46) 112 (4.41) 202 (7.95) 187 (7.36) 20 (0.79)	32 (1.26) 106 (4.17) 201 (7.91) 184 (7.24) 20 (0.79)	37 (1.46) 113 (4.45) 205 (8.07) 190 (7.48) 21 (0.83)	34 (1.34) 110 (4.33) 205 (8.07) 187 (7.36) 20 (0.79)
Season	1 524 (20.64)	473 (18.63)	Season 524 (20.64) 473 (18.63) 530 (20.87) 493 (19.40)	493 (19.40)	537 (21.15)	537 (21.15) 507 (19.96)		543 (21.39) 523 (20.60)	558 (21.97)	558 (21.97) 543 (21.37)	566 (22.29) 556 (21.89)	56 (21.89)

REGION: 9 Hood River Valley CROP: Filberts

		5 out of 10 years	of 10 rs	no 9	6 out of 10 years	7 out of 10 years	of 10 Irs	8 out of 10 years	of 10 ars	9 out of 10 years	of 10 's	19 ou ye	19 out of 20 years
MONTH	ET	crop in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March	~	1.61)	2 (0.08)	42 (2	~	2 (0.08)	~		(1.89)	_	U	23 (
April	87 (3.43)	40 (1.57)	91 (3.58)	3) 48 (1.89)	95 (3.74)	58 (2.28)	97 (3.82)	66 (2.60)	98 (3.86)	73 (2.87)	101 (3.98)	149 (5.87)
May Funda				186	2,2	ر ر	171 (6.73)	<i>,</i>		(7.80)	, _	<i>-</i>	194
July	<i>,</i>		219 (8.62)	528	222	<u> </u>	226 (8.90)	<u> </u>		(9.33)	<u> </u>	<u> </u>	240 2570 2570
Aug			_	127 (<u>5</u>	<i>-</i> -	112 (4.41)	<i>-</i> –		(5.28)	, _	<i>-</i>	131 (
o St St	<i>,</i> –	2.20)	5 (0.20)	22	9	$\overline{}$	11 (0.43)	<u> </u>	.	(2.44)	<u>.</u> ر	<u>٠</u> ,	57 (
Nov	$\overline{}$	0.43)	0 (0.00)	14 (0	$\overline{}$	0 (0.00)	_	_	(0.63)	ا ر	-	ر د
Seasor	1065 (4	(1.92)	810 (31.89)	1085 (42.71	Season1065 (41.92) 810 (31.89) 1085 (42.71) 848 (33.39)	1103 (43.42)		1121 (44.14)	952 (37.49)	892 (35.11) 1121 (44.14) 952 (37.49) 1155 (45.48)1018 (40.07) 1178 (46.38)1081 (42.57)	018 (40.07)	1178 (46.38)	1081 (42.57

REGION: 9 Hood River Valley CROP: Grain (Spring)

	2 ou	5 out of 10 years	6 out of 10 years	of 10 IFS	7 out ye	7 out of 10 years	8 out of 10 years	of 10	9 out	9 out of 10 years	19 out of 2 years	t of 20 ars
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
April May June July Aug	59 (2.32) 142 (5.59) 171 (6.73) 187 (7.36) 34 (1.34)	15 (0.59) 106 (4.17) 148 (5.83) 182 (7.17) 32 (1.26)	60 (2.36) 144 (5.67) 173 (6.81) 188 (7.40) 34 (1.34)	23 (0.91) 111 (4.37) 155 (6.10) 185 (7.28) 33 (1.30)	61 (2.40) 146 (5.75) 174 (6.85) 189 (7.44) 35 (1.38)	30 (1.18) 119 (4.69) 161 (6.34) 188 (7.40) 34 (1.34)	62 (2.44) 149 (5.87) 180 (7.09) 190 (7.48) 36 (1.42)	37 (1.46) 127 (5.00) 167 (6.57) 190 (7.48) 35 (1.38)	63 (2.48) 152 (5.98) 183 (7.20) 196 (7.72) 37 (1.46)	45 (1.77) 136 (5.35) 175 (6.89) 194 (7.64) 36 (1.42)	64 (2.52) 156 (6.14) 185 (7.28) 199 (7.83) 37 (1.46)	54 (2.13) 142 (5.59) 181 (7.13) 198 (7.80) 37 (1.46)
Season	593 (23.34	Season 593 (23.34) 483 (19.02) 599 (23.58) 507 (19.96;	599 (23.58)	507 (19.96)	605 (23.82)	532 (20.95)	617 (24.30) 556 (21.89) 631 (24.84) 586 (23.07)	556 (21.89)	631 (24.84)	586 (23.07)	641 (25.23) 612 (24.11)	612 (24.11)

REGION: 9 Hood River Valley CROP: Grain (Winter)

	5 out	5 out of 10	6 out of 10	of 10	7 out of 10	of 10	8 out of 10	of 10	9 out of 10	of 10	19 out of 2	t of 20
	ye	years	years	irs	years	irs	years	ars	years	rs	years	ars
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March	27 (1.06)	1 (0.04)	28 (1.10)	1 (0.04)	29 (1.14)	1 (0.04)	30 (1.18)	1 (0.04)	32 (1.26)	2 (0.08)	33 (1.30)	10 (0.39)
April	77 (3.03)	30 (1.18)	79 (3.11)	37 (1.46)	81 (3.19)	46 (1.81)	83 (3.27)	54 (2.13)	85 (3.35)	61 (2.40)	87 (3.43)	72 (2.83)
May	148 (5.83)	112 (4.41)	150 (5.91)	118 (4.65)	153 (6.02)	125 (4.92)	158 (6.22)	133 (5.24)	161 (6.34)	141 (5.55)	163 (6.42)	148 (5.83)
June	167 (6.57)	147 (5.79)	170 (6.69)	155 (6.10)	175 (6.89)	160 (6.30)	177 (6.97)	166 (6.54)	185 (7.28)	174 (6.85)	186 (7.32)	180 (7.09)
July	76 (2.99)	74 (2.91)	77 (3.03)	75 (2.95)	78 (3.07)	76 (2.99)	79 (3.11)	77 (3.03)	81 (3.19)	79 (3.11)	82 (3.23)	81 (3.19)
Season	495 (19.48)	364 (14.33)	Season 495 (19.48) 364 (14.33) 504 (19.84) 386 (15.	386 (15.20)	516 (20.31)	408 (16.06)	516 (20.31) 408 (16.06) 527 (20.75) 431 (16.98) 544 (21.42) 457 (17.99) 551 (21.70) 491 (19.33)	431 (16.98)	544 (21.42)	457 (17.99)	551 (21.70)	491 (19.33)

REGION: 9 Hood River Valley CROP: Grapes

•												
	5 out of 10 years	out of 10 years	6 out of 10 years	of 10 irs	7 out of 10 years	of 10 ars	8 out of 10 years	of 10 Irs	9 out	9 out of 10 years	19 out	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep Oct	43 (1.69) 78 (3.07) 102 (4.02) 125 (4.92) 105 (4.13) 72 (2.83) 33 (1.30) 6 (0.24)	4 (0.16) 48 (1.89) 83 (3.27) 122 (4.80) 96 (3.78) 47 (1.85) 2 (0.08) 0 (0.00)	45 (1.77) 79 (3.11) 104 (4.09) 126 (4.17) 73 (2.87) 34 (1.34) 7 (0.28)	8 (0.31) 53 (2.09) 89 (3.50) 124 (3.88) 100 (3.94) 56 (2.20) 3 (0.12) 0 (0.00)	46 (1.81) 80 (3.15) 106 (4.17) 127 (5.21) 75 (2.95) 34 (1.34) 7 (0.28)	15 (0.59) 59 (2.32) 93 (3.66) 126 (4.96) 103 (4.06) 60 (2.36) 3 (0.12) 0 (0.00)	47 (1.85) 84 (3.31) 107 (4.21) 128 (5.04) 108 (4.25) 76 (2.99) 37 (1.46) 7 (0.28)	21 (0.83) 64 (2.52) 98 (3.86) 128 (5.04) 106 (4.17) 66 (2.60) 11 (0.43) 0 (0.00)	48 (1.89) 86 (3.39) 111 (4.37) 132 (5.20) 112 (4.41) 77 (3.03) 38 (1.50) 7 (0.28)	28 (1.10) 73 (2.87) 104 (4.09) 131 (5.16) 109 (4.29) 72 (2.83) 22 (0.87) 0 (0.00)	49 (1.93) 87 (3.43) 111 (4.37) 134 (5.28) 113 (4.45) 78 (3.07) 39 (1.54) 8 (0.31)	36 (1.42) 77 (3.03) 108 (4.25) 134 (5.28) 113 (4.45) 75 (2.95) 32 (1.26) 0 (0.00)
Season	64 (22.20)	402 (15.83)	Season 564 (22.20) 402 (15.83) 574 (22.59) 433 (17.04)	433 (17.04)	582 (22.91)	582 (22.91) 459 (18.07)	594 (23.39)	494 (19.45)	611 (24.07)	594 (23.39) 494 (19.45) 611 (24.07) 539 (21.21)	619 (24.38) 575 (22.64)	575 (22.64)

ION: 9 Hood River Valley

	5 out	5 out of 10 years	6 out ye	6 out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 ars	9 out of 10 years	of 10 's	19 out of 2 years	of 20 rs
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep	17 (0.67) 86 (3.39) 128 (5.04) 188 (7.40) 158 (6.22) 47 (1.85)	5 (0.20) 59 (2.32) 112 (4.41) 182 (7.17) 149 (5.87) 36 (1.42)	17 (0.67) 86 (3.39) 130 (5.12) 189 (7.44) 160 (6.30) 48 (1.89)	7 (0.28) 64 (2.52) 118 (4.65) 185 (7.28) 153 (6.02) 41 (1.61)	18 (0.71) 87 (3.43) 132 (5.20) 190 (7.48) 161 (6.34) 48 (1.89)	10 (0.39) 69 (2.72) 122 (4.80) 188 (7.40) 156 (6.14) 43 (1.69)	18 (0.71) 89 (3.50) 136 (5.35) 191 (7.52) 163 (6.42) 49 (1.93)	12 (0.47) 75 (2.95) 126 (4.96) 191 (7.52) 159 (6.26) 46 (1.81)	18 (0.71) 90 (3.54) 139 (5.47) 197 (7.76) 169 (6.65) 50 (1.97)	14 (0.55) 81 (3.19) 132 (5.20) 197 (7.76) 162 (6.38) 48 (1.89)	18 (0.71) 92 (3.62) 140 (5.51) 200 (7.87) 171 (6.73) 52 (2.05)	16 (0.63) 84 (3.31) 137 (5.39) 199 (7.83) 169 (6.65) 49 (1.93)
Season	624 (24.57	Season 624 (24.57) 543 (21.39) 630 (24.81) 568 (22.36)	630 (24.81)	568 (22.36)	636 (25.05)	588 (23.14)	646 (25.43) 609	609 (23.97)	663 (26.10)	534 (24.97)	663 (26.10) 634 (24.97) 673 (26.49) 654 (25.74)	654 (25.74)

REGION: 9 Hood River Valley CROP: Pasture

	5 out	5 out of 10 years	6 out of 10 years	of 10 irs	7 out	7 out of 10 years	8 out of years	8 out of 10 years	9 out of 10 years	of 10 irs	19 out yes	out of 20 years	
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR	ا ج چ
March April May June July Aug Sep Oct	19 (0.75) 89 (3.50) 133 (5.24) 150 (5.91) 152 (5.91) 164 (6.17) 58 (2.28)	1 (0.04) 241 (1.61) 281 (3.86) 131 (5.16) 144 (5.67) 281 (3.19) 391 (3.19) 391 (3.19)	19 (0.75) 93 (3.66) 135 (5.31) 153 (6.02) 183 (7.20) 154 (6.06) 108 (4.25) 59 (2.32)	1 (0.04) 50 (1.97) 103 (4.06) 113 (5.39) 181 (7.13) 147 (5.79) 88 (3.46) 6 (0.24)	20 (0.79) 95 (3.74) 137 (5.39) 155 (6.10) 184 (7.24) 155 (6.10) 110 (4.33)	1 (0.04) 61 (2.40) 110 (4.33) 142 (5.59) 184 (7.24) 150 (5.91) 95 (3.74)	21 (0.83) 96 (3.78) 142 (5.59) 158 (6.22) 185 (7.28) 157 (6.18) 112 (4.41) 65 (2.56)	1 (0.04) 68 (2.68) 118 (4.65) 147 (5.79) 185 (7.28) 102 (4.02) 36 (1.42)	22 (0.87) 99 (3.90) 145 (5.71) 163 (6.42) 191 (7.52) 114 (4.49) 66 (2.60)	9 (0.35) 75 (2.95) 126 (4.96) 154 (6.06) 191 (7.52) 161 (6.34) 108 (4.25) 45 (1.77)	24 (0.94) 103 (4.06) 146 (5.75) 164 (6.46) 194 (7.64) 116 (4.57) 68 (2.68)	13 (0. 86 (3. 132 (5. 159 (6. 172 (6. 172 (6.	3.39) 3.39) 5.20) 6.26) 7.64) 6.50) 2.13)
Season	889 (35.00	Season 889 (35.00) 678 (26.70) 904 (35.57) 713 (28.08)	904 (35.57)	713 (28.08)	918 (36.13)	918 (36.13) 761 (29.96)	1	936 (36.85) 811 (31.94)	962 (37.89)	962 (37.89) 869 (34.20)	980 (38.60) 915 (36.04)	915 (36.	6

REGION: 9 Hood River Valley CROP: Pears

5												
	no s	5 out of 10 years	6 out of 10 years	ut of 10 years	7 out of 10 years	f 10 s	8 out of 10 years	of 10 ars	9 out of 10 years	of 10 irs	19 out of a years	of 20
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR
March April May June July Aug Sep Oct	41 (1.61) 84 (3.31) 133 (5.24) 168 (6.61) 173 (6.81) 174 (4.49) 52 (2.05) 11 (0.43)	2 (0.08) 36 (1.42) 38 (3.90) 145 (5.71) 120 (7.87) 12 (6.38) 12 (6.38) 12 (6.38) 12 (6.38) 13 (7.48) 14 (0.16) 10 (0.00)	42 (1.65) 86 (3.39) 134 (5.28) 170 (6.69) 209 (8.23) 174 (6.85) 116 (4.57) 53 (2.09) 14 (0.55)	2 (0.08) 43 (1.69) 105 (4.13) 154 (6.02) 204 (8.03) 167 (6.57) 96 (3.78) 5 (0.20) 0 (0.00)	43 (1.69) 89 (3.50) 137 (5.39) 172 (6.77) 176 (6.93) 119 (4.69) 14 (2.13) 15 (0.59)	2 (0.08) 54 (2.13) 112 (4.41) 158 (6.22) 207 (8.15) 171 (6.73) 103 (4.06) 10 (0.39) 0 (0.00)	45 (1.77) 91 (3.58) 143 (5.63) 174 (6.85) 211 (8.31) 178 (7.01) 120 (4.72) 58 (2.28) 15 (0.59)	3 (0.12) 63 (2.48) 119 (4.69) 164 (6.46) 211 (8.31) 175 (6.89) 109 (4.29) 28 (1.10) 0 (0.00)	48 (1.89) 93 (3.66) 147 (5.79) 182 (7.17) 218 (8.58) 185 (7.28) 185 (7.28) 185 (7.28) 185 (7.28) 16 (0.63)	12 (0.47) 69 (2.72) 128 (5.04) 171 (6.73) 217 (8.54) 182 (7.17) 116 (4.57) 36 (1.42) 0 (0.00)	51 (2.01) 95 (3.74) 148 (5.83) 183 (7.20) 221 (8.70) 188 (7.40) 124 (4.88) 61 (2.40) 17 (0.67)	23 (0.91) 79 (3.11) 134 (5.28) 177 (6.97) 220 (8.66) 118 (7.28) 48 (1.89) 0 (0.00)
Season	984 (38.74	Season 984 (38.74) 735 (28.95) 998 (39.30) 775 (30.50) 1015 (39.96)	998 (39.30)	775 (30.50)	1015 (39.96) 8	817 (32.17)	1035 (40.74)	872	(34.34) 1070 (42.12) 931 (36.66) 1088 (42.83)	931 (36.66)	1088 (42.83)	985 (38.79)

REGION: 9 Hood River Valley CROP: Peas

		5 out of 10 years	of 10 irs	6 out of 10 years	ut of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 irs	9 out	9 out of 10 years	19 ou ye	19 out of 20 years
MONTH	ET crop mm in.	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
April May June July	38 (135 (171 (161 (38 (1.50) 135 (5.31) 171 (6.73) 161 (6.34)	9 (0.35) 99 (3.90) 148 (5.83) 156 (6.14)	39 (1.54) 137 (5.39) 173 (6.81) 162 (6.38)	14 (0.55) 104 (4.09) 155 (6.10) 158 (6.22)	39 (1.54) 139 (5.47) 175 (6.89) 163 (6.42)	20 (0.79) 113 (4.45) 161 (6.34) 161 (6.34)	40 (1.57) 142 (5.59) 177 (6.97) 163 (6.42)	23 (0.91) 121 (4.76) 166 (6.54) 163 (6.42)	41 (1.61) 146 (5.75) 185 (7.28) 168 (6.61)	28 (1.10) 128 (5.04) 174 (6.85) 168 (6.61)	42 (1.65) 148 (5.83) 186 (7.32) 171 (6.73)	36 (1.42) 134 (5.28) 180 (7.09) 171 (6.73)
Season	505 (1	19.88)	412 (16.22)	Season 505 (19.88) 412 (16.22) 511 (20.12) 431 (16.96)	431 (16.96)	516 (20.32)	516 (20.32) 455 (17.92)	522 (20.55)	473 (18.63)	540 (21.25)	522 (20.55) 473 (18.63) 540 (21.25) 498 (19.60) 547 (21.53) 521 (20.52)	547 (21.53)	521 (20.52)

REGION: 9 Hood River Valley CROP: Plums

	III	5 out of 10 years	of 10 rs			6 out of 10 years	of 10 rs			7 out	7 out of 10 years			8 out	8 out of 10 years			9 out	9 out of 10 years			19 ou ye	19 out of 20 years	0
MONTH	ET crop mm in.	rop in.	Net IRR mm in.		ET cr mm	crop in.	Net IRR mm in.	IRR in.	ET E	crop in.	Net mm	t IRR in.	ET	crop in.	Net	t IRR in.	ET	crop in.	x et	IRR in.	E E	crop in.	Net	IR.
March April May June July Aug Sep Oct	41 (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.61) 5.24) 6.61) 7.24) 6.81) 7.24) 7.24) 7.24) 7.25)	2 (0 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.08) 3.90) 7.87) 7.87) 2.43) 1.65) 0.16)	42 (1 86 (3 134 (5 170 (6 209 (8 174 (6 176 (6	1.65) 5.28) 6.69) 6.85) 7.4.57) 7.70) 7.70) 7.70)	204 C	0.08) 4.13) 6.02) 8.03) 6.57) 0.20)	43 (89 (137 (172 (210 (176 (119 (15 (3.50) 5.39) 6.77) 6.73 6.93) 7.69) 7.69) 0.59)	54 0 112 0 103 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(0.08) (2.13) (4.41) (6.22) (8.15) (6.73) (6.39) (0.00)	45 (91 (143 (174 (211 (178 (120 (58 (3.58) 3.58) 5.63) 6.85) 8.31) 7.01) 7.01) 7.28) 2.28)	20 119 149 175 175 109 109 0	(0.12) (2.48) (4.69) (6.46) (6.89) (4.29) (1.10)	48 (93 (147 (182 (218 (185 (122 (59 (1.89) 3.66) 7.17) 7.17) 7.28) 7.28) 7.28) 7.28) 7.28) 7.28)	12 69 69 69 69 69 69 69 69 69 69 69 69 69	0.47) 2.72) 5.04) 6.73) 8.54) 7.17) 4.57) 1.42)	51 6 148 148 183 621 621 61 61 61 61 61 61 61 61 61 61 61 61 61	2.01) 3.74) 5.83) 7.20) 7.40) 7.40) 7.40) 7.40) 7.40)	23 (79 (134 (177 (220 (118 (48 (0.91) 3.11) 5.28) 6.97) 8.66) 7.28) 7.28) 1.89)
Season	Season 984 (38.74) 735 (28.95)	3.74)	735 (28	.95) 9	98 (35	998 (39.30) 775 (30.5	775 (3)	6	1015 ((39.96)	817 (817 (32.17)	1035	40.74)	872 ((40.74) 872 (34.34) 1070 (42.12) 931 (36.66)	1070 (42.12)	931 (36.66)	1088	(42,83)	985	(38.79)

REGION: 10 Columbia River above Hood River CROP: Alfalfa Hay

CROP	•	Ariaria nay										
	5	5 out of 10 years	6 out	6 out of 10 years	7 out	7 out of 10 years	8 out of 10 years	of 10 rs	9 out of 10 years	of 10 ars	19 out of 2 years	of 20 Irs
MONTH	ET crop	op Net IRR n. mm in.	R ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep	72 (2 150 (5 170 (6 200 (7 169 (6 116 (4	(2.83) 64 (2.65.91) 142 (5.91) 142 (5.70) 142 (5.70) 142 (5.70) 157 (6.70) 157 (6.70) 168 (7.57) 108 (4.77) 108 (4.	2.52) 73 (2.87) 5.59) 154 (6.06) 6.18) 172 (6.77) 7.80) 202 (7.95) 6.54) 172 (6.77) 4.25) 118 (4.65)	67 (2.64) 145 (5.71) 162 (6.38) 170 (6.69) 111 (4.37)	74 (2.91) 156 (6.14) 176 (6.18) 204 (8.03) 174 (6.85) 120 (4.72)	70 (2.76) 149 (5.87) 167 (6.57) 202 (7.95) 174 (6.85) 114 (4.49)	75 (2.95) 159 (6.26) 180 (7.09) 208 (8.19) 180 (7.09) 121 (4.76)	73 (2.87) 151 (5.94) 173 (6.81) 206 (8.11) 179 (7.05) 118 (4.65)	79 (3.11) 163 (6.28) 185 (7.28) 212 (8.35) 187 (7.36) 125 (4.92)	79 (3.11) 75 (2.95) 163 (6.42) 155 (6.10) 185 (7.28) 181 (7.13) 212 (8.35) 209 (8.23) 187 (7.36) 185 (7.28) 125 (4.92) 122 (4.80)	80 (3.15) 77 (3.03) 165 (6.50) 159 (6.26) 189 (7.44) 184 (7.24) 215 (8.46) 214 (8.43) 190 (7.48) 188 (7.40) 129 (5.08) 127 (5.00) 968 (38.11) 949 (37.36)	77 (3.03) 159 (6.26) 184 (7.24) 214 (8.43) 188 (7.40) 127 (5.00) 949 (37.36)
Seasor	אנ) 774 ר	.52) 835 (52.	Season 877 (34.52) 835 (52.88) 891 (55.07) 855 (55.00)	(00.55) 559 (903 (35.54)	903 (33:34) 8/8 (34:47)		(22:22)				

REGION: 10 Columbia River above Hood River CROP: Apples

	5 out	5 out of 10 years	6 out of 10 years	of 10 Irs	7 out yes	out of 10 years	8 out	8 out of 10 years	9 out of 10 years	of 10 Irs	19 or ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	50 (1.97) 107 (4.21) 178 (7.01) 221 (8.70) 264 (10.39) 224 (8.82) 146 (5.75) 68 (2.68) 15 (0.59)	32 (1.26) 95 (3.74) 171 (6.73) 202 (10.31) 219 (8.62) 138 (5.43) 51 (2.01) 1 (0.04)	51 (2.01) 109 (4.29) 109 (4.29) 225 (8.86) 267 (10.51) 227 (8.94) 148 (5.83) 70 (2.76) 17 (0.67)	35 (1.38) 99 (3.90) 175 (6.89) 214 (8.43) 222 (8.74) 142 (5.59) 56 (2.20) 1 (0.04)	54 (2.13) 116 (4.33) 186 (7.32) 228 (8.98) 270 (10.63) 230 (9.06) 150 (5.91) 71 (2.80) 18 (0.71)	37 (1.46) 104 (4.09) 179 (7.05) 219 (8.62) 269 (10.59) 228 (8.98) 145 (5.71) 61 (2.40) 1 (0.04)	56 (2.20) 112 (4.41) 189 (7.44) 235 (9.25) 275 (10.83) 238 (9.37) 151 (5.94) 72 (2.83) 19 (0.75)	41 (1.61) 108 (4.25) 108 (4.25) 181 (7.13) 226 (8.90) 273 (10.75) 236 (9.29) 149 (5.87) 65 (2.56) 1 (0.04)	57 (2.24) 118 (4.65) 194 (7.64) 242 (9.53) 278 (10.94) 247 (9.72) 156 (6.14) 74 (2.91) 20 (0.79)	48 (1.89) 112 (4.41) 185 (7.28) 236 (9.29) 278 (10.94) 244 (9.61) 155 (6.10) 69 (2.72) 7 (0.28)	58 (2.28) 120 (4.72) 197 (7.76) 247 (9.72) 284 (11.18) 252 (9.92) 161 (6.34) 76 (2.99) 20 (0.79)	52 (2.05) 115 (4.53) 189 (7.44) 241 (9.49) 284 (11.18) 250 (9.84) 160 (6.30) 74 (2.91)
Seasol	n1273 (50.12)	1177 (46.33)	Season1273 (50.12)1177 (46.33) 1297 (51.07)1209 (47.60	1209 (47.60)	1317 (51.87)	1243 (48.94)	1347 (53.02)) 1317 (51.87)1243 (48.94) 1347 (53.02)1280 (50.40) 1386 (54.56)1334 (52.52) 1415 (55.70)1374 (54.09)	1386 (54.56)	1334 (52.52)	1415 (55.70)1374 (54.

REGION: 10 Columbia River above Hood River CROP: Berries

	5 out	5 out of 10 years	6 out of 10 years	:	7 out	7 out of 10 years	8 out of 10 years	10	9 out	9 out of 10 years	19 out of 2 years	20
MONTH	ET crop	Net IRR mm in.	ET crop Net mm in. mm	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop N mm in. mm	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net mm in. mm	in.
May June July Aug Sep Oct	41 (1.61) 101 (3.98) 147 (5.79) 131 (5.16) 90 (3.54) 52 (2.05) 3 (0.12)	38 (1.50) 91 (3.58) 146 (5.75) 129 (5.08) 83 (3.27) 37 (1.46)	42 (1.65) 39 (102 (4.02) 48 (148 (5.83) 148 (133 (5.24) 131 (92 (3.62) 85 (53 (5.09) 40 (33 (0.12) 0 (1.54) 3.74) 5.83) 5.16) 3.35) 1.57)	42 (1.65) 103 (4.06) 150 (5.91) 134 (5.28) 93 (3.66) 55 (2.17) 3 (0.12)	40 (1.57) 98 (3.86) 149 (5.87) 134 (5.28) 87 (3.43) 44 (1.73) 0 (0.00)	43 (1.69) 41 105 (4.13) 102 152 (5.98) 151 139 (5.47) 137 94 (3.70) 90 56 (2.20) 48 4 (0.16) 1	(1.61) (4.02) (5.94) (5.39) (3.54) (1.89) (0.04)	43 (1.69) 110 (4.33) 154 (6.06) 144 (5.67) 97 (3.24) 4 (0.16)	43 (1.69) 105 (4.13) 154 (6.06) 143 (5.63) 95 (3.74) 52 (2.05) 3 (0.12)	43 (1.69) 43 (111 (4.37) 108 (158 (6.22) 157 (147 (5.79) 147 (99 (3.20) 98 (5.28) 56 (4 (0.16) 3 (10.16) 3 (10.16)	1.69) 4.25) 6.18) 5.79) 2.20) 0.12)
Season	1 565 (22.25) 524 (20.64)	Season 565 (22.25) 524 (20.64) 573 (22.57) 538 (21.19)	21.19)	580 (22.85)	(22.85) 552 (21.74)	593	(22.43)	609 (23.97)	595 (23.42)	(23.33) 570 (22.43) 609 (23.97) 595 (23.42) 620 (24.41) 612 (24.09)	24.09)

REGION: 10 Columbia River above Hood River Chop.

CKOP.	Cuerries	ries										
	5 out of 10 years	out of 10 years	6 out ye	6 out of 10 years	7 out of 10 years	of 10 rs	8 out	8 out of 10 years	9 out of 10 years	f 10 s	19 ou ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep	50 (1.97) 107 (4.21) 127 (7.01) 128 (8.70) 264 (10.39) 224 (8.82) 146 (5.75)	32 (1.26) 95 (3.74) 171 (6.73) 208 (8.19) 262 (10.31) 219 (8.62) 131 (9.62)	51 (2.01) 109 (4.29) 183 (7.20) 225 (8.86) 267 (10.51) 227 (8.94) 148 (5.83)	35 (1.38) 99 (3.90) 175 (6.89) 214 (8.43) 265 (10.43) 222 (8.74) 144 (5.59)	54 (2.13) 110 (4.33) 186 (7.32) 228 (8.98) 270 (10.63) 230 (9.06) 71 (2.80)	37 (1.46) 104 (4.09) 179 (7.05) 219 (8.62) 229 (10.59) 228 (8.98) 145 (8.71)	56 (2.20) 112 (4.41) 189 (7.44) 235 (9.25) 275 (10.83) 238 (9.37) 121 (5.94)	41 (1.61) 108 (4.25) 181 (7.13) 226 (8.90) 273 (10.75) 236 (9.29) 149 (5.87) 145 (2.56)	57 (2.24) 118 (4.65) 194 (7.64) 242 (9.53) 278 (10.94) 247 (9.72) 247 (9.72) 74 (2.91)	48 (1.89) 112 (4.41) 185 (7.28) 236 (9.29) 278 (10.94) 244 (9.61) 69 (2.72)	58 (2.28) 120 (4.72) 197 (7.76) 247 (9.72) 284 (11.18) 252 (9.92) 161 (6.34) 76 (2.99)	52 (2.05) 115 (4.53) 189 (7.44) 241 (9.49) 284 (11.18) 250 (9.84) 160 (6.30) 74 (2.91)
Nov	15 (0.59)	1 (0.04)	17 (0.67)	1 (0.04)	18 (0.71)	1 (0.04)	19 (0.75)	1 (0.04)	20 (0.79)	7 (0.28)	20 (0.79)	9 (0.35)
Season	273 (50.12)	1177 (46.33)	1297 (51.07)	Season1273 (50.12)1177 (46.33) 1297 (51.07)1209 (47.60) 1317 (51.87)1243 (48.94) 1347 (53.02)1280 (50.40) 1386 (54.56)1334 (52.52) 1415 (55.70)1374 (54.09)	1317 (51.87)1	243 (48.94)	1347 (53.02)	1280 (50.40)	1386 (54.56)1	334 (52.52)	1415 (55.70)	1374 (54.09)

REGION: 10 Columbia River above Hood River CROP: Filberts

20	Net IRR mm in.	(2.05) (4.53) (7.44) (9.49) (11.18) (9.84) (6.30) (2.91)	(00)
19 out of years	crop N in. mm	2.28) 52 4.72) 115 7.76) 189 9.72) 241 11.18) 284 9.92) 250 6.34) 160 2.99) 74	/EE 701127/
	ET	28 120 120 197 197 197 197 197 197 197 197 197 197	11/10
of 10 Irs	Net IRR mm in.	48 (1.89) 112 (4.41) 185 (7.28) 236 (9.29) 278 (10.94) 244 (9.61) 155 (6.10) 69 (2.72) 7 (0.28)	77/ /53
9 out of 10 years	ET crop mm in.	57 (2.24) 118 (4.65) 194 (7.64) 242 (9.53) 278 (10.94) 247 (9.72) 156 (6.14) 74 (2.91) 20 (0.79)	1200 101 101 1000
10	Net IRR mm in.	(1.61) (4.25) (7.13) (8.90) (10.75) (9.29) (5.87) (0.04)	
8 out of ' years	crop in.	(2.20) 41 (4.41) 108 (7.44) 181 (9.25) 226 (10.83) 273 (9.37) 236 (5.94) 149 (2.83) 65	0004.00 237
	R ET	46) 56 09) 112 00) 125 189 62) 235 59) 275 77) 151 16) 72	
7 out of 10 years	Net IRR mm in.	37 (1.46) 104 (4.09) 179 (7.05) 219 (8.62) 269 (10.59) 228 (8.98) 145 (5.71) 61 (2.40) 1 (0.04)	***
7 out ye	ET crop mm in.	54 (2.13) 186 (7.32) 186 (7.32) 228 (8.98) 270 (10.63) 230 (9.06) 150 (5.91) 18 (0.71)	100000000000000000000000000000000000000
10	Net IRR mm in.	(1.38) (5.89) (6.843) (10.43) (8.74) (5.59) (0.04)	
6 out of 10 years	ET crop Ne mm in. mm	51 (2.01) 35 109 (4.29) 99 183 (7.20) 175 225 (8.86) 214 267 (10.51) 265 227 (8.94) 222 148 (5.83) 142 70 (2.76) 56	
10	Net IRR mm in.	(1.26) (3.74) (6.73) (8.19) (10.31) (5.43) (2.01)	-
5 out of 10 years	r crop in.	(1.97) 32 (4.21) 95 (7.01) 171 (8.70) 208 (10.39) 262 (8.82) 219 (5.75) 138 (2.68) 51	
	MONTH ET	March 50 April 107 May 221 June 221 July 264 Aug 224 Sep 146 Oct 68	

REGION: 10 Columbia River above Hood River CROP: Grain (Spring)

		5 out of 10 years	of 10 ars			6 out	6 out of 10 years	_		7 out of 10 years	of 10 ars			8 out of 10 years	of 10 irs		6	9 out of 10 years	F 10		19 o V	19 out of 2 years	50
MONTH	E E	crop in.	Net IRR mm in.	IRR in.	± €	crop in.	Net	Net IRR mm in.	E E	crop in.	Net mm	IRR in.	ET	crop in.	Net	IRR in.	ET cr mm i	crop in.	Net IRR mm in.		ET crop mm in.	Net	in.
April May June July Aug	67 (170 (206 (219 (41 ((2.64) (6.69) (8.11) (8.62)	58 162 193 215 41	(2.28) (6.38) (7.60) (8.46) (1.61)	69 174 210 221 42	(2.72) (6.85) (8.27) (8.70) (1.65)	166 168 179 218 41	(2.40) (6.54) (7.83) (8.58) (1.61)	70 (177 (212 (224 (42 (2.76) 6.97) 8.35) 8.82) 1.65)	64 (169 (204 (42 (2.52) 6.65) 8.03) 8.70) 1.65)	70 (180 (219 (227 (43 (2.76) 7.09) 8.62) 8.94) 1.69)	67 (173 (210 (225 (43 (2.64) 6.81) 8.27) 8.86) 1.69)	72 (2 185 (7 225 (8 232 (9 45 (1	(2.83) (7.28) 1 (8.86) 2 (9.13) 2 (1.77)	69 (2.72) 177 (6.97) 219 (8.62) 230 (9.06) 45 (1.77)		73 (2.87) 188 (7.40) 230 (9.06) 235 (9.25) 46 (1.81)	72 1) 180 1) 224 1) 235 1) 235	(2.83) (7.09) (8.82) (9.25) (1.81)
Season	703 ((27.67)	699	26.33)	716	Season 703 (27.67) 669 (26.33) 716 (28.19) 685 (26.5	685 (26.96)		28.55)	700 (725 (28.55) 700 (27.55)		739 (29.10) 718 (28.27)	718 (2	(8.27)	759 (29	7 (28.	759 (29.87) 740 (29.14)	14) 77	772 (30.39) 757 (29.80)	757 (1	(29.8

REGION: 10 Columbia River above Hood River CROP: Grain (Winter)

CKOP:		Grain (Winter)								
	5 out	5 out of 10 years	6 out of 10 years	out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	9 out of 10 years		19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop Net mm in. mm	IRR ET in. mm	crop Net IRR in. mm in.
March April May June July	33 (1.30) 91 (3.58) 178 (7.01) 206 (8.11) 90 (3.54)	17 (0.67) 80 (3.15) 170 (6.69) 193 (7.60) 90 (3.54)	33 (1.30) 92 (3.62) 183 (7.20) 210 (8.27) 91 (3.58)	20 (0.79) 83 (3.27) 174 (6.85) 198 (7.80) 91 (3.58)	34 (1.34) 93 (3.66) 186 (7.32) 212 (8.35) 92 (3.62)	22 (0.87) 87 (3.43) 177 (6.97) 203 (7.99) 92 (3.62)	36 (1.42) 26 (1.02) 95 (3.74) 91 (3.58) 189 (7.44) 181 (7.13) 219 (8.62) 211 (8.31) 93 (3.66) 93 (3.66)	2) 37 (1.46) 31 (1.22) 8) 99 (3.90) 95 (3.74) 35 194 (7.64) 185 (7.28) 1) 225 (8.86) 218 (8.58) 6) 95 (3.74) 95 (3.74)	3.74) 101 (7.28) 197 (8.58) 230 (8.58) 3.74) 97 (1.46) 33 (1.30) 3.98) 97 (3.82) 7.76) 189 (7.44) 9.06) 223 (8.78) 3.82) 97 (3.82)
Seasor	1 598 (23.54	Season 598 (23.54) 550 (21.65) 609 (23.97) 566 (22.29)	609 (23.97)	566 (22.29)	617 (24.29)	581 (22.88)	632 (24.88) 602 (23.	617 (24.29) 581 (22.88) 632 (24.88) 602 (23.70) 650 (25.60) 624 (24.56) 662 (26.08) 639 (25.16)	4.56) 662 (26.08) 639 (25.16)

REGION: 10 Columbia River above Hood River CROP: Grapes

	5 out of 10 years	nut of 10 years	6 out	6 out of 10 years	7 out of 10 years	8 out of 10 years	9 out of 10 years	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in mm in.	ET crop Net IRR mm in.
April May June July Aug Sep Oct	52 (2.05) 95 (3.74) 123 (4.84) 147 (5.79) 124 (4.88) 84 (4.18) 7 (0.28)	43 (1.69) 87 (3.43) 113 (4.45) 147 (5.79) 147 (5.79) 79 (4.11) 28 (1.10) 0 (0.00)	53 (2.09) 97 (3.82) 125 (4.92) 149 (5.87) 126 (4.96) 86 (3.39) 42 (1.65) 8 (0.31)	46 (1.81) 90 (3.54) 118 (4.65) 124 (5.87) 124 (4.88) 81 (3.19) 30 (1.18)	54 (2.13) 48 (1.89) 98 (3.86) 92 (3.62) 127 (5.00) 121 (4.76) 151 (5.94) 150 (5.91) 128 (5.04) 127 (5.00) 88 (3.46) 83 (3.27) 43 (1.69) 34 (1.34) 8 (0.31) 0 (0.00)	55 (2.17) 51 (2.01) 100 (3.94) 94 (3.70) 130 (5.12) 125 (4.92) 152 (5.98) 152 (5.98) 132 (5.20) 131 (5.16) 89 (3.50) 85 (3.35) 144 (1.73) 38 (1.50) 8 (0.31) 1 (0.04)	58 (2.28) 54 (2.13) 103 (4.06) 98 (3.86) 134 (5.28) 130 (5.12) 154 (6.06) 154 (6.06) 137 (5.39) 136 (5.35) 91 (3.58) 88 (3.46) 45 (1.77) 42 (1.65) 9 (0.35) 1 (0.04)	59 (2.32) 57 (2.24) 104 (4.09) 100 (3.94) 137 (5.39) 133 (5.24) 159 (6.26) 159 (6.26) 140 (5.51) 140 (5.51) 93 (3.66) 91 (3.58) 46 (1.81) 45 (1.77) 9 (0.35) 4 (0.16)
Cosed	673 (26.50)	Season 673 (26,50) 619 (24,37) 686 (27,01) 638 (25	686 (27.01)	638 (25.12)	697 (27.43) 655 (25.79)) 710 (27.95) 677 (26.66)	731 (28.77) 703 (27.67) 747 (29.39) 729 (28.70)	747 (29.39) 729 (28.70

REGION: 10 Columbia River above Hood River CROP: Grass Seed (Spring)

		i																				١		
	<u>ν</u>	5 out of 10 years	of 10 irs			6 out	6 out of 10 years	0		7 out ye	7 out of 10 years	0		.jg ≯ ⊗	8 out of 10 years	0		و م	9 out of 10 years			96 % & A	out of 20 years	23
MONTH	ET CF	crop in.	Net IRR mm in.	IRR in.	E E	crop in.	S E	Net IRR m in.	E E	crop in.	Net	t IRR in.	ET	crop in.	Net	t IRR in.	ET ET	crop in.	mm Net	in.	ET	crop in.	Net	t IRR in.
Jan Feb March April May June July Aug Sep Oct	5 C O C C C C C C C C C C C C C C C C C	0.20) 0.55) 0.91) 2.17) 2.17) 3.46) 5.43) 8.39) 7.99) 0.79) 0.79)	201 (201 (201 (201 (201 (201 (201 (201 (0.00) 0.04) 0.20) 1.77) 1.77) 1.77) 7.91) 7.91) 0.04)	245 246 246 246 246 247 248 33 33	(0.28) (0.28) (0.59) (0.59) (0.51) (0.51) (0.51) (0.63) (0.63)	8 48 83 131 131 131 131 131 131 131 131 131	(0.00) (0.04) (1.89) (3.27) (3.27) (5.16) (8.46) (8.27) (8.23) (2.80) (0.04)	8 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.31) (0.31) (0.59) (2.20) (3.52) (3.54) (3.31) (3.31) (0.87)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(0.00) (0.00) (0.39) (2.35) (3.35) (3.35) (8.54) (8.23) (6.43) (6.00)	9 16 27 27 145 221 221 86 86 6	(0.35) (1.063) (1.063) (2.20) (3.58) (8.73) (8.73) (8.43) (5.79) (6.24)	0 0 140 140 141 141 141 141 141 141 141	(0.00) (0.16) (0.16) (0.16) (0.16) (0.16) (0.16) (0.16) (0.16)	10 14 15 15 15 15 15 15 15 15 15 15 15 15 15	(0.39) (1.063) (1.063) (1.063) (1.063) (1.063) (1.064) (1.064)	27 C C C C C C C C C C C C C C C C C C C	0.00 0.28 0.83 0.83 3.54 5.71 8.78 8.78 3.83 0.00 0.00	12 17 17 17 17 17 17 17 17 17 17 17 17 17	(0.47) (1.10) (2.28) (3.70) (6.02) (8.98) (9.02) (6.06) (1.06)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(0.00) (0.51) (0.51) (2.28) (3.62) (3.62) (8.98) (8
Season	984 (3	8.75)	865 (34.06)	1000	(39.37	868 (Season 984 (38.75) 865 (34.06) 1000 (39.37) 898 (35.35) 1019 (40.11) 925 (36.41) 1043 (41.06) 960 (37.81) 1075 (42.32)1010 (39.77) 1099 (43.26)1047 (41.22)	1019	(40.11)	925	(36.41)	1043	(41.06	096 ((37.81)	1075	(42.32	1010	(39.77)	10%	(43.26	1047	(41.22)

REGION: 10 Columbia River above Hood River CROP: Pasture

	5 out of 10 years	of 10 irs	6 out of 10 years	7 out of 10 years	8 out of 10 years	9 out of 10 years	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.
March April May June July Aug Sep Oct	24 (0.94) 109 (4.29) 160 (6.30) 181 (7.13) 214 (8.43) 124 (4.88) 71 (2.80)	17 (0.67) 98 (3.86) 152 (5.98) 169 (6.65) 210 (8.27) 178 (7.01) 116 (4.57) 56 (2.20)	24 (0.94) 19 (0.75) 111 (4.37) 102 (4.02) 165 (6.50) 156 (6.14) 184 (8.50) 213 (8.39) 187 (7.36) 182 (7.17) 126 (4.96) 119 (4.69) 73 (2.87) 61 (2.40)	5) 25 (0.98) 20 (0.79) 2) 113 (4.45) 106 (4.17) 4) 167 (6.57) 160 (6.30) 7) 219 (8.62) 216 (8.50) 7) 189 (7.44) 187 (7.36) 7) 129 (5.08) 121 (4.76) 7) 75 (2.95) 65 (2.56)	26 (1.02) 22 (0.87) 115 (4.53) 111 (4.37) 170 (6.69) 162 (6.38) 194 (7.64) 185 (7.28) 222 (8.74) 220 (8.66) 192 (7.56) 192 (7.56) 191 (5.16) 124 (4.88) 77 (3.03) 69 (2.72)	26 (1.02) 24 (0.94) 121 (4.76) 115 (4.53) 174 (6.85) 166 (6.54) 198 (7.80) 192 (7.56) 225 (8.86) 224 (8.82) 199 (7.83) 198 (7.80) 133 (5.24) 130 (5.12) 79 (3.11) 72 (2.83)	27 (1.06) 25 (0.98) 123 (4.84) 118 (4.65) 177 (6.97) 170 (6.69) 202 (7.95) 196 (7.72) 230 (9.06) 228 (8.98) 203 (7.99) 201 (7.91) 137 (5.39) 135 (5.31) 80 (3.15) 78 (3.07)
Seasor	1064 (41.90)	996 (39.21)	1086 (42.74)1025 (40.3	Season1064 (41.90) 996 (39.21) 1086 (42.74)1025 (40.37) 1105 (43.49)1053 (41.45) 1127 (44.37)1085 (42.72) 1155 (45.47)1121 (44.14) 1179 (46.41)1151 (45.31)) 1127 (44.37)1085 (42.72) 1155 (45.47)1121 (44.14)	1179 (46.41)1151 (45.31

REGION: 10 Columbia River above Hood River CROP: Pears

	5	5 out of 10 years	10	6 out of 10 years	out of 10 years		7 out of 10 years	of 10 rs		8 out	8 out of 10 years			9 out of 10 years	10		19	out of years	20
MONTH	ET crop		Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET (crop in.	Net IRR mm in.		ET crop mm in.	Net	t IRR in.	ET	crop in.	Net IRR mm in.		ET crop	Net mm	in.
March April May July July Aug Sep Oct	50 (1 101 (3 162 (6 203 (7 243 (9 206 (8 134 (5 64 (2 64 (2	1.97) 32 3.98) 90 6.38) 154 7.59) 190 9.57) 240 8.11) 203 5.28) 125 2.52) 48 0.59) 1	2 (1.26) 2 (3.54) 4 (6.06) 0 (7.48) 0 (7.48) 3 (7.99) 5 (4.92) 8 (1.89)	51 (2.01) 103 (4.06) 167 (6.57) 206 (8.11) 245 (9.65) 209 (8.23) 135 (5.31) 66 (2.60) 17 (0.67)	35 (1.38) 94 (3.70) 158 (6.22) 195 (7.68) 243 (9.57) 207 (8.15) 128 (5.04) 53 (2.09) 1 (0.04)	54 (104 (104 (209 (209 (212 (137 (67 (14 (14 (14 (14 (14 (14 (14 (14 (14 (14	2.13) 6.65) 8.23) 9.76) 9.78) 5.39) 2.64)	37 (1.46) 97 (3.82) 162 (6.38) 200 (7.87) 246 (9.69) 211 (8.31) 131 (5.16) 1 (0.04)	56 56 106 32) 106 38) 172 38) 172 215 215 219 116 138 224 68	5 (2.20) 5 (4.17) 2 (6.77) 5 (8.46) 2 (9.92) 9 (8.62) 8 (5.43) 9 (0.75)	250 216 216 216 216 216 216 216 216	(1.61) (3.98) (6.46) (8.19) (9.84) (8.28) (5.28) (2.24)	57 (111 (176 (221 (227 (227 (143 (69 (2.24) 16.4.37) 16.4.37) 16.4.37) 16.4.37) 16.4.37) 16.4.37) 17.4.3	48 (1. 106 (4. 168 (6. 215 (8. 225 (10. 224 (8. 141 (5. 65 (2. 7 (0.	1.89) 58 4.17) 113 6.61) 179 8.46) 226 10.04) 261 5.53) 146 2.56) 72 0.28) 20	8 (2.28) 3 (4.45) 9 (7.05) 6 (8.90) 1 (9.09) 1 (9.09) 6 (5.75) 0 (0.79)	8) 52 55) 108 55) 172 60) 220 8) 261 70) 70 9) 70	(2.05) (6.22) (6.23) (10.28) (10.28) (2.75) (0.35)
Seasor	1178 (46	.39)108	3 (42.63)	Season1178 (46.39)1083 (42.63) 1199 (47.21)1114 (43.87)	1114 (43.87)		1218 (47.95)1142	142 (44.97)	97) 1245	5 (49.00)1176		(46.30)	1279 ((50.36)1229 (48.38)	29 (48.	38) 130	6 (51.4	1306 (51.42)1267 (49.89)	(49.8

19 out of 20 years 9 out of 10 years 8 out of 10 years 7 out of 10 years 6 out of 10 years 5 out of 10

10 Columbia River above Hood River Plums

REGION: CROP:

		years	λe	years	<u> </u>	years	See	9		1		
MONTH	ET crop	op Net IRR n. mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	50 (1, 101 (3, 10) (3, 101 (3, 101 (3, 101 (3, 101 (3, 101	1.97) 32 (1.26) 3.98) 90 (3.54) 6.38) 154 (6.06) 7.99) 190 (7.48) 9.57) 240 (7.99) 8.11) 203 (7.99) 5.28) 125 (4.92) 2.52) 48 (1.89) 0.59) 1 (0.04)	51 (2.01) 103 (4.06) 167 (6.57) 206 (8.11) 209 (8.23) 135 (5.31) 66 (2.60)	35 (1.38) 94 (3.70) 158 (6.22) 195 (7.68) 243 (9.57) 207 (8.15) 128 (5.04) 53 (2.09) 1 (0.04)	54 (2.13) 104 (4.09) 109 (6.65) 209 (8.23) 248 (9.76) 212 (8.35) 137 (5.39) 67 (2.64) 18 (0.71)	37 (1.46) 97 (3.82) 162 (6.38) 200 (7.87) 246 (9.69) 211 (8.31) 131 (5.16) 57 (2.24) 1 (0.04)	56 (2.20) 106 (4.17) 172 (6.77) 215 (8.46) 252 (9.92) 219 (8.62) 138 (5.43) 68 (2.68) 19 (0.75)	41 (1.61) 101 (3.98) 164 (6.46) 208 (8.19) 250 (9.84) 216 (8.50) 134 (5.28) 61 (2.40) 1 (0.04)	57 (2.24) 111 (4.37) 176 (6.93) 221 (8.70) 255 (10.04) 227 (8.94) 143 (5.63) 69 (2.72) 20 (0.79)	48 (1.89) 106 (4.17) 168 (4.17) 215 (8.46) 255 (10.04) 224 (8.82) 141 (5.55) 65 (2.56) 7 (0.28)	58 (2.28) 113 (4.45) 179 (7.05) 226 (8.90) 261 (10.28) 231 (9.09) 146 (5.75) 72 (2.83) 20 (0.79)	52 (2.05) 108 (4.25) 172 (6.77) 220 (8.66) 261 (10.28) 229 (9.02) 146 (5.75) 70 (2.76) 9 (0.35)
	4178 774	(43.87)) 1199 (47.21)	1114 (43.87)	1218 (47.95)1142	(44.97)	1245	(49.00)1176 (46.30) 1279	1279 (50.36)1229	229 (48.38)	1306 (51.42)1267	1267 (49.89)

REGION: 10 Columbia River above Hood River CROP: Potatoes

19 out of 20 years	T crop Net IRR in. mm in.	47 (1.85) 47 (1.85) 96 (3.78) 91 (3.58) 195 (7.68) 190 (7.48) 263 (10.35) 263 (10.35) 233 (9.17) 232 (9.13) 135 (5.31) 134 (5.28) 21 (0.83) 21 (0.83)	(38.97) 978 (38.50)
9 out of 10 years	ET crop Net IRR ET mm in. mm in. mm	46 (1.81) 46 (1.81) 47 95 (3.74) 89 (3.50) 96 191 (7.52) 187 (7.36) 195 257 (10.12) 257 (10.12) 263 229 (9.02) 227 (8.94) 233 132 (5.20) 129 (5.08) 135 20 (0.79) 19 (0.75) 21	970 (38.20) 954 (37.56) 990
8 out of 10 years	ET crop Net IRR mm in. mm in.	45 (1.77) 44 (1.73) 93 (3.66) 87 (3.43) 185 (7.28) 180 (7.09) 254 (10.00) 253 (9.96) 221 (8.70) 220 (8.66) 130 (5.12) 124 (4.88) 19 (0.75) 18 (0.71)	947 (37.28) 926 (36.46)
7 out of 10 years	ET crop Net IRR mm in. mm in.	45 (1.77) 41 (1.61) 91 (3.58) 85 (3.35) 181 (7.13) 173 (6.81) 250 (9.84) 249 (9.80) 214 (8.43) 213 (8.39) 128 (5.04) 121 (4.76) 19 (0.75) 18 (0.71)	928 (36.54) 900 (35.43)
6 out of 10 years	ET crop Net IRR mm in. mm in.	44 (1.73) 38 (1.50) 89 (3.50) 83 (3.27) 178 (7.01) 168 (6.61) 247 (9.72) 246 (9.69) 211 (8.31) 207 (8.15) 125 (4.92) 119 (4.69) 19 (0.75) 17 (0.67)	913 (35.94) 878 (34.58)
5 out of 10 years	rH ET crop Net IRR mm in. mm in.	11 44 (1.73) 36 (1.42) 89 (3.50) 80 (3.15) 8 175 (6.89) 164 (6.46) 7 245 (9.65) 243 (9.57) 208 (8.19) 204 (8.03) 123 (4.84) 116 (4.57) 19 (0.75) 16 (0.63)	Season 903 (35, 55) 859 (33,83) 913 (35,94) 878 (34
	MONTH	April May June July Aug Sep Oct	80

REGION: 11 East Slope of Mt. Hood CROP: Alfalfa Hay

CROP:		Altalta Hay										
	5 out	5 out of 10	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	of 10 rs	9 out of 10 years	of 10 ars	19 out yea	19 out of 20 years
MONTH	ET crop	Net IRR in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June	57 (2.24) 122 (4.80) 140 (5.51)	48 (1.89) 106 (4.17) 124 (4.88)	59 (2.32) 125 (4.92) 143 (5.63)	51 (2.01) 111 (4.37) 132 (5.20)	62 (2.44) 129 (5.08) 146 (5.75)	54 (2.13) 116 (4.57) 136 (5.35)	63 (2.48) 133 (5.24) 150 (5.91)	57 (2.24) 121 (4.76) 139 (5.47)	65 (2.56) 137 (5.39) 154 (6.06)	62 (2.44) 128 (5.04) 148 (5.83) 184 (7.24)	67 (2.64) 139 (5.47) 156 (6.14) 190 (7.48)	64 (2.52) 132 (5.20) 151 (5.94) 187 (7.36)
July Aug Sep	176 (6.93) 143 (5.63) 104 (4.09)	52.2	(6.97) (5.71) (4.13)	175 (6.89) 141 (5.55) 94 (3.70)		144 0	(5.87)	ابدر	155 (6.10)	153 (6.02)		156 (6.14) 106 (4.17)
Season	742 (29.20	Season 742 (29.20) 680 (26.76) 754 (29.68) 704 (27.72)	754 (29.68)	704 (27.72)	768 (30.24)	725 (28.55)	768 (30.24) 725 (28.55) 781 (30.76) 745 (29.33)	745 (29.33)		803 (31.60) 779 (30.66)	820 (32.28) 796 (31.33)	796 (31.33)

REGION: 11 East Slope of Mt. Hood CROP: Apples

י ב	Soldy								•	000
	5 out of 10	6 out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 s	9 out of 10 years	of 10 rs	19 out of years	ot 20 rs
MONTH	ET crop Net IRR	ET crop	RR ET crop n. mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	(1.50) (3.39) (5.83) 1 (7.17) 1 (9.21) 2 (9.21) 2 (5.08) 1 (1.42)	40 (1.57) 21 (88 (3.46) 76 (150 (5.91) 135 (187 (7.36) 173 (235 (9.25) 233 (192 (5.15) 189 (130 (5.12) 120 (44 (1.73) 41 (0.83) 42 (1.65) 2.99) 93 (3.66) 5.31) 153 (6.02) 6.81) 191 (7.52) 9.47) 237 (9.33) 7.44) 194 (7.64) 4.72) 131 (5.16) 1.61) 51 (2.01) 0.04) 12 (0.47)	25 (0.98) 80 (3.15) 140 (5.51) 140 (7.05) 235 (7.05) 192 (7.56) 124 (4.88) 46 (1.81) 1 (0.04)	43 (1.69) 95 (3.74) 158 (6.22) 195 (7.68) 238 (9.37) 197 (7.76) 136 (5.35) 13 (0.51)	29 (1.14) 84 (3.31) 146 (5.75) 148 (7.20) 238 (9.37) 195 (7.68) 130 (5.12) 52 (2.05)	48 (1.89) 98 (3.86) 164 (6.46) 201 (7.91) 245 (9.65) 202 (7.95) 138 (5.43) 67 (2.64) 15 (0.59)	34 (1.34) 92 (3.62) 153 (6.02) 187 (7.36) 243 (9.57) 200 (7.87) 133 (5.24) 60 (2.36) 1 (0.04)	50 (1.97) 100 (3.94) 168 (6.61) 203 (7.99) 252 (9.92) 209 (8.23) 139 (5.47) 72 (2.83) 16 (0.63)	37 (1.46) 95 (3.74) 158 (6.22) 195 (7.68) 247 (9.72) 206 (8.11) 134 (5.28) 69 (2.72) 6 (0.24)
,00000	2 (21 77) 878 (32 3	1077 (625	1104 (43.46)1022 (40.23)	1133	(44.60)1058 (41.66)	1178 (46.38)1	1103 (43.42)	1178 (46.38)1103 (43.42) 1209 (47.59)1147 (45.17)	1147 (45.17)

REGION: 11 East Slope of Mt. Hood CROP: Berries

	5	5 out of 10 years	الم 10 s		6 out of 10 years	of 10 irs			7 out of 10 years	of 10 irs			8 out of 10 years	of 10 irs		6	9 out of 10 years	10	_	19 out of Syears	of 20 s	
MONTH	ET crop		Net IRR mm in.	ET	ET crop mm in.	ret m	Net IRR mm in.	E E	crop in.	Net	IRR in.	ET C	crop in.	Net	IRR in.	ET crop mm in.		Net IRR mm in.	ET Cr	crop in.	Net mm	IRR in.
May June July Aug Sep Oct	22 84 C 3 C 3 C 3 C 3 C 3 C 3 C 3 C 3 C 3 C	0.87) 3.31) 5.04) 1 4.37) 1 3.15)	19 (0.75) 69 (2.72) 125 (4.92) 106 (4.17) 69 (2.72) 19 (0.75)	22 130 130 130 24 25 26 27	(0.87) (3.35) (5.12) (4.41) (3.19)	20 127 108 22 22 22 22	(0.79) (5.00) (4.25) (2.83)	22 131 144 30 30	0.87) 3.39) 5.16) 4.49) 3.23) 1.18)	21 C 79 C 130 C 110 C 25 C	0.83) 3.11) 5.12) 4.33) 2.95) 1.02)	23 (132 (116 (34 (0.91) 3.46) 5.20) 4.57) 3.27) 1.34)	21 (82 (132 (173 (30 (0.83) 3.23) 5.20) 4.45) 1.18)	23 (0.91) 89 (3.50) 135 (5.31) 118 (4.65) 85 (3.35) 40 (1.57)	22 (17 22 35) 135 84 85 81 135 81 85 81 85 81 85 81 85 81 85 81 85 85 85 85 85 85 85 85 85 85 85 85 85	2 (0.87) 5 (3.39) 5 (5.31) 8 (4.65) 1 (3.19) 5 (1.38)	138 C C C C C C C C C C C C C C C C C C C	0.91) 3.58) 5.43) 1 4.84) 1 1.69)	40 C C C C C C C C C C C C C C C C C C C	0.87) 3.46) 5.39) 4.72) 3.23) 1.57)
Season	447 (17	.61) 4	Season 447 (17.61) 407 (16.03) 456 (17.96) 423 (16.65) 426 (17.96)	423 (16.65)	465 (18.32)	441 (1	465 (18.32) 441 (17.36)	.) 925	18.75)	456 (1	476 (18.75) 456 (17.96)	490 (19.	25) 42	490 (19.29) 477 (18.79)	504 (19.84) 489 (19.24)	9.84) 4	89 (19	9.24)

REGION: 11 East Slope of Mt. Hood CROP: Cherries

	ō	5 out of 10 years	6 out of 10 years	of 10 irs	7 out of 10 years	10	8 out of 10 years	10	9 out of 10 years	of 10 Irs	19 out of years	t of 20 ars
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop I	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	38 (1.50) 86 (3.39) 148 (5.83) 182 (7.17) 234 (9.21) 190 (5.08) 129 (5.08) 36 (1.42)	0) 15 (0.59) 9) 71 (2.80) 3) 129 (5.08) 7) 166 (6.54) 11) 230 (9.06) 8) 116 (4.57) 8) 116 (4.57) 13) 15 (1.38) 14) (0.04)	40 (1.57) 88 (3.46) 150 (5.91) 187 (7.36) 235 (9.25) 192 (7.56) 130 (5.12) 44 (1.73) 11 (0.43)	21 (0.83) 76 (2.99) 135 (5.31) 173 (6.81) 273 (6.81) 189 (7.44) 120 (4.72) 41 (1.61) 1 (0.04)	42 (1.65) 25 93 (3.66) 80 153 (6.02) 140 191 (7.52) 179 237 (9.33) 235 194 (7.64) 192 131 (5.16) 124 51 (2.01) 46	5 (0.98) 0 (3.15) 0 (5.51) 0 (7.05) 5 (9.25) 72 (7.56) 74 (4.88) 74 (1.81) 1 (0.04)	43 (1.69) 2 95 (3.74) 158 (6.22) 14 158 (6.22) 14 195 (7.68) 18 238 (9.37) 23 197 (7.76) 19 136 (5.35) 13 58 (2.28) 5	29 (1.14) 84 (3.31) 146 (5.75) 148 (5.75) 183 (7.20) 195 (7.68) 130 (5.12) 52 (2.05) 1 (0.04)	48 (1.89) 98 (3.86) 164 (6.46) 201 (7.91) 245 (9.65) 202 (7.95) 138 (5.43) 67 (2.64) 15 (0.59)	34 (1.34) 92 (3.62) 153 (6.02) 187 (7.36) 243 (9.57) 200 (7.87) 133 (5.24) 60 (2.36) 1 (0.04)	50 (1.97) 100 (3.94) 168 (6.61) 203 (7.99) 252 (9.92) 209 (8.23) 139 (5.47) 72 (2.83) 16 (0.63)	37 (1.46) 95 (3.74) 158 (6.22) 195 (7.68) 247 (9.72) 206 (8.11) 134 (5.28) 69 (2.72) 6 (0.24)
Cosed	4,143, 641,4	Season1053 (41,47) 948 (37,34) 1077 (42,39) 989 (38	1077 (42.39)	.92)	1104 (43.46)1022 (40.23)	2 (40.23)	1133 (44.60)1058 (41.66)	58 (41.66)	1178 (46.38)	1178 (46.38)1103 (43.42)	1209 (47.59)1147 (45.17)	1147 (45.17

REGION: 11 East Slope of Mt. Hood CROP: Grain (Spring)

CROP:		Grain (Spring)				-			
	10 S	5 out of 10 years	6 out	6 out of 10 years	7 out	7 out of 10 years	8 out of 10 years	9 out of 10 years	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.
April May June July Aug	56 (2.20) 141 (5.55) 173 (6.81) 193 (7.60) 35 (1.38)	7, 42 (1.65) 1, 123 (4.84) 1, 155 (6.10) 1, 189 (7.44) 1, 189 (7.44) 1, 33 (1.30)	57 (2.24) 143 (5.63) 175 (6.89) 194 (7.64) 35 (1.38)	45 (1.77) 129 (5.08) 163 (6.42) 192 (7.56) 34 (1.34)	61 (2.40) 147 (5.79) 178 (7.01) 196 (7.72) 36 (1.42)	51 (2.01) 134 (5.28) 167 (6.57) 194 (7.64) 35 (1.38)	62 (2.44) 54 (2.13) 151 (5.94) 139 (5.47) 182 (7.17) 171 (6.73) 197 (7.76) 197 (7.76) 36 (1.42) 36 (1.42)	63 (2.48) 59 (2.32) 157 (6.18) 145 (5.71) 188 (7.40) 181 (7.13) 203 (7.99) 201 (7.91) 37 (1.46) 37 (1.46)	64 (2.52) 61 (2.40) 160 (6.30) 149 (5.87) 189 (7.44) 185 (7.28) 208 (8.19) 205 (8.07) 38 (1.50) 38 (1.50)
Season	598 (23.54	Season 598 (23.54) 542 (21.33) 604 (23.78) 563 (22.17)	604 (23.78)	563 (22.17)	618 (24.34)	618 (24.34) 581 (22.88)	628 (24.73) 597 (23.51)	628 (24.73) 597 (23.51) 648 (25.51) 623 (24.53) 659 (25.95) 638 (25.12)	659 (25.95) 638 (25.12)

Hood	
Ħ.	_
φ	5
East Slope of P	7
East	5
=	
REGION:	

	5 out of 10 years	of 10 rs	6 out	6 out of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 ars	9 out of 10 years	of 10	19 out of 2 years	of 20
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.						
March April May June	27 (1.06) 76 (2.99) 146 (5.75) 173 (6.81) 79 (3.11)	7 (0.28) 59 (2.32) 129 (5.08) 154 (6.06) 78 (3.07)	27 (1.06) 77 (3.03) 149 (5.87) 175 (6.89) 79 (3.11)	13 (0.51) 63 (2.48) 135 (5.31) 161 (6.34) 79 (3.11)	29 (1.14) 80 (3.15) 153 (6.02) 178 (7.01) 81 (3.19)	15 (0.59) 67 (2.64) 140 (5.51) 166 (6.54) 80 (3.15)	30 (1.18) 82 (3.23) 157 (6.18) 181 (7.13) 82 (3.23)	17 (0.67) 72 (2.83) 146 (5.75) 170 (6.69) 82 (3.23)	31 (1.22) 85 (3.35) 164 (6.46) 187 (7.36) 83 (3.27)	23 (0.91) 79 (3.11) 152 (5.98) 174 (6.85) 83 (3.27)	32 (1.26) 86 (3.39) 168 (6.61) 188 (7.40) 85 (3.35)	24 (0.94) 81 (3.19) 156 (6.14) 181 (7.13) 84 (3.31)
Season	501 (19.72)	427 (16.81)	507 (19.96)	Season 501 (19.72) 427 (16.81) 507 (19.96) 451 (17.75)	521 (20.51)	521 (20.51) 468 (18.43)	532 (20.95)	532 (20.95) 487 (19.17)	550 (21.66) 511 (20.12)	511 (20.12)	559 (22.01) 526 (20.71)	526 (20.71)

REGION: 11 East Slope of Mt. Hood CROP: Grass Seed (Spring)

	5 out	5 out of 10	6 out of 10	of 10	7 out	7 out of 10	8 out of 10	of 10	9 out of 10	of 10	19 out	out of 20
	λe	years	years	rs	*	years	years	ars	yec	0		
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Met IRR mm in.
Jan Feb March April Ay June July Aug Sep Oct	1 (0.04) 18 (0.31) 19 (1.85) 78 (3.07) 78 (3.07) 717 (4.61) 7189 (7.44) 7172 (6.77) 7193 (4.84) 7194 (0.55) 71 (0.04)	0 (0.00) 1 (0.04) 33 (1.30) 64 (2.52) 101 (3.98) 185 (7.28) 168 (6.61) 168 (6.61) 169 (6.61) 1 (0.04)	2 (0.08) 9 (0.35) 19 (0.35) 49 (1.93) 79 (3.11) 119 (4.69) 191 (7.52) 174 (6.85) 54 (2.13) 15 (0.59) 1 (0.04)	0 (0.00) 2 (0.04) 2 (0.04) 36 (1.42) 68 (2.68) 109 (4.29) 171 (6.73) 173 (2.45) 173 (2.13) 1 (0.04) 0 (0.00)	5 (0.20) 10 (0.39) 20 (0.79) 50 (1.97) 80 (3.15) 80 (3.15) 122 (4.80) 174 (6.93) 174 (4.80) 174 (4.80) 174 (4.80) 174 (4.80) 175 (5.90) 176 (6.93) 177 (6.93) 178 (7.96) 179 (7.96) 1	0 (0.00) 4 (0.16) 4 (0.16) 71 (2.80) 71 (2.80) 113 (4.45) 191 (7.52) 191 (7.52) 173 (4.61) 59 (2.32) 59 (2.32) 50 (0.00)	6 (0.24) 10 (0.39) 21 (0.83) 51 (2.01) 81 (3.19) 125 (4.92) 175 (7.68) 179 (5.08) 72 (2.83) 18 (0.71) 3 (0.71)	0 (0.00) 1 (0.04) 6 (0.24) 74 (1.73) 74 (2.91) 117 (4.61) 176 (6.93) 123 (4.84) 64 (2.52) 2 (0.00)	6 (0.24) 13 (0.51) 23 (0.91) 52 (2.05) 83 (3.27) 128 (7.20) 131 (5.16) 83 (3.27) 131 (5.16) 83 (3.27) 20 (0.79) 3 (0.12)	0 (0.00) 3 (0.12) 14 (0.55) 49 (1.93) 78 (3.07) 123 (4.84) 197 (7.76) 181 (7.13) 74 (2.91) 5 (0.00)	10 (0.39) 13 (0.51) 24 (0.94) 53 (2.09) 85 (3.35) 130 (7.48) 190 (7.48) 133 (5.24) 89 (3.50) 22 (0.87) 6 (0.24)	0 (0.00) 8 (0.31) 16 (0.63) 50 (1.97) 81 (3.19) 127 (5.00) 127 (5.00) 84 (3.31) 10 (0.39)
Season	814 (32.04)	709 (27.91)	Season 814 (32.04) 709 (27.91) 836 (32.92) 743 (29.26)	743 (29.26)	861 (33.90)) 772 (30.40)	890 (35.05)	800 (31.50)	924 (36.40)	850 (33.47)	958 (37.72)	890 (35.03)

lope of Mt. Hood	ð
11 East Slope	Pastur
REGION: 1	CROP:

	5 out	5 out of 10 years	6 out yes	6 out of 10 years	7 out of 10 years	of 10 s	8 out of 10 years	of 10 Irs	9 out of 10 years	of 10 irs	19 out of 2 years	t of 20 ars
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July Aug Sep Oct	19 (0.75) 87 (3.43) 133 (5.24) 152 (5.98) 189 (6.02) 111 (4.37) 39 (1.54)	11 (0.43) 72 (2.83) 115 (4.53) 118 (5.28) 148 (5.28) 148 (5.83) 97 (3.82) 39 (1.54)	19 (0.75) 90 (3.54) 135 (5.31) 153 (6.02) 190 (7.48) 155 (6.10) 113 (4.45) 46 (1.81)	13 (0.51) 78 (3.07) 120 (4.72) 142 (4.72) 188 (7.40) 151 (5.94) 100 (3.94) 46 (1.81)	19 (0.75) 93 (3.63) 138 (5.43) 156 (6.14) 191 (7.52) 157 (6.18) 114 (4.49) 54 (2.13)	15 (0.59) 81 (3.19) 125 (4.92) 146 (5.75) 190 (7.48) 155 (6.10) 104 (4.09) 51 (2.01)	20 (0.79) 97 (3.82) 142 (5.59) 160 (6.30) 193 (7.60) 159 (6.26) 116 (4.57) 62 (2.44)	16 (0.63) 86 (3.39) 129 (5.08) 150 (5.91) 192 (7.56) 158 (6.22) 109 (4.29) 56 (2.20)	22 (0.87) 100 (3.94) 147 (5.79) 165 (6.50) 198 (7.80) 163 (6.42) 118 (4.65) 72 (2.83)	19 (0.75) 94 (3.70) 136 (5.35) 159 (6.26) 197 (7.76) 163 (6.42) 112 (4.41) 64 (2.52)	23 (0.91) 103 (4.06) 151 (5.94) 166 (6.54) 203 (7.99) 169 (6.65) 77 (3.03)	19 (0.75) 97 (3.82) 141 (5.55) 162 (6.38) 200 (7.87) 167 (6.57) 73 (2.87)
Season	1 883 (34.77)	801 (31.54)	Season 883 (34.77) 801 (31.54) 901 (35.46) 838 (32.98)	838 (32.98)	922 (36.30) 867 (34.13)	367 (34.13)	949 (37.37)	949 (37.37) 896 (35.28)		985 (38.80) 944 (37.17) 1011 (39.81) 973 (38.30)	1011 (39.81)	973 (38.30)

REGION: 11 East Slope of Mt. Hood CROP: Pears

		5 out	5 out of 10 years			6 out	6 out of 10 years			7 out	7 out of 10 years			8 out of 10 years	of 10 rs			9 out of 10 years	of 10 rs			19 out of years	of 20	
MONTH	THE	ET crop	Net	in.	E	crop in.	Net I	t IRR in.	ET	crop in.	Net	IRR in.	ETC	crop in.	Net mm	IRR in.	ET	crop in.	Met	IRR in.	ET	in.	Met	IRR in.
March April May June July Aug Sep Oct	38 81 132 169 213 174 116	(1.50) (3.19) (5.20) (6.65) (8.39) (6.85) (4.57) (1.34)	15 116 170 170 170 170 170	(0.59) (2.60) (4.57) (5.98) (8.31) (6.69) (4.13) (1.34)	40 C 138 C 171 C 174 C 178 C 1	(1.57) (5.35) (6.73) (6.73) (6.93) (4.65) (1.61)	21 C 72 C 123 C 124 C 125 C 12	(0.83) (2.83) (4.76) (6.26) (8.43) (6.81) (4.29) (1.54)	42 (88 (139 (174 (216 (178 (119 (48 (1.65) 3.46) 5.47) 6.85) 8.50) 7.01) (1.89)	25 C 76 C 164 C 175 C 175 C 175 C 175 C	0.98) 2.99) 5.00) 6.46) 6.89) 4.41) 1.73)	43 (1.69) 3.54) 5.59) 7.01) 7.13) 7.13) 0.51)	29 (80 (132 (167 (219 (178 (49 (1.14) 3.15) 5.20) 6.57) 8.62) 7.01) 4.65) 0.04)	48 (92 (149 (149 (149 (149 (149 (149 (149 (149	1.89) 3.62) 5.87) 7.24) 8.86) 7.28) 4.84) 2.48) 0.59)	34 (139 (178 (178 (121 (161 (1	1.34) 3.43) 5.47) 7.01) 8.82) 7.20) 7.20) 2.20) 0.04)	50 C 95 C 152 C 185 C 231 C 192 C 127 C 68 C	1.97) 3.74) 5.98) 7.28) 9.09) 7.56) 5.00) 0.63)	37 (90 (143 (182 (227 (123 (64 (1.46) 3.54) 5.63) 7.17) 7.40) 4.84) 0.24)
Seasor	296	Season 967 (38.08) 870 (34.25) 990 (38.97) 909 (35.79	870	(34.25)	8	(38.97)	606	(35.79)	1016	1016 (39.99)	076	(37.00)	1042 (41.02) 973 (38.31)	1.02)	.) 576	38.31)	1084	(42.67)1023		(40.27)	1116 (4	1116 (43.93)1060 (41.74)	990 (4	1.74)

REGION: 11 East Slope of Mt. Hood CROP: Plums

MONTH ET Crop Net IRR ET crop		5 ou	5 out of 10 years	6 out of 10 years	of 10 rs	7 %	7 out of 10 years		8 out	8 out of 10 years		9 out of 10 years	f 10 s		19 out of 20 years	of 20 rs
38 (1.50) 15 (0.59) 40 (1.57) 21 (0.8 81 (3.19) 66 (2.60) 83 (3.27) 72 (2.8 132 (5.20) 116 (4.57) 136 (5.35) 121 (4.7 169 (6.65) 152 (5.98) 171 (6.73) 159 (6.2 213 (8.39) 211 (8.31) 214 (8.43) 214 (8.43) 174 (6.85) 170 (6.69) 176 (6.93) 173 (6.8 116 (4.57) 105 (4.13) 118 (4.65) 109 (4.2 34 (1.34) 34 (1.34) 41 (1.61) 39 (1.5 10 (0.39) 1 (0.04) 11 (0.43) 1 (0.0	MONTH	1	Net IRR mm in.	-	Net IRR mm in.	1		IRR in.	1 1	ید		crop in.	Net IRR mm in.	E E	crop in.	Net IRR
2, 7, 00, 07, 05, 05, 05, 00, 07, 00, 075, 00, 10, 00, 075, 00, 00, 00, 00, 00, 00, 00, 00, 00, 0	March April May June July Aug Sep Oct		15 170 170 105 105	40 6 83 136 171 171 171 171 171 171 171 171 171 17	21 C 72 72 C 121 C 1159 C 173 C 109 C		25 27 27 27 27 27 27 27 27 27 27 27 27 27			29 (80 (132 (167 (219 (178 (118 (49 (34 (1.34) 87 (3.43) 39 (5.47) 78 (7.01) 224 (8.82) 83 (7.20) 56 (2.20) 1 (0.04)	50 70 70 70 70 70 70 70 70 70 7	(1.97) (3.74) (5.98) (7.28) (7.28) (7.56) (7.56) (7.56) (7.56) (7.68) (7.68) (7.68) (7.68) (7.68) (7.68) (7.68) (7.68) (7.68)	37 (1.46) 90 (3.54) 143 (5.63) 182 (7.17) 227 (8.94) 188 (7.40) 123 (4.84) 64 (2.52) 6 (0.24)
Season yor (36.00) oru (34.23) yyu (30.37) yor (30.37) yaru	Seasor	967 (38.08	3) 870 (34.25) 990 (38.97)	909 (35.79)	1016 (39.9	9) 940 (3	7.00) 1	042 (41.02) 973 (38.31) 1084 (42.67)1	123 (40.2	7) 1116	(43.93)	060 (41

REGION: 12 Columbia Basin wheat land CROP: Alfalfa Hay

							4 3 6	- 4.0	c C	10	10 01	of 20
	no s	5 out of 10 years	6 out ye	6 out of 10 years	7 out ye	7 out of 10 years	s out of 10	ot 10 1FS	yer	y out of to years	yes	years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep	58 (2.28) 126 (4.96) 144 (5.67) 177 (6.97) 147 (5.79) 101 (3.98)	46 (1.81) 102 (4.02) 120 (4.72) 169 (6.65) 140 (5.51) 189 (3.50)	60 (2.36) 128 (5.04) 149 (5.87) 178 (7.01) 149 (5.87) 103 (4.06)	49 (1.93) 107 (4.21) 129 (5.08) 173 (6.81) 143 (5.63) 94 (3.70)	62 (2.44) 130 (5.12) 150 (5.91) 180 (7.09) 152 (5.98) 105 (4.13)	52 (2.05) 111 (4.37) 136 (5.35) 176 (6.93) 146 (5.75) 98 (3.86)	63 (2.48) 134 (5.28) 152 (5.98) 183 (7.20) 154 (6.06) 109 (4.29)	57 (2.24) 117 (4.61) 144 (5.67) 179 (7.05) 150 (5.91) 101 (3.98)	66 (2.60) 137 (5.39) 157 (6.18) 186 (7.32) 163 (6.42) 111 (4.37)	61 (2.40) 123 (4.84) 150 (5.91) 182 (7.17) 157 (6.18) 105 (4.13)	68 (2.68) 138 (5.43) 161 (6.34) 161 (7.52) 166 (6.54) 112 (4.41)	64 (2.52) 129 (5.08) 155 (6.10) 186 (7.32) 160 (6.30) 108 (4.25)
Season	753 (29.65	Season 753 (29.65) 666 (26.21) 767 (30.21) 695 (27.36)	767 (30.21)	695 (27.36)	779 (30.67)	779 (30.67) 719 (28.31)		795 (31.29) 748 (29.46)		820 (32.28) 778 (30.63)	836 (32.92) 802 (31.57)	802 (31.57)

REGION: 12 Columbia Basin wheat land CROP: Apples

באט		Apples	N N																						١
		5 out of 10 years	out of 10 years			6 out	6 out of 10 years	0		7 out	7 out of 10 years	0		% 8 0 √	8 out of 10 years	0		9 out	9 out of 10 years	0		19	19 out of 20 years	20	
MONTH	ET	crop in.	Ne.	Net IRR mm in.	Ti E	crop in.	M Re	Net IRR mm in.	ET ET	crop in.	Net	t IRR in.	ET	r crop in.	Net m	et IRR in.	m E	crop in.	Net	t IRR in.	ET	r crop in.	2 [Net 18	IRR in.
March April May June July Aug Sep Oct	41 6 149 6 189 6 233 6 195 6 1129 6 13 6	(1.61) (3.43) (5.87) (7.44) (9.17) (7.68) (5.08) (2.40)	125 125 162 186 112 10 10	(0.67) (2.64) (4.92) (6.38) (8.94) (7.32) (4.41) (1.57)	42 152 194 234 234 130 63	(1.65) (3.54) (5.88) (7.64) (7.80) (7.80) (5.12) (0.55)	22 72 130 130 170 191 119	(0.87) (2.83) (5.12) (6.69) (9.09) (7.52) (1.77)	44 92 154 196 237 201 132 64	(1.73) (3.62) (6.06) (7.72) (7.73) (7.91) (7.91) (7.91) (7.91) (7.92) (7.93) (7.93)	26 136 137 177 177 177 196 125 125	(1.02) (5.35) (5.35) (6.97) (9.25) (7.72) (1.92) (0.04)	76 46 76 76 76 76 76 76 76 76 76 76 76 76 76	(1.81) (5.26) (6.26) (7.83) (7.83) (7.93) (7.35) (7.56) (7.56)	28 10 83 141 123 129 129 129 129 129	(1.10) (5.52) (7.24) (7.94) (7.08) (7.08) (7.08) (7.08)	48 98 162 205 205 246 139 67	(1.89) (5.38) (6.38) (8.07) (9.69) (6.47) (1.63)	32 90 149 149 134 61 61	(1.26) (5.87) (7.88) (7.68) (9.53) (5.28) (5.28) (0.16)	163 163 163 163 170 170 170 170	(1.93) (5.48) (8.27) (9.96) (8.62) (5.51) (0.67)	5) 35 8) 95 2) 155 2) 204 6) 248 2) 213 1) 138 7) 8		1.38) 5.74) 6.10) 8.03) 9.76) 8.39) 5.43) 0.31)
Season	1097	Season1097 (43.19) 937 (36.89) 1117 (43.97) 981 (38.	937	(36.89)	1117	(43.97	981	(38.62)	1135	(44.68)1023	(40.27) 1160	(45.66	3)1062	62) 1135 (44.68)1023 (40.27) 1160 (45.66)1062 (41.81) 1193 (46.98)1116 (43.95) 1222 (48.12)1162 (45.74)	1193	(46.98	71116	(43.95)	1222	(48.1	2)116	2 (45	.74
																					i				

REGION: 12 Columbia Basin wheat land CROP: Berries

	5 out	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 's	9 out ye	9 out of 10 years	19 out yes	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May July July Aug Sep Oct	37 (1.46) 90 (3.54) 131 (5.16) 113 (4.45) 80 (3.15) 47 (1.85) 2 (0.08)	28 (1.10) 69 (2.72) 127 (5.00) 108 (4.25) 108 (2.64) 26 (1.02) 0 (0.00)	38 (1.50) 91 (3.58) 132 (5.20) 115 (5.53) 80 (3.15) 48 (1.89) 3 (0.12)	30 (1.18) 76 (2.99) 129 (5.08) 111 (2.76) 70 (2.76) 31 (1.22) 0 (0.00)	38 (1.50) 93 (3.66) 133 (5.24) 117 (4.61) 81 (3.19) 49 (1.93) 3 (0.12)	32 (1.26) 81 (3.19) 131 (5.16) 114 (4.49) 74 (2.91) 35 (1.38) 0 (0.00)	39 (1.54) 95 (3.74) 135 (5.31) 119 (4.69) 84 (3.31) 50 (1.97) 3 (0.12)	34 (1.34) 85 (3.35) 133 (5.24) 117 (4.61) 79 (3.11) 39 (1.54) 0 (0.00)	39 (1.54) 97 (3.82) 138 (5.43) 124 (4.88) 86 (3.39) 52 (2.05) 3 (0.12)	35 (1.38) 91 (3.58) 136 (5.35) 120 (4.72) 82 (3.23) 47 (1.85) 2 (0.08)	39 (1.54) 101 (3.98) 139 (5.47) 128 (5.04) 86 (3.39) 55 (2.17) 3 (0.12)	36 (1.42) 95 (3.74) 138 (5.43) 122 (4.80) 83 (3.27) 51 (2.01) 2 (0.08)
Season	500 (19.69)	Season 500 (19.69) 425 (16.73) 507 (19.97) 447 (17.60)	507 (19.97)	447 (17.60)	514 (20.25)	514 (20.25) 467 (18.39)	525	(20.68) 487 (19.19)		539 (21.23) 513 (20.19) 551 (21.71) 527 (20.75)	551 (21.71)	527 (20.75)

REGION: 12 Columbia Basin wheat land CROP: Cherries

CROP:	Cherries	.1es										
	5 out of 10 years	of 10 irs	6 out	6 out of 10 years	7 out of 10 years	of 10 irs	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 our	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April May July July Aug Sep Oct	41 (1.61) 87 (3.43) 149 (5.87) 189 (7.44) 233 (9.17) 195 (7.68) 195 (7.68) 61 (2.40) 13 (0.51)	17 (0.67) 67 (2.64) 125 (4.92) 162 (6.38) 227 (8.94) 112 (4.41) 40 (1.57) 1 (0.04)	42 (1.65) 90 (3.54) 152 (5.88) 194 (7.64) 234 (7.80) 130 (5.12) 63 (2.48) 14 (0.55)	22 (0.87) 72 (2.83) 130 (5.12) 170 (6.69) 170 (7.52) 191 (7.52) 119 (4.69) 45 (1.77)	44 (1.73) 92 (3.62) 154 (6.06) 196 (9.33) 201 (7.91) 132 (5.20) 64 (2.52) 15 (0.59)	26 (1.02) 77 (3.03) 136 (5.35) 177 (6.97) 235 (9.25) 196 (7.72) 125 (4.92) 50 (1.97) 1 (0.04)	46 (1.81) 94 (3.70) 159 (6.26) 199 (7.83) 242 (9.53) 203 (7.99) 136 (5.35) 65 (2.56) 16 (0.63)	28 (1.10) 83 (3.27) 141 (5.55) 184 (7.24) 239 (9.41) 202 (7.95) 129 (5.08) 55 (2.17) 1 (0.04)	48 (1.89) 98 (3.86) 162 (6.38) 205 (8.07) 246 (9.69) 212 (8.35) 139 (5.47) 67 (2.64) 16 (0.63)	32 (1.26) 90 (3.54) 149 (5.87) 195 (7.68) 242 (9.53) 269 (8.23) 61 (2.40) 4 (0.16)	49 (1.93) 101 (3.98) 163 (6.42) 210 (8.27) 253 (9.96) 219 (8.62) 140 (5.51) 70 (2.76) 17 (0.67)	35 (1.38) 95 (3.74) 155 (6.10) 204 (8.03) 248 (9.76) 2213 (8.39) 138 (5.43) 66 (2.60) 8 (0.31)
Season	1097 (43.19)	Season1097 (43.19) 937 (36.89) 1117 (43.97) 981 (38.6	1117 (43.97) 981 (38.62)	1135 (44.68)	1023 (40.27)	1160 (45.66)	62) 1135 (44.68)1023 (40.27) 1160 (45.66)1062 (41.81) 1193 (46.98)1116 (43.95) 1222 (48.12)1162 (45.74)	1193 (46.98)	116 (43.95)	1222 (48.12)	1162 (45.74)

REGION: 12 Columbia Basin wheat land CROP: Grain (Spring)

	20	5 out of 10 years	6 out of 10 years	of 10 's	7 out ye	7 out of 10 years	8 out of 10 years	of 10 1rs	9 out ye	9 out of 10 years	19 our	19 out of 20 years
MONTH	ET crop mm in.	p Net IRR . mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
April May June July Aug	57 (2.24) 143 (5.63) 176 (6.93) 192 (7.56) 36 (1.42)	24) 38 (1.50) 53) 119 (4.69) 93) 151 (5.94) 56) 186 (7.32) 42) 34 (1.34)	58 (2.28) 145 (5.71) 181 (7.13) 193 (7.60) 36 (1.42)	42 (1.65) 124 (4.88) 160 (6.30) 190 (7.48) 35 (1.38)	60 (2.36) 147 (5.79) 183 (7.20) 196 (7.72) 37 (1.46)	47 (1.85) 129 (5.08) 166 (6.54) 193 (7.60) 36 (1.42)	62 (2.44) 152 (5.98) 185 (7.28) 200 (7.87) 37 (1.46)	53 (2.09) 134 (5.28) 173 (6.81) 196 (7.72) 37 (1.46)	63 (2.48) 155 (6.10) 191 (7.52) 203 (7.99) 38 (1.50)	58 (2.28) 141 (5.55) 182 (7.17) 199 (7.83) 38 (1.50)	64 (2.52) 156 (6.14) 195 (7.68) 208 (8.19) 40 (1.57)	61 (2.40) 147 (5.79) 189 (7.44) 204 (8.03) 40 (1.57)
Seasor	604 (23.7	Season 604 (23.78) 528 (20.79) 613 (24.14) 551 (21.69)	613 (24.14)	551 (21.69)	623 (24.53)	623 (24.53) 571 (22.49)	636 (25.03)	636 (25.03) 593 (23.36)	650 (25.59)	650 (25.59) 618 (24.33)	663 (26.10) 641 (25.23)	641 (25.23)

REGION: 12 Columbia Basin wheat land CROP: Grain (Winter)

	יט ס	5 out of 10 years	6 out of 10 years	of 10 ars	7 out of 10 years	of 10 irs	8 out ye	8 out of 10 years	9 out of 10 years	. 10	19 our	19 out of 20 years
HINOM	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in. m	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July	26 (1.02) 75 (2.95) 149 (5.87) 175 (6.89) 79 (3.11)	2) 9 (0.35) 5) 56 (2.20) 7) 123 (4.84) 9) 149 (5.87) 1) 78 (3.07)	27 (1.06) 77 (3.03) 151 (5.94) 180 (7.09) 81 (3.19)	12 (0.47) 60 (2.36) 129 (5.08) 158 (6.22) 79 (3.11)	29 (1.14) 79 (3.11) 154 (6.06) 182 (7.17) 82 (3.23)	15 (0.59) 67 (2.64) 135 (5.31) 166 (6.54) 80 (3.15)	30 (1.18) 82 (3.23) 159 (6.26) 185 (7.28) 82 (3.23)	18 (0.71) 72 (2.83) 141 (5.55) 172 (6.77) 82 (3.23)	32 (1.26) 2 85 (3.35) 7 162 (6.38) 14 190 (7.48) 18 83 (3.27) 8	20 (0.79) 78 (3.07) 147 (5.79) 181 (7.13) 83 (3.27)	32 (1.26) 88 (3.46) 163 (6.42) 195 (7.68) 85 (3.35)	22 (0.87) 83 (3.27) 154 (6.06) 189 (7.44) 84 (3.31)
Season	504 (19.8	Season 504 (19.84) 415 (16.33) 516 (20.31) 438 (17.24)	516 (20.31)	438 (17.24)	526 (20.71) 463	463 (18.23)	538 (21.18) 485	485 (19.09)	552 (21.74) 509 (20.05)	9 (20.05)	563 (22.17) 532	532 (20.95)

REGION: 12 Columbia Basin wheat land CROP: Grass Seed (Spring)

	5 out	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 rs	8 out of years	8 out of 10 years	9 out of 10 years	of 10 rs	19 or ye	out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mom in.
Jan Feb March April May July Aug Sep Oct Nov	2 (0.08) 10 (0.39) 19 (0.73) 48 (1.89) 78 (3.07) 121 (4.76) 177 (6.97) 174 (2.91) 19 (0.75)	0 (0.00) 2 (0.04) 30 (1.18) 58 (2.28) 58 (2.28) 183 (3.86) 168 (6.61) 168 (6.61) 17 (2.01) 0 (0.00)	3 (0.12) 11 (0.43) 19 (0.75) 49 (1.93) 79 (3.11) 124 (4.88) 125 (4.22) 76 (2.99) 76 (2.99) 1 (0.04)	0 (0.00) 1 (0.04) 2 (0.08) 33 (1.30) 63 (2.48) 106 (4.17) 187 (7.36) 115 (4.53) 57 (2.24) 57 (2.24) 57 (2.24) 0 (0.00)	5 (0.20) 21 (0.47) 21 (0.83) 50 (1.97) 81 (3.19) 126 (4.96) 193 (7.60) 183 (7.20) 78 (3.07) 21 (0.83) 3 (0.12)	0 (0.00) 1 (0.00) 5 (0.20) 37 (1.46) 67 (2.64) 111 (4.37) 177 (6.97) 177 (6.97) 183 (2.48) 2 (0.08) 0 (0.00)	6 (0.24) 14 (0.55) 22 (0.87) 51 (2.01) 82 (3.23) 128 (5.04) 185 (7.76) 185 (7.76) 185 (7.76) 185 (7.76) 185 (7.76) 185 (7.76) 185 (3.11) 22 (0.87) 3 (0.12)	0 (0.00) 1 (0.04) 7 (0.28) 70 (2.76) 116 (4.57) 193 (7.20) 123 (7.20) 69 (2.72) 69 (2.72) 0 (0.00)	7 (0.28) 23 (0.59) 23 (0.59) 23 (2.09) 83 (3.27) 133 (5.24) 133 (5.24) 82 (3.23) 23 (0.20) 5 (0.20)	0 (0.00) 3 (0.12) 10 (0.39) 49 (1.93) 73 (2.87) 124 (4.88) 126 (7.72) 127 (5.00) 76 (2.99) 9 (0.35)	10 (0.39) 16 (0.63) 24 (0.94) 54 (2.13) 84 (3.31) 135 (5.31) 135 (5.31) 135 (5.31) 87 (3.43) 6 (0.24)	0 (0.00) 12 (0.47) 12 (0.47) 12 (2.05) 75 (2.95) 130 (7.12) 201 (7.50) 131 (5.16) 13 (6.15) 13 (0.51)
Season	862 (33.93)	701 (27.59)	Season 862 (33.93) 701 (27.59) 878 (34.57) 739 (29.09)	739 (29.09)	900 (35.44)	772 (30.41)	920 (36.24)	807 (31.78)	950 (37.43)	856 (33.69)	977 (38.45)	898 (35.35)

REGION: 12 Columbia Basin wheat land CROP: Pasture

MONTH ET Crop Net IRR ET Crop			5 out of 10 years	of 10 rs	on 9	6 out of 10 years	7 out of 10 years	of 10 rs	8 out ye	8 out of 10 years	9 out of 10 years	of 10 rs	19 0	out of 20 years
19 (0.75) 11 (0.43) 19 (0.75) 13 (0.51) 20 (0.79) 14 (0.55) 21 (0.83) 15 (0.59) 13 (3.50) 69 (2.72) 92 (3.62) 74 (2.91) 94 (3.70) 79 (3.11) 96 (3.78) 85 (3.35) 134 (5.28) 110 (4.33) 136 (5.12) 138 (5.43) 120 (4.72) 143 (5.63) 125 (4.92) 154 (6.06) 130 (5.12) 159 (6.26) 138 (5.43) 161 (6.34) 146 (5.75) 162 (6.38) 151 (5.94) 157 (6.18) 170 (5.91) 190 (7.48) 186 (7.32) 192 (7.55) 189 (7.44) 191 (7.52) 191 (7.52) 162 (6.38) 157 (6.18) 164 (6.46) 161 (6.34) 110 (4.33) 96 (3.78) 111 (4.37) 101 (3.98) 112 (4.41) 106 (4.17) 116 (4.57) 110 (4.33) 64 (2.52) 43 (1.69) 66 (2.60) 47 (1.85) 67 (2.64) 53 (2.09) 68 (2.68) 59 (2.32) 101 (3.66) 30 (31.11) 933 (36.73) 827 (32.55) 946 (37.25) 864 (34.01) 965 (38.01) 897 (35.31)	MONTH	ET	crop in.	Net IRR mm in.	1	Net IRR mm in.	ET crop							Net IRR mm in.
(5) 946 (37.25) 864 (34.01) 965 (38.01) 897 (35.31)	March April May June July Aug Sep Sep	2 6 8 2 7 5 1 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.75) 5.28) 6.06) 7.44) 6.18) 6.183	0000000	19 (0.75 73 (5.35 136 (5.35 159 (6.26 190 (5.30 111 (4.37 66 (2.60	13 (0. 74 (2. 115 (4. 138 (5. 186 (7. 153 (6. 101 (3.								19 (0.75) 97 (3.82) 140 (5.51) 165 (6.50) 170 (6.69) 117 (4.61)
	Seasor	، 916 ر	(36.06)	790 (31.11)	933 (36.73) 827 (32.55)		864 (34.01)		897 (35.31)	1 3	942 (37.09)	1016 (40.01	(74.88.47)

REGION: 12 Columbia Basin wheat land CROP: Pears

	no s	5 out of 10 years		,	6 out of 10 years	out of 10 years			7 out of 10 years	of 10 irs			8 out	8 out of 10 years	-		9 out of 10 years	of 10 rs		-	19 out of years	of 20	
MONTH	ET crop	Net	Net IRR mm in.	E E	crop in.	M Met	Net IRR mm in.	ET	crop in.	Net mm	IRR in.	ET ET	crop in.	m Net	t IRR in.	ET	crop in.	Net 1	IRR in.	ET crop		Net II	in.
March April May June July Aug Sep Oct	41 (1.61) 82 (3.23) 136 (5.35) 175 (6.81) 215 (8.46) 179 (7.65) 118 (4.65) 58 (2.28) 13 (0.51)	17 112 147 208 170 101	(0.67) (2.48) (4.41) (5.79) (8.19) (6.69) (3.98) (1.46)	42 6 138 6 178 6 178 6 178 6 178 6 179 6 1	(1.65) (3.35) (5.43) (7.01) (8.54) (8.54) (7.17) (7.17) (7.69) (6.232)	22 67 117 117 110 110	(0.87) (2.64) (4.61) (6.14) (8.35) (6.85) (4.33) (1.65)	44 (88 (140 (180 (218 (120 (60 (1.73) 3.46) 5.51) 7.09) 8.58) 7.24) 4.72) 0.59)	26 122 164 164 179 179 174 170 170	1.02) 2.83) 4.80) 6.46) 8.50) 7.05) 1.85)	46 C 89 C 145 C 182 C 222 C 187 C 124 C	1.81) (5.71) (7.17) (8.74) (7.88) (4.88) (2.40)	28 C 78 C 128 C 170 C 218 C 185 C 118 C	(1.10) (5.04) (6.69) (7.28) (7.28) (7.28) (7.28) (7.00)	48 92 92 92 92 92 92 92 92 92 92 92 92 92	1.89) 3.62) 5.83) 7.40) (8.89) (7.68) (5.00) (2.52)	32 (37 (47 (47 (47 (47 (47 (47 (47 (47 (47 (4	1.26) 3.39) 5.31) 7.05) 7.52) 4.76) 0.16)	49 (1 49 (5 4 49 (1 49 (5 49 (5 4 49 (5 49 (2.78) 5.78) 5.78) 6.75, 6.79) 14.79) 15.79)	35 (1 90 (3 1141 (5 127 (8 125 (4 62 (2 8 (0	1.38) 3.54) 3.54) 7.32) 8.94) 7.64) 7.64) 2.44) 0.31)
Seasor	Season1015 (39.95) 856 (33.71) 1034 (40.71) 901 (35.48)) 856 (33.71)	1034 ((40.71)	106	(35.48)	1049	(41.28)	941	37.04)	1072 ((42.20)	226	(37.04) 1072 (42.20) 977 (38.46) 1104 (43.47)1027 (40.43)	1104	(43.47)1	027 (4	0.43)	1131 (44.53)1068 (42.04)	.53)10	58 (42	.04)

mbia Basin wheat land	
2 Colu	0
REGION: 12	.000

	0 S	5 out of 10 years	6 out of 10 years	10	7 out of 10 years	of 10 irs	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 out yea	out of 20 years	
MONTH	ET crop	Net IRR mm in.	ET crop N	Net IRR m in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ا بي
March April May June July Aug Sep Oct	41 (1.61) 82 (3.23) 136 (5.35) 173 (6.81) 215 (8.46) 179 (7.05) 118 (4.65) 58 (2.28) 13 (0.51)	17 (0.67) 63 (2.48) 112 (4.41) 147 (5.79) 170 (6.69) 101 (3.98) 101 (3.98) 101 (3.98) 101 (3.98)	42 (1.65) 22 85 (3.35) 67 138 (5.43) 117 178 (5.01) 156 217 (8.54) 212 182 (7.17) 174 119 (4.69) 110 59 (2.32) 42 14 (0.55) 1	(0.87) (0.87) (0.87) (0.87) (0.87) (0.87) (0.83) (0.04)	44 (1.73) 88 (3.46) 140 (5.51) 180 (7.09) 218 (8.58) 184 (7.24) 120 (4.72) 60 (2.36) 15 (0.59)	26 (1.02) 72 (2.83) 122 (4.80) 164 (8.50) 179 (7.05) 114 (4.49) 47 (1.85) 1 (0.04)	46 (1.81) 89 (3.50) 145 (5.71) 182 (7.17) 222 (8.74) 187 (7.36) 124 (4.88) 61 (2.40) 16 (0.63)	28 (1.10) 78 (3.07) 78 (5.04) 128 (5.04) 170 (6.69) 218 (8.58) 185 (7.28) 118 (4.65) 1 (0.04)	48 (1.89) 92 (3.62) 148 (5.83) 188 (7.40) 226 (8.90) 195 (7.68) 127 (5.00) 64 (2.52) 16 (0.63)	32 (1.26) 86 (3.39) 135 (5.31) 179 (7.05) 222 (8.74) 191 (7.52) 121 (4.76) 57 (2.24) 4 (0.16)	49 (1.93) 96 (3.78) 149 (5.87) 192 (7.56) 232 (9.13) 202 (7.95) 128 (5.04) 66 (2.60) 17 (0.67)	35 (1.3 90 (3.5 141 (5.5 186 (7.3 227 (8.5 125 (6.5 62 (2.4 8 (0.3	1.38) 3.54) 5.55) 7.32) 8.94) 7.64) 2.44) 0.31)
Seasor	11015 (39.95) 856 (33.71)	Season1015 (39.95) 856 (33.71) 1034 (40.71) 901 (35	(8)	1049 (41.28)	941 (37.04)	1072 (42.20)	1049 (41.28) 941 (37.04) 1072 (42.20) 977 (38.46) 1104 (43.47)1027 (40.43) 1131 (44.53)1068	1104 (43.47)1	027 (40.43)	1131 (44.53)	1068 (42.04)	04)

REGION: 13 Pendleton-Heppner CROP: Alfalfa Hay

:											
ł	5 out of 10 years	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out	9 out of 10 years	19 out of 2 years	of 20 rs
MONIH EI Crop	rop Net IRR in. mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in
April 58 (May 120 (June 144 (July 165 (Aug 138 (Sep 94 (2.28) 39 (1.54) 4.72) 89 (3.50) 5.67) 111 (4.37) 6.50) 160 (6.30) 5.43) 130 (5.12) 3.70) 76 (2.99)	59 (2.32) 123 (4.84) 145 (5.71) 166 (6.54) 140 (5.51) 97 (3.82)	42 (1.65) 95 (3.74) 115 (4.53) 163 (6.42) 133 (5.24) 80 (3.15)	60 (2.36) 125 (4.92) 146 (5.75) 169 (6.65) 141 (5.55) 98 (3.86)	46 (1.81) 100 (3.94) 122 (4.80) 165 (6.50) 137 (5.39) 85 (3.35)	61 (2.40) 127 (5.00) 148 (5.83) 172 (6.77) 143 (5.63) 99 (3.90)	49 (1.93) 106 (4.17) 132 (5.20) 169 (6.65) 141 (5.55) 90 (3.54)	65 (2.56) 132 (5.20) 153 (6.02) 175 (6.89) 148 (5.83) 102 (4.02)	53 (2.09) 114 (4.49) 139 (5.47) 172 (6.77) 146 (5.75) 97 (3.82)	67 (2.64) 134 (5.28) 154 (6.06) 177 (6.97) 154 (6.06) 106 (4.17)	56 (2.20) 122 (4.80) 144 (5.67) 175 (6.89) 151 (5.94) 99 (3.90)
Season 719 (2	Season 719 (28.30) 605 (23.82) 730 (28.74) 628 (24.73)	730 (28.74)	628 (24.73)	739 (29.09)	739 (29.09) 655 (25.79)	750 (29.53)	687 (27.04)	775 (30.52)	750 (29.53) 687 (27.04) 775 (30.52) 721 (28.39)	792 (31.18) 747	747 (29.40)

REGION: 13 Pendleton-Heppner CROP: Apples

	5 out	5 out of 10 years	6 out ye	6 out of 10 years	7 out of years	out of 10 years	8 out of 10 years	of 10 irs	9 out of years	9 out of 10 years	19 ou ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	41 (1.61) 84 (3.31) 143 (5.63) 147 (7.36) 218 (8.58) 184 (7.24) 117 (4.61) 59 (2.32) 13 (0.51)	13 (0.51) 58 (2.28) 109 (5.27) 149 (5.87) 172 (6.77) 98 (3.86) 33 (1.30)	42 (1.65) 86 (3.33) 146 (5.75) 189 (7.44) 189 (7.44) 186 (7.32) 121 (4.76) 60 (2.36) 14 (0.55)	17 (0.67) 62 (2.44) 116 (4.57) 157 (6.18) 216 (8.50) 177 (6.97) 103 (4.06) 38 (1.50) 1 (0.04)	43 (1.69) 88 (3.48) 148 (5.83) 191 (7.52) 224 (8.82) 188 (7.40) 123 (4.84) 62 (2.44) 14 (0.55)	21 (0.83) 67 (2.64) 123 (4.84) 165 (6.50) 219 (8.62) 182 (7.17) 108 (4.25) 41 (1.61)	47 (1.85) 91 (3.58) 150 (5.91) 192 (7.56) 228 (8.98) 190 (7.48) 125 (4.92) 64 (2.52) 15 (0.59)	26 (1.02) 72 (2.83) 129 (5.08) 175 (6.89) 222 (8.74) 187 (7.36) 116 (4.57) 47 (1.85) 1 (0.04)	48 (1.89) 96 (3.78) 157 (6.18) 199 (7.83) 232 (9.13) 196 (7.72) 128 (5.04) 67 (2.64) 16 (0.63)	31 (1.22) 78 (3.07) 138 (5.43) 184 (7.24) 227 (8.94) 194 (7.64) 123 (4.84) 56 (2.20) 1 (0.04)	53 (2.09) 100 (3.94) 160 (6.30) 202 (7.95) 235 (9.25) 235 (8.07) 132 (5.20) 69 (2.72) 17 (0.67)	38 (1.50) 82 (3.23) 145 (5.71) 188 (7.40) 231 (9.09) 126 (4.96) 60 (2.36) 5 (0.20)
Seasor	1046 (41.17) 846 (33.31	Season1046 (41.17) 846 (33.31) 1065 (41.92) 887 (34.93)	887 (34.93)	1081 (42.55) 927	(36.50)	1102 (43.39)	975 (38.38)	1139 (44.84)	(44.84)1032 (40.62)	1173	(46.19)1073 (42.25)

REGION: 13 Pendleton-Heppner CROP: Berries

	5 out	5 out of 10 years	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out	9 out of 10 years	19 out of 2 years	of 20 Irs
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep Oct	37 (1.46) 88 (3.46) 122 (4.80) 107 (4.21) 72 (2.83) 45 (1.77)	22 (0.87) 61 (2.40) 117 (4.61) 99 (3.90) 56 (2.20) 20 (0.79)	37 (1.46) 89 (3.50) 123 (4.84) 108 (4.25) 75 (2.95) 46 (1.81)	25 (0.98) 65 (2.56) 119 (4.69) 102 (4.02) 58 (2.28) 24 (0.94)	37 (1.46) 91 (3.58) 124 (4.88) 109 (4.29) 77 (3.03) 46 (0.181)	28 (1.10) 73 (2.87) 121 (4.76) 105 (4.13) 62 (2.44) 27 (1.06)	38 (1.50) 93 (3.66) 127 (5.00) 110 (4.33) 78 (3.07) 47 (1.85) 3 (0.12)	30 (1.18) 79 (3.11) 123 (4.84) 109 (4.29) 68 (2.68) 34 (1.34) 0 (0.00)	39 (1.54) 96 (3.78) 129 (5.08) 114 (4.49) 79 (3.11) 49 (1.93) 3 (0.12)	33 (1.30) 85 (3.35) 126 (4.96) 112 (4.19) 74 (2.91) 41 (1.61) 1 (0.04)	39 (1.54) 98 (3.86) 130 (5.12) 119 (4.69) 81 (3.19) 51 (2.01) 3 (0.12)	35 (1.38) 90 (3.54) 129 (5.08) 115 (4.53) 77 (3.03) 2 (0.08)
Season	473 (18.61)	375 (14.77)	481 (393 (15.47)	487 (19.17)	416 (496 (19.53)	443 (509	(20.05) 472 (18.58)	521 (20.53) 493	493 (19.41)

REGION: 13 Pendleton-Heppner

	5 out of 10 years	of 10 rs	6 out	6 out of 10 years	7 out of 10 years	of 10 's	8 out ye	8 out of 10 years	9 out of 10 years	of 10 rs	19 o y	19 out of 20 years	
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net mm	in.
March April May June July 2 July 2 Sep 1	41 (1.61) 84 (3.31) 143 (5.63) 187 (7.36) 218 (8.58) 117 (4.61) 17 (4.61) 13 (0.51)	13 (0.51) 58 (2.28) 109 (4.29) 149 (5.87) 172 (6.77) 98 (3.86) 33 (1.30) 1 (0.04)	42 (1.65) 86 (3.39) 146 (5.75) 189 (7.44) 221 (8.70) 181 (4.72) 60 (2.36) 14 (0.55)	17 (0.67) 62 (2.44) 116 (4.57) 157 (6.18) 177 (6.97) 103 (4.06) 38 (1.50) 1 (0.04)	43 (1.69) 88 (3.46) 148 (5.83) 224 (8.82) 188 (7.40) 123 (4.84) 62 (2.44) 14 (0.55)	21 (0.83) 123 (4.84) 123 (4.84) 121 (8.65) 182 (7.17) 108 (4.25) 41 (1.61)	47 (1.85) 91 (5.58) 150 (5.91) 192 (7.56) 228 (8.98) 190 (7.48) 125 (4.92) 64 (2.52) 15 (0.59)	26 (1.02) 72 (2.83) 129 (5.08) 175 (6.89) 222 (8.74) 187 (7.36) 116 (4.57) 47 (1.85) 1 (0.04)	48 (1.89) 96 (3.78) 157 (6.18) 189 (7.83) 232 (9.13) 196 (7.72) 128 (5.04) 67 (2.64) 16 (0.63)	31 (1.22) 78 (3.07) 78 (5.03) 138 (5.43) 184 (7.24) 227 (8.94) 194 (7.64) 123 (4.84) 56 (2.20)	53 (2.09) 100 (3.94) 160 (6.30) 202 (7.95) 235 (9.25) 205 (8.07) 132 (5.20) 69 (2.72) 17 (0.67)	38 (82 (145 (188 (231 (198 (126 (60 (1.50) 3.23) 5.71) 7.40) 9.09) 7.80) 6.20)
Season10	46 (41.17)	846 (33.31)	1065 (41.92)	887 (34.93)	Season1046 (41.17) 846 (33.31) 1065 (41.92) 887 (34.93) 1081 (42.55) 927 (36.50) 1102 (43.39) 975 (38.38) 1139 (44.84)1032 (40.62) 1173 (46.19)1073 (42.25)	927 (36.50)	1102 (43.39)	975 (38.38)	1139 (44.84)	032 (40.62)	1173 (46.19) 1073 (4	42.25)

REGION: 13 Pendleton-Heppner CROP: Corn (Field)

. LONG		מסובו לו ופנת)										
	5 out	5 out of 10 years	6 out of 10 years	of 10 irs	7 out yea	7 out of 10 years	8 out of 10 years	of 10 rs	9 out	9 out of 10 years	19 out of 20 years	of 20
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep	59 (2.32) 128 (5.04) 198 (7.80) 170 (6.69) 85 (3.35)	36 (1.42) 98 (3.86) 192 (7.56) 158 (6.22) 66 (2.60)	59 (2.32) 129 (5.08) 200 (7.87) 172 (6.77) 87 (3.43)	40 (1.57) 103 (4.06) 196 (7.72) 163 (6.42) 71 (2.80)	60 (2.36) 131 (5.16) 203 (7.99) 174 (6.85) 89 (3.50)	45 (1.77) 110 (4.33) 198 (7.80) 168 (6.61) 76 (2.99)	61 (2.40) 133 (5.24) 207 (8.15) 176 (6.93) 90 (3.54)	49 (1.93) 118 (4.65) 201 (7.91) 173 (6.81) 82 (3.23)	62 (2.44) 137 (5.39) 210 (8.27) 181 (7.13) 92 (3.62)	54 (2.13) 124 (4.88) 206 (8.11) 179 (7.05) 88 (3.46)	63 (2.48) 139 (5.47) 213 (8.39) 190 (7.48) 95 (3.74)	57 (2.24) 128 (5.04) 210 (8.27) 182 (7.17) 91 (3.58)
Season	1 640 (25.20)	Season 640 (25.20) 550 (21.66) 647 (25.47) 573 (22.57)	647 (25.47)	573 (22.57)	657 (25.86)	597 (23.50)	667 (26.26)	623 (24.53)	682 (26.85)	657 (25.86) 597 (23.50) 667 (26.26) 623 (24.53) 682 (26.85) 651 (25.63) 700 (27.56) 668 (26.30)	700 (27.56)	568 (26.30)

REGION: 13 Pendleton-Heppner CROP: Corn (Sweet)

	5 out	5 out of 10 years	6 out of 10 years	ut of 10 years	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 's	9 out of 10 years	0	19 out yea	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net mm in. mm	t IRR in.	ET crop mm in.	Net IRR mm in.
May June July Aug	35 (1.38) 125 (4.92) 202 (7.95) 107 (4.21)) 22 (0.87)) 95 (3.74)) 196 (7.72)) 102 (4.02)	35 (1.38) 127 (5.00) 204 (8.03) 109 (4.29)	24 (0.94) 100 (3.94) 199 (7.83) 104 (4.09)	35 (1.38) 129 (5.08) 207 (8.15) 110 (4.33)	26 (1.02) 107 (4.21) 202 (7.95) 107 (4.21)	36 (1.42) 131 (5.16) 1 211 (8.31) 2 111 (4.37) 1	28 (1.10) 115 (4.53) 205 (8.07) 109 (4.29)	36 (1.42) 32 135 (5.31) 122 214 (8.43) 210 115 (4.53) 114	32 (1.26) 122 (4.80) 210 (8.27) 114 (4.49)	37 (1.46) 137 (5.39) 216 (8.50) 120 (4.72)	34 (1.34) 126 (4.96) 213 (8.39) 116 (4.57)
Season	1 469 (18.46) 415 (16.35)	Season 469 (18.46) 415 (16.35) 475 (18.70) 427 (16.	427 (16.80)	481 (18.94)	442 (17.39)	80) 481 (18.94) 442 (17.39) 489 (19.26) 457	(57 (17.99)	500 (19.69) 478 (18.82) 510 (20.07) 489	(18.82)	510 (20.07)	489 (19.26)

REGION: 13 Pendleton-Heppner CROP: Grain (Spring)

2		000000000000000000000000000000000000000										
	5 ou	5 out of 10 years	6 out of 10 years	of 10 rs	7 ou:	7 out of 10 years	8 out of 10 years	of 10	9 out	9 out of 10 years	19 out of 2 years	: of 20 ars
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug	57 (2.24) 136 (5.35) 174 (6.85) 180 (7.09) 33 (1.30)	5) 31 (1.22) 5) 104 (4.09) 5) 137 (5.39) 7) 174 (6.85) 7) 31 (1.22)	58 (2.28) 139 (5.47) 176 (6.93) 182 (7.17) 34 (1.34)	34 (1.34) 110 (4.33) 144 (5.67) 177 (6.97) 32 (1.26)	59 (2.32) 142 (5.59) 177 (6.97) 184 (7.24) 34 (1.34)	39 (1.54) 116 (4.57) 153 (6.02) 179 (7.05) 33 (1.30)	60 (2.36) 144 (5.67) 179 (7.05) 188 (7.40) 35 (1.38)	43 (1.69) 122 (4.80) 162 (6.38) 182 (7.17) 34 (1.34)	62 (2.44) 150 (5.91) 185 (7.28) 191 (7.52) 36 (1.42)	48 (1.89) 130 (5.12) 170 (6.69) 187 (7.36) 35 (1.38)	64 (2.52) 153 (6.02) 187 (7.36) 193 (7.60) 37 (1.46)	51 (2.01) 139 (5.47) 175 (6.89) 190 (7.48) 37 (1.46)
Season	580 (22.83	Season 580 (22.83) 477 (18.77) 589 (23.19) 497 (19.57)	589 (23.19)	497 (19.57)	596 (23.46	596 (23.46) 520 (20.48)	606 (23.86) 543 (21.38)	543 (21.38)	624 (24.57)	624 (24.57) 570 (22.44)	634 (24.96) 592 (23.31)	592 (23.31)

REGION: 13 Pendleton-Heppner CROP: Grain (Winter)

	5 out	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 irs	9 out of 10 years	f 10 s	19 out yes	out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June	29 (1.14) 93 (3.66) 145 (5.71) 168 (6.61) 98 (3.86)	6 (0.24) 65 (2.56) 111 (4.37) 131 (5.16) 94 (3.70)	29 (1.14) 94 (3.70) 148 (5.83) 170 (6.69) 99 (3.90)	10 (0.39) 70 (2.76) 118 (4.65) 138 (5.43) 96 (3.78)	31 (1.22) 96 (3.78) 151 (5.94) 171 (6.73) 100 (3.94)	13 (0.51) 76 (2.99) 125 (4.92) 147 (5.79) 98 (3.86)	33 (1.30) 99 (3.90) 153 (6.02) 173 (6.81) 102 (4.02)	17 (0.67) 81 (3.19) 131 (5.16) 158 (6.22) 100 (3.94)	34 (1.34) 105 (4.13) 160 (6.30) 179 (7.05) 104 (4.09)	21 (0.83) 86 (3.39) 139 (5.47) 165 (6.50) 102 (4.02)	36 (1.42) 108 (4.25) 162 (6.38) 181 (7.13) 105 (4.13)	26 (1.02) 90 (3.54) 148 (5.83) 170 (6.69) 104 (4.09)
Season	533 (20.98)	407 (16.03)	Season 533 (20.98) 407 (16.03) 540 (21.26) 432 (17.01)	(17.01)		549 (21.61) 459 (18.07)	560 (22.05)	560 (22.05) 487 (19.18)	582	(22.91) 513 (20.21)	592 (23.31)	538 (21.17)

REGION: 13 Pendleton-Heppner CROP: Onions

	5 out	5 out of 10 years	6 out of 10 years	of 10 irs	7 out	7 out of 10 years	8 out of 10 years	of 10 rs	9 out	9 out of 10 years	19 out	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep	5 (0.20) 52 (2.05) 86 (3.39) 131 (7.15) 155 (6.10) 67 (2.64)	3 (0.12) 30 (1.18) 61 (2.40) 176 (6.93) 176 (6.93) 146 (5.75) 57 (2.24)	6 (0.24) 53 (2.09) 87 (3.43) 133 (5.24) 183 (7.20) 157 (6.18) 70 (2.76)	3 (0.12) 32 (1.26) 65 (2.56) 109 (4.29) 179 (7.05) 150 (5.91) 61 (2.40)	6 (0.24) 53 (2.09) 89 (3.50) 135 (5.31) 185 (7.28) 159 (6.26) 71 (2.80)	4 (0.16) 36 (1.42) 69 (2.72) 117 (4.61) 182 (7.17) 154 (6.06) 63 (2.48)	6 (0.24) 54 (2.13) 90 (3.54) 137 (5.39) 189 (7.44) 160 (6.30) 72 (2.83)	5 (0.20) 40 (1.57) 75 (2.95) 124 (4.88) 184 (7.24) 158 (6.22) 66 (2.60)	7 (0.28) 56 (2.20) 92 (3.62) 142 (5.59) 192 (7.56) 166 (6.54) 74 (2.91)	5 (0.20) 45 (1.77) 81 (3.19) 129 (5.08) 188 (7.40) 164 (6.46) 71 (2.80)	7 (0.28) 58 (2.28) 94 (3.70) 145 (5.71) 173 (6.81) 76 (2.99)	6 (0.24) 48 (1.89) 85 (3.35) 132 (5.20) 197 (7.52) 72 (2.83)
Seasor	7 677 (26.67)	575 (22.64)	Season 677 (26.67) 575 (22.64) 689 (27.14) 599 (23.59)	599 (23.59)	698 (27.48)	698 (27.48) 625 (24.62)	708 (27.87)	708 (27.87) 652 (25.66)	729 (28.70)	729 (28.70) 683 (26.90) 747 (29.41) 701 (27.60)	747 (29.41)	701 (27.60)

Pendleton-Heppner	Pasture
7	
REGION:	- 60.60

5		,										
	5 out	5 out of 10 years	6 out of 10 years	of 10 ars	7 out	7 out of 10 years	8 out of 10 years	of 10	9 out of 10 years	f 10 s	19 out yee	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep	19 (0.75) 89 (3.50) 1728 (5.04) 153 (6.02) 1748 (5.83) 100 (3.94) 62 (2.44)	9 (0.35) 59 (2.32) 96 (3.78) 119 (4.69) 119 (5.73) 139 (5.47) 82 (3.23) 36 (1.42)	19 (0.75) 91 (3.58) 129 (5.08) 155 (6.10) 177 (6.97) 150 (5.91) 103 (4.06) 63 (2.48)	11 (0.43) 64 (2.52) 102 (4.02) 174 (6.85) 174 (5.59) 87 (3.43) 40 (1.57)	20 (0.79) 93 (3.66) 131 (5.16) 156 (6.14) 180 (7.09) 151 (5.94) 104 (4.09) 65 (2.56)	13 (0.51) 70 (2.76) 108 (4.25) 132 (5.20) 177 (6.97) 146 (5.75) 92 (3.62) 44 (1.73)	21 (0.83) 94 (3.70) 135 (5.31) 157 (6.18) 183 (7.20) 153 (6.02) 166 (4.17) 67 (2.64)	14 (0.55) 75 (2.95) 114 (4.49) 142 (5.59) 180 (7.09) 150 (5.91) 97 (3.82) 50 (1.97)	22 (0.87) 98 (3.86) 138 (5.43) 1 163 (6.42) 1 186 (7.32) 1 158 (6.22) 1 109 (4.29) 1 70 (2.76)	18 (0.71) 80 (3.15) 123 (4.84) 149 (5.87) 184 (7.24) 156 (6.14) 104 (4.09) 59 (2.32)	25 (0.98) 102 (4.02) 140 (5.51) 165 (6.50) 189 (7.44) 112 (4.41) 73 (2.87)	20 (0.79) 84 (3.31) 130 (5.12) 154 (6.06) 187 (7.36) 161 (6.34) 106 (4.17) 64 (2.52)
Season	875 (34.45)	Season 875 (34.45) 711 (27.99)	887	745 (29.33)	900 (35.43)	782 (30.79)	900 (35.43) 782 (30.79) 916 (36.05)	822 (32.37)	944 (37.17)	73 (34.36)	873 (34.36) 971 (38.23)	906 (35.67)

REGION: 13 Pendleton-Heppner CROP: Pears

	5 out	5 out of 10 years	6 out of 10 years	of 10 irs	7 out	7 out of 10 years	8 out ye	8 out of 10 years	9 out	9 out of 10 years	19 out yea	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April May July Aug Sep Oct	41 (1.61) 82 (3.23) 130 (5.12) 172 (6.77) 109 (6.65) 107 (4.21) 56 (2.20) 13 (0.51)	13 (0.51) 53 (2.09) 97 (3.82) 135 (5.31) 157 (6.18) 157 (6.18) 159 (1.14) 29 (1.14)	42 (1.65) 84 (3.31) 132 (5.20) 173 (6.81) 203 (7.9) 171 (6.73) 171 (4.37) 57 (2.24) 14 (0.55)	17 (0.67) 58 (2.28) 103 (4.06) 142 (5.59) 162 (6.38) 93 (3.66) 33 (1.30) 1 (0.04)	43 (1.69) 85 (3.35) 134 (5.28) 175 (6.89) 206 (8.11) 173 (6.81) 112 (4.41) 57 (2.24) 14 (0.55)	21 (0.83) 63 (2.48) 109 (4.29) 151 (5.94) 201 (7.91) 167 (6.57) 98 (3.86) 37 (1.46) 1 (0.04)	47 (1.85) 87 (5.343) 136 (5.35) 176 (6.93) 210 (8.27) 175 (6.89) 114 (4.49) 58 (2.28) 15 (0.59)	26 (1.02) 68 (2.68) 115 (4.53) 161 (6.34) 204 (8.03) 172 (6.77) 106 (4.17) 44 (1.73) 1 (0.04)	48 (1.89) 91 (3.58) 142 (5.59) 143 (7.20) 213 (8.39) 180 (7.09) 117 (4.61) 61 (2.40) 16 (0.63)	31 (1.22) 73 (2.87) 123 (4.84) 168 (6.61) 209 (8.23) 178 (7.01) 113 (4.45) 1 (0.04)	53 (2.09) 94 (3.70) 145 (5.71) 185 (7.28) 215 (8.46) 189 (7.44) 121 (4.76) 65 (2.56) 17 (0.67)	38 (1.50) 77 (3.03) 131 (5.16) 172 (6.77) 212 (8.35) 181 (7.13) 115 (4.53) 57 (2.24) 5 (0.20)
Season	971 (38.21)	768 (30.23)	Season 971 (38.21) 768 (30.23) 987 (38.85) 807 (31.78)	807 (31.78)	999 (39.33)	(39.33) 848 (33.38) 1018 (40.08) 897 (35.31) 1051 (41.38) 948 (37.32) 1084 (42.67)	1018 (40.08)	897 (35.31)	1051 (41.38)	948 (37.32)	1084 (42.67)	988 (38.91)

REGION: 13 Pendleton-Heppner CROP: Peas

	<u>ن</u>	5 out of 10 years	f 10 s		6 out	6 out of 10 years			7 out of 10 years	of 10 irs			8 out of 10 years	of 10 irs			9 out of 10 years	of 10			19 out of 20 years	of 20	
MONTH	ET crop		Net IRR mm in.	E E	crop in.	Net m	IRR in.	ET	crop in.	Net	IRR in.	ET crop mm in.	crop in.	Net mm	IRR in.	ET	crop in.	m Net	IRR in.	E E	crop in.	Net mm	IRR in.
March April May June	16 (0.63) 67 (2.64) 142 (5.59) 174 (6.85) 123 (4.84)	63) 64) 59) 1.85) 1.84)	3 (0.12) 40 (1.57) 109 (4.29) 136 (5.35) 120 (4.72)	1	16 (0.63) 68 (2.68) 143 (5.63) 175 (6.89) 124 (4.88)	5 116 123 122	(0.20) (1.73) (4.57) (5.63) (4.80)	17 (69 (145 (177 (0.67) 2.72) 5.71) 6.97) 4.96)	6 122 152 153	(0.24) (1.89) (4.80) (5.98) (4.84)	18 (71 (149 (178 (128 (0.71) 2.80) 5.87) 7.01) 5.04)	9 (52 (128 (162 (125 (0.35) 2.05) 5.04) 6.38) 4.92)	19 (73 (156 (185 (130 (0.75) 2.87) 6.14) 7.28) 5.12)	12 (58 (137 (170 (128 (0.47) 2.28) 5.39) 6.69) 5.04)	19 (75 (159 (187 (0.75) 2.95) 6.26) 7.36) 5.20)	14 (63 (174 (174 (130 (0.55) 2.48) 5.67) 6.85) 5.12)
Seasor	522 (20	.55) 4	Season 522 (20.55) 408 (16.05) 526 (20.71) 430 (16.93)	5) 526	(20.71)	430 (16.93)	534 (21.03)	451 (1	534 (21.03) 451 (17.75)	544	21.43)	.) 925	(21.43) 476 (18.74) 563 (22.16) 505 (19.87)	563 (22.16)	505 (1	6.87)	572 (572 (22.52) 525 (20.67)	525 (2	(29.0

REGION: 13 Pendleton-Heppner CROP: Plums

8 out of 10 9 out of 10 19 out of 20 years years years	et IRR ET crop Net IRR ET crop Net IRR in. mm in. mm in. mm in.	(1.02) 48 (1.89) 31 (1.22) 53 (2.09) 38 (1.50) (2.68) 91 (3.58) 73 (2.87) 94 (3.70) 77 (3.03) (4.53) 142 (5.59) 123 (4.84) 145 (5.71) 131 (5.16) (6.34) 183 (7.20) 168 (6.61) 185 (7.28) 172 (6.77) (8.03) 213 (8.39) 209 (8.23) 215 (8.46) 212 (8.35) (6.77) 180 (7.09) 178 (7.01) 189 (7.44) 181 (7.13) (4.17) 117 (4.61) 113 (4.45) 121 (4.76) 115 (4.53) (1.73) 61 (2.40) 52 (2.05) 65 (2.56) 57 (2.24) (0.04) 16 (0.63) 1 (0.04) 17 (0.05) 5 (0.20)	
	ET crop mm in.	48 (1.89) 91 (3.58) 142 (5.59) 183 (7.20) 213 (8.39) 180 (7.09) 117 (4.61) 61 (2.40) 16 (0.63)	0 08 807 (25 31) 1051 (41.38) 948 (37.32) 1084 (42.67)
/ out of 10 o	ET crop Net IRR ET crommin. mm in	43 (1.69) 21 (0.83) 47 (1.85 (3.35) 63 (2.48) 87 (3.35 (5.28) 109 (4.29) 136 (5.28) 109 (4.29) 136 (5.26 (8.11) 201 (7.91) 210 (8.11) 201 (7.91) 210 (8.11) 201 (7.91) 210 (8.11) 201 (7.91) 210 (8.11) 201 (7.91) 210 (8.11) 201 (7.91) 210 (8.11) 201 (7.91) 210 (8.11) 201 (7.91) 210 (8.11) 201 (7.91) 210 (8.11) 21	700 0/2 0707 10E 22 070 12E 22
6 out of 10 years	ET crop Net IRR mm in. mm in.	42 (1.65) 17 (0.67) 84 (3.31) 58 (2.28) 132 (5.20) 103 (4.06) 173 (6.81) 142 (5.59) 203 (7.99) 198 (7.80) 171 (6.73) 162 (6.38) 111 (4.37) 93 (3.66) 57 (2.24) 33 (1.30) 14 (0.55) 1 (0.04)	١.
5 out of 10 years	MONTH ET Crop Net IRR mm in. mm in.	March 41 (1.61) 13 (0.51) April 82 (3.23) 53 (2.09) May 130 (5.12) 97 (3.82) June 172 (6.77) 135 (5.31) July 201 (7.91) 195 (7.68) Aug 169 (6.65) 157 (6.18) Sep 107 (4.21) 88 (3.46) Oct 56 (2.20) 29 (1.14) Nov 13 (0.51) 1 (0.04)	

REGION: 14 Hermiston CROP: Alfalfa Hay

	5 out	5 out of 10 years	6 out of 10 years	of 10 ars	7 out	7 out of 10 years	8 out of 10 years	9 out of 10 years	10	19 out	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep	66 (2.60) 136 (5.35) 157 (6.18) 178 (7.01) 151 (5.94) 102 (4.02)	56 (2.20) 122 (4.80) 142 (5.59) 176 (6.93) 148 (5.83) 95 (3.74)	67 (2.64) 139 (5.47) 159 (6.26) 180 (7.09) 152 (5.98) 105 (4.13)	59 (2.32) 126 (4.96) 146 (5.75) 179 (7.05) 150 (5.91) 98 (3.86)	68 (2.68) 144 (5.67) 161 (6.34) 181 (7.13) 158 (6.22) 106 (4.17)	62 (2.44) 130 (5.12) 150 (5.91) 181 (7.13) 153 (6.02)	70 (2.76) 68 (2.68) 147 (5.79) 137 (5.39) 163 (6.42) 156 (6.14) 184 (7.24) 183 (7.20) 162 (6.38) 159 (6.26) 108 (4.25) 103 (4.06)	8) 74 (2.91) 70 (9) 150 (5.91) 143 (4) 167 (6.57) 165 (0) 190 (7.48) 187 (6) 166 (6.54) 165 (6) 112 (4.41) 108	(2.76) (5.63) 5 (6.50) 7 (7.36) 5 (6.50) 8 (4.25)	75 (2.95) 151 (5.94) 171 (6.73) 192 (7.56) 171 (6.73) 113 (4.45)	71 (2.80) 146 (5.75) 170 (6.69) 190 (7.48) 168 (6.61) 111 (4.37)
Seasor	790 (31.10	Season 790 (31.10) 739 (29.09)	802 (31.57) 758 (29	758 (29.85)		818 (32.21) 776 (30.56)	834 (32.84) 806 (31.73)	859 (33.82)	838 (33.00)	873 (34.36)	856 (33.70)

REGION: 14 Hermiston CROP: Apples

	2	3									
	5 out	5 out of 10 years	6 out	6 out of 10 years	7 ot	7 out of 10 years	80	8 out of 10 years	9 out of 10 years	19 out yea	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	46 (1.81) 98 (3.86) 161 (6.34) 2204 (8.03) 236 (9.29) 236 (7.87) 131 (5.16) 61 (2.40) 15 (0.59)	32 (1.26) 81 (3.19) 148 (5.83) 190 (7.48) 235 (9.17) 121 (4.76) 17 (1.85)	47 (1.85) 100 (3.94) 105 (6.50) 208 (8.11) 238 (9.37) 202 (7.95) 132 (5.20) 62 (2.44) 15 (0.59)	34 (1.34) 87 (3.43) 152 (5.88) 193 (7.60) 198 (7.80) 125 (4.92) 49 (1.93)	49 (1.93) 101 (3.98) 171 (6.73) 210 (8.27) 241 (9.49) 209 (8.23) 134 (5.28) 63 (2.48) 16 (0.63)	36 (1.42) 37 (1.42) 39 (1.5.58) 30 (1.5.6) 30 (1.6) 31 (1.6) 31 (1.6) 31 (1.6) 31 (1.6) 32 (1.6) 31 (1.6) 31 (1.6) 31 (1.6) 31 (1.6) 32 (1.6) 33 (1.6) 34 (1.6) 36 (1.6) 37 (1.6) 38 (1.6) 39 (1.6) 39 (1.6) 30 (1.6) 31 (1.6) 31 (1.6) 32 (1.6) 33 (1.6) 34 (1.6) 35 (1.6) 36 (1.6) 37 (1.6) 38 (1.6) 38 (1.6) 39 (1.6) 39 (1.6) 39 (1.6) 39 (1.6) 30 (1	2) 51 (2.01) 8) 103 (4.06) 8) 174 (6.85) 214 (8.43) 9) 245 (9.65) 7) 215 (8.46) 7) 215 (8.46) 4) 136 (5.35) 63 (2.48) 4) 16 (0.63)	11) 38 (1.50) 66 98 (3.86) 15) 164 (6.46) 15) 202 (7.95) 25) 244 (9.61) 60) 211 (8.31) 61) 131 (5.16) 18) 55 (2.17) 33) 1 (0.04)	53 (2.09) 42 (1.65) 109 (4.29) 103 (4.06) 177 (6.97) 171 (6.73) 219 (8.62) 210 (8.27) 253 (9.96) 249 (9.80) 219 (8.62) 219 (8.62) 141 (5.55) 137 (5.39) 65 (2.56) 60 (2.36) 17 (0.67) 3 (0.12)	56 (2.20) 110 (4.33) 1179 (7.05) 179 (7.05) 10 225 (8.86) 255 (10.04) 255 (10.04) 256 (8.90) 142 (5.59) 68 (2.68) 18 (0.71)	45 (1.77) 105 (4.13) 174 (6.85) 223 (8.78) 253 (9.96) 222 (8.74) 140 (5.51) 62 (2.44) 10 (0.39)
Season	1152 (45.35)	11048 (41.26)	Season1152 (45.35)1048 (41.26) 1167 (45.95)1076 (42.3)1076 (42.37)		3)1109 (43.6	7) 1217 (47.9	2)1144 (45.06)	1194 (47.02)1109 (43.67) 1217 (47.92)1144 (45.06) 1253 (49.33)1194 (47.00) 1279 (50.36)1234 (48.57)) 1279 (50.36)	1234 (48.57)

. Hermiston	
REGION: 14	4 4 4 4

יאטאי יי	פבורופס	S D										
	5 out of 10 years	of 10 irs	6 out of 10 years	of 10 irs	7 out of 10 years	of 10 rs	8 out	8 out of 10 years	9 out of 10 years	10	19 ou	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop 1	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep Oct	39 (1.54) 94 (3.70) 131 (5.16) 115 (4.53) 115 (4.53) 47 (1.85) 3 (0.12)	33 (1.30) 128 (5.19) 128 (5.04) 71 (2.80) 31 (1.22) 0 (0.00)	40 (1.57) 96 (3.78) 132 (5.20) 117 (4.61) 80 (3.15) 47 (1.85) 3 (0.12)	35 (1.38) 86 (3.39) 130 (5.12) 115 (4.53) 74 (2.91) 33 (1.30) 0 (0.00)	40 (1.57) 97 (3.82) 133 (5.24) 121 (4.76) 81 (3.19) 48 (1.89) 3 (0.12)	37 (1.46) 90 (3.54) 132 (5.20) 118 (4.65) 77 (3.03) 37 (1.46) 0 (0.00)	41 (1.61) 98 (3.86) 135 (5.31) 125 (4.92) 83 (3.27) 49 (1.93) 3 (0.12)	38 (1.50) 93 (3.66) 134 (5.28) 122 (4.80) 80 (3.15) 40 (1.57) 1 (0.04)	41 (1.61) 44 101 (3.98) 9 138 (5.43) 133 127 (5.00) 12 86 (3.39) 8 50 (1.97) 4 3 (0.12)	40 (1.57) 97 (3.82) 138 (5.43) 126 (4.96) 84 (3.31) 2 (0.08)	41 (1.61) 104 (4.09) 141 (5.55) 131 (5.16) 86 (3.39) 51 (2.01) 3 (0.12)	40 (1.57) 101 (3.98) 139 (5.47) 128 (5.04) 85 (3.35) 48 (1.89) 3 (0.12)
Season	509 (20.05)	457 (18.00)	Season 509 (20.05) 457 (18.00) 515 (20.28) 473 (18.63) 523 (20.59) 491 (19.34) 534 (21.02) 508 (20.00)	473 (18.63)	523 (20.59)	491 (19.34)	534 (21.02)	508 (20.00)	546 (21.50) 532 (20.94) 557 (21.93) 544 (21.42)	2 (20.94)	557 (21.93)	544 (21.42)

.57)

.84

(50.36)1234

1279

(47.00)

1.77) 6.85) 8.78) 9.96) 9.74) 5.51) 0.39)

2.20 7.05) 7.05) 8.86) 10.04) 8.90) 5.59) 0.71)

56 110 179 225 225 226 142 68 18

1.65) 4.06) 6.73) 8.27) 9.80) 8.62) 5.39) 0.12)

Net mm

ap.i. ᄪ

IR in.

ನ

out of years

out

9

Wet mm (49.33)1194 out of 2.09) 4.29) 6.97) 8.62) 9.96) 5.55) 0.67) crop in. THE 53 109 177 219 219 219 141 65 1253 (45.06)1.50) 3.86) 6.46) 7.95) 9.61) 8.31) 5.16) 0.04) IRR in. Net m 9 (47.92)1144 out of years 2.01) 6.85) 8.43) 9.65) 8.46) 5.35) 0.63) erop in œ Ē 1217 (43.67)1.42) 6.18) 7.80) 9.49) 8.07) 2.05) IR in: Net ⊞ 9 36 91 157 198 128 128 52 52 52 (47.02)1109 out of years crop in. E 1194 (42.37)1.34) 5.98) 7.60) 7.80) 7.80) 4.92) 0.04) in. Net m 9 34 152 153 153 153 155 155 (45.95)1076 ut of years ğ 1.85) 6.50) 6.50) 8.11) 7.95) 5.20) 0.59) erop in. E E 1167 47 100 100 208 208 202 132 62 153 (41.26) 1.26) 3.19) 5.83) 7.48) 9.17) 7.68) 4.76) 1.85) in. Net mm 10 Hermiston Cherries (45.35)1048 32 81 148 190 195 121 47 out of years 1.81) 5.34) 6.34) 9.29) 7.87) 5.16) 0.59) crop in. 14 E 46 204 204 131 131 151 Season1152 REGION: MONTH March April May June July Aug Sep Oct

REG1 CROP	REGION: 14 Hermiston CROP: Corn (Field)	Hermi Corn	ston (Field)														
	5	5 out of 10 years	of 10 rs	6 out of 10 years	ut of 10 years	0 2	7 out of 10 years	_	8 ou	8 out of 10 years		9 out	9 out of 10 years		19 out	19 out of 20 years	
MONTH	ET crop	g ii.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net	IRR in.	ET crop	Net IRR mm in.	æ .	ET crop mm in.	Net IRR mm in.		ET crop mm in.	M Net	in.
May June July Aug Sep	63 (2.48) 138 (5.43) 215 (8.46) 185 (7.28) 94 (3.70)	2.48) 5.43) 8.46) 7.28) 3.70)	54 (2.13) 124 (4.88) 211 (8.31) 180 (7.09) 85 (3.35)	64 (2.52) 140 (5.51) 217 (8.54) 186 (7.32) 95 (3.74)	56 (2.20) 129 (5.08) 214 (8.43) 183 (7.20) 88 (3.46)	65 (2.56) 142 (5.59) 218 (8.58) 193 (7.60) 96 (3.78)	6) 59 (9) 132 (8) 217 (0) 187 (8) 91 (59 (2.32) 132 (5.20) 217 (8.54) 187 (7.36) 91 (3.58)	66 (2.60) 143 (5.63) 222 (8.74) 199 (7.83) 98 (3.86)	62 137 221 194 95	(2.44) (5.39) (8.70) (7.64) (3.74)	67 (2.64) 146 (5.75) 226 (8.90) 203 (7.99) 101 (3.98)	65 (2.56) 144 (5.67) 225 (8.86) 203 (7.99) 99 (3.90)	1	67 (2.64) 152 (5.98) 228 (8.98) 210 (8.27) 102 (4.02)	66 (148 (228 (206 (101 (2.60) 5.83) 8.98) 8.11) 3.98)
Seasor	1 695 (2)	7.35)	654 (25.76)	Season 695 (27.35) 654 (25.76) 702 (27.63) 670 (26.37	0	714 (28.1	1) 686 ((27,00)	714 (28.11) 686 (27.00) 728 (28.66) 709 (27.91) 743 (29.26) 736 (28.98) 759 (29.89) 749 (29.50)	709 (27	.91)	743 (29.26	736 (28.9	75 (86	9 (29.89)	2,672	29.50)

REGION: 14 Hermiston CROP: Corn (Sweet)

CKO CKO		COLII (SMEEC)										06 30	l
	5 out	5 out of 10 vears	6 out of 10 / years	of 10 rs	7 out ye	7 out of 10 years	8 out of 10 years	of 10 s	9 out	9 out of 10 years	ly our	years	l
MONTH	ET crop	Net IRR	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ļ
												9	ć
3	(7) 1 / 22	1 22 / 1 261	38 (1,50)	34 (1.34)	38 (1.50)	35 (1.38)	1.50)		39 (1.54)	88	59 (1.54)	y 7.	36
Aay Libb	124 (5 35)	122 (4.80)	137 (5.39)	126 (4.96)	139 (5.47)	130 (5.12)	5.51)		145 (5.65)	220	222 (0 13)	3 2	· 6
) 	218 (8.58)	215 (8.46)	220 (8.66)	219 (8.62)	222 (8.74)	222 (8.74)	226 (8.90)	(8.80)	128 (3,06)	128 (5.04)	132 (5.20)	131 (5.16)	6
Aug,	116 (4.57.) 115 (4.53)	118 (4.65)	117 (4.61)	122 (4.80)	119 (4.69)	167 (3.00)	100.4 7 771	150 \ 031	2			l
1000	507 710 06	7 484 (19 05)	513 (20.20)	496 (19.53)	521 (20.51)	506 (19.93)	52000 507 (19 05) 484 (19 05) 513 (20.20) 496 (19.53) 521 (20.51) 506 (19.93) 531 (20.91) 519 (20.43) 540 (21.27) 537 (21.15) 552 (21.74) 546 (21.50)	519 (20.43)	540 (21.27)	537 (21.15)	552 (21.74)	546 (21.5	ချေ
Cospac	2011	(2016) FOT (

Hermiston	Grain (Spring)
1,4	
REGION:	.000

	5 00	5 out of 10	6 out	6 out of 10 years	7 out of 10 years	f 10 s	8 out of 10 years	of 10 ars	9 out of 10 years	10	ly out	years
	'					1			40.5	l i		
MONTH	ET crop	Net IRR	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	mm in.	mm in.	mm in mm	mm in.	mm in.	m in.
											,	
•		;		7	10 (7.7)	_	_	15 (21 (0.83) 16	(0.63)	21 (0.83)	17 (0.67)
March	18 (0.71)	(74.0) 21 (1	18 6	(10.0)(1)	1 1 03	(0 2 2)	78 (3.07)	73 (2.87)	(3.19)	J	(3.31)	٠ .
April	74 (2.91	χį		9 5	157 6 48)			150 ((6.42)	J	(6.46)	٠.
May	148 (5.83	134		2	701.0			188	(8.03)	J	(8.23)	J
June	190 (7.48	176		380	(80.7.)		٠.		(8.19)	_	(8.27)	J
>Inf	195 (7.68	194		1 8	198 (7.80)	٠.	٠,	200	1.57		(1.61)	J
V V	36 (1.42	35		36	38 (1.50)		_	Š		,	,	
D									107 120 007 272	107 707	80) 612 (12 80) 064	712 (28 03)
	20 461 124 03	(77, 42) 629 (24, 77)	671 (26.42)	629 (24.77)	684 (26.94) 6	645 (25.40)	869	(27.48) 664 (26.14)	(17 (28.23) 696 (27.83)	(04.12)	(5) (50-1)	15 (50:02)
COSBOO	20.00	· · · · · · · · · · · · · · · · · · ·	\									

REGION: 14 Hermiston CROP: Grain (Winter)

. באסי		פו מווו לאווונכו ל										
	5 out	5 out of 10	6 out of 10 years	of 10 irs	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 's	9 out of 10 years	of 10 irs	19 out of 20 years	ot 20 s
MONTH	ET crop	Net IRR	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June	33 (1.30) 107 (4.21) 163 (6.42) 184 (7.24) 107 (4.21)	21 (0.83) 90 (3.54) 150 (5.91) 169 (6.65)	34 (1.34) 109 (4.29) 168 (6.61) 187 (7.36) 107 (4.21)	22 (0.87) 96 (3.78) 155 (6.10) 173 (6.81) 105 (4.13)	34 (1.34) 111 (4.37) 173 (6.81) 189 (7.44) 108 (4.25)	24 (0.94) 101 (3.98) 159 (6.26) 177 (6.97) 106 (4.17)	36 (1.42) 113 (4.45) 177 (6.97) 192 (7.56) 110 (4.33)	26 (1.02) 106 (4.17) 167 (6.57) 181 (7.13) 108 (4.25)	37 (1.46) 117 (4.61) 180 (7.09) 196 (7.72) 111 (4.37)	30 (1.18) 112 (4.41) 173 (6.81) 195 (7.68) 111 (4.37)	39 (1.54) 121 (4.76) 182 (7.17) 201 (7.91) 113 (4.45)	31 (1.22) 115 (4.53) 177 (6.97) 200 (7.87) 113 (4.45)
Season	594 (23.38)	Season 594 (23,38) 533 (20,99) 605 (23,81) 551 (21.69)	605 (23.81)	551 (21.69)	615 (24.21)	615 (24.21) 567 (22.32)	628 (24.73) 588 (23.14)	588 (23.14)	641 (25.25)	641 (25.25) 621 (24.45) 656 (25.83) 636 (23.04)	656 (25.83)	350 (23.04)

4 Hermiston	Wint
REGION: 14	000

5											•	
	5 out	5 out of 10	6 out of 10 years	of 10 Irs	7 out of 10 years	of 10 irs	8 out of 10 years	of 10 irs	9 out of 10 years	f 10 s	years	or 20 rs
MONTH	ET crop	Net IRR	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug	1 (0.04) 50 (1.97) 142 (5.59) 197 (7.76) 26 (1.02)		1 (0.04) 50 (1.97) 146 (5.75) 200 (7.87) 196 (7.72) 26 (1.02)	1 (0.04) 40 (1.57) 133 (5.24) 186 (7.32) 195 (7.68) 26 (1.02)	1 (0.04) 51 (2.01) 149 (5.87) 202 (7.95) 198 (7.80) 27 (1.06)	1 (0.04) 44 (1.73) 137 (5.39) 190 (7.48) 197 (7.76) 26 (1.02)	1 (0.04) 52 (2.05) 153 (6.02) 205 (8.07) 201 (7.91) 28 (1.10)	1 (0.04) 47 (1.85) 144 (5.67) 194 (7.64) 199 (7.83) 27 (1.06)	1 (0.04) 54 (2.13) 156 (6.14) 1 210 (8.27) 2 207 (8.15) 2 28 (1.10)	1 (0.04) 50 (1.97) 150 (5.91) 208 (8.19) 203 (7.99) 28 (1.10)	1 (0.04) 54 (2.13) 157 (6.18) 215 (8.46) 209 (8.23) 29 (1.14)	1 (0.04) 52 (2.05) 153 (6.02) 213 (8.39) 207 (8.15) 28 (1.10)
Coses	610 (24, 02)	Seeson 610 (24, 02) 563 (22,17) 619 (24,37) 581 (22	619 (24.37)	581 (22.87)	628 (24.73)	595 (23.42)	640 (25.19)	640 (25.19) 612 (24.09)	656 (25.83) 640 (25.20)	540 (25.20)	665 (26.18) 654 (25.75)	654 (25.75)

REGION: 14 Hermiston CROP: Onions

Sout of 10 6 out of 10 7 out of 10 8 out of 10 9ears Years Years <th< th=""><th></th><th>25.5</th><th>2</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></th<>		25.5	2										
ET crop		5 out	t of 10 sars	6 out yea	of 10 Irs	v 7	t of 10 ears	8 out (of 10 rs	9 out of 10 years	f 10 s	19 out	19 out of 20 years
6 (0.24) 5 (0.20) 6 (0.24) 6 (0.24) 6 (0.24) 6 (0.24) 7 (0.28) 6 (0.24) 57 (2.24) 49 (1.93) 58 (2.28) 52 (2.05) 59 (2.32) 55 (2.17) 57 (2.24) 49 (1.93) 58 (2.28) 52 (2.05) 59 (2.32) 55 (2.17) 55 (3.70) 51 (3.29) 51 (3.29) 51 (3.29) 52 (3.70) 51 (3.29) 52 (3.70) 51 (3.29) 52 (3.70) 51 (3.29) 52 (3.70) 51 (3.29) 52 (3.70) 51 (3.29) 52 (3.70) 51 (3.29) 52 (3.70) 51 (3.29) 52 (3.70) 52 (3.2	MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.		يد	1 :		ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
1) 762 (30.00) 731 (28.77) 778 (30.64) 752 (29.61)	March April May June July Aug	6 (0.24, 57 (2.24, 95 (3.74, 143 (5.63, 196 (7.72, 167 (6.57, 75 (5.95)	248 45 50 75 75 75 75 75 75 75 75 75 75 75 75 75		64 49 135 197 168 72		25 25 25 25 25 25 25 25 25 25 25 25 25 2	(0.28) (2.32) (3.98) (5.87) (7.99) (7.13)		(0.28) (2.36) (4.06) (5.98) (8.11) (7.28) (3.19)	6 (0.24) 58 (2.28) 99 (3.90) 151 (5.94) 204 (5.94) 79 (3.11)	7 (0.28) 62 (2.44) 103 (4.06) 156 (6.14) 208 (8.19) 191 (7.52) 81 (3.19)	7 (0.28) 59 (2.32) 101 (3.98) 155 (6.10) 208 (8.19) 188 (7.40) 80 (3.15)
	Season	739 (29.09) 692 (27.26)	748 (29.45)	714 (28.11)	762 (30.00	(731 (28.77)		752 (29.61)	794 (31.26) 782 (30.78)	782 (30.78)	808 (31.82)	808 (31.82) 798 (31.42)

14 Hermiston	Dacting
REGION:	· do do

									,	•	41.0	ć
	5 out	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 's	8 out of 10 years	۴ 10 s	y out of 10 years	0	years	3
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop N mm in. mm	Net IRR mm in.	ET crop I	Net IRR mm in.
March April May June July Aug Sep Oct	21 (0.83) 100 (3.94) 144 (5.67) 166 (6.54) 190 (7.48) 161 (6.34) 111 (4.37) 64 (2.52)	17 (0.67) 84 (3.31) 131 (5.16) 153 (6.02) 158 (6.22) 102 (4.02) 49 (1.93)	22 (0.87) 102 (4.02) 148 (5.83) 168 (6.61) 193 (6.41) 112 (4.41) 65 (2.56)	18 (0.71) 89 (3.50) 135 (5.31) 157 (6.18) 161 (6.34) 105 (4.13) 52 (2.05)	23 (0.91) 104 (4.09) 173 (6.02) 171 (6.73) 194 (7.64) 168 (6.61) 113 (4.45) 66 (2.60)	19 (0.75) 94 (3.70) 140 (5.31) 142 (7.56) 163 (6.42) 163 (6.42) 169 (4.29) 55 (2.17)	24 (0.94) 106 (4.17) 1 174 (6.85) 1 197 (7.76) 1 173 (6.81) 1 115 (4.53) 1 67 (2.64)	20 (0.79) 100 (3.94) 146 (5.75) 165 (6.50) 195 (7.68) 169 (6.65) 113 (4.45) 58 (2.28)	25 (0.98) 22 112 (4.41) 105 160 (6.30) 153 178 (7.01) 177 200 (7.87) 199 176 (6.93) 176 119 (4.69) 117 68 (2.68) 63	(0.87) (4.13) (6.02) (6.97) (6.97) (6.97) (6.97) (6.93) (6.93) (6.48)	26 (1.02) 24 113 (4.45) 108 161 (6.34) 156 183 (7.20) 181 202 (7.95) 202 182 (7.77) 179 120 (4.72) 119 69 (2.72) 66	(0.94) (4.25) (6.14) (7.13) (7.05) (7.05) (2.60)
00000	(69 22) 250	880 (34.65)	25 972 (38,28) 906 (37, 69) 880 (34, 65) 972 (38,28) 906 (35)	906 (35.66)	992 (39.05) 9	933 (36.74)	1013 (39.88)	966 (38.04)	1038	2 (39.84)	(40.87)1012 (39.84) 1056 (41.57)1035	5 (40.75)

REGION: 14 Hermiston CROP: Pears

CROP:	: Pears	S										
	5 out	5 out of 10	6 out of 10 years	of 10	7 out of 10 years	of 10 ars	8 out	8 out of 10 years	9 out of 10 years	of 10 ars	19 out	19 out of 20 years
MONTH	ET Crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	46 (1.81) 93 (3.66) 146 (5.75) 188 (7.40) 187 (8.54) 119 (4.69) 119 (4.69) 58 (2.28) 15 (0.59)		47 (1.85) 95 (3.74) 150 (5.91) 191 (7.52) 191 (7.52) 188 (7.40) 120 (4.72) 59 (2.32) 15 (0.59)	34 (1.3 82 (3.5 137 (5.3 177 (6.5 218 (8.5 113 (4.4 46 (1.5	49 (1.93) 97 (3.82) 155 (6.10) 221 (8.70) 191 (7.52) 122 (4.80) 60 (2.36) 16 (0.63)	36 (1.42) 87 (5.53) 142 (5.59) 181 (7.13) 221 (8.70) 187 (7.36) 117 (4.61) 49 (1.93) 1 (0.04)	51 (2.01) 99 (3.90) 159 (6.26) 196 (7.72) 225 (8.86) 199 (7.83) 123 (4.84) 60 (2.36) 16 (0.63)	38 (1.50) 148 (5.83) 148 (7.83) 148 (7.28) 124 (8.82) 173 (7.60) 171 (4.76) 171 (4.76) 171 (4.76) 171 (4.76)	53 (2.09) 104 (4.09) 162 (6.38) 200 (7.87) 229 (9.02) 202 (7.95) 128 (5.04) 62 (2.44) 17 (0.67)	42 (1.65) 98 (3.86) 155 (6.10) 199 (7.83) 229 (9.02) 201 (7.91) 126 (4.96) 37 (2.24) 3 (0.12)	56 (2.20) 106 (4.17) 163 (6.42) 205 (8.07) 231 (9.09) 208 (8.19) 129 (5.08) 63 (2.48) 18 (0.71)	45 (1.77) 100 (3.94) 158 (6.22) 204 (8.03) 231 (9.09) 205 (8.07) 128 (5.04) 59 (5.32) 10 (0.39)
Cosed	1067 (42.00) 962 (37.88)	season1067 (42.00) 962 (37.88) 1084 (42.67) 989 (38.5	989 (38.94)	1104 (43.46)	1021 (40.21)	1128 (44.41	4) 1104 (43.46)1021 (40.21) 1128 (44.41)1054 (41.50) 1157 (45.55)1110 (43.69) 1179 (46.41)1140 (44.87)	1157 (45.55)	1110 (43.69)	1179 (46.41)	1140 (44.87)
200												

REGION: 14 Hermiston CROP: Peas

		5 out of 10 vears	of 10	6 out	6 out of 10 years	no 2	7 out of 10 years	8 out of 10 years	of 10 rs	9 out of 10 years	of 10 rs	19 ou	19 out of 20 years
MONTH	E E	crop in.	Net IRR	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR
March April May June	18 74 160 190 132	18 (0.71) 74 (2.91) 160 (6.30) 190 (7.48)	12 (0.47) 58 (2.28) 147 (5.79) 175 (6.89) 132 (5.20)	19 (0.75) 75 (2.95) 164 (6.46) 193 (7.60) 134 (5.28)	12 (0.47) 65 (2.56) 151 (5.94) 179 (7.05) 134 (5.28)	19 (0.75) 77 (3.03) 170 (6.69) 195 (7.68) 135 (5.31)	13 (0.51) 69 (2.72) 156 (6.14) 183 (7.20) 135 (5.31)	19 (0.75) 78 (3.07) 173 (6.81) 198 (7.80) 137 (5.39)	14 (0.55) 73 (2.87) 163 (6.42) 187 (7.36) 137 (5.39)	20 (0.79) 82 (3.23) 176 (6.93) 202 (7.95) 142 (5.59)	16 (0.63) 77 (3.03) 170 (6.69) 201 (7.91) 141 (5.55)	21 (0.83) 83 (3.27) 178 (7.01) 207 (8.15) 143 (5.63)	17 (0.67) 79 (3.11) 173 (6.81) 206 (8.11) 143 (5.63)
Season	574 ((22.60)	524 (20.63)	Season 574 (22.60) 524 (20.63) 585 (23.04) 541 (21.	541 (21.30)	596 (23.46	596 (23.46) 556 (21.88)	605 (23.82)	574 (22.59)	605 (23.82) 574 (22.59) 622 (24.49) 605 (23.81) 632 (24.89) 618 (24.33)	605 (23.81)	632 (24.89)	618 (24.33)

REGION: 14 Hermiston CROP: Plums

2		2	,																					
		5 out of 10	out of 10 vears			6 out of 10 years	of 10 rs			7 out of 10 years	of 10 ars			8 out of 10 years	of 10 irs			9 out of 10 years	s 10			19 out of years	1 Z∩	
MONTH	₩ E	ET crop	Net	t IRR	ET O	crop in.	Net IRR mm in.	IRR in.	E E	crop in.	Net	IRR in.	E E	crop in.	Net	IRR in.	ETC	crop in.	Net 1	IRR in.	ET crop		Net II	IRR in.
March April May June July Aug Sep Oct	46 (93 () 146 () 148 () 178 () 119 () 15 ()	1.81) 3.66) 5.75) 7.40) 8.54) 7.28) 4.69)	32 133 173 173 214 179 110	(1.26) (3.03) (5.24) (6.81) (7.05) (7.05) (1.69)	47 ((1.85) (3.74) (5.91) (7.52) (8.62) (7.40) (4.72) (6.72) (6.32) (0.59)	34 (82 (137 (177 (218 (181 (113 (46 (1.34) 5.33) 6.97) 6.97) 7.13) 7.45) 1.81)	49 C 221 C 192 C 60 C 6	1.93) 3.82) 6.10) 7.60) 7.52) 4.80) 2.36)	36 (87 (142 (181 (221 (187 (117 (49 (1.42) 3.43) 5.59) 7.13) 8.70) 7.36) 4.61) 1.93)	51 C 98 C 159 C 198 C 198 C 193 C 108 C 109 C	2.01) 3.90) 6.26) 7.72) 8.86) 7.83) 4.84) 6.36)	38 (92 (148 (185 (224 (193 (121 (52 (1.50) 3.62) 5.83) 7.28) 7.60) 7.60) 2.05) 0.04)	53 (104 (162 (200 (229 (202 (128 (62 (17 (2.09) 6.38) 7.87) 9.02) 7.95) 5.04) 0.67)	42 (1 98 (3 98 (3 98 (3 155 (6 129 (7 57 (6 3 (0	1.65) 3.86) 6.10) 7.83) 9.02) 7.91) 2.24) 0.12)	56 (2 106 (4 105 (6 205 (8 231 (9 208 (8 63 (2 18 (0	2.20) 4.17) 10 6.42) 15 8.04) 20 8.19) 20 10 10 10 10 10 10 10 10 10 10 10 10 10	45 (1 100 (3 1158 (6 2204 (8 2231 (9 2231 (9 128 (5 59 (2 10 (0	1.77) 3.24) 6.22) 8.03) 8.03) 0.39)
Season	1067 (42.00)	962	(37.88)	Season1067 (42.00) 962 (37.88) 1084 (42.67) 989 (38.94) 1104 (43.46)1021 (40.21) 1128 (44.41)1054 (41.50) 1157 (45.55)1110 (43.69)	(42.67)	.) 686	38.94)	1104 (43.46)	1021 (40.21)	1128 ((44.41)	1054 (41.50)	1157 (45.55)1	110 (4:	1 (69.	1179 (46.41)1140 (44.87)	.41)114	77) 03	87

REGION: 14 Hermiston CROP: Potatoes (Early)

5		י טרמיטים ידמו י/י												
	5 00	5 out of 10 vears	6 out of 10 years	of 10 rs	7	7 out of 10 years		8 ou	8 out of 10 years		9	9 out of 10 years	19 out	19 out of 20 years
MONTH	ET crop	Net IRR	ET crop	Net IRR mm in.	ET crop	p Net	in.	ET crop	Net I	IRR in.	ET crop	Net IRR mm in.	ET crop mm iņ.	Net IRR mm in.
March April May June	19 (0.75) 57 (2.24) 141 (5.55) 191 (7.52) 192 (7.56)	5) 10 (0.39) 4) 42 (1.65) 5) 129 (5.08) 2) 176 (6.93) 6) 190 (7.48)	20 (0.79) 58 (2.28) 144 (5.67) 194 (7.64) 194 (7.64)	11 (0.43) 48 (1.89) 133 (5.24) 181 (7.13) 192 (7.56)	20 (0.79) 58 (2.28) 149 (5.87) 196 (7.72) 196 (7.72)	79) 13 (28) 52 (87) 136 (72) 185 (72) 195 (0.51) 2.05) 5.35) 7.28) 7.68)	20 (0.79) 59 (2.32) 152 (5.98) 199 (7.83) 199 (7.83)	2) 14 (0 2) 55 (2 3) 142 (5 3) 189 (7 5) 198 (7	0.55) 2.17) 5.59) 7.44) 7.80)	21 (0.83) 62 (2.44) 154 (6.06) 204 (8.03) 202 (7.95)	3) 16 (0.63) 4) 58 (2.28) 5) 148 (5.83) 5) 196 (7.72) 5) 202 (7.95)	22 (0.87) 63 (2.48) 156 (6.14) 209 (8.23) 204 (8.03)	17 (0.67) 60 (2.36) 151 (5.94) 208 (8.19) 204 (8.03)
Seasor	600 (23.6	Season 600 (23.62) 547 (21.53) 610 (24.02) 565 (22.25)	610 (24.02)	565 (22.25)	619 (24.	619 (24.38) 581 (22.87)	(22.87)	629 (24.75	5) 598 (2	3.55)	643 (25.3	1) 620 (24.41	629 (24.75) 598 (23.55) 643 (25.31) 620 (24.41) 654 (25.75) 640 (25.19)	640 (25.19)

REGION: 14 Hermiston CROP: Potatoes (Mid)

5				•																			
		5 out of 10 years	of 10 rs			6 out of 10 years	ut of 10 years			7 out of 10 years	of 10 ars			8 out of 10 years	of 10 irs	0	6	9 out of 10 years	10		19 ou ye	19 out of 20 years	0
MONTH	E E	ET crop	Ta Ket	Net IRR mm in.	E	crop in.	Net	Net IRR mm in.	E E	crop in.	Net	IRR in.	ET C	crop in.	Met	t IRR in.	ET crop		Net IRR mm in.	ET ET	in.	Met	in.
April May June July Aug Sep	28 C 72 C 154 C 219 C 102 C	(1.10) (2.83) (6.06) (8.62) (7.28) (4.02)	20 C 60 C 141 C 141 C 182 C 95 C	(0.79) (2.36) (5.55) (8.54) (7.17) (3.74)	29 C 72 C 156 C 221 C 186 C	1.14) 2.83) 6.14) 8.70) 7.32) 4.09)	23 145 220 184 97	(0.91) (2.48) (5.71) (8.66) (7.24) (3.82)	29 (74 (158 (223 (193 (105 (1.14) 2.91) 6.22) 8.78) 7.60) 4.13)	25 (67 (148 (223 (188 (99 (0.98) 2.64) 5.83) 8.78) 7.40)	29 C 75 C 160 C 226 C 199 C	1.14) 2.95) 6.30) 8.90) 7.83) 4.17)	26 C 226 C 193 C 102 C 102 C 102 C 103 C 1	(1.02) (2.76) (5.94) (8.90) (7.60) (4.02)	30 (1.7 76 (2.9 1.7 76 (2.9 2.9 (9.0 2.0 3 (7.9 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	1.18) 28 2.99) 73 6.42) 163 9.06) 228 7.99) 203 4.33) 109	3 (1.10) 3 (2.87) 3 (6.42) 8 (8.98) 3 (7.99) 9 (4.29)	l l	(1.18) (3.03) (6.61) (9.17) (8.27) (4.37)	29 C 20 20 110 C 10 C 10 C 10 C 10 C 10 C	1.14) 2.95) 6.57) 9.17) 8.11)
Season	760	Season 760 (29.91) 715 (28.15) 768 (30.22) 732 (28.82)	715 (28.15)	768 ((30.22)	732 ((28.82)	782 (30.78)	750 (782 (30.78) 750 (29.53)		31.29)	268	795 (31.29) 768 (30.24)	812 (31.97)	97) 80	804 (31.65)	- 1	829 (32.63) 820 (32.27)	820 ((32.27)
		-																					

REGION: 14 Hermiston CROP: Potatoes (Late)

19 out of 20 years	ET crop Net IRR mm in. mm in.	7 (0.28) 7 (0.28) 0 (2.36) 59 (2.32) 4 (4.88) 121 (4.76) 3 (8.78) 223 (8.78) 0 (8.27) 206 (8.11) 9 (5.08) 127 (5.00) 9 (1.14) 28 (1.10)	782 (30.79) 771 (30.35)
9 out of 10 years	ET crop Net IRR E	7 (0.28) 7 (0.28) 7 (0.28) 7 (60 (2.36) 57 (2.24) 60 (120 (4.72) 118 (4.65) 124 (220 (8.66) 218 (8.58) 223 (203 (7.99) 203 (7.99) 210 (128 (5.04) 124 (4.88) 129 (29 (1.14) 27 (1.06) 29 (767 (30.19) 754 (29.68) 78
8 out of 10 years	ET crop Net IRR mm in. mm in.	7 (0.28) 7 (0.28) 59 (2.32) 55 (2.17) 118 (4.65) 113 (4.45) 217 (8.54) 215 (8.46) 199 (7.83) 193 (7.60) 123 (4.84) 119 (4.69) 28 (1.10) 26 (1.02)	751 (29.56) 728 (28.67)
7 out of 10 years	ET crop Net IRR mm in. mm in.	7 (0.28) 7 (0.28) 59 (2.32) 52 (2.05) 116 (4.57) 109 (4.29) 213 (8.39) 213 (8.39) 193 (7.60) 188 (7.40) 122 (4.80) 116 (4.57) 28 (1.10) 24 (0.94)	738 (29.06) 709 (27.92)
6 out of 10 years	ET crop Net IRR mm in. mm in.	7 (0.28) 6 (0.24) 58 (2.28) 49 (1.93) 115 (4.53) 105 (4.13) 211 (8.31) 210 (8.27) 186 (7.32) 184 (7.24) 120 (4.72) 113 (4.45) 27 (1.06) 23 (0.91)	724 (28.50) 690 (27.17)
5 out of 10 years	EI crop Net IRR mm in. mm in.	7 (0.28) 6 (0.24) 58 (2.28) 46 (1.81) 114 (4.49) 101 (3.98) 210 (8.27) 207 (8.15) 185 (7.28) 182 (7.17) 117 (4.61) 110 (4.33) 27 (1.06) 21 (0.83)	Season 718 (28.27) 673 (26.51) 724 (28.50) 690 (27
	MONTH	April May June July Aug Sep Oct	Coses

(29.65)

ir.

ಜ

Net III 19 out of years 733 (32.27)1.69) 3.31) 4.80) 5.39) 7.24) 6.10) in. E 820 3528558 (27.83) 0.63) 2.44) 4.09) 4.41) 6.97) 3.50) in. Net mm 9 707 8 4 7 1 2 6 8 8 out of years (31.50)crop in. Ō ᄪ 80 (25.56) 0.20)
2.05)
3.35)
4.17)
6.85)
3.31) IR in. Net 9 649 52 106 174 143 84 out of years (30.24) crop in. മ 892 E E 825382 (23.81)0.12) 1.65) 3.03) 3.94) 6.69) 5.51) IR in. Net mm 9 605 out of years (29.56) crop in. E E \$<u>£3</u>5<u>8</u>33 73 (22.33)0.08) 2.72) 3.66) 6.54) 2.63) i. Net mm 9 267 out of ' (29.01) 1.38) 2.83) 4.17) 4.84) 6.81) 5.59) 3.39) crop in. ET **ಜ**ភ<u>ខ</u>ឆ្ឆឆ្ឆភ្ជន 737 (20.95) 0.08) 1.14) 2.44) 3.43) 6.38) 5.16) 2.32) 15 Milton-Freewater Alfalfa Hay in. Met 9 532 5935258 out of years (28.54) crop in. Ŋ E E 725 ¥85<u>2</u>553% REGION: CROP: Season MONTH March April May June July Aug Sep

REGIO CROP:	REGION: 15 Milton-Freewater CROP: Apples	on-Freewater es										
	5 out	5 out of 10 years	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	of 10 rs	9 out of 10 years	of 10 rs	19 out of 20 years	of 20 rs
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May July Aug Sep Oct	30 (1.18) 72 (2.83) 121 (4.76) 156 (6.14) 233 (9.17) 190 (4.69) 47 (1.85) 8 (0.31)	1 (0.04) 30 (1.18) 79 (3.11) 119 (4.69) 222 (8.74) 129 (7.69) 90 (3.54) 13 (0.51)	32 (1.26) 75 (2.95) 124 (4.88) 159 (6.26) 235 (9.25) 193 (7.60) 122 (4.80) 49 (1.93)	2 (0.08) 38 (1.50) 86 (3.39) 127 (5.00) 227 (5.00) 185 (7.28) 98 (3.86) 19 (0.75) 1 (0.04)	33 (1.30) 77 (3.33) 128 (5.04) 161 (6.34) 237 (9.33) 195 (7.68) 125 (4.92) 52 (2.05)	2 (0.08) 46 (1.81) 93 (3.66) 134 (5.28) 232 (9.13) 190 (7.48) 106 (4.17) 24 (0.94) 1 (0.04)	35 (1.38) 79 (3.11) 132 (5.20) 167 (6.57) 239 (9.41) 198 (7.80) 128 (5.04) 53 (2.09) 11 (0.43)	2 (0.08) 54 (2.13) 100 (3.94) 142 (5.59) 237 (9.33) 195 (7.68) 119 (4.69) 32 (1.26) 1 (0.04)	38 (1.50) 85 (3.35) 139 (5.47) 171 (6.73) 245 (9.65) 203 (7.99) 132 (5.20) 54 (2.13) 13 (0.51)	12 (0.47) 63 (2.48) 122 (4.80) 150 (5.91) 242 (9.53) 270 (7.87) 127 (5.00) 42 (1.65) 1 (0.04)	39 (1.54) 88 (3.46) 142 (5.59) 177 (6.97) 250 (9.84) 210 (8.27) 135 (5.31) 58 (2.28) 13 (0.51)	17 (0.67) 69 (2.72) 134 (5.28) 165 (6.50) 248 (9.76) 205 (8.07) 131 (5.16) 51 (5.01)
Season	976 (38.41)	734 (28.90)	Season 976 (38.41) 734 (28.90) 999 (39.32) 783 (30.84) 1019 (40.12) 828 (32.59) 1042 (41.03) 882 (34.74) 1080 (42.53) 959 (37.75) 1112 (43.77)1021 (40.21)	783 (30.84)	1019 (40.12)	828 (32.59)	1042 (41.03)	882 (34.74)	1080 (42.53)	959 (37.75)	1112 (43.77)	1021 (40.2

REGION: 15 Milton-Freewater CROP: Berries

באטר.	פטווים	מא										
	5 out	5 out of 10	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 ars	19 out yee	19 out of 20 years
MONTH	ET crop	Net IRR	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep Oct	34 (-1.34) 79 (-3.11) 131 (-5.16) 111 (-4.37) 74 (-2.91) 39 (-1.54) 1 (-0.04)	, , ,	34 (1.34) 81 (3.19) 132 (5.20) 73 (5.20) 76 (2.99) 40 (1.57) 2 (0.08)	17 (0.67) 55 (2.17) 125 (4.92) 107 (4.21) 9 (0.35) 0 (0.00)	35 (1.38) 83 (3.27) 134 (5.28) 115 (4.53) 78 (3.07) 42 (1.65) 2 (0.08)	21 (0.83) 29 (2.32) 128 (5.04) 110 (4.33) 61 (2.40) 13 (0.51) 0 (0.00)	36 (1.42) 84 (3.31) 135 (5.31) 117 (4.61) 80 (3.15) 43 (1.69) 2 (0.08)	25 (0.98) 64 (2.52) 132 (5.20) 113 (4.45) 72 (2.83) 21 (0.83) 0 (0.00)	36 (1.42) 87 (3.43) 137 (5.39) 119 (4.69) 82 (3.23) 45 (1.77) 3 (0.12)	32 (1.26) 71 (2.80) 136 (5.35) 118 (4.65) 78 (3.07) 32 (1.26) 0 (0.00)	37 (1.46) 90 (3.54) 141 (5.55) 122 (4.80) 84 (3.31) 46 (1.81) 3 (0.12)	35 (1.38) 80 (3.15) 140 (5.51) 122 (4.80) 81 (3.19) 40 (1.57) 1 (0.04)
Season	469 (18.47)	Season 469 (18.47) 339 (13.35) 478 (18.82) 367 (14.45)	478 (18.82)	367 (14.45)	489 (19.26)	489 (19.26) 392 (15.43) 497 (19.57) 427 (16.81) 509 (20.05) 467 (18.39)	497 (19.57)	427 (16.81)	509 (20.05)	467 (18.39)	523 (20.59) 499	499 (19.64)

Milton-Freewater	
15	
REGION:	

5 out of 10 6 out of 10 7 out of 10 7 out of 10 8 out of 10 9 out of 10 9 out of 10 19 out of 20 years	CROP:	Cherries	ies											
ET crop Net IRR ET crop Net IR in mm in. mm in. mm in in mm in. m		5 out	of 10	6 out	of 10 ars	7 out	of 10 ars	8 out	8 out of 10 years	6	9 out of 10 years		19 out of years	of 20
30 (1.18) 1 (0.04) 32 (1.26) 2 (0.72 (2.83) 30 (1.18) 75 (2.95) 38 (1.15 (4.76) 79 (3.11) 124 (4.88) 86 (3.15 (6.14) 119 (4.69) 159 (6.25) 127 (5.23 (9.17) 222 (8.74) 235 (9.25) 237 (8.74) 179 (7.05) 193 (7.60) 185 (7.19 (4.69) 90 (3.54) 122 (4.80) 98 (3.47 (1.85) 13 (0.51) 49 (1.93) 19 (0.39) 1 (0.39)	MONTH	ET crop	let l	ET crop		1	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	p Net IRR . mm in.	ET	in.	Net IRR mm in.
32.59			30 C 79 C 119 C 222 C 179 C 179 C	0000000	2 0 0 38 6 1. 127 6 5 5 227 6 8 6 3 1 9 8 6 3 1 9 8 6 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1	33 (1.30) 77 (3.03) 128 (5.04) 127 (6.34) 237 (9.33) 195 (7.68) 125 (4.92) 52 (2.05) 11 (0.43)	2 (0.08) 46 (1.81) 93 (3.66) 134 (3.28) 232 (9.13) 190 (7.48) 106 (4.17) 24 (0.94) 1 (0.04)	35 (1.38) 79 (3.11) 132 (5.20) 167 (6.57) 239 (9.41) 198 (7.80) 128 (5.04) 53 (2.09) 11 (0.43)	2 (0.08) 54 (2.13) 100 (3.94) 142 (5.59) 237 (9.33) 195 (7.68) 119 (4.69) 32 (1.26)	38 (1.85 (5.21) (1.85 (5.21) (5.2	1.50) 12 (0.47) 3.35) 63 (2.48) 5.47) 122 (4.80) 6.73) 150 (5.91) 9.65) 242 (9.53) 7.99) 200 (7.87) 5.20) 127 (5.00) 2.13) 42 (1.65) 0.51)	25 (25 (27 (27 (27 (27 (27 (27 (27 (27 (27 (27	(1.54) (3.46) (5.59) (6.97) (8.27) (8.27) (5.31) (0.51)	17 (0.67) 69 (2.72) 134 (5.28) 165 (6.50) 248 (9.76) 205 (8.07) 131 (5.16) 51 (5.16)
Season 9/0 (30,41) (34 (20,70) 77 (3),555	Season 9	76 (38,41)	734 (28.90)	999 (39.32)	783 (30.84)	1019 (40.12)	828 (32.59)	1042 (41.03)	882 (34.74)	1080 (42.	53) 959 (37.7	5) 1112	(43.77)	021 (40.21

REGION: 15 Milton-Freewater CDO:

CROP:		COLU (SMeet)										
	5 out	5 out of 10 years	6 out of 10 years	of 10 rs	7 out of 10 years	of 10 's	8 out of 10 years	of 10 rs	9 out of 10 years	of 10 rs	19 out yea	19 out of 20 years
MONTH	E	Net IRR	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	Ef crop mm in.	Net IRR mm in.
May June July Aug	33 (1.30) 110 (4.33) 215 (8.46) 112 (4.41)	14 (0.55) 78 (3.07) 205 (8.07)	33 (1.30) 112 (4.41) 217 (8.54) 113 (4.45)	17 (0.67) 84 (3.31) 210 (8.27) 108 (4.25)	33 (1.30) 115 (4.53) 219 (8.62) (115 (4.53)	20 (0.79) 89 (3.50) 214 (8.43) 111 (4.37)	34 (1.34) 118 (4.65) 221 (8.70) 116 (4.57)	24 (0.94) 94 (3.70) 218 (8.58) 114 (4.49)	35 (1.38) 122 (4.80) 227 (8.94) 120 (4.72)	31 (1.22) 100 (3.94) 223 (8.78) 117 (4.61)	35 (1.38) 124 (4.88) 231 (9.09) 123 (4.84)	33 (1.30) 113 (4.45) 228 (8.98) 120 (4.72)
Season	1 470 (18.50)	Season 470 (18.50) 403 (15.86) 475 (18.70) 419 (16.50) 482 (18.98) 434 (17.09) 489 (19.26) 450 (17.71) 504 (19.84) 471 (18.55) 513 (20.19) 494 (19.45)	475 (18.70)	419 (16.50)	482 (18.98)	434 (17.09)	489 (19.26)	450 (17.71)	504 (19.84)	471 (18.55)	513 (20.19)	494 (19.45)
	-											

15 Milton-Freewater	Grain (Spring)
REGION:	CROP

	5 6	5 out of 10 years	6 out of 10 years	of 10 irs	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 rs	9 out of 10 years	19 out of 20 years
MONTH	ET crop	p Net IRR	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.
March April May June July Aug	13 (0.51) 54 (2.13) 107 (4.21) 149 (5.87) 209 (8.23) 86 (3.39)	51) 1 (0.04) 13) 13 (0.51) 21) 62 (2.44) 87) 112 (4.41) 23) 202 (7.95) 39) 79 (3.11)	13 (0.51) 55 (2.17) 109 (4.29) 151 (5.94) 211 (8.31) 87 (3.43)	1 (0.04) 19 (0.75) 72 (2.83) 119 (4.69) 207 (8.15) 82 (3.23)	14 (0.55) 57 (2.24) 111 (4.37) 153 (6.02) 214 (8.43) 88 (3.46)	1 (0.04) 26 (1.02) 80 (3.15) 127 (5.00) 211 (8.31) 85 (3.35)	14 (0.55) 59 (2.32) 114 (4.49) 158 (6.22) 218 (8.58) 90 (3.54)	1 (0.04) 35 (1.38) 87 (3.43) 134 (5.28) 216 (8.50) 88 (3.46)	15 (0.59) 4 (0.16) 61 (2.40) 43 (1.69) 119 (4.69) 107 (4.21) 163 (6.42) 142 (5.59) 223 (8.78) 220 (8.66) 91 (3.58) 91 (3.58)) 16 (0.63) 6 (0.24)) 64 (2.52) 48 (1.89)) 123 (4.84) 116 (4.57)) 168 (6.61) 157 (6.18) 5) 228 (8.98) 225 (8.86) 5) 94 (3.70) 94 (3.70)
Season	618 (24.	Season 618 (24.34) 469 (18.46) 626 (24.65) 500 (19.69)	626 (24.65)	500 (19.69)	637 (25.07)	530 (20.87)	l :	653 (25.70) 561 (22.09)	672 (26.46) 607 (23.89)	9) 693 (27.28) 646 (25.44)

REGION: 15 Milton-Freewater CROP: Grain (Winter)

5	_	· •											
		5 out of 10 years	of 10 irs	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	of 10 ars	9 out	9 out of 10 years	19 out	19 out of 20 years
MONTH	ET crop	crop in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July	23 125 142 142 142	23 (0.91) 80 (3.15) 125 (4.92) 142 (5.59) 104 (4.09)	1 (0.04) 36 (1.42) 83 (3.27) 105 (4.13) 96 (3.78)	23 (0.91) 82 (3.23) 129 (5.08) 144 (5.67) 105 (4.13)	1 (0.04) 44 (1.73) 90 (3.54) 113 (4.45) 99 (3.90)	24 (0.94) 84 (3.31) 131 (5.16) 146 (5.75) 106 (4.17)	1 (0.04) 52 (2.05) 97 (3.82) 121 (4.76)	26 (1.02) 87 (3.43) 134 (5.28) 152 (5.98) 107 (4.21)	2 (0.08) 61 (2.40) 106 (4.17) 127 (5.00) 105 (4.13)	28 (1.10) 94 (3.70) 145 (5.71) 155 (6.10) 109 (4.29)	8 (0.31) 72 (2.83) 126 (4.96) 134 (5.28) 109 (4.29)	29 (1.14) 96 (3.78) 148 (5.83) 160 (6.30) 112 (4.41)	12 (0.47) 79 (3.11) 139 (5.47) 149 (5.87) 112 (4.41)
Season	7.47	18.66)	321 (12.64)	Season 474 (18.66) 321 (12.64) 483 (19.02) 347 (13.66) 491 (19.33) 373 (14.69) 506 (19.92) 401 (15.78) 531 (20.90) 449 (17.67)	347 (13.66)	491 (19.33)	373 (14.69)	506 (19.92)	401 (15.78)	531 (20.90)	449 (17.67)	545 (21.46) 491 (19.33)	491 (19.33)

15 Milton-Freewater	Onions
REGION: 1	CROP:

	5 out of 10 years	of 10 rs	6 out	6 out of 10 years	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 rs	19 or	19 out of 20 years	
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	m Ret	in.
March April May June July Aug Sep	4 (0.16) 47 (1.85) 79 (3.11) 115 (4.53) 193 (7.60) 161 (6.34) 69 (2.72)	0 (0.00) 13 (0.51) 45 (1.77) 87 (3.43) 184 (7.24) 152 (5.98) 53 (2.09)	4 (0.16) 48 (1.89) 81 (3.19) 117 (4.61) 195 (7.68) 163 (6.42) 70 (2.76)	0 (0.00) 18 (0.71) 50 (1.97) 92 (3.62) 188 (7.40) 156 (6.14) 57 (2.24)	5 (0.20) 49 (1.93) 82 (3.23) 119 (4.69) 196 (7.72) 165 (6.50) 72 (2.83)	0 (0.00) 23 (0.01) 56 (2.20) 98 (2.386) 191 (7.52) 161 (6.34) 62 (2.44)	5 (0.20) 51 (2.01) 84 (3.31) 122 (4.80) 198 (7.80) 167 (6.57) 74 (2.91)	1 (0.04) 31 (1.22) 64 (2.52) 103 (4.06) 196 (7.72) 165 (6.50) 70 (2.76)	5 (0.20) 53 (2.09) 87 (3.43) 127 (5.00) 203 (7.99) 172 (6.77) 76 (2.99)	3 (0.12) 38 (1.50) 76 (2.99) 108 (4.25) 200 (7.87) 169 (6.65) 74 (2.91)	5 (0.20) 54 (2.13) 90 (3.54) 129 (5.08) 207 (8.15) 177 (6.97) 78 (3.07)	42 42 62 120 62 62 62 64 64 64 64 64 64 64 64 64 64 64 64 64	0.16) 1.65) 4.72) 8.03) 2.99)
Season	Season 668 (26.31) 534 (21.02) 678 (26.71) 561 (22.08)	534 (21.02)	678 (26.71)	561 (22.08)	688 (27.10)	591 (23.27)	701 (27.60)	701 (27.60) 630 (24.82)	723	(28.47) 668 (26.29) 740 (29.14) 700 (27.55)	740 (29.14) 700 (2	(2.5)

REGION: 15 Milton-Freewater CROP:

CROP:	Pasture	ure										
	5 out	5 out of 10	6 out of 10 years	of 10 Irs	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 rs	9 out of 10 years	10	19 out yes	19 out of 20 years
MONTH	ET crop	Net IRR	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	14 (0.55) 76 (2.99) 114 (4.49) 130 (5.12) 187 (5.35) 102 (4.02) 53 (2.09)	1 (0.04) 32 (1.26) 71 (2.80) 97 (3.82) 177 (5.59) 71 (2.80) 71 (2.80)	14 (0.55) 78 (3.07) 116 (4.57) 189 (5.20) 189 (6.10) 104 (4.09) 54 (2.13)	1 (0.04) 40 (1.57) 77 (3.03) 104 (4.09) 181 (7.13) 149 (5.87) 80 (3.15) 23 (0.91)	15 (0.59) 80 (3.15) 120 (4.72) 135 (5.31) 190 (7.48) 157 (6.18) 106 (4.17) 55 (2.17)	1 (0.04) 49 (1.93) 85 (3.35) 110 (4.33) 185 (7.28) 153 (6.02) 88 (3.46) 30 (1.18)	16 (0.63) 82 (3.23) 123 (4.84) 140 (5.51) 192 (7.56) 159 (6.26) 109 (4.29) 56 (2.20)	4 (0.16) 58 (2.28) 92 (3.62) 117 (4.61) 189 (7.44) 157 (6.18) 100 (3.94) 37 (1.46)	18 (0.71) 89 (3.50) 6 130 (5.12) 11 144 (5.67) 12 197 (7.76) 19 163 (6.42) 16 112 (4.41) 10	8 (0.31) 68 (2.68) 114 (4.49) 123 (4.84) 193 (7.60) 160 (6.30) 45 (1.77)	19 (0.75) 92 (3.62) 132 (5.20) 148 (5.83) 201 (7.91) 168 (6.61) 115 (4.53) 61 (2.40)	11 (0.43) 75 (2.95) 125 (4.92) 137 (5.39) 198 (7.80) 165 (6.50) 111 (4.37) 55 (2.17)
Season	829 (32.64)	608 (23.95)	Season 829 (32.64) 608 (23.95) 842 (33.15) 655 (25.79)	655 (25.79)	858 (33.77) 701 (27.59)	701 (27.59)		754 (29.69)	877 (34.52) 754 (29.69) 911 (35.87) 819 (32.24) 936 (36.85) 877 (34.53)	19 (32.24)	936 (36.85)	877 (34.53)

15 Milton-Freewater	Dears
REGION:	900

	5 out	5 out of 10 years	6 out of 10 years	10	7 out of 10 years	of 10 .rs	8 out of 10 years	of 10 irs	9 out of 10 years	if 10	19 out	years
MONTH	ET crop	Net IRR mm in.	ET crop I	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April May July Aug Sep Oct	30 (1.18) 69 (2.72) 111 (4.37) 142 (5.59) 214 (8.43) 174 (6.85) 179 (4.29) 47 (1.85) 8 (0.31)	1 (0.04) 27 (1.06) 69 (2.72) 107 (4.21) 204 (8.03) 10 (0.39) 10 (0.39)	32 (1.26) 70 (2.76) 112 (4.41) 144 (5.67) 216 (8.50) 176 (4.41) 48 (1.89) 10 (0.39)	2 (0.08) 33 (1.30) 75 (2.95) 114 (4.49) 209 (6.65) 87 (3.43) 17 (0.67) 1 (0.04)	33 (1.30) 72 (2.83) 116 (4.57) 118 (8.58) 179 (7.05) 114 (4.49) 50 (1.97)	2 (0.08) 41 (1.61) 82 (3.23) 121 (4.76) 213 (8.39) 174 (6.85) 95 (3.74) 21 (0.83) 1 (0.04)	35 (1.38) 74 (2.91) 119 (4.69) 153 (6.02) 220 (8.66) 181 (7.13) 117 (4.61) 52 (2.05) 11 (0.43)	2 (0.08) 51 (2.01) 90 (3.54) 128 (5.04) 217 (8.54) 178 (7.01) 110 (4.33) 30 (1.18)	38 (1.50) 80 (3.15) 123 (4.84) 157 (6.18) 225 (8.86) 186 (7.32) 121 (4.76) 53 (2.09) 13 (0.51)	12 (0.47) 59 (2.32) 110 (4.33) 136 (5.35) 222 (8.74) 116 (4.57) 39 (1.54) 1 (0.04)	39 (1.54) 83 (3.27) 128 (5.04) 162 (6.38) 230 (9.06) 192 (7.56) 124 (4.88) 54 (2.13) 13 (0.51)	17 (0.67) 65 (2.56) 121 (4.76) 151 (5.94) 227 (8.94) 187 (7.36) 119 (4.69) 48 (1.89) 1 (0.04)
Season	904 (35.59)	662 (26.06)	Season 904 (35.59) 662 (26.06) 920 (36.22) 707 (27.84)	17 (27.84)	940 (37.01)	940 (37.01) 750 (29.53)	962 (37.88)	807 (31.77)	996 (39.21) 878 (34.56) 1025 (40.37) 936 (36.85)	878 (34.56)	1025 (40.37)	936 (36.85)

REGION: 15 Milton-Freewater CROP: Peas

											•	
	5 out	5 out of 10 vears	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out of 10 years	10	19 out	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July	12 (0.47) 59 (2.32) 124 (4.88) 146 (5.75) 130 (5.12)	1 (0.04) 18 (0.71) 80 (3.15) 109 (4.29)	13 (0.51) 61 (2.40) 126 (4.96) 148 (5.83) 131 (5.16)	1 (0.04) 24 (0.94) 88 (3.46) 117 (4.61) 128 (5.04)	13 (0.51) 62 (2.44) 130 (5.12) 151 (5.94) 132 (5.20)	1 (0.04) 31 (1.22) 95 (3.74) 124 (4.88) 130 (5.12)	14 (0.55) 64 (2.52) 134 (5.28) 157 (6.18) 133 (5.24)	1 (0.04) 40 (1.57) 102 (4.02) 131 (5.16) 132 (5.20)	15 (0.59) 67 (2.64) 138 (5.43) 162 (6.38) 137 (5.39)	4 (0.16) 48 (1.89) 124 (4.88) 139 (5.47) 135 (5.31)	15 (0.59) 69 (2.72) 143 (5.63) 165 (6.50) 139 (5.47)	6 (0.24) 54 (2.13) 136 (5.35) 154 (6.06) 138 (5.43)
Season	471 (18.54)	333 (13.11)	Season 471 (18.54) 333 (13.11) 479 (18.86) 358 (14.09)	358 (14.09)	488 (19.21)	381 (15.00)	502 (19.77)	406 (15.99)	488 (19.21) 381 (15.00) 502 (19.77) 406 (15.99) 519 (20.43) 450 (17.71) 531 (20.91) 488 (19.21)	50 (17.71)	531 (20.91)	488 (19.21)

REGION: 15 Milton-Freewater CROP: Plums

_	_	in.	0.67) 2.56) 4.76) 5.94) 8.94) 7.36) 1.89) 0.04)	36.85)
	19 out of 20 years	Ta Net	65 (121 (121 (121 (121 (121 (121 (121 (12) 926
9	19 out	erop in.	1.54) 3.27) 5.04) 6.38) 9.06) 7.56) 4.88) 2.13)	(40.37)
		E E	39 (83 (128 (128 (128 (128 (128 (128 (128 (128	1025 (
	0	in.	(0.47) (2.32) (4.33) (5.35) (8.74) (7.20) (1.54) (0.04)	(34.56) 1025 (40.37) 936 (36.85)
	9 out of 10 years	Net	12 59 110 136 136 136 1183 116 116	878 (
	o Y	ET crop mm in.	38 (1.50) 80 (3.15) 123 (4.84) 157 (6.18) 225 (8.86) 186 (7.32) 121 (4.76) 13 (0.51)	996 (39.21)
	f 10 s	Net IRR mm in.	2 (0.08) 51 (2.01) 90 (3.54) 128 (5.04) 217 (8.54) 178 (7.01) 110 (4.33) 30 (1.18)	807 (31.77)
	8 out of 10 years	ET crop	35 (1.38) 74 (2.91) 174 (4.69) 153 (6.02) 153 (8.66) 181 (7.13) 117 (4.61) 117 (4.61) 11 (0.43)	962 (37.88) 8
			•	ļ
	9	Net IRR mm in.	2 (0.08) 1 (1.61) 2 (3.23) 1 (4.76) 3 (8.39) 4 (6.85) 5 (3.74) 1 (0.83)	750 (29.53)
	7 out of 10 years	crop h	1.30) 2 2.83) 41 2.583 41 5.79) 121 8.58) 213 7.05) 174 4.49) 95 1.97) 21 0.43) 1	.01) 75
	7	ET Cr mm	33 (1 72 (2 116 (4 147 (5 218 (8 179 (7 114 (4	940 (37.01)
	f 10 s	Net IRR mm in.	2 (0.08) 33 (1.30) 75 (2.95) 104 (4.49) 209 (6.65) 87 (3.43) 17 (0.67) 1 (0.04)	707 (27.84)
	6 out of 10 years	ET crop	32 (1.26) 70 (2.76) 112 (4.41) 144 (8.50) 216 (8.50) 176 (6.93) 112 (4.41) 48 (1.89) 10 (0.39)	7 (55, 22) 7
	10	Net IRR mm in.	1 (0.04) 27 (1.06) 69 (2.72) 1 107 (4.21) 1 204 (8.03) 2 163 (6.42) 1 10 (0.39) 1 1 (0.04)	22 23 702 (35 20) (36 05) 920 (36 22) 707 (27
SIES .	5 out of 10 years	crop in. m	(1.18) (2.72) 2 (4.37) 6 (5.59) 10 (8.43) 20 (6.85) 16 (6.85) 16 (1.85) 1	775 FOY 64
		E E	30 69 69 111 142 214 174 109 47	700
55.		MONTH	March April May June July Aug Sep Oct	

REGION: 15 Milton-Freewater

 5	_	Potatoes							
	5 ou	5 out of 10 years	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	9 out of 10 years	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.
April May June July Aug Sep	24 (0.94) 61 (2.40) 123 (4.84) 216 (8.50) 176 (6.93) 94 (3.70)	2 (0.08) 1) 26 (1.02) 1) 92 (3.62) 1) 206 (8.11) 1) 166 (6.54) 1) 67 (2.64)	24 (0.94) 62 (2.44) 125 (4.92) 218 (8.58) 178 (7.01) 96 (3.78)	3 (0.12) 31 (1.22) 98 (3.86) 210 (8.27) 171 (6.73) 74 (2.91)	25 (0.98) 63 (2.48) 128 (5.04) 220 (8.66) 181 (7.13) 99 (3.90)	8 (0.31) 37 (1.46) 104 (4.09) 215 (8.46) 176 (6.93)	26 (1.02) 13 (0.51) 64 (2.52) 43 (1.69) 131 (5.16) 109 (4.29) 222 (8.74) 219 (8.62) 183 (7.20) 181 (7.13) 101 (3.98) 93 (3.66)	1) 27 (1.06) 18 (0.71) 9) 66 (2.60) 57 (2.24) 9) 135 (5.31) 116 (4.57) 2) 227 (8.94) 224 (8.82) 3) 188 (7.40) 185 (7.28) 6) 104 (4.09) 100 (3.94)	28 (1.10) 21 (0.83) 68 (2.68) 62 (2.44) 138 (5.43) 128 (5.04) 232 (9.13) 228 (8.98) 194 (7.64) 190 (7.48) 107 (4.21) 103 (4.06)
Season	694 (27.31	Season 694 (27.31) 559 (22.01) 703 (27.67) 587 (23.1	703 (27.67)	587 (23.11)	716 (28.19) 622 (24.48)	727 (28.62) 658 (25.5	716 (28.19) 622 (24.48) 727 (28.62) 658 (25.90) 747 (29.40) 700 (27.56) 767 (30.19) /32 (28.53)	767 (30.19) /32 (28.83)

15 Milton-Freewater	Tomotono
REGION:	.0000

	5 out of 10 vears	out of 10 vears	6 out	6 out of 10 years	7 out of 10 years	of 10 rs	8 out	8 out of 10 years	9 out of 10 years	6	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net I mm in. mm i	IRR ET crop in. mm in.	b Net IRR
May June July Aud	50 (1.97) 124 (4.88) 217 (8.54) 92 (3.62)	14 (0.55) 90 (3.54) 211 (8.31) 86 (3.39)	51 (2.01) 126 (4.96) 220 (8.66) 93 (3.66)	19 (0.75) 97 (3.82) 216 (8.50) 89 (3.50)	51 (2.01) 129 (5.08) 223 (8.78) 94 (3.70)	25 (0.98) 103 (4.06) 221 (8.70) 92 (3.62)	52 (2.05) 133 (5.24) 227 (8.94) 95 (3.74)	32 (1.26) 109 (4.29) 225 (8.86) 94 (3.70)	54 (2.13) 45 (1 137 (5.39) 116 (4 233 (9.17) 229 (9 98 (3.86) 96 (3	1.77) 55 (2. 4.57) 140 (5. 9.02) 238 (9. 3.78) 101 (3.	2.17) 49 (1.93) 5.51) 130 (5.12) 9.37) 235 (9.25) 3.98) 99 (3.90)
Season	, 483 (19.01)	Season 483 (19.01) 401 (15.79) 490 (19.29) 421 (16.57)	490 (19.29)	(421 (16.57)	497 (19.57)	497 (19.57) 441 (17.36)	507 (19.97)	460 (18.11)	507 (19.97) 460 (18.11) 522 (20.55) 486 (19.14)	7.14) 534 (21.	534 (21.03) 513 (20.20)

REGION: 16 Madras-Redmond CROP: Alfalfa Hay

CKOP:		ALIG	Attatia nay																				
		5 out	5 out of 10 years	-		6 out of 10 years	of 10 's			7 out of 10 years	of 10 Irs			8 out of 10 years	of 10 rs		5	9 out of 10 years	10		9 2 × 2	19 out of 20 years	50
MONTH	THE	ET crop	Net IRR mm in.	IRR in.	ET CE	crop in.	Net IRR mm in.	IRR in.	E	crop in.	Net	IRR in.	ET ET	crop in.	Net mm	IRR in.	ET Cr i	crop in. m	Net IRR mm in.		ET crop mm in.	Net	in.
April May June July Aug Sep	56 114 114 115 115 115 115 115 115 115 115	56 (2.20) 114 (4.49) 136 (5.35) 167 (6.57) 131 (5.16) 97 (3.82)	47 (1.85) 91 (3.58) 111 (4.37) 159 (6.26) 127 (5.00) 84 (3.31)	1.85) 3.58) 4.37) 6.26) 5.00)	57 (2.24) 116 (4.57) 137 (5.39) 168 (6.61) 134 (5.28) 99 (3.90)	5.24) 5.39) 5.39) 5.28) 3.90)	49 () 117 () 162 () 87 ()	1.93) 3.78) 4.61) 6.38) 5.08) 3.43)	58 (117 (138 (169 (137 (101 (2.28) 4.61) 5.43) 6.65) 5.39) 3.98)	85525 85525	1.97) 3.94) 4.84) 6.50) 5.16) 3.62)	60 120 171 171 160 160 160 160 160 160 160 160 160 16	2.36) 4.72) 5.51) 6.73) 5.51) 4.06)	56 (104 (129 (168 (135 (97 (2.20) 4.09) 5.08) 6.61) 5.31)	63 C 2 125 C 4 146 C 5 173 C 6 106 C 4	2.48) 6 4.92) 10 5.75) 13 6.81) 17 5.71) 14	60 (2.36) 109 (4.29) 137 (5.39) 173 (6.81) 142 (5.59) 102 (4.02)	6) 65 9) 130 9) 148 1) 175 9) 149 2) 108	(2.56) (5.12) 3 (5.83) 5 (6.89) 9 (5.87) 3 (4.25)	62 114 143 175 176 104	(2.44) (4.49) (5.63) (5.89) (4.09)
Season	102	(27.59)	Season 701 (27.59) 619 (24.37) 711 (27.99) 640 (25.21)	4.37)	711 (2	7.99) (540 (2)	5.21)	720 (28.34)	661 (26.03)	734 (28.89)	689 (2	7.11)	758 (2	9.84) 7.	720 (28.34) 661 (26.03) 734 (28.89) 689 (27.11) 758 (29.84) 723 (28.46)	6) 77:	775 (30.52) 744 (29.29)	744	(29.29)

_	
Madras-Redmond	6
Ĕ	(Silade)
ŏ	_
۴	ö
Š	٠
۳	¢
ㅁ	Corn
Σ	C
9	
—	
REGION:	
2	ċ
5	č
ũ	ō
œ	C

	5 ou	5 out of 10 years	6 out ye	6 out of 10 years	7 out of 10 years	of 10 rs	no 8	8 out of 10 years	9 out of 10 years	19 oc ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop mm in.	Net IRR mm in.						
May June July Aug Sep	57 (2.24) 122 (4.80) 201 (7.91) 161 (6.34) 113 (4.45)	7 41 (1.61) 98 (3.86) 192 (7.56) 195 (6.10) 98 (3.86)	57 (2.24) 124 (4.88) 202 (7.95) 164 (6.46) 115 (4.53)	45 (1.77) 105 (4.13) 196 (7.72) 159 (6.26) 103 (4.06)	58 (2.28) 125 (4.92) 204 (8.03) 168 (6.61) 117 (4.61)	47 (1.85) 112 (4.41) 200 (7.87) 162 (6.38) 108 (4.25)	59 (2.32) 127 (5.00) 205 (8.07) 171 (6.73) 120 (4.72)) 50 (1.97)) 118 (4.65)) 204 (8.03)) 166 (6.54)) 112 (4.41)	60 (2.36) 52 (2.05) 132 (5.20) 125 (4.92) 208 (8.19) 208 (8.19) 178 (7.01) 174 (6.85) 124 (4.88) 119 (4.69)	62 (2.44) 135 (5.31) 211 (8.31) 184 (7.24) 126 (4.96)	55 (2.17) 131 (5.16) 211 (8.31) 179 (7.05)
Seasor	, 654 (25.74	Season 654 (25.74) 584 (22.99) 662 (26.06) 608 (23	662 (26.06)	608 (23.94)	672	(26.45) 629 (24.76)	685) 650 (25.60)	(26.84) 650 (25.60) 702 (27.64) 678 (26.70)	718 (28.26) 698	(27.49)

6 Madras-Redmond	Grain (Spring)
REGION: 1	CROP:

נייי		מומרון לאלו ונופע										
	5 out	5 out of 10 years	6 out	6 out of 10 years	7 out	7 out of 10 years	8 out of 10 years	if 10 s	9 out	9 out of 10 years	19 out of 2 years	of 20 -s
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug	55 (2.17) 130 (5.12) 165 (6.50) 182 (7.17) 32 (1.26)	42 (1.65) 107 (4.21) 137 (5.39) 173 (6.81) 30 (1.18)	56 (2.20) 132 (5.20) 169 (6.65) 183 (7.20) 32 (1.26)	45 (1.77) 110 (4.33) 145 (5.71) 177 (6.97) 31 (1.22)	58 (2.28) 134 (5.28) 170 (6.69) 184 (7.24) 32 (1.26)	48 (1.89) 114 (4.49) 152 (5.98) 180 (7.09) 32 (1.26)	59 (2.32) 137 (5.39) 172 (6.77) 186 (7.32) 33 (1.30)	54 (2.13) 120 (4.72) 158 (6.22) 183 (7.20) 32 (1.26)	62 (2.44) 142 (5.59) 178 (7.01) 188 (7.40) 34 (1.34)	57 (2.24) 127 (5.00) 167 (6.57) 188 (7.40) 34 (1.34)	64 (2.52) 147 (5.79) 180 (7.09) 191 (7.52) 35 (1.38)	59 (2.32) 131 (5.16) 174 (6.85) 191 (7.52) 35 (1.38)
Season	564 (22.22	Season 564 (22,22) 489 (19,24) 572 (22,51) 508 (20,00	572 (22,51)	508 (20.00)	578 (22.75)	526 (20.71)	578 (22.75) 526 (20.71) 587 (23.10) 547 (21.53) 604 (23.78) 573 (22.55) 617 (24.30) 590 (23.25)	547 (21.53)	604 (23.78)	573 (22.55)	617 (24.30)	590 (23.23)

Madras-Redmond	Grain (Winter)
16	
REGION:	.000

				3,	1.5	100	γ +1 70 α	10	9 out	of 10	19 out	of 20
	5 out of 10 years	out of 10 years	6 out of 10 years	ot 10 irs	ye.	years	years		years	ars	yea	years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug	17 (0.67) 71 (2.80) 138 (5.43) 165 (6.50) 184 (7.24) 18 (0.71)	9 (0.35) 58 (2.28) 115 (4.53) 137 (5.39) 175 (6.89) 18 (0.71)	17 (0.67) 72 (2.83) 140 (5.51) 169 (6.65) 185 (7.28) 19 (0.75)	10 (0.39) 61 (2.40) 118 (4.65) 145 (5.71) 178 (7.01) 18 (0.71)	18 (0.71) 75 (2.95) 142 (5.59) 170 (6.69) 186 (7.32) 19 (0.75)	12 (0.47) 65 (2.56) 122 (4.80) 152 (5.98) 182 (7.17) 19 (0.75)	18 (0.71) 78 (3.07) 145 (5.71) 172 (6.77) 187 (7.36) 19 (0.75)	13 (0.51) 69 (2.72) 127 (5.00) 158 (6.22) 185 (7.28) 19 (0.75)	19 (0.75) 81 (3.19) 151 (5.94) 178 (7.01) 190 (7.48) 20 (0.79)	15 (0.59) 75 (2.95) 133 (5.24) 167 (6.57) 190 (7.48) 20 (0.79)	20 (0.79) 83 (3.27) 157 (6.18) 180 (7.09) 20 (0.79)	16 (0.63) 77 (3.03) 138 (5.43) 174 (6.85) 193 (7.60) 20 (0.79)
Season	593 (23.35)	512 (20.15)	Season 593 (23.35) 512 (20.15) 602 (23.69) 530 (20.87	530 (20.87)	610 (24.01)	610 (24.01) 552 (21.73)	619 (24.37) 571 (22.48)	571 (22.48)	639 (25.16)	639 (25.16) 600 (23.62)	653 (25.72) 618 (24.33)	618 (24.33)

REGION: 16 Madras-Redmond CROP: Grass Seed (Fall)

9 out of 10 19 out of 20		RR ET crop Net IRR ET crop Net IRR r. mm in. mm in.	0.00) 10 (0.39) 0 (0.00) 11 (0.43) 0 (0.00) 0.20) 2. (0.87) 15 (0.59) 0.20 (0.79) 10 (0.39) 22 (0.87) 15 (0.59) 1.26) 49 (1.38) 51 (2.01) 39 (1.54) 3.43) 100 (3.94) 92 (3.62) 104 (4.09) 96 (3.78) 5.12) 152 (5.98) 136 (5.35) 158 (6.22) 140 (5.51) 6.22) 179 (7.05) 167 (6.57) 181 (7.13) 174 (6.85) 18.11) 211 (8.31) 211 (8.31) 214 (8.43) 214 (8.43) 5.83) 158 (6.22) 155 (6.10) 163 (6.42) 160 (6.30) 5.83) 158 (6.22) 155 (6.10) 163 (6.42) 160 (6.30) 1.61) 52 (2.05) 45 (1.77) 54 (2.13) 50 (1.97) 0.16) 20 (0.79) 12 (0.47) 0.00) 7 (0.28) 0 (0.00) 9 (0.35) 0 (0.00)	(37.68) 1016 (40.01) 915 (36.01) 1046 (41.19) 957 (37.68)
8 out of 10	years	ET crop Net IRR mm in. mm in.	9 (0.35) 0 (0 18 (0.71) 5 (0 46 (1.81) 32 (1 96 (3.75) 130 (5 146 (5.75) 130 (5 171 (6.73) 158 (6 208 (8.19) 206 (8 152 (5.98) 148 (5 57 (2.24) 52 (2 50 (1.97) 41 (1 18 (0.71) 4 (0 4 (0.16) 0 (0	55) 598 (85 85) 570
7 out of 10	years	ET crop Net IRR mm in. mm in.	7 (0.28) 0 (0.00) 17 (0.67) 2 (0.08) 44 (1.73) 28 (1.10) 93 (3.66) 79 (3.11) 143 (5.65) 153 (6.02) 206 (8.11) 202 (7.95) 149 (5.87) 144 (5.67) 55 (2.17) 48 (1.89) 49 (1.93) 38 (1.50) 17 (0.67) 1 (0.04) 4 (0.16) 0 (0.00)	OEZ 727 531 810 732 241
7 July 26 10	years	ET crop Net IRR mm in. mm in.	6 (0.24) 0 (0.00) 15 (0.59) 1 (0.04) 42 (1.65) 25 (0.98) 90 (3.54) 76 (2.99) 141 (5.55) 119 (4.69) 167 (6.57) 147 (5.79) 205 (8.07) 198 (7.80) 146 (5.75) 141 (5.55) 54 (2.13) 44 (1.73) 48 (1.89) 34 (1.34) 16 (0.63) 1 (0.04) 2 (0.08) 0 (0.00)	V30 027 702 V07 727 020
2 30 40	out of 10 years	ET crop Net IRR mm in. mm in.	4 (0.16) 0 (0.00) 14 (0.55) 1 (0.04) 40 (1.57) 23 (0.91) 87 (3.43) 74 (2.91) 139 (5.47) 115 (4.53) 165 (6.50) 139 (5.47) 204 (8.03) 194 (7.64) 143 (5.63) 138 (5.43) 147 (1.85) 31 (1.22) 15 (0.59) 1 (0.04) 2 (0.08) 0 (0.00)	(30 027 /01 /07 /17 010 170 00 011
		MONTH	Jan Feb March April May July July Aug Sep Oct	

Madras-Redmond	Grass Seed (Spring)
9	
REGION:	CROP

	5 out of 10 vears	ut of 10 vears	6 out	6 out of 10 years	7 out of years	out of 10 years	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 out of years	of 20 irs
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in	Net IRR mm in.
Jan Feb March April May July July Sep Sep Oct	5 (0.20) 12 (0.47) 19 (0.75) 47 (1.85) 72 (2.83) 114 (4.49) 179 (7.05) 179 (7.05) 177 (4.61) 76 (2.99) 22 (0.88)	0 (0.00) 1 (0.04) 3 (0.12) 3 4 (1.34) 52 (2.05) 91 (3.58) 91 (3.58) 171 (6.73) 151 (5.94) 103 (4.06) 2 (0.00) 0 (0.00)	7 (0.28) 13 (0.51) 20 (0.79) 48 (1.89) 73 (2.87) 116 (4.57) 180 (7.09) 161 (6.34) 77 (4.69) 77 (3.03) 23 (0.91) 3 (0.12)	0 (0.00) 1 (0.04) 5 (0.20) 37 (1.46) 56 (2.20) 98 (3.86) 175 (6.89) 175 (6.10) 107 (4.21) 61 (2.40) 0 (0.00)	8 (0.31) 14 (0.55) 21 (0.83) 49 (1.93) 74 (2.91) 118 (4.65) 162 (7.17) 164 (6.46) 164 (6.46) 172 (3.11) 27 (1.06) 5 (0.20)	0 (0.00) 1 (0.28) 40 (1.57) 60 (2.36) 103 (4.06) 178 (7.01) 159 (6.26) 159 (6.26) 2 (0.08) 0 (0.00)	9 (0.35) 15 (0.59) 22 (0.87) 20 (1.97) 76 (2.99) 120 (4.72) 184 (7.24) 164 (4.88) 80 (3.15) 29 (1.14) 6 (0.24)	0 (0.00) 3 (0.12) 11 (0.43) 45 (1.77) 64 (2.52) 108 (4.25) 181 (7.13) 164 (6.46) 115 (4.53) 10 (0.39) 0 (0.00)	10 (0.39) 16 (0.63) 23 (0.91) 52 (2.05) 77 (3.03) 124 (4.88) 126 (7.32) 175 (6.89) 128 (5.04) 84 (3.31) 84 (3.31) 84 (3.31) 9 (0.35)	0 (0.00) 8 (0.31) 14 (0.55) 49 (1.93) 67 (2.64) 115 (4.53) 171 (6.73) 172 (4.80) 79 (3.11) 17 (0.67) 0 (0.00)	12 (0.47) 17 (0.67) 24 (0.94) 54 (2.13) 79 (3.11) 126 (4.96) 189 (7.09) 130 (5.12) 86 (3.39) 32 (1.26) 11 (0.43)	0 (0.00) 11 (0.43) 16 (0.63) 50 (1.97) 71 (2.89) 120 (7.72) 177 (6.97) 176 (4.96) 83 (3.27) 0 (0.00)
Season	823 (32.41)	666 (26.22)	840 (33.09)	Season 823 (32.41) 666 (26.22) 840 (33.09) 697 (27.44)	863 (33.98)	(33.98) 725 (28.55)	882 (34.71)	882 (34.71) 768 (30.24)	915 (36.02)	915 (36.02) 828 (32.59)	940 (37.01) 865	865 (34.06

REGION: 16 Madras-Redmond CROP: Mint

	2 2 2 2	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 rs	8 out of 10 years	of 10 rs	9 out of 10 years	10	19 ou ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop M	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug	42 (1.65) 116 (4.57) 170 (6.69) 187 (7.36) 30 (1.18)	30 (1.18) 94 (3.70) 91 42 (5.59) 177 (6.97) 13 29 (1.14)	43 (1.69) 118 (4.65) 172 (6.77) 188 (7.40) 30 (1.18)	33 (1.30) 99 (3.90) 152 (5.98) 180 (7.09) 29 (1.14)	43 (1.69) 119 (4.69) 173 (6.81) 189 (7.44) 31 (1.22)	36 (1.42) 103 (4.06) 158 (6.22) 184 (7.24) 30 (1.18)	44 (1.73) 122 (4.80) 176 (6.93) 190 (7.48) 31 (1.22)	39 (1.54) 108 (4.25) 164 (6.46) 187 (7.36) 31 (1.22)	45 (1.77) 42 126 (4.96) 113 184 (7.24) 173 193 (7.60) 192 32 (1.26) 32	2 (1.65) 3 (4.45) 5 (6.81) 2 (7.56) 2 (1.26)	47 (1.85) 129 (5.08) 186 (7.32) 196 (7.72) 33 (1.30)	44 (1.73) 116 (4.57) 180 (7.09) 196 (7.72) 33 (1.30)
Season	545 (21.45	Season 545 (21.45) 472 (18.58) 551 (21.69) 493 (19.41)	551 (21.69)	493 (19.41)	555 (21.85)	(21.85) 511 (20.12)	563	(22.16) 529 (20.83)	580 (22.83)	2 (21.73)	552 (21.73) 591 (23.27) 569 (22.41)	569 (22.41

Madras-Redmond	
9	
REGION:	

CROP:		Suotuo	S																				
		5 out of 10 years	of 10 rs		9 9 V	6 out of 10 years	10		7 out of 10 years	of 10 irs			8 out of 10 years	of 10 rs			9 out of 10 years	of 10 rs			19 ou ye	19 out of 20 years	8
MONTH	ET crop	in.	Net IRR mm in.	88 .	ET crop	2 6	Net IRR mm in.	ET	crop in.	Net m	IRR in.	ET C	crop in.	Net mm	IRR in.	ET C	crop in.	Net	IRR in.	m ET	crop in.	mm mm	in.
April May June July Aug Sep	58553 5553	(0.63) (3.07) (4.92) (7.28) (5.71)	14 (0.55) 62 (2.44) 104 (4.09) 177 (6.97) 141 (5.55) 41 (1.61)	1	16 (0.63) 80 (3.15) 127 (5.00) 186 (7.32) 148 (5.83) 46 (1.81)	55 55 55 55 55 55 55 55 55 55 55 55 55	(0.59) (2.60) (7.09) (7.09) (5.67)	17 C 82 C 128 C 187 C 151 C	0.67) 3.23) 5.04) 7.36) 5.94)	16 C 88 C 116 C 183 C 45 C	2.68) 2.68) 7.20) 5.79)	17 C 130 C 130 C 154 C 48 C	3.27) 3.27) 5.12) 7.40) 6.06)	16 (72 (121 (187 (150 (16 (0.63) 72 (2.83) 121 (4.76) 187 (7.36) 150 (5.91) 46 (1.81)	18 (84 (135 (191 (161 (50 ((0.71) (3.31) (5.31) (7.52) (6.34) (1.97)	17 (76 (128 (191 (157 (49 (17 (0.67) 76 (2.99) 128 (5.04) 191 (7.52) 157 (6.18) 49 (1.93)	18 (86 (137 (194 (166 (18 (0.71) 86 (3.39) 137 (5.39) 194 (7.64) 166 (6.54) 51 (2.01)	182 194 162 162	(0.71) (3.11) (5.24) (7.64) (6.38) (1.97)
Season	595 (73.42)	539 (21	.21)	Season 595 (23.42) 539 (21.21) 603 (23.74) 559 (22	555 (1	(22.01)	612	24.09)	575 ((24.09) 575 (22.64) 620 (24.41) 592 (23.30)	620 (24.41)	592 (2			25.16)	618 (2	639 (25.16) 618 (24.33)	652 ((25.68)	636	652 (25.68) 636 (25.05)

(33.29)

(34.64) 846

88

in.

erop in.

ᄪ

8

5

out of years

(33.89) 819 (32.24) in. a ket 9 9 out of years gon in. ₩ E 861 (30.52)ir. Net m 9 (32.73) 775 out of years crop in. 8 E E 831 814 (32.05) 749 (29.49) in. wet mm 9 out of years crop in. ᄪ (28.50)ä.i Net 9 724 out of 1 years (31.58)erop in. ø E E 805 in. 16 Madras-Redmond Pasture out of 10 years Net E erop in. T E 792 25<u>4</u>2525 REGION: CROP: MONTH April May June July Aug Sep Oct

REG1(N: 16 Mar	REGION: 16 Madras-Redmond CROP: Peas							
	5 0	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 's	8 out of 10 years	9 out of 10 years	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.
April May June July	36 (1.42) 123 (4.84) 164 (6.46) 157 (6.18)	2) 29 (1.14) 4) 101 (3.98) 6) 134 (5.28) 8) 152 (5.98)	36 (1.42 126 (4.96 166 (6.54 158 (6.22	31 (1.22) 105 (4.13) 142 (5.59) 155 (6.10)	37 (1.46) 128 (5.04) 168 (6.61) 159 (6.26)	32 (1.26) 109 (4.29) 152 (5.98) 157 (6.18)	38 (1.50) 35 (1.38) 130 (5.12) 114 (4.49) 170 (6.69) 157 (6.18) 161 (6.34) 160 (6.30)	40 (1.57) 37 (1.46) 135 (5.31) 119 (4.69) 178 (7.01) 167 (6.57) 163 (6.42) 163 (6.42)	41 (1.61) 39 (1.54) 138 (5.43) 124 (4.88) 180 (7.09) 173 (6.81) 165 (6.50) 165 (6.50)
Season	480 (18.9	0) 416 (16.38) 486 (19.14)	433 (17.04)	492 (19.37)	450 (17.71)	499 (19.65) 466 (18.35)	Season 480 (18.90) 416 (16.38) 486 (19.14) 433 (17.04) 492 (19.37) 450 (17.71) 499 (19.65) 466 (18.35) 516 (20.31) 486 (19.14) 524 (20.63) 501 (19.73)	524 (20.63) 501 (19.73)

(27.44)

269

(31.19)

Season

REGION: 16 Madras-Redmond CROP: Potatoes

ברכי		רטומוטפא										
	5 0	5 out of 10 years	6 out of 10 years	out of 10 years	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 ars	19 out ye	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.						
May June July Aug Sep Oct	25 (0.98) 85 (3.35) 198 (7.80) 161 (6.34) 111 (4.37) 27 (1.06)	28) 16 (0.63) 25) 65 (2.56) 30) 190 (7.48) 34) 156 (6.14) 37) 97 (3.82) 36) 20 (0.79)	26 (1.02) 86 (3.39) 199 (7.83) 164 (6.46) 113 (4.45)	20 (0.79) 69 (2.72) 194 (7.64) 159 (6.26) 101 (3.98) 22 (0.87)	26 (1.02) 87 (3.43) 201 (7.91) 168 (6.61) 115 (4.53) 28 (1.10)	21 (0.83) 76 (2.99) 198 (7.80) 162 (6.38) 106 (4.17) 24 (0.94)	26 (1.02) 88 (3.46) 202 (7.95) 171 (6.73) 118 (4.65) 29 (1.14)	23 (0.91) 81 (3.19) 201 (7.91) 166 (6.54) 110 (4.33) 26 (1.02)	27 (1.06) 91 (3.58) 205 (8.07) 178 (7.01) 121 (4.76) 31 (1.22)	24 (0.94) 86 (3.39) 205 (8.07) 174 (6.85) 117 (4.61) 28 (1.10)	28 (1.10) 93 (3.66) 208 (8.19) 184 (7.24) 123 (4.84) 32 (1.26)	24 (0.94) 89 (3.50) 208 (8.19) 180 (7.09) 120 (4.72) 30 (1.18)
Season	607 (23.9	Season 607 (23.90) 544 (21.42) 615 (24.21) 565 (22.26)	615 (24.21)	565 (22.26)	625 (24.60)	625 (24.60) 587 (23.11)	634 (24.95)	607 (23.90)	653 (25.70)	653 (25.70) 634 (24.96)	668 (26.29) 651 (25.62)	651 (25.62)

REGION: 17 Bend CROP: Alfalfa Hay

5		(m.:										
	5 out	5 out of 10 years	6 out of 10 years	of 10 irs	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 ars	19 out yea	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep	47 (1.85) 100 (3.94) 121 (4.76) 149 (5.87) 118 (4.65) 83 (3.27)	26 (1.02) 72 (2.83) 95 (3.74) 140 (5.51) 108 (4.25) 68 (2.68)	48 (1.89) 101 (3.98) 123 (4.84) 152 (5.98) 119 (4.69) 87 (3.43)	30 (1.18) 75 (2.95) 101 (3.98) 144 (5.67) 114 (4.49) 71 (2.80)	49 (1.93) 103 (4.06) 126 (4.96) 155 (6.10) 121 (4.76) 91 (3.58)	32 (1.26) 79 (3.11) 109 (4.29) 147 (5.79) 117 (4.61) 75 (2.95)	51 (2.01) 108 (4.25) 130 (5.12) 157 (6.18) 124 (4.88) 93 (3.66)	37 (1.46) 84 (3.31) 115 (4.53) 150 (5.91) 120 (4.72) 80 (3.15)	54 (2.13) 112 (4.41) 135 (5.31) 160 (6.30) 130 (5.12) 96 (3.78)	44 (1.73) 92 (3.62) 121 (4.76) 154 (6.06) 123 (4.84) 91 (3.58)	56 (2.20) 113 (4.45) 140 (5.51) 162 (6.38) 133 (5.24) 98 (3.86)	49 (1.93) 96 (3.78) 125 (4.92) 159 (6.26) 127 (5.00) 94 (3.70)
Season	1 618 (24.34)	509 (20.03)	Season 618 (24.34) 509 (20.03) 630 (24.81) 535 (21.07)	535 (21.07)	645 (25.39)	559 (22.01)		663 (26.10) 586 (23.08)	687 (27.05)	687 (27.05) 625 (24.59)	702 (27.64) 650	650 (25.59)

REGION: 17 Bend CROP: Corn (Sweet)

		5 out of 10 years	of 10 irs	9	6 out of 10 years	f 10		7	7 out of 10 years	of 10		8 out	8 out of 10 years	0	0	9 out of 10 years	10		19 out of 20 years	of 20 rs	
MONTH	ET	crop in.	Net IRR mm in.	ET Cr	crop in.	Net I	IRR in.	ET Cr	erop in.	Net IRR mm in.	ET	crop in.	Net	t IRR in.	ET crop		Net IRR mm in.	ETC	crop in.	Net	IRR in.
May June July Aug Sep	30 C 171 C 145 C	1.18) 3.74) 6.73) 0.63)	18 (0.71) 69 (2.72) 161 (6.34) 134 (5.28) 15 (0.59)	31 (1.22) 97 (3.82) 173 (6.81) 146 (5.75) 16 (0.63)	1	20 C	0.79) 2.99) 6.46) 5.47) 0.63)	31 (1 99 (3 176 (6 148 (5 17 (0	1.22) 3.90) 6.93) 1 5.83) 1 0.67)	22 (0.87) 83 (3.27) 168 (6.61) 143 (5.63) 16 (0.63)	32 (1) 101 (1) 178 (1) 152 (1) 178 (1) 152 (1) 178 (1) 152 (1) 152 (1) 178 (1)	(1.26) (3.98) (7.01) (5.98) (0.67)	24 88 172 148 17	(0.94) (3.46) (6.77) (5.83) (0.67)	32 (1.26) 104 (4.09) 182 (7.17) 159 (6.26) 18 (0.71)	6) 27 (9) 94 (7) 177 (6) 152 (1) 18 ((1.06) (3.70) (6.97) (5.98) (0.71)	33 (108 (185 (163 (1.30) 4.25) 7.28) 6.42) 0.71)	29 (97 (182 (157 (1.14) 3.82) 7.17) 6.18)
Season	457 (17.99)	Season 457 (17.99) 397 (15.64) 463 (18.23) 415 (16.34)) 463 (18	3.23) 4	15 (16		471 (18	, 55) 4	(18.55) 432 (17.01)) 480	(18.90)	677	(18.90) 449 (17.67)	495 (19.49) 468 (18.42)	397 (6	(18.42)	507 (19.96) 483	(96.6)		(19.02)

	(Spring
Bend	Grain
17	
REGION:	CROP:

	5	5 out of 10 years	if 10		9	out o	6 out of 10 years			7 out of 10 years	of 10 ars	6		8 out ye	8 out of 10 years			9 out of 10 years	of 10 irs			19 ou ye	19 out of 20 years	0.
MONTH	ET Cr	crop in.	Net IRR mm in.	8 ·	ET crop		wet mm	IRR in.	ET EE	crop in.	Net III	in.	ET E	crop in.	Net	IRR in.	ET (crop in.	Net	IRR in.	ET	crop in.	Net mm	in.
April May June July Aug	48 (1.89) 114 (4.49) 146 (5.75) 163 (6.42) 28 (1.10)	.89. .49. .75. .10.	19 (0.75) 86 (3.39) 119 (4.69) 153 (6.02) 26 (1.02)		49 (1, 115 (4, 153 (6, 6, 6, 6, 15) (29 (1, 6, 15) (1, 6, 15	(1.93) (4.53) (6.02) 1 (6.54) 1 (1.14)	22 22 22 22 22 22 22 22 22 22 22 22 22	0.98) 3.54) 4.92) 6.18)	50 C 118 C 155 C 169 C	1.97) 4.65) 6.10) 6.65) 1.14)	82 55 5 25 5 25 5 30 5 30 5 30 5 30 5 30 5 30 5 30 5 3	28 (1.10) 93 (3.66) 136 (5.35) 161 (6.34) 28 (1.10)	52 (123 (158 (171 (29 (2.05) 4.84) 6.22) 6.73) 1.14)		31 (1.22) 98 (3.86) 144 (5.67) 164 (6.46) 29 (1.14)	54 (127 (165 (173 (2.13) 5.00) 6.50) 6.81) 1.22)	41 (106 (170 (31 ((1.61) (4.17) (5.91) (6.69) (1.22)	55 (129 (169 (177 (31 (2.17) 5.08) 6.65) 6.97) 1.22)	46 (111 (155 (174 (31 (1.81) 4.37) 6.10) 6.85)
Season	Season 499 (19.65) 403 (15.87) 512 (20.16) 424 (16	, (59.	03 (15	.87)	512 (20	.16) 4	124 (1	(89.9)		20.51)	446 (521 (20.51) 446 (17.55)	533 (20.98)) 997	533 (20.98) 466 (18.35)	550 (21.66)	1) 867	550 (21.66) 498 (19.60)		561 (22.09)	517	517 (20.35)

REGION: 17 Bend CROP: Grain (Winter)

	5	5 out of 10 years	10		6 out of 10 years	ut of 10 years			7 out of 10 years	of 10 rs			8 out of 10 years	of 10 irs			9 out of 10 years	of 10 rs			19 out of 20 years	of 20 rs	0
MONTH	ET crop mm in.		Net IRR mm in.	E E	crop in.	Net I	IRR in.	ET	crop in:	ma Net	IRR in.	ET	crop in.	Ta Net	IRR in.	ET CI	dora in.	m Net	IRR in.	E E	crop in.	a Ret	in.
l .	13 (0.		(0.04)	1	(0.55)	-	0.04)	~		<u>-</u>	0.04)	16 (0.63)	-	0.04)	-	0.67)	2 (0.20)	18 (0.71)	0	0.35)
April	60 (2.36)		30 (1.18)		62 (2.44)	35	1.38)	63 (2.48)	36	1.54)	8	2.60)	77	£.	69	2.72)	23 (2.09)	22	2.83)	62 (2.44)
	121 (4.		(3.62)		(4.80)	%	3.78)	J		100	3.94)	130 (5.12)	104	(60.7	J	5.31)	114 (4.49)	137 (2.39)	119 (4.69)
	146 (5.		(4.69)		(6.02)	125 (4.92)	J		136 (5.35)	158 (6.22)	144 (5.67)	J	6.50)	150 (5.91)	169	(59.9	155 (6.10)
	164 (6.		(6.10)		(6.57)	159 (6.26)	J		162 (6.38)	130	6.81)	165 (6.50)	J	6.93)	170 ((69.9	178 (7.01)	135 (5.89)
	16 (0.		(0.59)		(0.67)	13	0.59)	J		16 (0.63)	17 (0.67)	16 (0.63)	J	0.71)	17 (0.67)	18 (0.71)	18 (0.71;
Season	Season 520 (20.47) 412 (16.22) 535 (21.05) 431 (16.97	47) 412	(16.22)	535	(21.05)	431 (1	16.97)	545 (2	11.45)	454	545 (21,45) 454 (17.88)		22.053	727	560 (22.05) 474 (18.66)	580 (22.84) 509 (20.05)	2.843	509 (2	0.05)	502	592 (23.30) 538 (21.18)	538 (2	21.18

17 Bend	Mint
REGION:	CROP

	5 6	5 out of 10 years	0		6 out of 10 years	of 10 s	7 out of 10 years	of 10 irs	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 out of 2 years	of 20 rs
MONTH	ET crop		Net IRR mm in.	ET CI	crop in.	Net IRR mm in:	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug	1 (0.04) 39 (1.54) 106 (4.17) 151 (5.94) 162 (6.38) 20 (0.79)	24) 10 54) 10 17) 78 24) 124 28) 153 79) 19	(0.04) (0.39) (3.07) (4.88) (6.02)	108 154 154 20	(0.04) (1.57) (4.25) (6.06) 1 (6.50) 1 (0.79)	1 (0.04) 14 (0.55) 81 (3.19) 130 (5.12) 157 (6.18) 19 (0.75)	1 (0.04) 41 (1.61) 110 (4.33) 157 (6.18) 168 (6.61) 20 (0.79)	1 (0.04) 19 (0.75) 85 (3.35) 141 (5.55) 160 (6.30) 20 (0.79)	1 (0.04) 42 (1.65) 114 (4.49) 163 (6.42) 171 (6.73) 21 (0.83)	1 (0.04) 24 (0.94) 88 (3.46) 148 (5.83) 163 (6.42) 20 (0.79)	1 (0.04) 44 (1.73) 118 (4.65) 170 (6.69) 174 (6.85) 22 (0.87)	1 (0.04) 30 (1.18) 96 (3.78) 155 (6.10) 168 (6.61) 21 (0.83)	1 (0.04) 46 (1.81) 120 (4.72) 174 (6.85) 176 (6.93) 22 (0.87)	1 (0.04) 36 (1.42) 101 (3.98) 160 (6.30) 173 (6.81) 22 (0.87)
Season	Season 479 (18.86) 385 (15.15) 488 (19.21) 402 (15.	36) 385	(15.15)	488 (1	9.21) 4	83)	497 (19.56)	497 (19.56) 426 (16.78)	512 (20.16)	512 (20.16) 444 (17.48)	529 (20.83) 471 (18.54)	471 (18.54)	539 (21.22) 493	493 (19.42)

1 REGION: CROP:

CROP:	: Pasture	Lre										
	5 out ye	5 out of 10 years	6 out of years	out of 10 years	7 out of years	f 10	8 out of years	of 10 ars	9 out of years	of 10 ars	19 out of years	of 20
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.* m	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep Oct	45 (1.77) 106 (4.17) 129 (5.08) 159 (6.26) 124 (4.88) 89 (3.50) 45 (1.77)	1	46 (1.81) 108 (4.25) 131 (5.16) 162 (6.38) 126 (4.96) 93 (3.66) 47 (1.85)	30 (1.18) 82 (3.23) 109 (4.29) 119 (4.69) 77 (3.03) 22 (0.87)	47 (1.85) 3 110 (4.33) 8 134 (5.28) 11 125 (6.50) 15 129 (5.50) 15 98 (3.86) 8 48 (1.89) 2	34 (1.34) 85 (3.35) 118 (4.65) 126 (6.14) 124 (4.88) 81 (3.19) 30 (1.18)	49 (1.93) 114 (4.49) 139 (5.47) 133 (5.57) 133 (5.24) 100 (3.94) 50 (1.97)	37 (1.46) 89 (3.50) 124 (4.88) 160 (6.30) 128 (5.04) 86 (3.39) 35 (1.38)	53 (2.09) 118 (4.65) 118 (5.63) 1 169 (6.65) 1 139 (5.47) 1 103 (4.06) 52 (2.05)	43 (1.69) 99 (3.90) 130 (5.12) 164 (6.46) 132 (5.20) 98 (3.86) 41 (1.61)	54 (2.13) 120 (4.72) 148 (5.83) 172 (6.77) 142 (5.59) 105 (4.13) 53 (2.09)	48 (1.89) 103 (4.06) 134 (5.28) 169 (6.65) 136 (5.35) 101 (3.98) 50 (1.97)
Season	697 (27.43)	697 (27.43) 563 (22.17)	713 (28.07) 592	592 (23.31)	731 (28.79) 62	628 (24.73)	752 (29.61)	659 (25.95)	707 (30.60) 777	707 (27.84)	794 (31.26) 741	741 (29.18)
REGION: CROP:	ON: 17 Bend		·		· .							
	5 6	out of 10 years	6 out of years	ut of 10 years	7 out of years	f 10	8 out of years	of 10 ars	9 out of years	of 10 ars	19 out of years	out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
April May June July	31 (1.22) 109 (4.29) 146 (5.75) 141 (5.55)	12 (0.47) 80 (3.15) 118 (4.65) 134 (5.28)	31 (1.22) 111 (4.37) 152 (5.98) 144 (5.67)	16 (0.63) 84 (3.31) 124 (4.88) 137 (5.39)	32 (1.26) 114 (4.49) 154 (6.06) 1 146 (5.75) 1	19 (0.75) 87 (3.43) 135 (5.31) 140 (5.51)	33 (1.30) 117 (4.61) 157 (6.18) 148 (5.83)	21 (0.83) 90 (3.54) 143 (5.63) 143 (5.63)	35 (1.38) 121 (4.76) 164 (6.46) 149 (5.87)	26 (1.02) 100 (3.94) 149 (5.87) 147 (5.79)	36 (1.42) 123 (4.84) 168 (6.61) 153 (6.02)	31 (1.22) 105 (4.13) 154 (6.06) 151 (5.94)
Seasor	1 427 (16.81)	Season 427 (16.81) 344 (13.55)	1	438 (17.24) 361 (14.21)	446 (17.56) 3	381 (15.00)	455 (17.92)	397 (15.63)	469 (18.47)	422 (16.62)	480 (18.89) 441	441 (17.35)

(22.87)

882838

я г.

Net mm

ឧ

9

out of years

(24.01) 581 erop in. E E 610 (22.04) ır. Net ' 9 260 9 out of years 2537842 (23.54) crop in. E 598 252832 (20.83)ir. out of 10 years 529 (22.78) crop in. ထ ᄪᇀ 229 (19.97) in. Wet 9 207 out of years (22.31) cro in. ᄪᇀ 267 (19.05) in. out of 10 years Met **48**4 (21.85) crop in. E E 555 285382 (18.21) ir. out of 10 years Me t 463 (21.39)erop in. E E 543 **2282322** Season MONTH May July July Aug Sep Oct

17 Bend Potatoes

REGION: CROP:

REGION: 18 Klamath CROP: Alfalfa Hay

	5	5 out of 10 years	of 10			6 out of 10 years	out of 10 years	C		7 out	7 out of 10 years			8 out of 10 years	of 10 irs			9 out of 10 years	of 10		-	19 out of 20 years	20,	
MONTH	ET crop		Net IRR mm in.	₩.	E	crop in.	m Net	t IRR in.	E	crop in.	Net	IRR in.	ET	crop in.	Net mm	IRR in.	ET C	crop in.	Net I	in.	ET Cr	in. I	Net I	in.
May June July Aug	58 (2.28) 130 (5.12) 167 (6.57) 131 (5.16)	.28) .12) 1 (75) 1 (71)	45 (1 108 (4 161 (6 125 (4	1.77) 4.25) 4.92)	60 132 133 133	60 (2.36) 132 (5.20) 169 (6.65) 133 (5.24)	48 115 165 129	48 (1.89) 115 (4.53) 165 (6.50) 129 (5.08)	25 25 25 25 25 25 25 25 25 25 25 25 25 2	5.24) 6.77) 5.35)	51 C 121 C 168 C 132 C	2.01) 4.76) 6.61) 5.20)	63 (137 (176 (140 (2.48) (5.39) (6.93) (5.51)	55 (126 (172 (136 (2.17) 4.96) 6.77) 5.35)	66 (141 (185 (142 (2.60) 5.55) 7.28) 5.59)	58 C 2 134 C 2 180 C 2	(2.28) (5.28) (7.09) (5.59)	68 C 2 144 C 5 191 C 7 146 C 5	2.68) 6 5.67) 13 7.52) 18 5.75) 14	64 (2 139 (5 185 (7 146 (5	2.52) 5.47) 7.28) 5.75)
Season	Season 486 (19.13) 439 (17.28) 494 (19.45) 457 (18.00)	.13) 4	39 (17	.28)	767	19.45)	457	(18.00)	502 (19.76)	72.5	502 (19.76) 472 (18.58) 516 (20.31) 489 (19.25) 534 (21.02) 514 (20.24) 549 (21.62) 534	516 (20.31)	684 (19.25)	534 (5	(7.05)	514 (20	1.24)	549 (21	.62) 5		(21.02)

_	(Spring)
Klamati	Grain
9	
REGION:	CROP:

	5 ou	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 s	8 out of 10 years	of 10 ars	9 out of 10 years	10	19 out of 2 years	of 20 rs
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop N mm in. mm	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep	41 (1.61) 117 (4.61) 205 (8.07) 153 (6.02) 24 (0.94)	26 (1.02) 95 (3.74) 7) 200 (7.87) 1) 144 (5.67) 1) 19 (0.75)	42 (1.65) 119 (4.69) 207 (8.15) 155 (6.10) 24 (0.94)	29 (1.14) 101 (3.98) 204 (8.03) 148 (5.83) 20 (0.79)	43 (1.69) 121 (4.76) 210 (8.27) 157 (6.18) 25 (0.98)	31 (1.22) 107 (4.21) 209 (8.23) 153 (6.02) 22 (0.87)	44 (1.73) 124 (4.88) 216 (8.50) 162 (6.38) 25 (0.98)	34 (1.34) 113 (4.45) 213 (8.39) 158 (6.22) 23 (0.91)	45 (1.77) 39 127 (5.00) 121 226 (8.90) 223 166 (6.54) 165 26 (1.02) 25	(1.54) (4.76) (8.78) (6.50) (0.98)	46 (1.81) 131 (5.16) 233 (9.17) 169 (6.65) 27 (1.06)	43 (1.69) 126 (4.96) 229 (9.02) 169 (6.65) 26 (1.02)
Season	1 540 (21.25	Season 540 (21.25) 484 (19.05) 547 (21.53) 502 (19.	547 (21.53)	502 (19.77)	556 (21.88)	522 (20.55)	571 (22.47)	571 (22.47) 541 (21.31)	590 (23.23)	573 (22.56)	606 (23.85)	593 (23.34)

REGION: 18 Klamath CROP: Grain (Winter)

	years	ء 5	years	years	yer Yer	years	ye.	years	ye.	years	Σ × .	years
MONTH 8	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
	(1.54)	0.71)	1.57)	22 (0.87)	ا	_	- L			36 (07
	(4.37)	3.39)	4.53)	91 (3.58)	<u>.</u>	•	J .	<u>.</u>		=:		122 (
	6.18)	5.24)	6.34)	140 (5.51)	٠,	\sim	<u> </u>	_ 、		26		28
July 16: Aug 14	165 (6.50) 16 (0.63)	159 (6.26) 15 (0.59)	16 (0.63)	165 (6.42) 16 (0.63)	17 (0.67)	16 (0.63)	17 (0.67)	17 (0.67)	18 (0.71)	17 (0.67)	18 (0.71)	18 (0.71)
Season 48	8 (19.22)	411 (16.19)	Season 488 (19.22) 411 (16.19) 499 (19.64) 432 (17.01)	432 (17.01)	510 (20.08)	510 (20.08) 451 (17.76) 522 (20.55) 474 (18.66)	522 (20.55)	474 (18.66)	546 (21.50)	546 (21.50) 504 (19.85)	560 (22.05) 531 (20.89)) 531 (20.8

REGIO	REGION: 1 CROP:	18 Klamath Pasture	ath	`										9				9			9	6	
		5 out of 10 years	out of 10 years	o	6 out of 10 years	0. • •		-	/ out of 10 years	o Les			s out of in years	rs rs			y out of 10 years	5. S.			years	rs s	
MONTH	μĒ	ET crop mm in.	Net IRR mm in.	ET crop mm in.	_	Net IRR mm in.		ET crop mm in.		Net 1	IRR in.	ET crop mm in.	rop in.	Net mm	IRR in.	ETC	crop in.	Net	in.	E E	crop in.	Met.	IRR in.
April May June July Aug Sep Oct	173 173 173 107 107	(2.87) (4.33) (5.43) (7.05) (5.71) (4.21)	44 (1.73) 84 (3.31) 114 (4.49) 172 (6.77) 137 (5.39) 93 (3.66) 16 (0.63)	72 140 140 110 110 110	(3.03) (4.45) (5.51) (7.13) (4.33) (1.30)	2123 C 2. 176 C 6. 177 C 5. 20 C 3.	2.01) 4.84) 5.55) 1.3.82) 1.79)	82 (3 118 (4 141 (5 149 (5 113 (4	3.23) 5.55) 7.24) 7.24) 1.34)	58 (297 (2	(2.28) (3.82) (5.08) (7.09) (5.71) (4.02)	84 (123 (145 (1187 (153 (116 (35 (3.31) 4.84) 5.71) 7.36) 6.02) 4.57)	66 (104 (134 (1184 (117 (28 ((2.60) (4.09) (5.28) (7.24) (5.87) (4.21)	89 (128 (150 (196 (115 (119 (3.50) 5.04) 7.72) 6.10) 1.46)	77 () 112 () 143 () 192 () 113 () 32 (3.03) 4.41) 5.63) 7.56) 6.10) 4.45)	132 C 132 C 153 C 160 C 121 C	3.58) 6.02) 7.95) 6.30) 1.54)	82 (122 (148 (197 (116 (38 (3.23) 4.80) 5.83) 7.76) 6.30) 4.61)
Season	782	(30.86)	Season 784 (30.86) 660 (25.98) 800 (31.50) 698 (27.48) 821 (32.33) 734 (28.91)) 800 (31	.50) 6	98 (27.	3 (87.	321 (3;	2.33) 7	34 (2)	8.91)	843 (33.19)	772 (3	843 (33.19) 772 (30.39) 874 (34.42) 824 (32.44)	874 (3	4.42)	824 (3			898 (35.35) 864 (34.03)	864 (3	(50.4

(26.56)

675

0.98) 3.46) 7.24) 1.22)

<u>r</u>

Net

8

out of years (27.12)crop in. 4 ᄪ 88 222222 (25.59)in in Net m 9 650 9 out of ' years (26.37) crop in. ᄪᇀ 670 25 62 5 127 5 127 5 127 5 127 6 127 (54.34) ir in 8 out of 10 years Met 618 25,242,23 (25.47)crop in. 百 647 (23.22)ir R Net m 9 280 198224 out of ' (24.88) crop in. 632 252<u>5</u>28 (22.33) 0.67 7.72 7.75 7.76 7.76 9.63 9.63 9.63 i . out of 10 years Net m 567 (54.48) arop in. ø ᄪᇀ 622 2425242 (21.38)ir. out of 10 years E et 543 (24.12) öö. in ᄪᇀ 613 242824 MONTH July Aug Sep Oct

18 Klamath Potatoes

REGION: CROP:

50	et IRR in.	(2.44) (5.71) (6.97) (5.59)	(20.71)
out of 20 years	Net mm	62 145 177 142	526
19 ou ye	crop in.	2.72) 5.91) 6.97) 5.59)	21.19)
	ET C	69 (150 (177 (142 (538 (21.19) 526
	IRR in.	2.36) 5.51) 6.85) 5.47)	528 (20.79) 513 (20.19)
s 10	Net mm	60 () 174 () 139 ()	13 (2
9 out of 10 years	crop in.	2.68) 5.75) 1 6.89) 1 5.47) 1	.79.
0	ET cr	68 (2 146 (5 175 (6 139 (5	38 (20
	E		•
	t IRR in.	(2.20) (5.12) (6.69) (5.28)	(19.25
of 1(ars	Net	56 130 170 134	7 067
8 out of 10 years	crop in.	2.60) 5.55) 6.81) 5.31)	(20.27)
	ET C	66 (141 (173 (135 (515 (20.27) 490 (19.29)
	IRR in.	2.09) 4.76) 6.54) 5.08)	l
f 10	Net I	53 (2 121 (4 166 (6 129 (5	505 (19.88) 469 (18.47)
out of 10 years		2.52) 5.47) 12 6.73) 16 5.16) 12	88) 44
7	ET crop mm in.		(19.
	₩ E	64 139 171]
	in.	(2.01) (4.33) (6.38) (4.92)	17.64)
of 10 rs	THE THE	51 (110 (162 (125 (748 (
6 out of 10 years	ф <u>г</u>	(2.44) (5.35) (6.61) (5.12)	7.52)
	ET crop	62 (5 136 (5 130 (5	96 (1)
	ω.		93) 4
10	Net IRR m in.	48 (1.89) 103 (4.06) 158 (6.22) 121 (4.76)	(16.
5 out of 10 years	Net mm	, 48 , 103 , 158 , 121) 430
ν Ž	crop in.	(2.40) (5.24) (6.50) (5.00)	19.14
	₩ E	133 133 165 172	987
	MONTH	May June July Aug	Season 486 (19.14) 430 (16.93) 496 (19.52) 448 (17.

Lakeview Alfalfa Hay

4

REGION: CROP:

1.61) 5.12) 8.50) 6.42) 0.98)

in.

20

(22.63)

19 out of years 573 130 216 163 25 (23.14) goro in. 声 588 2136 136 163 26 (21.97)in. out of 10 years Net m (22.72) 558 crop in. ٥ E E 277 (21.03) ä. Net 9 (22.24) 534 out of years crop in. ø ₩ E 265 46 212 212 24 24 (20.16) 7.22 7.83 0.83 IR in. out of 10 years a ke (21.80) 512 oro in: ᄪᇀ 554 (19.29) in. out of 10 years Net III (21.42) 490 4.73) 8.11) 5.91) oro in ᄪᇀ 3582x 244 (18.58)19 Lakeview Grain (Spring) IR in. out of 10 years The Ket 472 (21.03)erop in. ᄪᇀ 534 REGION: CROP: Season MONTH May July Aug Sep

	5 or	5 out of 10 years	6 out	6 out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 irs	9 out of 10 years	10	19 out of 2 years	of 20 rs
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in. n	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug	42 (1.65) 118 (4.65) 161 (6.34) 163 (6.42) 16 (0.63)	5) 29 (1.14) 5) 89 (3.50) 6) 129 (5.08) 2) 156 (6.14) 3) 15 (0.59)	43 (1.69) 120 (4.72) 165 (6.50) 165 (6.50) 16 (0.63)	32 (1.26) 94 (3.70) 136 (5.35) 160 (6.30) 15 (0.59)	44 (1.73) 123 (4.84) 168 (6.61) 168 (6.61) 16 (0.63)	35 (1.38) 99 (3.90) 150 (5.91) 164 (6.46) 16 (0.63)	46 (1.81) 127 (5.00) 171 (6.73) 171 (6.73) 16 (0.63)	38 (1.50) 104 (4.09) 159 (6.26) 167 (6.57) 16 (0.63)	48 (1.89) 4 131 (5.16) 11 176 (6.93) 17 172 (6.77) 17	42 (1.65) 113 (4.45) 169 (6.65) 172 (6.77) 17 (0.67)	49 (1.93) 134 (5.28) 182 (7.17) 174 (6.85) 18 (0.71)	44 (1.73) 119 (4.69) 176 (6.93) 174 (6.85) 17 (0.67)
Season	500 (19.69	7) 418 (16.45	Season 500 (19.69) 418 (16.45) 509 (20.04) 437 (17.	437 (17.20)	519 (20.42) 464	464 (18.28)	531 (20.90) 484	484 (19.05)	544 (21.42) 513 (20.19)	13 (20.19)	557 (21.94) 530	530 (20.87)

19 Lakeview Grain (Winter)

REGION: CROP:

REGION: 19 Lakeview CROP: Pasture

		5 out of 10 years	of 10 Irs			6 out	6 out of 10 years	0		7 out	7 out of 10 years			8 ou	8 out of 10 years	0	.	9 out of 10 years	of 10		\ <u>_</u>	19 out of 2 years	of 20	
MONTH	ETC	crop in.	ma Net	IRR in.	mm ET	crop in.	Net	it IRR in.	E E	crop in.	Net	t IRR in.	THE S	crop in.	Net mm	t IRR in.	ET Cr	crop in.	Net IRR		ET crop		Net 1	IRR in.
April May June July Aug Sep Oct	28124 2414 2414 2414 2414 2414 2414 2414	3.23) 5.55) 6.89) 7.96) 1.34)	25 ± 55 ± 55 ± 55 ± 55 ± 55 ± 55 ± 55 ±	2.52) 4.37) 6.65) 5.24) 0.98)	85 178 178 163 105 105 105	(3.35) (4.69) (5.67) (7.01) (5.63) (4.13)	69 118 177 137 85	(2.72) (3.74) (4.65) (6.81) (5.39) (3.74)	88 (122 (122 (122 (122 (122 (122 (122 (1	3.46) 4.80) 7.17) 5.67) 5.67) 1.34)	302777308	(2.91) (3.94) (5.12) (6.97) (5.55) (3.94)	25 125 150 178 178 171 38	(3.58) (4.92) (5.91) (7.24) (5.83) (4.37)	79 105 139 147 105	(3.11) (5.47) (5.73) (5.73) (4.13)	94 (3 132 (5 155 (6 186 (7 113 (4 37 (1	3.70) 5.20) 6.10) 7.32) 6.02) 1.45)	84 (3. 113 (4. 149 (5. 1185 (7. 110 (4.	3.31) 97 4.45) 135 5.87) 160 7.28) 188 5.98) 155 4.33) 114 1.42) 38	000000	3.82) 8.31) 11 6.30) 15 7.40) 18 6.10) 15	89 (37) 118 (47) 154 (67) 113 (47) 38 (17)	3.50) 6.06) 7.40) 6.10) 6.10)
Season	792 (3	1.19)	\$) 089	Season 792 (31.19) 680 (26.76) 808 (31.82) 715 (28.15)	808	(31.82)	715	(28.15)	825 (32.48)	752 ((32.48) 752 (29.61)		(33.27)	788	845 (33.27) 788 (31.02)	870 (34.25)	25)	829 (32.64)		887 (34.92) 855	92) 85	5 (33	(33.66)

REGION: 20 Harney Valley CROP: Alfalfa Hay

		5 out of 10 years	ut of 10 years	6 out ye	6 out of 10 years	,-	7 out of 10 years	10	8	8 out of 10 years	f 10	9 out of 10 years	of 10 rs	19 ou	19 out of 20 years
MONTH	E E	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET cr mm i	crop in. m	Net IRR mm in.	ET cre	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug	61 133 126 126 126	61 (2.40) 133 (5.24) 160 (6.30) 126 (4.96)	49 (1.93) 111 (4.37) 154 (6.06) 120 (4.72)	62 (2.44) 135 (5.31) 163 (6.42) 128 (5.04)	51 (2.01) 117 (4.61) 156 (6.14) 123 (4.84)	63 (2 138 (5 167 (6 129 (5	2.48) 5 5.43) 12 6.57) 15 5.08) 12	53 (2.09) 129 (5.08) 159 (6.26) 127 (5.00)	64 (2 142 (5 170 (6 132 (5	2.52) 5.59) 13 6.69) 16 5.20) 13	57 (2.24) 134 (5.28) 163 (6.42) 130 (5.12)	67 (2.64) 147 (5.79) 172 (6.77) 138 (5.43)	64 (2.52) 140 (5.51) 169 (6.65) 134 (5.28)	71 (2.80) 152 (5.98) 174 (6.85) 141 (5.55)	66 (2.60) 145 (5.71) 171 (6.73) 138 (5.43)
Season	780 (18.90)	434 (17.08)	Season 480 (18.90) 434 (17.08) 488 (19.21) 447 (17.	447 (17.60)	497 (15	,56) 46	8 (18.43)	508 (20	.00) 48	60) 497 (19.56) 468 (18.43) 508 (20.00) 484 (19.06)	524 (20.63) 507 (19.96)	507 (19.96)		538 (21.18) 520 (20.47)

REGION: 20 Harney Valley CROP: Grain (Spring)

-		5 out ye	5 out of 10 years			6 out of 10 years	out of 10 years			7 out of 10 years	of 10 ars			ρ S	8 out of 10 years			9 out of 10 years	of 10 rs		19 0	19 out of 2 years	02 02
MONTH	E E	crop in.	Net IRR mm in.	IRR in.	E E	crop in.	Net mm	IRR in.	E E	crop in.	Net	t IRR in.	ET	crop in.	Net	t IRR in.	ET	crop in.	Net IRR mm in.		ET crop	Net	t IRR
May June July Aug Sep	25,25	(1.65) (4.69) (7.72) (5.63) (0.87)	30 (97 (189 (139 (19 (1.18) 3.82) 7.44) 5.47) 0.75)	25 25 25 25 25 25 25 25 25 25 25 25 25 2	(1.69) (4.80) (7.83) (5.71) (0.87)	32 (103 (192 (143 (20 (1.26) 4.06) 7.56) 5.63) 0.79)	44 (204 (149 (23 (1.73) 4.88) 8.03) 5.87) 0.91)	35 C 115 C 196 C 147 C	1.38) 7.72) 5.79) 0.83)	45 127 207 152 24	(1.77) (5.00) (8.15) (5.98) (0.94)	38 120 200 151 22 22	(1.50) (4.72) (7.87) (5.94)	46 C 132 C 209 C 159 C	1.81) 5.20) 8.23) 6.26) 0.94)	43 (1.69) 126 (4.96) 204 (8.03) 155 (6.10) 23 (0.91)	9) 47 6) 136 3) 212 0) 162 1) 24	7 (1.85) 5 (5.35) 2 (8.35) 2 (6.38) 4 (0.94)	23 23 23 23 23	(5.12) (8.19) (6.30) (0.91)
Season	522 (Season 522 (20.56) 474 (18.66) 531 (20.90) 490 (19.30)	,) 727	8.66)	531 ((20.90)	7 067	19.30)	244 (21.42)	514 (544 (21.42) 514 (20.25)		(21.84)	531 (555 (21.84) 531 (20.90)		22.44)	570 (22.44) 551 (21.69)	1	581 (22.87)	565	(22.25)

y Valley	(Linton)
Harney	5000
50	
REGION:	CROP

	5 out	5 out of 10 years	₽ 9	6 out of 10 years	7 out of 10 years	of 10 rs	8 out ye	8 out of 10 years	9 out of 10 years	10	19 our	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR
April May June July Aug	40 (1.57) 118 (4.65) 160 (6.30) 159 (6.26) 15 (0.59)	28 (1.10) 93 (3.66) 139 (5.47) 152 (5.98) 14 (0.55)	5) 41 (1.61) 5) 120 (4.72) 7) 166 (6.54) 3) 160 (6.30) 5) 15 (0.59)) 31 (1.22)) 97 (3.82)) 145 (5.71)) 154 (6.06)) 15 (0.59)	42 (1.65) 122 (4.80) 168 (6.61) 164 (6.46) 16 (0.63)	34 (1.34) 100 (3.94) 158 (6.22) 157 (6.18) 15 (0.59)	44 (1.73) 126 (4.96) 171 (6.73) 167 (6.57) 16 (0.63)	37 (1.46) 108 (4.25) 163 (6.42) 160 (6.30) 16 (0.63)	45 (1.77) 4, 130 (5.12) 119 179 (7.05) 164 169 (6.65) 164 17 (0.67) 11	41 (1.61) 119 (4.69) 168 (6.61) 164 (6.46) 16 (0.63)	47 (1.85) 137 (5.39) 183 (7.20) 171 (6.73) 17 (0.67)	43 (1.69) 125 (4.92) 173 (6.81) 167 (6.57) 17 (0.67)
Season	492 (19.37)	426 (16.74	Season 492 (19.37) 426 (16.76) 502 (19.76) 442 (17.40)) 442 (17.40)	512 (20.15) 464 (18.27)	464 (18.27)	524 (20.62)	524 (20.62) 484 (19.06)	540 (21.26)	508 (20.00)	555 (21.84)	525 (20.66)

REGION: 20 Harney Valley CROP: Mint

	5 20	1t of 10	4 A	. 04 10	7	26.40						
		years	S ×	years	ing ×	years	s out of 10 years	-	9 out of 10 years	of 10 irs	19 ou Yei	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net mm in. mm	it IRR in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
March	1 (0.04	-	*	-	~	-	7 0	2 2	4 .	١.	1	١,
April	41 (1.61	27 (45	8	· •	. 4	1.3	1.46)				٠.
May	117 (4.61)	92 (3.62)	120 (4.72)	96 (3.78)	121 (4.76)	100 (3.94)	124 (4.88) 108 (4.25)	129 (5.08)	119 (4.69)	137 (5.39)	125 (4.92)
2 2	72 0 72	744	564	5 6	<u> </u>	<u>آة</u>	6.97)	6.61)				
ALIG	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 2	2 6	35	٠,	<u>ာ</u>	(.24)	(26.9				J
2	10.0	-	77	77	_	77	0.91)	0.91)				J
Season	520 (20.48	Season 520 (20.48) 451 (17.75) 530 (20.86) 468 (18.43	530 (20.86)	468 (18.43)	540 (21.26)	540 (21.26) 491 (19.34)	554 (21.81) 514 (20.24)	(20.24)	572 (22.51) 539 (21.22)	539 (21.22)	587 (23.10) 555	555 (21.84)

REGION: 20 Harney Valley CROP: Pasture

v		5 out of 10 years	of 10 Irs	6 out ye	6 out of 10 years	7 out of 10 years	f 10 s	8 out of 10 years	10	9 out of 10 years	of 10 rs	19 or 76	19 out of 20 years
MONTH	ET ET	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mom in.	ET crop mm in. r	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
April May June July Aug Sep Oct	77 (141 (171 (171 (173 (97 (171 ((3.03) (4.61) (5.55) (6.73) (5.43) (1.22)	61 (2.40) 93 (3.66) 119 (4.69) 164 (6.46) 133 (5.24) 87 (3.43) 25 (0.98)	79 (3.11) 121 (4.76) 143 (5.63) 172 (6.77) 140 (5.51) 100 (3.94)	64 (2.52) 97 (3.82) 125 (4.92) 166 (6.54) 136 (5.35) 91 (3.58) 27 (1.06)	81 (3.19) (61.2) 124 (4.88) 164 (5.75) 177 (6.97) 174 (5.55) 144 (4.09) 53 (1.34) 23	69 (2.72) 100 (3.94) 137 (5.39) 170 (6.69) 140 (5.51) 95 (3.74) 29 (1.14)	85 (3.35) 76 126 (4.96) 109 150 (5.91) 142 180 (7.09) 173 144 (5.67) 143 107 (4.21) 99 35 (1.38) 31	6 (2.99) 9 (4.29) 2 (5.59) 3 (6.81) 3 (5.63) 9 (3.90) 1 (1.22)	89 (3.50) 131 (5.16) 155 (6.10) 150 (5.20) 150 (5.21) 109 (4.29) 36 (1.42)	81 (3.19) 120 (4.72) 147 (5.79) 177 (6.97) 148 (5.83) 104 (4.09) 34 (1.34)	92 (3.62) 137 (5.39) 160 (6.30) 184 (7.24) 153 (6.02) 111 (4.37) 37 (1.46)	87 (3.43) 126 (4.96) 151 (5.94) 180 (7.09) 152 (5.98) 107 (4.21) 36 (1.42)
Season	. 772	30.39)	682 (26.86)	Season 772 (30.39) 682 (26.86) 787 (30.98) 706 (27.	706 (27.79)	7 (77, 15) 74	740 (29.13)	827 (32.57)	773 (30,43)	853 (33,58)	(33.58) 811 (31.93)	874 (34 40)	830 737 038

REGION: 21 Dayville-Canyon City CROP: Alfalfa Hay

,	5 Q	5 out of 10 years	6 out	6 out of 10 years	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out	9 out of 10 years	19 out of 2 years	t of 20 ars
MONTH	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR
April May June July Aug Sep	53 (2.09) 110 (4.33) 133 (5.24) 167 (5.57) 94 (3.70)	35 (1.42) 35 77 (3.03) 35 77 (3.03) 37 102 (4.02) 77 156 (6.14) 25 121 (4.76) 30 76 (2.99)	2) 54 (2.13) (3) 111 (4.37) (2) 135 (5.31) (4) 168 (6.61) (6) 132 (5.20) (7) 97 (3.82)	39 (1.54) 81 (3.19) 109 (4.29) 160 (6.30) 124 (4.88) 81 (3.19)	55 (2.17) 114 (4.49) 136 (5.35) 170 (6.69) 135 (5.31) 98 (3.86)	42 (1.65) 84 (3.31) 116 (4.57) 163 (6.42) 128 (5.04) 89 (3.50)	58 (2.28) 119 (4.69) 138 (5.43) 172 (6.77) 139 (5.47) 99 (3.90)	46 (1.81) 96 (3.78) 125 (4.92) 166 (6.54) 132 (5.20) 94 (3.70)	60 (2.36) 122 (4.80) 147 (5.79) 175 (6.89) 142 (5.59) 101 (3.98)	51 (2.01) 102 (4.02) 134 (5.28) 170 (6.69) 137 (5.39) 99 (3.90)	63 (2.48) 126 (4.96) 151 (5.94) 178 (7.01) 146 (5.75) 107 (4.21)	55 (2.17) 104 (4.09) 139 (5.47) 173 (6.81) 141 (5.55) 102 (4.02)
Season	687 (27.05	568 (22.3	Season 687 (27.05) 568 (22.36) 697 (27.44) 594 (23.39)	594 (23.39)	708 (27.87)	(27.87) 622 (24.49)	222	(28.54) 659 (25.95)	747 (29.41)	747 (29.41) 693 (27.29)	771 (30.35) 714 (28.	714 (28.11)

REGION: 21 Dayville-Canyon City CROP: Grain (Winter)

		5 out ye	5 out of 10 years			6 out of 10 years	of 10 irs			7 out of 10 years	of 10 ars			8 out of 10 years	of 10 irs			9 out of 10 years	of 10 rs		19 00	19 out of 20 years	
MONTH	- 1	ET crop mm in.	Met	Net IRR mm in.	ET C	crop in.	Net IRR mm in.	IRR in.	ET	crop in.	a Ret	in.	THE E	crop in.	Net	IRR in.	E E	crop in.	Net IRR mm in.	TI E	T crop	wet.	IRR in.
March April May June July	137	13 (0.51) 77 (3.03) 134 (5.28) 161 (6.34) 137 (5.39)	52 (99 (127 (130 (1 (0.04) 52 (2.05) 99 (3.90) 127 (5.00) 130 (5.12)	45 136 139 139	0.55) 3.11) 5.35) 6.46) 5.47)	2 (56 (104 (134 (132 (0.08) 2.20) 4.09) 5.28) 5.20)	15 (81 (139 (167 (0.59) 3.19) 5.47) 6.57) 5.51)	3 108 143 134	(0.12) (2.40) (4.25) (5.63) (5.28)	16 (82 (144 (170 (141 (0.63) 3.23) 5.67) 6.69) 5.55)	4 (0.16) 66 (2.60) 121 (4.76) 153 (6.02) 137 (5.39)	0.16) 2.60) 4.76) 6.02) 5.39)	18 8 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.71) 3.39) 5.83) 6.97) 5.67)	8 (0.31) 74 (2.91) 127 (5.00) 164 (6.46) 140 (5.51)	19 00 00 153 00 146 00	(0.75) (3.54) (6.02) (7.17) (5.75)	130 CT 170 CT 171 C	0.39) 3.07) 5.12) 6.69) 5.55)
Season	522	Season 522 (20.55) 409 (16.11) 532 (20.94) 428 (16.85)	604	16.11)	532 (2	20.94)	428 (16.85)	542 (21.33)	677	542 (21.33) 449 (17.68)		553 (21.77) 481	481 (1	(18.93)	573 (3	22.57)	573 (22.57) 513 (20.19)	290	590 (23.23) 529	529 ((20.82)

REGION: 21 Dayville-Canyon City CROP: Mint

		5 out ye	5 out of 10 years		9	6 out of 10 years	10		7 out yea	out of 10 years	∞	8 out of 10 years	f 10 ·	9 out of 10 years	of 10 ars			19 out of 20 years	of 20	
MONTH	單	rcop in.	Net IRR mm in.	IRR in.	ET crop		Net IRR mm in.	μĒ	crop in.	Net IRR mm in.	ET crop		Net 1RR mm in.	ET crop	Net	IRR in.	ETC	crop in.	Net	IRR in.
March	-	1 (0.04)	1 0	1.04)	i		(0.04)		0.04)		-	i	1 (0.04)	1	-	0.04)	1 .	0.04)	-	0.04)
April	43	(1.69)	19 (0.75)	3	44 (1.73)	73) 24 ((0.04)	45 (1.7)	27 (1.06)	94	1.81)	30 (1.18)	47 (1.85)	35	1.38)		1.89)	38	1.50)
Мау	116	(4.57)	82 (3	(23.			(3.39)		4.76)		135		12 (4.02)		108	4.25)		5.16)	111 (7	4.37)
- Pro-	8	(6.54)	132 (5	.20)			(5.47)		6.73)		17		59 (6.26)		170	6.69		7.44)	176 (5.93)
July	18	(7.13)	170 (6	?.69)			(6.85)		7.24)		8 2		30 (7.09)		185	7.28)		7.60) 1	87 (7	7.36)
Aug	55	(0.87)	22 (0	(287)			(0.87)		0.91)		54 ((76"0) 73		54 (0.94)	24 (0.94)	54 ((0.94)
Season	529	(20.84)	426 (16	3.78)	Season 529 (20.84) 426 (16.78) 539 (21.22) 446 (17.56)	22) 446	(17.56)	545 (21.45)	(21.45) 467 (18.39)	555	84) 45	(21.84) 496 (19.53)	572 (22.52)	523 (3	523 (20.58)	586 (2	(23.07)	537 (21.14)	1.14)

REGION: 21 Dayville-Canyon City CROP: Pasture

	5 out of 10 years	6 out of 10 years	7 out of 10 years	8 out of 10 years	9 out of 10 years	19 out of 20 years
52 (2.05) 36 (1.42) 53 (2.09) 39 (1.54) 118 (4.65) 84 (3.31) 120 (4.72) 88 (3.46) 142 (5.59) 109 (4.29) 145 (5.71) 117 (4.61) 178 (7.01) 167 (6.57) 180 (7.09) 171 (6.73) 139 (5.47) 129 (5.08) 141 (5.55) 133 (5.24) 101 (3.98) 82 (3.23) 103 (4.06) 87 (3.43) 48 (1.89) 32 (1.26) 50 (1.97) 35 (1.38)	IRR in.	Net mm	ET crop Net IRR mm in. mm in.			
142 (5.59) 109 (4.29) 140 (4.72) 88 (5.46) 142 (5.59) 109 (4.29) 145 (5.71) 117 (4.61) 178 (7.01) 167 (6.57) 180 (7.09) 171 (6.73) 139 (5.47) 129 (5.08) 141 (5.55) 133 (5.24) 101 (5.98) 82 (5.23) 103 (4.06) 87 (5.43) 48 (1.89) 32 (1.26) 50 (1.97) 35 (1.38)	(1.42)	39 ((2.13) 42 ((2.17) 45 ((2.32) 51 ((2.36) 54 (
178 (7.01) 167 (6.57) 180 (7.09) 171 (6.73) 139 (5.47) 129 (5.08) 141 (5.55) 133 (5.24) 101 (3.98) 82 (3.23) 103 (4.06) 87 (3.43) 48 (1.89) 32 (1.26) 50 (1.97) 35 (1.38)	(12.5)	282	122 (4.80) 92 (5.62)	157 (5.00) 104 (4.09)	150 (5.12) 110 (4.53)	134 (5.28) 113 (4.45)
139 (5.47) 129 (5.08) 141 (5.55) 133 (5.24) 101 (3.98) 82 (3.23) 103 (4.06) 87 (3.43) 48 (1.89) 32 (1.26) 50 (1.97) 35 (1.38)	(6.57)	12:	(7.13) 174 (6	(7.20) 177 ((7.36) 182 ((7.48) 184 (
101 (3.98) 82 (3.23) 103 (4.06) 87 (3.43) 48 (1.89) 32 (1.26) 50 (1.97) 35 (1.38)	(2.08)	133 ((5.67) 137 ((5.83) 141 ((5.98) 147 ((6.14) 150 (
48 (1.89) 32 (1.26) 50 (1.97) 35 (1.38)	(3.23)	87 ((4.09) 95 (3	(4.13) 100 ((4.25) 105 ((4.49) 108 (
١.	(1.26)	35 ((2.01) 38 ((2.09) 41 ((2.24) 50 ((2.32) 53 (
Season (78 (30.64) 639 (25.16) 792 (31.19) 670 (26.39)	39 (25.16) 792 (31.19) 670 (26.39)	803 (31.62) 703 (27.67)	821 (32.33) 743 (29.24)	849 (33.41) 789 (31.07)	874 (34.41) 811 (31.94)

		5 out of 10 years	of 10 irs	6 out	6 out of 10 years	7 out of 10 years	of 10 ars	8 out of 10 years	of 10 irs	9 out ye	9 out of 10 years	19 ou	19 out of 20 years
MONTH	ET	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep	51 (3 105 (4 121 (4 156 (6 126 (7 87 (3	(2.01) (4.13) (4.76) (6.14) (4.96) (3.43)	30 (1.18) 61 (2.40) 80 (3.15) 139 (5.47) 113 (4.45) 62 (2.44)	8) 53 (2.09) 0) 106 (4.17) 5) 123 (4.84) 7) 157 (6.18) 5) 129 (5.08) 4) 89 (3.50)	33.(1.30) 67 (2.64) 88 (3.46) 145 (5.71) 118 (4.65) 67 (2.64)	55 (2.17) 108 (4.25) 126 (4.96) 160 (6.30) 132 (5.20) 91 (3.58)	38 (1.50) 72 (2.83) 96 (3.78) 150 (5.91) 122 (4.80) 74 (2.91)	57 (2.24) 110 (4.33) 129 (5.08) 163 (6.42) 134 (5.28) 94 (3.70)	42 (1.65) 82 (3.23) 104 (4.09) 154 (6.06) 127 (5.00) 82 (3.23)	60 (2.36) 115 (4.53) 133 (5.24) 167 (6.57) 138 (5.43) 99 (3.90)	47 (1.85) 94 (3.70) 112 (4.41) 158 (6.22) 133 (5.24) 90 (3.54)	64 (2.52) 118 (4.65) 135 (5.31) 169 (6.65) 140 (5.51) 101 (3.98)	50 (1.97) 101 (3.98) 118 (4.65) 161 (6.34) 135 (5.31) 95 (3.74)
Season	979	(25.43)	485 (19.0	Season 646 (25.43) 485 (19.09) 657 (25.86) 518 (20.40	518 (20.40)	672 (26.46)	552 (21.73)	552 (21.73) 687 (27.05) 591 (23.26) 712 (28.03) 634 (24.96) 727 (28.62) 660	591 (23.26)	712 (28.03)	634 (24.96)	727 (28.62)	660 (25.99)

REGION: 22 Wallowa Valley CROP: Alfalfa Hay

REGION: 22 Wallowa Valley CROP: Grain (Spring)

		5 out ye	5 out of 10 years			6 out of 10 years	of 10 ars			7 out of 10 years	of 10 ars	_		8 out of 10 years	of 10 irs			9 out of 10 years	of 10 rs			19 out of 2 years	of 20 rs	
MONTH	ET	ET crop mm in.	Net	IRR in.	ET .	crop in.	Net IRR mm in.	IRR in.	E E	crop in.	Net	IRR in.	THE	crop in.	a Ret	IRR in.	ET	crop in.	Net m	IRR in.	TI E	crop in.	Net	IRR in.
April May June July Aug	51 (119 (146 (169 (31 ((2.01) (4.69) (5.75) (6.65) (1.22)	22 (0.87) 76 (2.99) 103 (4.06) 153 (6.02) 25 (0.98)		52 (121 (148 (171 (31 ((2.05) (4.76) (5.83) (6.73) (1.22)	28 C 112 C 159 C	1.02) 3.23) 4.41) 6.26) 1.06)	54 C 122 C 152 C 174 C	2.13) 4.80) 5.98) 6.85) 1.22)	31 C 87 C 121 C 164 C	1.22) 3.43) 4.76) 6.46) 1.14)	56 157 157 32 32	2.20) 4.92) 6.18) 6.97) 1.26)	38 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1.42) 3.82) 5.12) 6.61)	58 C 131 C 161 C 33 C	2.28) 5.16) 6.34) 7.17)	32509	1.69) 4.29) 5.51) 6.77)	28 13 2 E	2.44) 5.31) 6.46) 7.24)	48 (117 (146 (176 (33 (1.89) 4.61) 5.75) 6.93)
Season	516	(20.32)	Season 516 (20.32) 379 (14.92) 523 (20.59) 406 (15.98	4.92)	523 (20.59)	.) 907	15.98)	533 (20.98)	432 (533 (20.98) 432 (17.01)		547 (21.53) 461	461 (1	(18.15)	565 (2	565 (22.25) 496	1) 96	(19.52)	578 ((22.75) 520 (20.48)	520 (2	0.48)

REGION: 22 Wallowa Valley CROP: Grain (Winter)

		5 out of 10 years	of 10 ars			6 out	6 out of 10 years	6		7 out of 10 years	of 10 ars			8 out ye	8 out of 10 years			9 out of 10 years	of 10 ars			19 or	19 out of 2 years	20
MONTH	E	crop in.	Net 1	IRR in.	E E	crop in.	Net	t IRR in.	ET	crop in.	Net	t IRR in.	ET	crop in.	Net	in.	m E	crop in.	Net	IRR in.	E E	crop in.	Net	t IRR in.
March April May June	13 C 127 C 146 C 128 C	(0.51) (5.00) (5.75)	41 (82 (102 (113 (0.04) 1.61) 3.23) 4.02) 4.45)	14 (76 (129 (148 (0.55) 2.99) 5.08) 5.83) 5.08)	46 6 88 6 111 6	(0.04) (1.81) (3.46) (4.37) (4.69)	14 (79 (130 (152 (131 ((3.11) (3.11) (5.12) (5.98) (5.16)	2 (53 (94 (120 ((0.08) (2.09) (3.70) (4.72) (4.84)	15 (82 (133 (156 (133 (0.59) 3.23) 5.24) 6.14) 5.24)	4 8 1 1 2 5 1 1 2 5 1 1 2 5 1 1 2 5 1 1 2 5 1 1 2 5 1 1 2 5 1 1 1 2 5 1 1 1 1	0.16) (2.36) (4.09) (5.08) (4.96)	17 0 86 0 140 0 161 0	3.39) 5.51) 6.34) 5.39)	68 (117 (117 (139 (129 (0.28) 2.68) 4.61) 5.47) 5.08)	17 (89 (143 (164 (138 ((3.50) (5.63) (5.43)	8 C 73 C 124 C 145 C 132 C	(0.31) (2.87) (4.88) (5.71)
Season	787 (season 487 (19.17) 339 (13.35) 496 (19.53) 365 (14	339 (13.35)) 965	19.53)	365 ((14.37)	206	(19.92)	392	(15.43)	519 (20.44)	423 (519 (20.44) 423 (16.65) 541 (21.30) 460 (18.12)	541 (21.30)) 094	18.12)		551 (21.69) 482) 482	(18.97)

REGION: 22 Wallowa Valley CROP: Grass Seed (Spring)

	5	5 out of 10 years	01		6 out of 10 years	f 10		_	7 out of 10 years	f 10 s			8 out of 10 years	of 10 rs			9 out of 10 years	f 10		19	19 out of years	50
MONTH	ET crop	p Net	et IRR in.	ET Cr	crop in.	Net IR mm ir	IRR in.	ET Cr	crop in.	Net I	IRR in.	ET C	crop in.	Met mm	IRR in.	ET Cr mm i	crop in.	Net IRR mm in.		ET crop mm in.		Net IRR mm in.
Jan Feb March May July Aug Sep Oct Nov	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00) 0 0.12) 0 0.59) 13 2.68) 30 4.06) 62 6.65) 151 5.98) 139 5.98) 139 7.25, 130 0.43) 1	(0.00) (0.00) (0.00) (1.18) (5.24) (5.24) (5.24) (5.24) (6.00)	174 C C C C C C C C C C C C C C C C C C C	0.00 0.00 0.03 0.03 6.73 1.73 1.73 1.73 1.73 1.73 1.73 1.73 1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00 0.00 0.00 0.71 1.38 1.52 1.38 1.38 0.00 0.00	0 0 0 16 0 0 16 0 1 70 0 2 10 0 0 112 0 6 112 0 6 13 0 0 1 0 0	0.00 0.28 0.63 1.81) 7.276 6.26 1.41) 1.41) 1.56) 0.51)	24245 4435 4435 4435 4435 4435 4435 4435	0.000 0.040 0.040 0.040 0.040 0.040 0.040	185 C C C C C C C C C C C C C C C C C C C	0.04) 0.31) 1.85) 1.85) 6.33) 6.33) 0.67)	0-1-2848420	0.000 0.040 1.140 1.140 5.640 5.940 0.040 0.040	2817 2000 2000 2000 2000 2000 2000 2000 20	0.04) 0.35) 0.35) 1.287) 1.287) 1.66,65) 1.66,65) 0.04)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2.28. 2.28. 2.28. 2.28. 2.40. 2.40. 2.40. 2.40. 2.40. 2.40. 2.40. 3.40.	2 (0.08) 20 (0.39) 20 (0.79) 52 (2.05) 75 (2.95) 117 (4.61) 121 (4.76) 72 (2.83) 20 (0.79)	88 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.000000000000000000000000000000000000
Season	736 (28.	97) 506	Season 736 (28.97) 506 (19.91) 752 (29.60) 546 (21.51)	752 (2	9.60) 5	46 (21		769 (30	(30.28) 5	591 (23	(23.27)	793 (2	793 (31.23)	634 (24.96)	1 1	818 (32	(32.22) 6	692 (27.24)		840 (33.06)	6) 728	(28.68)

REGION: 22 Wallowa Valley CROP: Pasture

		5 out of 10 years	of 10 rs	6 out	6 out of 10 years	7 out of 10 years	of 10 irs	8 out	8 out of 10 years	9 out of 10 years	f 10 s	19 out of 7 years	: of 20 ars
MONTH	ET	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Oct	13 C	0.51) 3.03) 4.45) 5.08) 6.54) 5.31) 2.70)	3 (0.12) 45 (1.77) 68 (2.68) 86 (3.39) 150 (5.91) 122 (4.80) 68 (2.68) 20 (0.79)	14 (0.55) 81 (3.19) 114 (4.49) 131 (5.16) 168 (6.61) 138 (5.43) 95 (3.74) 56 (2.20)	5 (0.20) 5 (1.97) 5 (1.97) 5 (2.74) 95 (3.74) 156 (6.14) 127 (5.00) 73 (2.87)	15 (0.59) 84 (3.31) 115 (5.28) 171 (6.73) 171 (5.75) 97 (3.82) 58 (2.28)	6 (0.24) 57 (2.24) 80 (3.15) 106 (4.17) 162 (6.38) 131 (5.16) 80 (3.15) 33 (1.30)	17 (0.67) 86 (3.39) 117 (4.61) 136 (5.35) 174 (6.85) 143 (5.63) 100 (3.94) 60 (2.36)	9 (0.35) 64 (2.52) 90 (3.54) 113 (4.45) 166 (6.54) 136 (5.53) 89 (3.50) 41 (1.61)	18 (0.71) 88 (3.46) 124 (4.88) 142 (5.59) 179 (7.05) 145 (5.71) 105 (4.13)	10 (0.39) 72 (2.83) 122 (4.02) 120 (4.72) 170 (6.69) 142 (5.59) 97 (3.82) 51 (2.01)	19 (0.75) 96 (3.78) 127 (5.00) 145 (5.71) 181 (7.13) 148 (5.83) 108 (4.25) 65 (2.56)	12 (0.47) 76 (2.99) 109 (4.29) 127 (5.00) 173 (6.81) 144 (5.67) 101 (3.98) 57 (2.24)
Season	781	30.75)	562 (22.14)	Season 781 (30.75) 562 (22.14) 797 (31.37) 607 (23.	(53.83)	815 (32.09)	655 (25.79)		833 (32.80) 708 (27.86)	863 (33.97) 764 (30.07)	(4 (30.07)	1	889 (35.01) 799 (31.45)

REGION: 22 Wallowa Valley CROP: Peas

	5 out	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	10	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 ars	19 ou ye	19 out of 20 years
MONTH	ET crop	Net IRR	ET crop	Net IRR	ET crop	Net IRR	ET crop	Net IRR	ET crop	Net IRR	ET crop	Net IRR
	mm in.	mm in.	mm in.	mm in.	mm in. m	mm in.	mm in.	mm in.	mm in.	mm in.	mm in.	mm in.
April	33 (1.30)	13 (0.51)	34 (1.34)	17 (0.67)	35 (1.38) 2	20 (0.79)	36 (1.42)	24 (0.94)	37 (1.46)	28 (1.10)	39 (1.54)	32 (1.26)
May	114 (4.49)	70 (2.76)	116 (4.57)	76 (2.99)	117 (4.61) 8	81 (3.19)	120 (4.72)	91 (3.58)	125 (4.92)	104 (4.09)	128 (5.04)	111 (4.37)
June	146 (5.75)	102 (4.02)	148 (5.83)	111 (4.37)	152 (5.98) 12	120 (4.72)	156 (6.14)	129 (5.08)	161 (6.34)	139 (5.47)	164 (6.46)	145 (5.71)
July	147 (5.79)	134 (5.28)	148 (5.83)	139 (5.47)	151 (5.94) 14	144 (5.67)	153 (6.02)	147 (5.79)	157 (6.18)	151 (5.94)	159 (6.26)	154 (6.06)
Season	440 (17.33)	319 (12.57)	Season 440 (17.33) 319 (12,57) 446 (17.57) 343 (13.50	343 (13.50)	455 (17.91) 365 (14.37)	5 (14.37)	465 (18.30)	465 (18.30) 391 (15.39) 480 (18.90) 422 (16.60) 490 (19.30) 442 (17.40)	480 (18.90)	422 (16.60)	490 (19.30)	442 (17.40)

Valley	
2 Wallowa	Potatoes
7	
REGION:	CROP:

0	in.	1.10) 2.99) 7.13) 6.54) 4.25) 0.63)	(22.64)
out of 20 years	Net mm	28 (76 (181 (166 (108 (573
19 out yea	crop in.	(3.54) (7.40) (6.69) (4.53) (0.67)	615 (24.21)
	ET	35 170 171 71	615
0	it IRR in.	(1.02) (2.83) (7.05) (6.42) (4.06) (0.55)	557 (21.93)
of 1	Net	26 179 163 103	
9 out of 10 years	T crop in.	(1.38) (3.43) (7.32) (6.57) (4.45) (0.63)	(23.78)
	ET	35 87 186 167 113 16	909
of 10 's	Net IRR mm in.	21 (0.83) 66 (2.60) 175 (6.89) 156 (6.14) 96 (3.78) 12 (0.47)	526 (20.71)
8 out of 10 years	ET crop mm in.	34 (1.34) 85 (3.35) 183 (7.20) 165 (6.50) 107 (4.21) 16 (0.63)	590 (23.23)
of 10	Net IRR mm in.	17 (0.67) 59 (2.32) 171 (6.73) 1 152 (5.98) 1 89 (3.50) 1	498 (19.59) 5
7 out of 10 years	ET crop mm in.	33 (1.30) 82 (3.23) 180 (7.09) 162 (6.38) 104 (4.09) 15 (0.59)	576 (22.68)
of 10 rs	Net IRR mm in.	14 (0.55) 52 (2.05) 164 (6.46) 147 (5.79) 82 (3.23) 8 (0.31)	467 (18.39)
6 out of 10 years	ET crop mm in.	33 (1.30) 80 (3.15) 177 (6.97) 159 (6.26) 103 (4.06) 15 (0.59)	567 (22.33)
of 10 rs	Net IRR mm in.	10 (0.39) 45 (1.77) 159 (6.26) 143 (5.63) 76 (2.99) 6 (0.24)	Season 559 (22.01) 439 (17.28) 567 (22.33) 467 (18
5 out of 10 years	ET crop mm in.	(1.26) (3.11) (6.93) (6.10) (4.02)	9 (22.01)
	MONTH	May 32 June 79 July 176 Aug 155 Sep 102 Oct 15	Season 55

REGION: 23 Grande Ronde Valley CROP: Alfalfa Hay

	ın	5 out of 10 years	of 10 rs	9	6 out of 10 years		7 ou	7 out of 10 years	8 out ye	8 out of 10 years	oni 6	9 out of 10 years	19 o Y	19 out of 20 years	0.
MONTH	ET Cr	crop in.	Net IRR mm in.	ET crop mm in.	Net	IRR in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net mm	in.
April May June July Aug Sep	53 (2 106 (4 123 (4 165 (6 137 (5	2.09) 4.17) 6.50) 5.39)	30 (1.18) 62 (2.44) 84 (3.31) 149 (5.87) 73 (2.87)	55 (2.17) 107 (4.21) 126 (4.96) 167 (6.57) 138 (5.43)	33 C 88 C 90 C 155 C 178 C	1.30) 2.68) 3.54) 6.10) 5.04)	56 (2.20) 108 (4.25) 128 (5.04) 169 (6.65) 139 (5.47) 99 (3.90)	36 (1.42) 75 (2.95) 98 (3.86) 160 (6.30) 132 (5.20) 81 (3.19)	58 (2.28) 111 (4.37) 130 (5.12) 171 (6.73) 141 (5.55)	40 (1.57) 83 (3.27) 107 (4.21) 165 (6.50) 136 (5.35) 89 (3.50)	60 (2.36) 116 (4.57) 133 (5.24) 173 (6.81) 145 (5.71) 102 (4.02)	48 (1.89) 93 (3.66) 115 (4.53) 170 (6.69) 141 (5.55) 97 (3.82)	63 (2.48) 122 (4.80) 137 (5.39) 177 (6.97) 151 (5.94) 105 (4.13)	25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2.01) 4.72) 6.85) 5.67)
Season	678 (26	(69.5	Season 678 (26.69) 522 (20.55)	690 (27.	690 (27.16) 551 (21.69)	_	699 (27.51)	(27.51) 582 (22.92)) 711 (27.99)	711 (27.99) 620 (24.40)	729 (28.71)	664 (26.14)	755 (29.71) 691 (27.21)) 691 (27.21)

REGION: 23 Grande Ronde Valley CROP: Grain (Spring)

	5 ou	5 out of 10 years	6 out ye	6 out of 10 years	7 out of 10 years	of 10 Irs	8 out	8 out of 10 years	9 out of 10 years	of 10 rs	19 out	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
April May June July Aug	53 (2.09) 120 (4.72) 149 (5.87) 179 (7.05) 33 (1.30)) 20 (0.79)) 75 (2.95)) 106 (4.17)) 163 (6.42)) 30 (1.18)	54 (2.13) 122 (4.80) 152 (5.98) 182 (7.17) 34 (1.34)	24 (0.94) 83 (3.27) 115 (4.53) 169 (6.65) 31 (1.22)	55 (2.17) 124 (4.88) 155 (6.10) 184 (7.24) 34 (1.34)	28 (1.10) 90 (3.54) 124 (4.88) 175 (6.89) 32 (1.26)	57 (2.24) 127 (5.00) 157 (6.18) 187 (7.36) 35 (1.38)	33 (1.30) 97 (3.82) 134 (5.28) 180 (7.09) 33 (1.30)	60 (2.36) 132 (5.20) 161 (6.34) 188 (7.40) 36 (1.42)	40 (1.57) 108 (4.25) 142 (5.59) 184 (7.24) 34 (1.34)	62 (2.44) 137 (5.39) 166 (6.54) 192 (7.56) 37 (1.46)	48 (1.89) 117 (4.61) 149 (5.87) 189 (7.44) 36 (1.42)
Season	534 (21.03)	Season 534 (21.03) 394 (15.51) 544 (21.42) 422 (16.61)	544 (21.42)	422 (16.61)	552 (21.73) 449	449 (17.67)	563 (22,16)	563 (22.16) 477 (18.79)	577 (22.72) 508 (10.00)	508 (10 00)	126 161 025 102 261 705	530 (21 22)

Grande Ronde Valley Grain (Winter) 23 REGION: CROP:

	5 0	out of 10 years		9	out of years	f 10 s	7 out ye	ut of 10 years		8 out	ut of 10 years	6	out of years	10	19 o	out of 2 years	20
MONTH	ET crop	Net mm	in.	ET Cr	crop in.	Net IRR mm in.	ET crop mm in.	Net	IRR in.	ET crop	Net IRR mm in.	ET crop		Net IRR mm in.	ET crop	Net	IRR in.
March April May June July	14 (0.55) 76 (2.99) 129 (5.08) 149 (5.87) 135 (5.31)	41. 105. 121. 121. 121.	0.04) 1.61) 3.19) 1 4.13) 1	15 (0 131 (5 132 (5 137 (5	0.59) 3.11) 5.16) 5.39) 11	1 (0.04) 45 (1.77) 89 (3.50) 114 (4.49)	15 (0.59) 81 (3.19) 132 (5.20) 155 (6.10)	-88 <u>5</u> 5	0.04) 1.97) 3.78) 4.84)	16 (0.63) 83 (3.27) 134 (5.28) 157 (6.18)	2 (0.08) 57 (2.24) 105 (4.13) 133 (5.24)	18 0 88 (3 140 (5	53536	6 (0.24) 7 (2.64) 5 (4.53) 1 (5.55)	18 (0.71) 92 (3.62) 147 (5.79) 166 (6.54)		0.35) 2.87) 4.96) 5.83)
Season	503 (19.80)	349				· 5	, C	401 (1	- 1		431 (16	551 (21	"	7 5	- 🖰	74.	(19.60)
REGION: CROP:	8	Grande Ronde Valley Grass Seed (Fall)	y Valley Fall)														
	5 0	out of 10 years		9	out of years	f 10	7 out	out of 10 years		8 out yea	ut of 10 years	٥	out of years	10	19 of x	out of 20 years	
MONTH	ET crop	Net III	IRR in.	ET crop mm in.		Net IRR mm in.	ET crop mm in.	Net 1	IRR in.	ET crop mm in.	Net IRR mm in.	ET crop	=	Net IRR m in.	ET crop	Net	in.
Jan Feb March	1 (0.04) 10 (0.39) 34 (1.34)	0-0	0.00)	21.2 200.2	0.08)	0 (0.00)	2 (0.08) 13 (0.51) 37 (1.6)	0-1	0.00		0-0	250	1	000		1	0.00)
		25,	~					57 (30 (1.30) 92 (3.62) 135 (5.31)	.48 .25	78 7 7 7 7 7	3.86) 75 75 75 75 75 75		45 (1.77) 100 (3.94) 148 (5.83)	22 62 62 62 62 62 62 62 62 62 62 62 62 6	3.19)
a) 📐	150 (5.91) 200 (7.87) 300 (7.87)	285	7.24) 2	153 (6. 202 (7.	6.02) 11 7.95) 19	<u> </u>	<u> </u>	185		\sim	134 (202 (162 (210 (. v o	<i>,</i>		5.91)
Sep Octo		325		J J ,		<u>.</u> ب	<u> </u>	145 40 50 50 50 50 50 50 50 50 50 50 50 50 50		<u> </u>	149 (158 C 56 C		6.06)	\sim		6.18)
		0	0.04)	\$\$-	222		45 (1.77) 14 (0.55) 2 (0.08)	-	1.02) 0.04) 0.00)	46 (1.81) 15 (0.59) 2 (0.08)		246 246 246	1.93) 38 0.67) 1 0.12) 0	-00	$\overline{}$		
Season 867		(34.14) 602 (23.69)		87 (34	.92) 64	887 (34.92) 647 (25.48)	902 (35.51)	691	(27.20)	919 (36.18)	(36.18) 740 (29.13)) 957 (37.68)	68) 803	3 (31.62)	991 (39.02)	851	(33.52)

REGION: 23 Grande Ronde Valley CROP: Grass Seed (Spring)

	o n	5 out of 10 years	6 out of 10 years	of 10 Irs	7 out of 10 years	of 10 rs	8 out	8 out of 10 years	9 out of 10 years	if 10 s	19 out of 2 years	t of 20 ars
MONTH	ET crop	Met IRR mm în.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
Jan Feb March April May July July Aug Sep Oct	1 (0.04) 8 (0.31) 16 (0.63) 70 (2.76) 170 (7.17) 175 (7.05) 175 (4.69) 17 (2.64) 17 (0.75)	4) 0 (0.00) 3) 1 (0.04) 11) 13 (0.51) 6) 29 (1.14) 7) 64 (2.52) 7) 64 (2.52) 5) 163 (5.42) 9) 90 (3.54) 9) 33 (1.30) 4) 33 (1.30) 4) 0 (0.00)	2 (0.08) 8 (0.31) 17 (0.67) 47 (1.85) 71 (2.80) 108 (4.25) 181 (7.13) 167 (4.61) 69 (2.72) 20 (0.79) 1 (0.04)	0 (0.00) 0 (0.00) 1 (0.04) 16 (0.63) 35 (1.38) 73 (2.87) 169 (6.65) 157 (6.18) 41 (1.61) 1 (0.04)	3 (0.12) 9 (0.35) 17 (0.67) 48 (1.89) 72 (2.83) 110 (4.33) 184 (7.24) 169 (6.65) 71 (2.80) 21 (0.83) 2 (0.08)	0 (0.00) 1 (0.04) 1 (0.04) 21 (0.83) 40 (1.57) 82 (3.23) 147 (6.34) 162 (4.02) 48 (1.89) 1 (0.04)	5 (0.20) 10 (0.39) 18 (0.73) 49 (1.93) 73 (2.87) 112 (4.41) 121 (4.41) 74 (2.91) 74 (2.91) 3 (0.12)	0 (0.00) 1 (0.04) 26 (1.02) 46 (1.81) 91 (3.58) 179 (7.05) 166 (6.54) 110 (4.33) 54 (2.13) 2 (0.08) 0 (0.00)	6 (0.24) 13 (0.51) 20 (0.79) 52 (2.05) 74 (2.91) 115 (4.53) 189 (7.44) 176 (6.83) 123 (4.84) 178 (3.07) 26 (1.02) 3 (0.12)	0 (0.00) 1 (0.04) 1 (0.04) 233 (1.30) 555 (2.17) 58 (3.86) 171 (6.67) 171 (6.67) 63 (2.48) 63 (2.48) 63 (2.48) 63 (2.48)	6 (0.24) 21 (0.55) 21 (0.55) 53 (2.09) 78 (3.07) 118 (4.65) 193 (7.60) 117 (5.00) 81 (3.19) 81 (3.19) 7 (0.28)	0 (0.00) 1 (0.16) 4 (0.15) 59 (2.32) 103 (4.06) 1175 (6.89) 117 (6.89) 71 (2.80) 10 (0.39)
Season	792 (31.1	Season 792 (31.19) 545 (21.45) 808 (31.82) 589 (23	808 (31.82)	589 (23.18)	826 (32.51)	632 (24.89)	844 (33.22)	(33.22) 676 (26.62)	875 (34.45) 726	26 (28.59)	910 (35.84)	774 (30.47)

REGION: 23 Grande Ronde Valley CROP: Pasture

		5 out of 10 years	out of 10 years	no 9	6 out of 10 years	7 out of 10 years	of 10 Irs	8 out of 10 years	of 10 irs	9 out of 10 years	of 10 rs	19 our	19 out of 20 years
MONTH	E E	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March	15	3.19)	2 (0.08)	16 83	3 (0	(0.63)	4 (0.16)	\sim \sim	9 09	3.75)		~~	
May	51.5	5.24)	68 (2.68) 89 (3.50)	115	74 (2	(4.61)	83 (3.27)	\sim \sim	117	4.92)		ب ب	
July	177	6.97	161 (6.34)	179	167 (6	(7.09)	172 (6.77)	\sim \sim	177 (7.28)		<i>,</i> – ,	
Sep	282	3.98)	78 (3.07)	104 (4.09)) 83 (3.27)) 33 (1.30)	106 (4.17)	89 (3.50)	108 (4.25)	97 (3.82)	111 (4.37)	105 (4.13)	112 (4.41)	108 (4.25)
Season	825	(32.49)	602 (23.70)	840 (33.07	Season 825 (32.49) 602 (23.70) 840 (33.07) 646 (25.43)	854 (33.62) 691	691 (27.20)	874 (34.40) 742 (29.22)	742 (29.22)	899 (35.39)	801 (31.53)		

REGION: 23 Grande Ronde Valley CROP: Peas

		5 out of 10 years	of 10 rs	6 out ye	6 out of 10 years	7 out	7 out of 10 years	8 out of 10 years	of 10 rs	9 out	9 out of 10 years	19 out of 2 years	t of 20 ars
MONTH	ET crop mm in.	ori in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
April May June July	35 (1 115 (4 148 (5 156 (6	1.38) 4.53) 5.83) 6.14)	13 (0.51) 69 (2.72) 105 (4.13) 143 (5.63)	36 (1.42) 116 (4.57) 151 (5.94) 157 (6.18)	16 (0.63) 75 (2.95) 114 (4.49) 147 (5.79)	36 (1.42) 118 (4.65) 154 (6.06) 159 (6.26)	19 (0.75) 83 (3.27) 123 (4.84) 151 (5.94)	37 (1.46) 121 (4.76) 156 (6.14) 160 (6.30)	22 (0.87) 92 (3.62) 133 (5.24) 156 (6.14)	39 (1.54) 126 (4.96) 160 (6.30) 163 (6.42)	28 (1.10) 102 (4.02) 141 (5.55) 161 (6.34)	40 (1.57) 131 (5.16) 165 (6.50) 167 (6.57)	32 (1.26) 111 (4.37) 148 (5.83) 164 (6.46)
eason	454 (1)	7.88)	330 (12.99)	Season 454 (17.88) 330 (12.99) 460 (18.11) 352 (13.86)	352 (13.86)	467 (18.39)	467 (18.39) 376 (14.80)	474 (18.66) 403 (15.87) 488 (19.22) 432 (17.01)	403 (15.87)	488 (19.22)	432 (17.01)	503 (19.80)	503 (19.80) 455 (17.92)

Valley	
Ronde	90
Grande R	Potatoe
23	
REGION:	CROP:

	5 out ye	5 out of 10 years	6 out	6 out of 10 years	7 out of 10 years	of 10 Irs	8 out of 10 years	of 10	9 out of 10 years	of 10 Is	19 out of years	it of 20 ars
MONTH	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
May June July Aug Sep Oct	33 (1.30) 81 (3.19) 187 (7.36) 168 (6.61) 108 (4.25) 16 (0.63)	10 (0.39) 48 (1.89) 172 (6.77) 156 (6.14) 86 (3.39) 7 (0.28)	33 (1.30) 83 (3.27) 189 (7.44) 172 (6.77) 111 (4.37) 16 (0.63)	13 (0.51) 54 (2.13) 177 (6.97) 161 (6.34) 91 (3.58) 9 (0.35)	34 (1.34) 84 (3.31) 190 (7.48) 175 (6.89) 113 (4.45) 17 (0.67)	16 (0.63) 59 (2.32) 183 (7.20) 165 (6.50) 96 (3.78) 12 (0.47)	34 (1.34) 85 (3.35) 192 (7.56) 1 177 (6.97) 115 (4.53) 1	21 (0.83) 68 (2.68) 188 (7.40) 170 (6.69) 104 (4.09) 14 (0.55)	35 (1.38) 88 (3.46) 196 (7.72) 180 (7.09) 117 (4.61) 18 (0.71)	25 (0.98) 73 (2.87) 194 (7.64) 175 (6.89) 111 (4.37) 15 (0.59)	35 (1.38) 90 (3.54) 200 (7.87) 185 (7.28) 120 (4.72) 18 (0.71)	28 (1.10) 76 (2.99) 198 (7.80) 177 (6.97) 115 (4.53) 17 (0.67)
Season	593 (23.34)	479 (18.86)	Season 593 (23.34) 479 (18.86) 604 (23.78) 505 (19.88	505 (19,88)	613 (24.14) 531 (20.90)	531 (20.90)	620 (24.42) 5	565 (22, 24)	(20 76) 729	172 201 205	4.8 125 50V	K/8 125 501 611 12/ 061

ir.

Net

ET crop

19 out of 20 years

Baker Valley	Alfalfa Hay
7,	
REGION:	CROP:

		5 out of 10 years	of 10 ars			6 out of 10 years	of 10 ars	_		7 out	out of 10 years	_		8 out	8 out of 10 years	_	5	9 out of 10 years	f 10 s			19 out yes	out of 20 years	
MONTH	E E	ET crop mm in.	Net ma	Net IRR mm in.	ET ET	crop in.	Net	IRR in.	ᄪ	crop in.	Net	in.	E E	crop in.	TE Ret	in.	ET CT	crop in.	Net mm	IRR in.	₽ E	crop in.	Net	IRR in.
April May June July Aug Sep	23 130 171 130 130 130 130 130 130 130 130 130 13	5.09 5.12) 6.73) 5.31)	39 (82 (156 (122 (1.54) 3.23) 3.86) 6.14) 4.80) 3.39)	54 111 132 172 137 101	(2.13) (4.37) (5.20) (6.77) (5.39)	42 87 103 161 126 91	1.65) 3.43) 4.06) 6.34) 4.96) 3.58)	55 (115 (133 (174 (139 ((2.17) (4.53) (5.24) (6.85) (5.47)	36 13 13 13 13 13 13 13 13 13 13 13 13 13	1.81) 3.54) 4.33) 6.54) 5.12) 3.78)	57 117 135 141 108	(2.24) (4.61) (5.31) (5.33) (5.55) (4.25)	51 C 121 C 171 C 134 C	2.01) 4.76) 6.73) 7.28)	59 (2 120 (4 141 (5 146 (5 110 (4	2.32) 4.72) 5.55) 1 7.17) 1 5.75) 1	22 22 23 24 25 25 26 26 26 26 26 26 26 26 26 26 26 26 26	2.17) 3.90) 5.12) 6.93) 5.59)	62 122 148 183 152 116	2.44) 4.80) 5.83) 7.20) 5.98) 4.57)	57 (103 (178 (178 (109 (2.24) 4.06) 7.01) 7.01) 7.03)
Season	969	27.40)	583 (Season 696 (27.40) 583 (22.96) 707 (27.84) 610 (24.02)	707 ((27.84)	610 (24.02)	720 (720 (28.35)	638	(25.12)	735 (735 (28.93)	673 (673 (26.50)	758 (29.84) 708 (27.88)	.84) 7	08 (2		783 ((30.82)	230	(28.74)

		5 out of years	ut of 10 years	6 out yea	out of 10 years	7 out yea	7 out of 10 years	8 out of 10 years	9 out	out of 10 years
MONTH	i E	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net IRR mm in. mm in.	R ET crop	Net 1
May June July Aug Sep	204 204 166 90	(2.17) (4.65) (8.11) (6.54) (3.54)	35 (1.38) 86 (3.39) 191 (7.52) 153 (6.02) 76 (2.99)	56 (2.20) 121 (4.76) 208 (8.19) 168 (6.61) 92 (3.62)	38 (1.50) 90 (3.54) 197 (7.76) 158 (6.22) 81 (3.19)	57 (2.24) 122 (4.80) 210 (8.27) 170 (6.69) 95 (3.74)	41 (1.61) 97 (3.82) 202 (7.95) 162 (6.38) 86 (3.39)	58 (2.28) 45 (1.124 (4.88) 109 (4.214 (8.43) 207 (8.2173 (6.81) 167 (6.218) 98 (3.86) 91 (3.218)	1.77) 59 (2.32) 4.29) 129 (5.08) 8.15) 218 (8.58) 6.57) 179 (7.05) 3.58) 100 (3.94)	49 (49 (212 (178 (178 (178 (178 (178 (178 (178 (178

Season 635 (25.01) 541 (21.30) 645 (25.38) 564 (22.21) 654 (25.74) 588 (23.15) 667 (26.26) 619 (24.36) 685 (26.97) 654 (25.76) 704 (27.71) 672 (26.45)

REGION: 24 Baker Valley CROP: Corn (Field)

REGION: 24 Baker Valley CROP: Corn (Sweet)

י רטאט		COLUMN STREET										
	5 out of 10 years	ut of 10 years	6 out of 10 years	of 10 Irs	7 out yea	7 out of 10 years	8 out of 10 years	of 10 rs	9 out	9 out of 10 years	19 out of 2 years	: of 20 ars
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
May June July Aug Sep	32 (1.26) 99 (3.90) 195 (7.68) 166 (6.54) 19 (0.75)	21 (0.83) 68 (2.68) 180 (7.09) 153 (6.02) 18 (0.71)	33 (1.30) 102 (4.02) 196 (7.72) 168 (6.61) 19 (0.75)	23 (0.91) 73 (2.87) 185 (7.28) 158 (6.22) 19 (0.75)	33 (1.30) 103 (4.06) 199 (7.83) 170 (6.69) 20 (0.79)	25 (0.98) 81 (3.19) 191 (7.52) 162 (6.38) 20 (0.79)	34 (1.34) 104 (4.09) 202 (7.95) 173 (6.81) 21 (0.83)	26 (1.02) 90 (3.54) 196 (7.72) 167 (6.57) 20 (0.79)	34 (1.34) 107 (4.21) 206 (8.11) 179 (7.05) 21 (0.83)	29 (1.14) 101 (3.98) 201 (7.91) 176 (6.93) 21 (0.83)	35 (1.38) 113 (4.45) 207 (8.15) 186 (7.32) 22 (0.87)	30 (1.18) 105 (4.13) 203 (7.99) 182 (7.17) 22 (0.87)
Seasor	1 511 (20.13)	Season 511 (20.13) 440 (17.33) 518 (20.40) 458 (18.03)	518 (20.40)	458 (18.03)	525 (20.67)	525 (20.67) 479 (18.86)	534 (21.02) 499 (19.64)	499 (19.64)	547 (21.54)	547 (21.54) 528 (20.79)	563 (22.17) 542 (21.34)	542 (21.34)

Valley	Spring
Baker	Crain
REGION: 24	.000

		5 out	5 out of 10 years		6 out of 10 years	of 10 irs			7 out of 10 years	of 10 irs		80	8 out of 10 years	f 10		6	9 out of 10 years	10		19 oc.	out of 2 years	50
MONTH	ET crop	in.	Net IRR mm in.	-	ET crop	Met Met	IRR in.	ET	crop in.	Net	IRR in.	ET crop		Net IRR mm in.		ET crop mm in.		Net IRR mm in.	ET ET	crop in.	Net	in.
April May June July Aug	52 (2.05) 123 (4.84) 158 (6.22) 186 (7.32) 32 (1.26)	2.05) 4.84) 6.22) 7.32) 1.26)	36 (1.42) 95 (3.74) 121 (4.76) 171 (6.73) 29 (1.14)	127 127 162 188 188 188	(2.09) (5.00) (6.38) (7.40) (1.30)	40 C 127 C 176 C 30 C	1.57) 3.94) 5.00) 6.93) 1.18)	55 130 130 130 130	5.12) 6.50) 7.48)	44 (104 (136 (182 (31 (1.73) 4.09) 5.35) 7.17)	56 (2, 132 (5, 2, 193 (7, 7, 193 (7, 7, 193 (7, 1, 193 (7, 1, 1, 1, 1), 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	2.20 4 5.20 10 6.61) 14 7.60) 18	48 (1.89) 109 (4.29) 148 (5.83) 187 (7.36) 32 (1.26)		58 (2. 135 (5. 174 (6. 198 (7. 35 (1.	2.28) 53 (5.31) 115 (6.85) 159 (7.80) 191 (1.38) 34 (3 (2.09) 5 (4.53) 9 (6.26) 1 (7.52) 4 (1.34)	200 C	(2.36) (5.51) (7.09) (7.87) (1.42)	35 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2.20) 4.69) 6.54) 7.64)
Season	551 (2	(69.1	Season 551 (21.69) 452 (17.79) 563 (22.17) 473 (18.	, 563	(22.17)	473 (1	8.62)		22.57)	1) 265	573 (22.57) 497 (19.56)	583 (22.95)	.95) 5.	524 (20.63)	53) 60	600 (23.62)	62) 55	552 (21.74)		616 (24.25) 571 (22.49)	571 ((22.49

REGION: 24 Baker Valley CROP: Grain (Winter)

	ν Σ	5 out of 10 years	6 out ye	6 out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 irs	9 out	9 out of 10 years	19 out of 2 years	of 20 ars
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
March April May June July	12 (0.47) 76 (2.99) 130 (5.12) 157 (6.18) 140 (5.51)	7) 4 (0.16) 9) 56 (2.20) 2) 103 (4.06) 8) 121 (4.76) 1) 127 (5.00)	13 (0.51) 78 (3.07) 135 (5.31) 161 (6.34) 141 (5.55)	6 (0.24) 60 (2.36) 107 (4.21) 127 (5.00) 133 (5.24)	13 (0.51) 80 (3.15) 138 (5.43) 164 (6.46) 143 (5.63)	7 (0.28) 64 (2.52) 112 (4.41) 135 (5.31) 137 (5.39)	14 (0.55) 82 (3.23) 140 (5.51) 167 (6.57) 145 (5.71)	8 (0.31) 73 (2.87) 117 (4.61) 147 (5.79) 141 (5.55)	15 (0.59) 87 (3.43) 143 (5.63) 173 (6.81) 149 (5.87)	11 (0.43) 79 (3.11) 123 (4.84) 158 (6.22) 144 (5.67)	17 (0.67) 89 (3.50) 148 (5.83) 179 (7.05) 151 (5.94)	13 (0.51) 83 (3.27) 127 (5.00) 165 (6.50) 145 (5.71)
Season	515 (20.2	Season 515 (20.27) 411 (16.18) 528 (20.78) 433 (17.05	528 (20.78)	433 (17.05)	538 (21.18)	538 (21.18) 455 (17.91)	548 (21.57)	548 (21.57) 486 (19.13)	567 (22.33)	567 (22.33) 515 (20.27)	584 (22.99)	533 (20.99)

REGION: 24 Baker Valley CROP: Grass Seed (Spring)

		5 out of 10 years	of 10 Irs	6 out	6 out of 10 years	7 out of 10 years	of 10 rs	8 out ye	8 out of 10 years	9 out of 10 years	9	19 out of 3 years	: of 20 Irs
MONTH	± €	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
Jan Feb March April May June July Aug Sep Oct	0.24211283	(0.00) (0.00) (0.55) (1.73) (7.28) (6.42) (6.42) (6.42) (6.42) (6.42) (6.42)	0 (0.00) 0 (0.00) 1 (0.04) 28 (1.10) 46 (1.81) 80 (3.15) 157 (6.73) 107 (4.21) 55 (2.17) 1 (0.04)	0 (0.00) 5 (0.20) 14 (0.55) 45 (1.77) 72 (2.83) 113 (4.45) 165 (6.50) 123 (4.84) 72 (2.83) 13 (0.51) 0 (0.00)	0 (0.00) 0 (0.00) 1 (0.04) 32 (1.26) 50 (1.97) 84 (3.31) 176 (6.93) 113 (4.45) 59 (2.32) 1 (0.04) 0 (0.00)	0 (0.00) 6 (0.24) 15 (0.59) 47 (1.85) 73 (2.87) 115 (4.53) 189 (7.44) 168 (6.61) 174 (2.91) 17 (0.67) 0 (0.00)	0 (0.00) 0 (0.00) 1 (0.04) 34 (1.34) 53 (2.09) 91 (3.58) 158 (7.09) 178 (4.65) 178 (4.65) 178 (4.65) 178 (4.65) 179 (0.04)	7 (0.00) 7 (0.28) 16 (0.28) 74 (2.91) 17 (4.61) 192 (7.56) 179 (5.08) 78 (3.07) 19 (0.75)	0 (0.00) 3 (0.12) 38 (1.50) 57 (2.24) 101 (3.98) 184 (7.24) 163 (-6.42) 173 (-6.42) 67 (2.64) 67 (2.64) 67 (2.64) 67 (2.64) 60 (0.00)	0 (0.00) 8 (0.31) 17 (0.31) 49 (1.93) 76 (2.99) 119 (4.69) 119 (7.72) 117 (6.93) 117 (6.93) 117 (5.93) 117 (6.93) 117 (6.93) 1	0 (0.00) 8 (0.31) 44 (1.73) 61 (2.40) 111 (4.37) 113 (6.81) 173 (6.81) 10 (0.39) 0 (0.00)	2 (0.39) 20 (0.39) 20 (1.97) 77 (3.03) 77 (4.88) 1124 (4.88) 1134 (7.20) 1138 (7.20) 20 (0.79) 0 (0.00)	0 (0.00) 4 (0.16) 9 (0.35) 46 (1.81) 65 (2.56) 116 (4.57) 1179 (7.56) 1179 (7.05) 1179 (5.05) 1179 (5.05)
Season	791 ((31.14)	Season 791 (31.14) 639 (25.16)	809 (31.84) 671 (26	671 (26.42)	829 (32.63)	699 (27.53)	850 (33.47) 739	739 (29.10)	875 (34.46) 80	803 (31.60)	904 (35.59)	838 (33.00)

REGION: 24 Baker Valley CROP: Onions

	5 out	5 out of 10 years	6 out of 10 years	of 10 rs	7 out	7 out of 10 years	8 out of 10 years	of 10 rs	9 out ye	9 out of 10 years	19 out of 2 years	of 20 rs
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep	16 (0.63) 77 (3.03) 120 (4.72) 189 (7.44) 150 (5.91) 47 (1.85)	12 (0.47) 55 (2.17) 93 (3.66) 177 (6.97) 139 (5.47) 43 (1.69)	16 (0.63) 78 (3.07) 123 (4.84) 190 (7.48) 152 (5.98) 48 (1.89)	13 (0.51) 60 (2.36) 97 (3.82) 182 (7.17) 143 (5.63) 45 (1.77)	16 (0.63) 80 (3.15) 126 (4.96) 192 (7.56) 154 (6.06) 49 (1.93)	14 (0.55) 63 (2.48) 102 (4.02) 186 (7.32) 147 (5.79) 47 (1.85)	17 (0.67) 82 (3.23) 128 (5.04) 196 (7.72) 157 (6.18) 51 (2.01)	15 (0.59) 66 (2.60) 113 (4.45) 191 (7.52) 150 (5.91) 49 (1.93)	17 (0.67) 83 (3.27) 131 (5.16) 201 (7.91) 162 (6.38) 52 (2.05)	16 (0.63) 69 (2.72) 122 (4.80) 195 (7.68) 158 (6.22) 51 (2.01)	17 (0.67) 84 (3.31) 138 (5.43) 203 (7.99) 168 (6.61) 54 (2.13)	17 (0.67) 72 (2.83) 127 (5.00) 197 (7.76) 165 (6.50) 52 (2.05)
Season	599 (23.58	Season 599 (23.58) 519 (20.43) 607 (23.89) 540 (21.26	607 (23.89)	540 (21.26)	617 (24.29)	(24.29) 559 (22.01)		631 (24.85) 584 (23.00)	646 (25.44)	646 (25.44) 611 (24.06)	664 (26.14) 630 (24.81)	630 (24.81)

REGION: 24 Baker Valley CROP: Pasture

5												
	5 00 ×	5 out of 10 years	6 out of 10 years	of 10 rs	7 out yea	7 out of 10 years	8 out of 10 years	f 10 s	9 out of 10 years		19 out yea	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop Net mm in. mm	IRR in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep	13 (0.51) 80 (3.15) 116 (4.57) 139 (5.47) 144 (5.67) 107 (4.21) 60 (2.36)	7 (0.28) 59 (2.32) 108 (4.17) 108 (4.17) 112 (5.61) 132 (5.20) 93 (3.66)	14 (0.55) 82 (3.23) 119 (4.69) 141 (5.55) 146 (5.75) 109 (4.29) 61 (2.40)	9 (0.35) 63 (2.48) 93 (3.64) 110 (4.33) 173 (5.35) 99 (3.90) 49 (1.93)	15 (0.59) 84 (3.31) 122 (4.80) 142 (5.59) 148 (7.32) 148 (5.83) 111 (4.37) 64 (2.52)	9 (0.35) 68 (2.68) 97 (3.82) 118 (4.65) 178 (7.01) 140 (5.51) 103 (4.06) 52 (2.05)	15 (0.59) 86 (3.39) 125 (4.92) 1 144 (5.67) 1 189 (7.44) 1 150 (5.91) 1 115 (4.53) 1 67 (2.64)	11 (0.43) 78 (3.07) 102 (4.02) 130 (5.12) 183 (7.20) 145 (5.71) 108 (4.25) 57 (2.24)	17 (0.67) 13 (89 (3.50) 83 (128 (5.04) 107 (151 (5.94) 140 (194 (7.64) 187 (156 (6.14) 154 (118 (4.65) 113 (70 (2.76) 64 (0.51) 3.27) 4.21) 5.51) 7.36) 6.06) 2.52)	19 (0.75) 94 (3.70) 131 (5.16) 158 (6.22) 196 (7.72) 161 (6.34) 123 (4.84) 72 (2.83)	14 (0.55) 87 (3.43) 111 (4.37) 145 (5.71) 190 (7.48) 116 (4.57) 69 (2.72)
Season	841 (33.11	Season 841 (33.11) 700 (27.55)	856 (33.70) 732 (28.	732 (28.81)	872 (34.33)	765 (30.13)	891 (35.09) 8	(35.09) 814 (32.04)	923 (36.34) 861 (33.89)	- 1	954 (37.56)	891 (35.09)

REGION: 24 Baker Valley CROP: Peas

	5 out	5 out of 10 years	6 out of 10 years	of 10 ars	7 out	7 out of 10 years	8 out of 10 years	of 10 irs	9 out ye	9 out of 10 years	19 out	19 out of 20 years
MONTH	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July	34 (1.34) 118 (4.65) 157 (6.18) 160 (6.30)	24 (0.94) 90 (3.54) 121 (4.76) 151 (5.94)	35 (1.38) 121 (4.76) 161 (6.34) 162 (6.38)	26 (1.02) 95 (3.74) 127 (5.00) 155 (6.10)	35 (1.38) 124 (4.88) 164 (6.46) 163 (6.42)	29 (1.14) 99 (3.90) 135 (5.31) 159 (6.26)	36 (1.42) 126 (4.96) 167 (6.57) 166 (6.54)	31 (1.22) 104 (4.09) 147 (5.79) 163 (6.42)	37 (1.46) 130 (5.12) 173 (6.81) 171 (6.73)	34 (1.34) 109 (4.29) 158 (6.22) 166 (6.54)	39 (1.54) 133 (5.24) 179 (7.05) 172 (6.77)	36 (1.42) 113 (4.45) 165 (6.50) 168 (6.61)
Season	469 (18.47)	386 (15.18)	Season 469 (18.47) 386 (15.18) 479 (18.86) 403 (15.86)	403 (15.86)	486 (19.14)	486 (19.14) 422 (16.61) 495 (19.49) 445 (17.52) 511 (20.12) 467 (18.39) 523 (20.60) 482 (18.98)	495 (19.49)	445 (17.52)	511 (20.12)	467 (18.39)	523 (20.60)	482 (18.98)

REGION: 24 Baker Valley CROP: Potatoes

19 out of 20 years	Net IRR mm in.	30 (1.18) 89 (3.50) 200 (7.87) 182 (7.17) 125 (4.92)	645 (25.39)
19 ou ye	ET crop mm in.	36 (1.42) 96 (3.78) 205 (8.07) 186 (7.32) 131 (5.16) 19 (0.75)	673 (26.50)
9 out of 10 years	crop Net IRR in. mm in.	(1.38) 27 (1.06) (3.54) 85 (3.35) (7.99) 198 (7.80) (7.05) 175 (6.89) (4.92) 121 (4.76) (0.71) 18 (0.71)	650 (25.59) 624 (24.57)
	ET 0	35 203 179 125 18) 650 (
8 out of 10 years	Net IRR mm in.	25 (0.98) 75 (2.95) 193 (7.60) 166 (6.54) 116 (4.57) 17 (0.67)	592 (23.31)
8 out	ET crop	35 (1.38) 88 (3.46) 200 (7.87) 173 (6.81) 122 (4.80) 18 (0.71)	636 (25.03)
7 out of 10 years	Net IRR mm in.	23 (0.91) 67 (2.64) 188 (7.40) 162 (6.38) 112 (4.41) 16 (0.63)	568 (22.37)
7 out	ET crop mm in.	34 (1.34) 87 (3.43) 196 (7.72) 170 (6.69) 119 (4.69) 17 (0.67)	623 (24.54)
ut of 10 years	Net IRR mm in.	21 (0.83) 62 (2.44) 184 (7.24) 159 (6.26) 107 (4.21) 15 (0.59)	548 (21.57)
6 out of 10 years	ET crop	34 (1.34) 86 (3.39) 194 (7.64) 168 (6.61) 116 (4.57) 17 (0.67)	615 (24.22)
of 10 irs	Net IRR mm in.	20 (0.79) 57 (2.24) 179 (7.05) 154 (6.06) 102 (4.02) 14 (0.55)	526 (20.71)
5 out of 10 years	ET crop	33 (1.30) 84 (3.31) 192 (7.56) 166 (6.54) 114 (4.49) 16 (0.63)	Season 605 (23.83) 526 (20.71) 615 (24.22) 548 (21
	MONTH	May June July Aug Sep Oct	Season

REGION: 25 Pine and Eagle valleys CROP: Alfalfa Hay

ł	5	5 out of 10 years	of 10 s			6 out of 10 years	of 10 rs			7 out of 10 years	of 10 ars			8 out ye	8 out of 10 years	_		9 out	9 out of 10 years	_		19 ou ye	19 out of 20 years	0:
MONTH	ET crop		Net IRR mm in.		ET crop mm in.	90 i.	Net IRR mm in.	IRR in.	ETC	crop in.	Met	IRR in.	ET	crop in.	Net	: IRR in.	ET	crop in.	Net	IRR in.	ET	crop in.	Net	IRR in.
April May June July Aug Sep	71 (2 139 (5 167 (6 195 (7 142 (5	2.80) 5.47) 6.57) 7.68) 5.59) 4.06)	57 (2 113 (4 139 (5 136 (5 92 (3	2.24) 4.45) 1 5.47) 1 5.35) 1	73 143 (171 171 198 (105 ((2.87) (5.63) (6.73) (7.80) (5.67) (4.13)	61 118 148 191 140 95	(2.40) (4.65) (5.83) (7.52) (5.51) (3.74)	25 25 25 25 25 25 25 25 25 25 25 25 25 2	(2.95) (5.79) (6.81) (7.87) (5.75)	65 123 158 194 143 99	2.56) 4.84) 6.22) 7.64) 5.63)	78 152 180 206 148	(3.07) (5.98) (7.09) (8.11) (5.83) (4.33)	71 (136 (197 (103 (2.80) 5.35) 6.61) 7.76) 5.75) 4.06)	83 159 190 217 151	(3.27) (6.26) (7.48) (8.54) (5.94) (4.41)	78 154 175 206 150 150 150	3.07) 6.06) 6.89) 8.11) 5.91)	86 (165 (197 (221 (153 (3.39) 6.50) 7.76) 8.70) 6.02) 4.53)	81 (179 (179 (179 (179 (179 (179 (179 (17	3.19) 6.46) 7.05) 8.35) 6.02)
Season	Season 817 (32.17) 726 (28.57) 834 (32.83) 753 (29.65)	7 (71.	26 (28	8 (75.	334 (3,	2.83)	753 (2		849 (3	33.42)	782 (849 (33.42) 782 (30.79)	1	874 (34.41) 821 (32.33)	821 (32.33)		(35.90)	871 (912 (35.90) 871 (34.29)	937 (937 (36.90) 902 (35.52)	905 (35.52)

valleys	
e val	
e and Eagle	9
and	(Fie
Pine	Corn
IJ	
REGION:	CROP:

		5 out	5 out of 10 years			6 out of 10 years	of 10			7 out of 10 years	of 10 rs			8 out	8 out of 10 years			9 out of 10 years	of 10 ars			5 % & %	19 out of 2 years	20
MONTH	1	ET crop	Net IRR mm in.	RR n.	ET crop mm in.	op in.	Net I	IRR In.	ET C	crop in.	Net	IRR in.	ET c	crop in.	Net	IRR in.	E	crop in.	Net	IRR in.	E E	g i.	Net mm	in.
May June July Aug Sep	65 146 234 174 93	(2.56) (5.75) (9.21) (6.85) (3.66)	46 (1.81) 120 (4.72) 227 (8.94) 167 (6.57) 83 (3.27)		66 (2 148 (5 237 (9 176 (6 95 (3	2.60) 5.83) 1 9.33) 2 6.93) 1 3.74)	49 (1, 128 (5, 230 (9, 97) (6, 97) (8, 97) (8, 97) (9, 97)	66) 66) 73)	66 (151 (240 (178 (96 (2.60) 5.94) 9.45) 7.01) 3.78)	53 C 233 C 174 C	53 (2.09) 140 (5.51) 233 (9.17) 174 (6.85) 90 (3.54)	68 (158 (247 (183 (97 (2.68) 6.22) 7.20) 3.82)	60 (149 (236 (178 (2.36) 5.87) 9.29) 7.01) 3.70)	70 C 165 C 260 C 187 C	(2.76) (6.50) (10.24) (7.36) (3.98)	65 (156 (247 (182 (97 (2.56) 6.14) 9.72) 7.17) 3.82)	264 264 188 104 0	(2.80) (6.65) (10.39) (7.40) (4.09)		68 (2.68) 160 (6.30) 255 (10.04) 186 (7.32) 102 (4.02)
Seasor	712 د	(28.03)	Season 712 (28.03) 643 (25.31) 722 (28.43) 665 (26.19)	.31)	722 (28	3.43) 6	565 (26	3.19)	731 (;	731 (28.78)	?) 069	690 (27.16) 753		29.64)	717 ((29.64) 717 (28.23)	783 (30.84)	747 (3	(30.84) 747 (29.41) 796 (31.33) 771	2 962	31.33	12	(30.36)

REGION: 25 Pine and Eagle valleys CROP: Corn (Sweet)

5		200000000000000000000000000000000000000										
	5 out ye	5 out of 10 years	6 out of 10 years	of 10 irs	7 out ye	7 out of 10 years	8 out of 10 years	of 10 Irs	9 out ye	9 out of 10 years	19 out of 20 years	50
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop P	Net IRR mm in.
May June July Aug Sep	37 (1.46) 119 (4.69) 220 (8.66) 174 (6.85) 20 (0.79)	27 (1.06) 93 (3.66) 213 (8.39) 167 (6.57) 20 (0.79)	37 (1.46) 121 (4.76) 222 (8.74) 176 (6.93) 20 (0.79)	28 (1.10) 102 (4.02) 216 (8.50) 171 (6.73) 20 (0.79)	38 (1.50) 124 (4.88) 225 (8.86) 178 (7.01) 20 (0.79)	31 (1.22) 111 (4.37) 219 (8.62) 174 (6.85) 20 (0.79)	38 (1.50) 129 (5.08) 231 (9.09) 183 (7.20) 21 (0.83)	35 (1.38) 118 (4.65) 222 (8.74) 178 (7.01) 21 (0.83)	39 (1.54) 135 (5.31) 243 (9.57) 187 (7.36) 21 (0.83)	38 (1.50) 124 (4.88) 232 (9.13) 182 (7.17) 21 (0.83)	40 (1.57) 39 (138 (5.43) 127 (246 (9.69) 239 (188 (7.40) 186 (22 (0.87) 21 ((1.54) (5.00) (9.41) (7.32)
Season	570 (22.45)	520 (20.47)	Season 570 (22.45) 520 (20.47) 576 (22.68) 537 (21.14)	537 (21.14)	585 (23.04)	585 (23.04) 555 (21.85)	602 (23.70)	602 (23.70) 574 (22.61) 625 (24.61)	625 (24.61)	597 (23.51)	597 (23.51) 634 (24.96) 612 (24.10)	(24.10)

le valleys	(50
and Eagle	
25 Pine a	.rai
REGION:	- 000

	Ŋ	5 out of 10 years	of 10 rs		9	6 out of 10 years	f 10			7 out ye	7 out of 10 years	_		8 out	8 out of 10 years	0		9 out of 10 years	of 10 rs			19 out yea	out of 20 years	
HUNOM	ET crop	8 :	Net IRR mm in.	n.	ET crop		Net IRR mm in.	IRR in.	E E	crop in.	Net mm	in.	ᄪ	crop in.	Net	t IRR in.	ET C	crop in.	Net mm	IRR in.	ET (crop in.	Met	IRR in.
April May June July Aug	66 (2. 158 (6. 203 (7. 214 (8. 34 (1.	(2.60) (6.22) (7.99) (8.43) (1.34)	48 (1.89) 130 (5.12) 171 (6.73) 206 (8.11) 34 (1.34)	5.73) 5.73) 5.73) 5.73)	67 (2.64) 161 (6.34) 208 (8.19) 216 (8.50) 34 (1.34)		136 C 5 180 C 7 209 C 8	(2.05) (5.35) (7.09) (8.23) (1.34)	68 (165 (211 (219 (34 (2.68) 6.50) 8.31) 8.62) 1.34)		56 (2.20) 141 (5.55) 194 (7.64) 212 (8.35) 34 (1.34)	171 220 225 336	(2.76) (6.73) (8.66) (8.86) (1.42)		61 (2.40) 155 (6.10) 206 (8.11) 215 (8.46) 36 (1.42)	74 (179 (231 (237 (36 (2.91) 7.05) 9.09) 9.33) 1.42)	69 (175 (214 (225 (36 (2.72) 6.89) 8.43) 8.86) 1.42)	76 (191 (239 (241 (37 (2.99) 7.52) 9.41) 9.49) 1.46)	72 (185 (220 (232 (37 (2.83) 7.28) 8.66) 9.13) 1.46)
Season	675 (26.	.58)	589 (23	5.19)	Season 675 (26.58) 589 (23.19) 686 (27.01) 611 (24.06)	.01) 6	11 (2		?) 269	27.45)	637 ((25.08)	722	(28.43)	673 ((27.45) 637 (25.08) 722 (28.43) 673 (26.49)	757 (29.80)	719 (2	757 (29.80) 719 (28.32) 784 (30.87) 746 (29.36)	784 (30.87)	746 (;	29.36)

REGION: 25 Pine and Eagle valleys CROP: Grain (Winter)

		5 out ye	5 out of 10 years			6 out of 10 years	of 10 rs			7 out of 10 years	of 10 rs			8 out	8 out of 10 years			9 out of 10 years	of 10 rs			19 out of 2 years	of 20	_
MONTH	ET	ET crop mm in.	Net mm	Net IRR mm in.	ET	ET crop mm in.	Net IRR mm in.	IRR in.	ET	crop in.	Net	IRR in.	ET	crop in.	Net	IRR in.	ET C	crop in.	Net	IRR in.	ETC	crop in.	Net	IRR in.
March	18 (0.71)	9	0.24)		0.75)	∞	ı	I -	I		0.43)	50 (0.79)			21 (1	0.63)	~			0.67)
April	101	101 (3.98)	80	80 (3.15)		104 (4.09)	8	(3.35)	107	4.21)	8	3.54)	110	4.33)	26	3.82)	117 (4.61)	108	4.25)	122 ((08.7	115	4.53)
Мау	169	(9.9)	138 (5.43)		6.81)	145		_			6.05)	78/2	7.24)			193 ((77.2	_			7.87
June	203	(6.2	171	6.73)		8.15)	181	7.13)	$\overline{}$			7.64)	218 (8.58)			231			8.43)	_			8.62)
July	161	(6.34)	154 ((90.9		6.42)	157 (_	$\overline{}$			6.26)	169 ((9.9)			178 (6.61)	$\overline{}$			6.81)
Season	652 ((25.67)	549 (21.61)	999	Season 652 (25.67) 549 (21.61) 666 (26.22) 576 (22.68	576 (2		5) 629	6.74)	5) 209	679 (26.74) 607 (23.89)		27.59)	979	701 (27.59) 646 (25.43) 740 (29.14) 695 (27.36) 765 (30.12) 724 (28.50)	7, 0,72	29.14)	695 (2	7.36)	765 (3	0.12)	27 (2	8.50)

REGION: 25 Pine and Eagle valleys CROP: Grass Seed (Spring)

50	t IRR in.	0.00) 0.00) 0.63,50) 0.63,50) 0.73,00 0.71)	(37.95)
out of 20 years	Net	0 16 16 58 89 89 147 227 183 135 87 87	796
19 ou ye	ET crop mm in.	6 (0.24) 8 (1.15) 2 (2.44) 3 (3.66) 3 (6.22) 3 (7.28) 4 (3.70) 4 (3.70) 3 (0.12)	(30, 14) 5201 (95, 35) 459 (16, 95)
	E	233 233 24 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	104
. 0	t IRR in.	(0.00) (0.00) (0.59) (0.53) (0.53) (0.00) (0.00)	02, 35)
of 1 ars	Net	0 15 143 179 179 1130 0	726
9 out of 10 years	ET crop mm in.	3 (0.12) 26 (1.02) 61 (2.40) 92 (3.62) 229 (9.02) 184 (5.28) 92 (3.62) 27 (1.06) 0 (0.00)	14 (39,91)
			(33.89) 1014
0	t IRR in.	(0.00) (0.39) (1.89) (2.89) (5.31) (6.89) (4.92) (3.11) (0.00)	(33.8
of 1	Net	0 10 78 78 211 2115 175 0	861
8 out of 10 years	crop in.	0.08) 0.08) 0.08) 0.08) 0.08) 0.08) 0.09) 0.00)	(38.04) 861
	ET 6	2 (24 (58 (87 (148 (220 (178 (130 (86 (22 (0 (2) 996
	IRR in.	0.00) 0.00) 0.28) 1.73) 2.60) 8.19) 6.77) 6.77) 0.08)	(32.28)
5	Net I mm i	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 128 (5 208 (8 172 (6 120 (4 73 (2 0) 0	820 (32
7 out of 10 years			
7	crop in.	(0.00)	(36.82)
	ET ET	23 23 214 172 172 128 85 85 00	935
	IRR in.	0.00) 0.08) 0.08) 0.08) 1.61) 6.61) 6.61) 6.61) 6.61) 0.00)	0.75)
f 10	Net 1	205 205 205 205 69 69 115 115 115 115 115 115 115 115 115 11	81 (3)
6 out of 10 years		0.04) 0.04) 0.87) 0.87) 0.87) 0.87) 0.75) 0.00)	15) 7
9	T crop in.	00000000000	(36.
	ΞĘ	22 22 22 84 84 138 171 171 171 170 19	918
	IRR in.	0.00) 0.00) 1.50) 7.53 6.50) 6.50) 0.04)	Season 900 (35,44) 753 (29,65) 918 (36,15) 781 (30,
of 10 's	Net mm	202 202 202 1165 65 65 65 65 65 65 65 65 65 65 65 65 6	53 (2
5 out of 10 years	<u>ج</u> ج	0.04) 0.28) 0.28) 0.28) 0.28) 0.28) 0.28) 0.69) 0.67)	44) 7
2	T crop		(35.
	_ =	135 135 135 135 135 170 170 170 170 170	106 u
	MONTH	Jan March April May July Aug Sep Oct Nov	Seaso

REGION: 25 Pine and Eagle valleys CROP: Onions

		5 out of 10 years	of 10	9	6 out of 10 years	7 out of 10 years	of 10 rs	8 out	8 out of 10 years	9 out of 10 years	f 10 s	19 0	19 out of 20 years
MONTH	ET crop	rop in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
April May June July Aug Sep	19 0 150 0 156 0 156 0	0.75) 3.62) 5.91) 6.14) 1.89)	15 (0.59) 71 (2.80) 127 (5.00) 208 (8.19) 151 (5.94) 45 (1.77)	19 (0.75) 94 (3.70) 153 (6.02) 217 (8.54) 157 (6.18)	5) 17 (0.67) 0) 75 (2.95) 2) 134 (5.28) 4) 211 (8.31) 8) 154 (6.06) 9) 46 (1.81)	20 (0.79) 95 (3.74) 157 (6.18) 220 (8.66) 158 (6.22) 49 (1.93)	18 (0.71) 79 (3.11) 142 (5.59) 214 (8.43) 157 (6.18) 48 (1.89)	20 (0.79) 98 (3.86) 162 (6.38) 226 (8.90) 165 (6.50) 51 (2.01)	19 (0.75) 86 (3.39) 152 (5.98) 218 (8.58) 161 (6.34) 49 (1.93)	21 (0.83) 102 (4.02) 170 (6.69) 1 238 (9.37) 2 169 (6.65) 1 52 (2.05)	20 (0.79) 96 (3.78) 160 (6.30) 227 (8.94) 165 (6.50) 51 (2.01)	21 (0.83) 104 (4.09) 177 (6.97) 242 (9.53) 170 (6.69) 54 (2.13)	20 (0.79) 100 (3.94) 166 (6.54) 236 (9.29) 168 (6.61) 53 (2.09)
Season	680 (2	(77.9	617 (24.29)) 688 (27.0	Season 680 (26.77) 617 (24.29) 688 (27.08) 637 (25.08)	1	699 (27.52) 658 (25.91)	722 (28.44)	685 (26.97)	722 (28.44) 685 (26.97) 752 (29.61) 719 (28.32)	19 (28.32)	768 (30.24	768 (30.24) 743 (29.26)

REGION: 25 Pine and Eagle valleys CROP: Pasture

באסיי		ם אותו ע												
	5	5 out of 10 years		6 out	6 out of 10 years	7 out ye	7 out of 10 years	8 out of 10 years	of 10 ars	9 out of 10 years	of 10 's	19	19 out of 20 years	20
MONTH	ET crop	Net	IRR in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	p Net	it IRR in.
March April May June July Aug Sep Oct	20 0 0 108 0 4 148 0 5 178 0 7 178 0 7 152 0 5 110 0 6 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.79) 12 (0 4.25) 85 (3 5.83) 120 (4 7.01) 148 (5 8.19) 201 (7 5.98) 146 (5 4.33) 98 (3 2.72) 54 (2	5.83) 7.91) 7.91) 7.91) 7.83) 7.91) 7.91)	21 (0.83) 110 (4.33) 152 (5.98) 211 (8.17) 112 (6.06) 112 (4.41) 72 (2.83)	13 (0.51) 91 (3.58) 126 (4.96) 157 (6.18) 169 (5.87) 102 (4.02) 57 (2.24)	21 (0.83) 113 (4.45) 177 (6.18) 185 (8.72) 213 (8.39) 156 (6.14) 113 (4.45) 75 (2.95)	15 (0.59) 96 (3.78) 132 (5.20) 168 (6.61) 207 (8.15) 152 (5.98) 106 (4.17) 62 (2.44)	22 (0.87) 118 (4.65) 162 (6.38) 192 (7.56) 219 (8.62) 159 (6.26) 115 (4.53) 77 (3.03)	18 (0.71) 107 (4.21) 146 (5.75) 179 (5.75) 210 (8.27) 155 (6.10) 111 (4.37) 68 (2.68)	24 (0.94) 127 (5.00) 170 (6.69) 202 (7.95) 231 (9.09) 163 (6.42) 118 (4.65) 80 (3.15)	20 (0.79) 117 (4.61) 165 (6.50) 187 (7.36) 219 (8.62) 15 (6.26) 115 (4.53) 72 (2.83)	26 (1. 132 (5. 176 (6. 210 (8. 235 (9. 164 (6. 122 (4.	1.02) 21 5.20) 122 6.93) 175 8.27) 191 9.25) 225 6.46) 162 4.80) 119 3.19) 74	(0.83) (4.80) (6.89) (7.52) (8.86) (6.38) (2.91)
Season	993 (39	.10) 864 (34	.02)	014 (39.92)	899 (35.39)	1033 (40.67)	938 (36.92)	1064 (41.90)	994 (39.14)	Season 993 (39.10) 864 (34.02) 1014 (39.92) 899 (35.39) 1033 (40.67) 938 (36.92) 1064 (41.90) 994 (39.14) 1115 (43.89)1054 (41.50)	154 (41.50)	1146 (45.12)1089 (42.88)	12)1089	(42.88)

REGION: 25 Pine and Eagle valleys CROP: Peas

		5 out of 10 years	of 10 Irs	6 out ye	6 out of 10 years	7 (7 out of 10 years		8 out of 10 years	of 10 ars	9 out of 10 years	of 10 ars	19 ou ye	19 out of 20 years
MONTH	ETC	crop in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net mm	IRR in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
April May June July	150 C 150 C 184 C 184 C	1.65) 5.91) 7.99) 7.24)	31 (1.22) 122 (4.80) 171 (6.73) 180 (7.09)	43 (1.69) 153 (6.02) 207 (8.15) 186 (7.32)	34 (1.34) 127 (5.00) 181 (7.13) 182 (7.17)	45 (1.77) 157 (6.18) 211 (8.31) 188 (7.40)	37 132 194 185	1.46) 5.20) 7.64) 7.28)	46 (1.81) 163 (6.42) 219 (8.62) 193 (7.60)	40 (1.57) 146 (5.75) 205 (8.07) 187 (7.36)	48 (1.89) 175 (6.89) 231 (9.09) 204 (8.03)	45 (1.77) 167 (6.57) 215 (8.46) 195 (7.68)	49 (1.93) 180 (7.09) 239 (9.41) 208 (8.19)	47 (1.85) 177 (6.97) 223 (8.78) 201 (7.91)
Season	579 (2	2.79)	504 (19.84)	Season 579 (22.79) 504 (19.84) 589 (23.18) 524 (20.64)	524 (20.64)	601 (23.6	6) 548 (2	1.58)	621 (24.45)	601 (23.66) 548 (21.58) 621 (24.45) 578 (22.75)	658 (25.90) 622 (24.48) 676 (26.62) 648 (25.51)	622 (24.48)	676 (26.62)	648 (25.51)

REGION: 25 Pine and Eagle valleys CROP: Potatoes

		5 out of 10 years	ot 10 irs			6 out of 10 years	s 10			7 out yea	out of 10 years			8 out yea	out of 10 years		6	9 out of 10 years	9	19	out of years	f 20
MONTH	ET (crop in.	Net mm	IRR in.	THE TO	crop in.	Net 1	IRR in.	ETC	crop in.	nm mm	IRR in.	ET C	crop in.	Net	IRR in.	ET crop		Net IRR mm in.	ET crop		Net 1RR in.
May June July Aug Sep Oct	37 (100 (217 (174 (117 (1.46) 3.94) 8.54) 6.85) 4.61) 0.71)	24 C 79 C 211 C 168 C 104 C	(0.94) (3.11) (8.31) (6.61) (4.09)	38 (1 102 (4 219 (8 176 (6 120 (4	1.50) 4.02) 8.62) 2 6.93) 1 4.72) 1	27 (1 87 (3 214 (8 172 (6 109 (4	1.06) 3.43) 8.43) 6.77) 0.67)	222222222222222222222222222222222222222	4.09) 7.01) 7.01) 0.79)	212 227 271 271 271 271 271 271 271 271	3.66) 8.54) 6.89) 0.71)	\$ 500 500 500 500 500 500 500 500 500 50	7.20) 7.20) 7.20) 7.20) 7.20)	35 (219 (219 (178 (19 (1.38) 3.94) 7.01) 6.65)	39 (1. 114 (4. 240 (9. 187 (7. 127 (5. 21 (0.	7.54) 16 9.45) 25 7.36) 18 5.00) 15	38 (1.50) 105 (4.13) 229 (9.02) 183 (7.20) 123 (4.84) 20 (0.79)	40 (116 (244 (138 (131 (1.57) 40 4.57) 107 9.61) 236 7.40) 186 5.16) 128	(1.57) (4.21) (9.29) (7.32) (5.04)
eason	663 (26.11)	602 (2	3.69)	Season 663 (26.11) 602 (23.69) 674 (26.54) 626 (24.65)	.54) 6	959 (54	ĺ	683 (20	(26.89)	647 (2	647 (25.47)		703 (27.68) 669 (26.35)	669 (2	1	728 (28.67)	67) 69	698 (27.48)	740 (29.14)	14) 718	3 (28.26)

REGION: 26 Malheur CROP: Alfalfa Hay

		5 out of 10 years	of 10 Irs		,	6 out of 10 years	ut of 1 years	0		7 out of 10 years	of 10 ars			8 out	8 out of 10 years			9 out of 10 years	of 10 rs			19 out of 20 years	of 20	٥
MONTH	ET crop		Met 1	IRR in.	ET	crop in.	Net	t IRR in.	ET E	crop in.	Net mm	in.	E E	crop in.	Net T	t IRR in.	ET	crop in.	Net 1	IRR in.	ET	crop in.	Net T	IRR in.
April May June July Aug Sep Oct	28 134 150 150 150 150 150 150 150 150 150 150	3.46) 5.28) 6.30) 7.83) 6.14) 2.20)	74 (110 (139 (149 (103 ((2.91) (4.33) (5.47) (7.64) (5.87) (4.06)	89 (136 (137 (137 (137 (137 (137 (137 (137 (137	(3.50) (5.35) (6.42) (7.91) (6.18) (4.45)	78 115 175 175 106 50	(3.07) (4.53) (5.71) (7.72) (5.98) (4.17)	93 (158 (166 (203 (158 (115 (3.66) 6.543) 7.99) 6.22) 6.22) 2.32)	82 (119 (151 (200 (110 (110 (110 (110 (110 (110 (11	3.23 4.69) 7.87) 6.14) 2.09)	205 205 205 160 160 60	(3.78) (5.51) (6.65) (8.07) (6.30) (2.36)	85 125 125 128 203 159 114 56	3.35) 4.92) 7.99) 6.26) 4.49)	\$4 20 20 10 10 10 10 10 10 10 10 10 10 10 10 10	3.90) 5.67) 6.81) 8.15) 6.50) 2.40)	94 (3 134 (5 167 (6 207 (8 118 (4 59 (2	3.70) 6.57) 8.15) 6.46) 7.65)	101 (151 (181 (2212 (168 (124 (63 (3.98) 7.13) 7.13) 6.61) 6.61) 2.48)	203 203 203 203 203 203 203 203 203	3.90) 6.34) 6.54) 7.72) 7.72)
Season 903 (35.54) 816 (32.13) 916 (36.05) 842 (33.15	903 (3	(5.54)	816 (3	(5.13)	916 C	36.05)	842	(33.15)	932 (36.69)	871 (932 (36.69) 871 (34.29)	1	948 (37.32) 900 (35.43)	006	35.43)	971 (3	18.23)	971 (38.23) 943 (37.13) 1000 (39.37) 966	1.13) 1	000	(9.37)	986	(38.03)

26 Malheur	Corn (Field)
REGION:	CROP:

		5 out ye	5 out of 10 years		6 or	6 out of 10 years			7 out of 10 years	of 10		α Σ	8 out of 10 years	0		9 out of 10 years	of 10 irs			19 out of 2 years	of 20 s	
MONTH	E E	ET crop mm in.	Net IRR mm in.	_	ET crop mm in.	Net mm	IRR in.	ETC	crop in.	Net	IRR in.	ET crop	Ret	in.	ET	crop in.	Net	in.	E C	crop fn.	Net I	IRR in.
May June July Aug Sep Oct	63 234 192 177 170	(2.48) (4.72) (9.21) (7.56) (4.61)	46 (1.81) 100 (3.94) 228 (8.98) 185 (7.28) 109 (4.29) 14 (0.55)		64 (2.52) 122 (4.80) 237 (9.33) 193 (7.60) 119 (4.69) 17 (0.67)	25 49 6 25 23 1 6 25 1 6 27 1 6 27 1 6 27 1 7 6	1.93) 4.21) 9.09) 7.44) 4.41) 0.59)	64 (124 (239 (194 (18 (2.52) 4.88) 7.64) 4.80) 0.71)	235 C 235 C 175 C	2.05) 4.41) 9.25) 7.60) 6.63)	65 (2.56) 126 (4.96) 242 (9.53) 197 (7.76) 125 (4.92) 18 (0.71)	55 56 55 118 55 197 55 197 119	(2.20) (4.65) (9.37) (7.76) (4.69)	244 C 204 C 130 C 130 C 190 C	2.60) 9.61) 9.61) 8.03) 5.12)	60 (5 244 (9 202 (7 124 (9	5.36) 5.00) 7.95) 4.88)	68 (2 135 (5 250 (9 207 (8 131 (5	2.68) 5.31) 1 9.84) 2 8.15) 2 5.16) 1	62 (2 133 (5 247 (9 205 (8 127 (5	2.44) 5.24) 8.72) 8.07) 5.00)
Season	743 ((29.25)	season 743 (29.25) 682 (26.85) 752 (29.61) 703 (27	35) 75	52 (29.61) 703 (2	(29:	761 (2	(29.96)	723 (28	(28.47)	773 (30.44)		745 (29.34)	795	795 (31.31)	3	(30.51)	810. (31.89)		707 (31	(31 18)

2.64 6.26 10.00 8.07 5.51 0.12

10.12) 8.15) 5.67) 0.12)

165 257 207 144 3

251 251 202 137 3

2.83 9.88 5.63 5.63 0.123

161 204 143 3

143 143 132 3

in.

Net III

crop in.

E E

ž.: a Net

crop in.

E E

in.

Met

2

9

9

9 out of years

0

ω

out of years

out of years

(32.60)

828

(33.47)

850

(32.00)

813

(32.83)

834

(30.83)

783

(31.93)

811

(29.92)

760

(31.43)

798

(29.10)

739

(31.04)

788

(28.34)

20

(30.72)

780

Season

crop in. ₩ E 153 153 197 138 3 9.53) 7.60) 5.04) 0.12) 폷.드 Met mm 9 out of years oro in: 哥哥 347273 2.13) 5.16) 9.37) 7.44) 4.88) 0.12) äř out of 10 years Met m 42138 124 1289 124 124 124 134 2.72) 5.83) 9.61) 7.60) 5.16) 0.12) gon in ø ᄪᇀ 244 148 133 131 131 1.97) 4.92) 9.29) 7.28) 4.76) 0.12) i. 26 Malheur Corn (Silage) out of 10 years Met 32,525 crop in. 'n E E 241 172 173 3 REGION: CROP: MONTH May June July Aug Sep Oct

5 or	5 or	ية يد	5 out of 10 years	0		00 9 V	6 out of 10 years	01		7 out of 10 years	of 1	0		8 out of 10 years	of 10 ars			9 out of 10 years	of 10 rs		19	out of 20 years	. 20
ET crop Net IRR mm in. mm in.		Net IRR mm in.	t IRR in.		E E	crop in.	× E	Net IRR mm in.	ET mm	crop in.	Net	t IRR in.	E E	crop in.	Net m	in.	ET	in.	Net IRR mm in.		ET crop mm in.		Net IRR mm in.
64 (2.52) 45 (1.77) 125 (4.92) 104 (4.09) 236 (9.29) 230 (9.06) 84 (3.31) 82 (3.23)	45 (104 (230 (82 (45 (104 (230 (82 (127 239 85	(2.52) (5.00) (9.41) (3.35)	49 112 233 84	(1.93) (4.41) (9.17) (3.31)	64 129 241 86	(2.52) (5.08) (9.49) (3.39)	52 117 237 85	(2.05) (4.61) (9.33) (3.35)	65 (132 (244 (87 ((2.56) (5.20) (9.61) (3.43)	56 (124 (240 (87 (2.20) 4.88) 9.45) 3.43)	246 (89 (2.60) 5.39) 9.69) 3.50)	60 (2. 133 (5. 246 (9. 89 (3.	2.36) 5.24) 1 9.69) 2 3.50)	68 (2.68) 141 (5.55) 252 (9.92) 90 (3.54)	58) 62 55) 138 72) 249 54) 90	(2.44) (5.43) (9.80) (3.54)
season 509 (20.04) 461 (18.15) 515 (20.28) 478 (18	(0.04) 461 (18.15)	461 (18.15)	(18.15)		515	(20.28)	827 ((18.82)		520 (20.48) 491		(19.34)	528 (528 (20.80)	507	(19.96)	538 (2	(21.18) 528	528 (20.79)	1	551 (21.69) 539	56) 536	(21.21)

Malheur Corn (Sweet)

8

REGION: CROP:

REGION: 26 Malheur CROP: Grain (Spring)

		5 out of 10 years	of 10 irs		9	6 out of 10 years	10		7 out	7 out of 10 years	_		8 out of 10 years	of 10 rs		9	9 out of 10 years		19 0	19 out of 2 years	50
MONTH	E E	ET crop mm in.	Net IRR mm in.		ET crop mm in.		Net IRR mm in.	ET	crop in.	Net	in.	E E	crop in.	Met mm	IRR in.	ET crop	Net IRR mm in.		ET crop	Net	in.
March April May June July Aug	226 C 226 C 17 C 1	0.12) 2.20) 4.09) 7.24) 8.90) 0.67)	3 (0. 42 (1. 82 (3. 161 (6. 17 (0.	0.12) 3 1.65) 58 3.23) 105 6.34) 187 8.70) 229 0.67) 17	3 (0.12) 8 (2.28) 5 (4.13) 7 (7.36) 9 (9.02) 7 (0.67)	12) 3 (28) 45 (13) 86 (13) 86 (15) 168 (15) 124 (15) 17 (15)	3 (0.12) 5 (1.77) 5 (3.39) 8 (6.61) 4 (8.82) 7 (0.67)	3 (59 (106 (190 (231 (2.32) 4.17) 7.48) 9.09)	3 (49 (9 175 (175 (175 (175 (175 (175 (175 (175	0.12) 1.93) 3.58) 6.89) 8.98) 0.67)	3 0 108 0 194 0 18 0	0.12) 2.36) 4.25) 7.64) 9.21) 0.71)	3 52 52 53 54 54 54 54 54 54 54 54 54 54 54 54 54	0.12) 2.05) 3.78) 7.17) 9.09)	3 (0.12) 61 (2.40) 110 (4.33) 200 (7.87) 236 (9.29) 18 (0.71)	2) 3 (0.12) 3) 57 (2.24) 5) 101 (3.98) 7) 193 (7.60) 7) 236 (9.29) 1) 18 (0.71)		4 (0.16) 62 (2.44) 114 (4.49) 205 (8.07) 241 (9.49) 18 (0.71)	238 C C C C C C C C C C C C C C C C C C C	2.36) (2.36) (4.06) (7.83) (9.37)
Season	590 (23.22)	526 (20.	71) 59	9 (23.5	38) 543	Season 590 (23.22) 526 (20.71) 599 (23.58) 543 (21.38)	909	606 (23.85)	563	(22.17)		617 (24.29)	582 (2)	(22.92)	628 (24.72	628 (24.72) 608 (23.94)	1	644 (25.36) 621 (24.45)) 621	(24.45)

REGION: 26 Malheur CROP: Grain (Winter)

		5 out of 10	of 10	6 out	6 out of 10		7 out of 10	of 10		80	8 out of 10		9 out of 10	of 10	19 out	19 out of 20
			2	λ.	cal o		yea	e Se			years		Š	ars	λeε	ırs
MONTH	ET ET	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET E	crop in.	Net 1	IRR in.	ET crop	Net m	in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.
1			170 0		,	l										
reb.	0	(15.0)		×	-		0.35)	- -		9 (0.3	m	0.12)	10 (0.39)	'n	(74.0)	
March	χ Υ	(1.50)		04	54		1.61)	27 (1		42 (1.6	30	1.18)	44 (1.73)	32	(1,7)	
April	84	(3.43)		8	2		3.62)	80 (3		97 (3.8.	85	3,35)	100 (3.94)	76	300	
Мау	150	5.91	127 (5.00)	154 (6.06)) 132 (5.20)	157 ((6.18)	138 (5	(5.43)	159 (6.26)	145	5.7	164 (6.46)	152	3	
dune.	52	(%) '.		8	2		7.95)	187 (7		206 (8.1	194	7.6	213 (8,39)	202	8.66)	
July	6	(05.9)		168	₹ 2		(69.9)	166 (6		171 (6.7.	88	(6.61)	172 (6.77)	171 (6.73)	176 (6.93)	173 (6.81)
Season	643	(25.33)	556 (21.89)	Season 643 (25.33) 556 (21.89) 659 (25.92) 576 (22.0) 576 (22.68)	671 (26.	(26.40) 599		(23.58)	684 (26.92) 625	2) 625 ((24.61)	703 (27.68) 662	662 (26.06)	725 (28.54) 688	688 (27.09)

REGION: 26 Malheur CROP: Grass Seed (Spring)

				,																I				
	w '	5 out of 10 years	of 10 rs			6 out of 10 years	of 10 rs		,	7 out of 10 years	of 10			8 out of 10 years	of 10 ars		-	9 out of 10 years	of 10 's			19 ou ye	19 out of 20 years	Q.
MONTH	ET CT	crop in.	a set	IRR in.	TI E	crop in.	Net mm	IRR in.	ETC	crop in.*	Net mm	IRR in.	ET	crop in.	a ket	IRR in.	ET C	crop in.	Net mm	IRR in.	ET ET	crop in.	Net mm	IRR in.
Jan Feb March April May June July Aug Sep Oct	22 13 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0.045 0.045 0.045 0.045 0.045 0.045	0 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	0.00) 0.04) 0.24) 1.57) 2.32) 7.13) 7.13) 0.08)	25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.04) 0.39) 0.87) 0.87) 3.23) 5.28) 7.44) 7.44) 0.91)	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00) 0.04) 0.04) 1.65) 2.48) 4.61) 8.31) 7.24) 0.20)	22 C 23 C	0.08 0.08 0.47 0.47 0.83 0.83 0.94 0.94 0.94	0 (11 (45 (68 (123 (132 (132 (132 (10 (0.00) 0.04) 0.04) 1.77) 2.68) 7.48) 7.40) 5.20) 0.39)	223 C 23	0.20 0.51) 0.91) 2.17) 2.47) 8.65) 7.60) 7.50) 1.10)	0 0 2 4 4 4 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	0.00) 0.08) 0.08) 1.89) 1.89) 7.56) 7.56) 0.59)	2222 2222 244 250 200 200 200 200 200 200 200 200 200	0.24) 0.24) 0.25) 0.24) 3.35) 1.83) 1.18)	2522 2522 2522 2522 2522 2522 2522 252	0.00 0.165 0.005 0	25 C C C C C C C C C C C C C C C C C C C	0.35) 0.35) 0.59) 0.59) 0.24)	221 224 224 224 201 201 201 201 201 201 201	0.00) 0.39) 0.39) 0.83) 2.17) 3.63) 8.82) 7.91) 0.79) 0.79)
Season	Season 938 (36.95) 808 (31.81) 956 (37.64) 838 (32.99)	6.95)	808	\$1.81)	956 (37.64)	838 (32.99)	973 (3	(38.30)	875 (3	(34.45)) 666	(39.34)	913	(35.94) 1030 (40.55)	1030 (4		958 (3	958 (37.72) 1057 (41.61)	1057 (41.61)	76	(39.14)

REGION: 26 Malheur CROP: Onions

		5 out of 10 years	of 10 irs		, yo	6 out of 10 years	0		7 out of 10 years	of 10 irs			8 out of 10 years	of 10 ars			9 out of 10 years	of 10			19 our	out of 20 years	0
MONTH	± €	ET crop	Net IRR mm in.		ET crop	N E	Net IRR mm in.	E E	crop in.	Net m	in.	ET E	crop in.	m met	r IRR in.	₩ E	crop in.	Net	IRR in.	ET	crop in.	Net mm	IRR in.
April May June	139	(1.85) (3.31) (5.47)	37 (1.46) 65 (2.56) 120 (4.72)	46) 48 56) 85 72) 140	8 (1.89) 5 (3.35) 0 (5.51)	25 40 126 40	(1.57) (2.72) (4.96)	49 (86 (143 ((1.93) (3.39) (5.63)	42 (73 (132 (1.65) 2.87) 5.20)	50 (87 (146 ((1.97) (3.43) (5.75)	78 C 136 C	(1.77)	25 151 2 25 25 25 25 25 25 25 25 25 25 25 25 25	3.46) 5.94)	81 81 144 0	1.89) 3.19) 5.67)	52 156 231	(2.05) (3.58) (6.14)	50 C 150 C	3.27) 5.91)
Aug	149	(5.87)	144 (5.1		<i>-</i>		,		5.98)		5.83)	153	(6.02)	1	ابر	158 ((6.22)	1	6.18)	160	/ U		6.30)
Season	635	(25.00)	Season 635 (25.00) 578 (22.76) 643 (25.31) 595 (23.43	76) 64	3 (25.31	595	(23.43)	651 (25.63)	611 ((25.63) 611 (24.05)	629	(25.95)	632 ((25.95) 632 (24.87)	673 ((56.49)	655 (673 (26.49) 655 (25.79)	069	690 (27.16) 671 (26.43)	671 (26.43)

REGION: 26 Malheur CROP: Pasture

		5 out of 10 years	of 10		6 out of 10 years	of 10 ars	no 2	7 out of 10 years	8 out	8 out of 10 years	9 out of 10 years	of 10 ars		19 out of 20 years	of 20 s	
MONTH	ET crop mm in.	go in:	Net IRR mm in.	E	crop in.	Net IRR mm in.	ET crop mm in:	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	E	crop in.	Net I	IRR in.
March	8	(0.31)	_	0		8 () 6	6	\ ~	8	~	1 .	~	1	ļ ~	30
April	5		84 (3.31)	102	(4.05)	89 (3.50)	0) 107 (4.21)) 93 (3.66)	109 (4.29)	97 (3.82)	<i>,</i>	106 (4.17)	<i>-</i>		112 (4	7
May	142 (Ų.	77		122 (146 (127 (·	133 (J					κ
g.	2		V	174		154 (17	162 (V	169			•			283
July	212 (-	J	213		5 62	216 (213 (J	216 (· —		, _		, _	74)
Aug	164		J	200		163 (188 0	167 (V	170	•				, .	01)
Sep	120		J	121		113 (122 (116 (J	120	٠ _		٠.		٠.	00
Oct	. 87	- 1	~	26		88 ~	85 (71 (83 (3.27)	92	85 (3.35)	82 (3.23)	87 (3.43)	, _	3.35)
Season	995 (3	9.17) 9	,9°C (35.4	4) 1008 C	39.69)	926 (36.45	Season 995 (39.17) 900 (35.44) 1008 (39.69) 926 (36.45) 1027 (40.42) 958 (37.72) 1047 (41.22) 990 (38.96) 1075) 958 (37.72)	1047 (41.22)	990 (38.96)	1075 (42.32)	(42.32)1039 (40.90) 1102	1102 (4	(43.40)1065 (41.93)	65 (41	.93)

Matheur	900
뱕	+ 9 +
	۵
8	
REGION:	
<u> </u>	900
αŽ	C

		5 out of 10 years	of 10 rs		6 out of 10 years	ut of 10 years			7 out of 10 years	of 10 irs			8 out of 10 years	of 10			9 out of 10 years	of 10			19 out of 20 years	of 20	
MONTH	ET (ET crop mm in.	Net IRR mm in.	ET	crop in.	Net IRR mm in.	in.	ET (crop in.	Net Tage	in.	E	crop in.	Net I	IRR in.	ETC	crop in.	Net 1	IRR in.	E E	crop in.	Met Met	IRR in.
April May June July Aug Sep	22 (69 (165 (244 (186 (68 ((0.87) (2.72) (6.50) (9.61) (7.32) (2.68)	17 (0.67) 50 (1.97) 144 (5.67) 239 (9.41) 180 (7.09) 65 (2.56)	23 167 167 187 187 69	(0.91) (2.72) (6.57) (9.72) (7.36) (2.72)	19 150 150 183 183 183 183 183 183 183 183 183 183	0.75) 2.09) 5.91) 7.20) 2.60)	23 170 250 250 188 70 70	0.91) 2.76) 6.69) 9.84) 7.40) 2.76)	20 (57 (157 (244 (187 (68 (0.79) 2.24) 6.18) 9.61) 7.36) 2.68)	24 C 174 C 252 C 191 C	0.94) 2.80) 6.85) 9.92) 7.52) 1.52)	21 C C C C C C C C C C C C C C C C C C C	0.83) 2.44) 6.42) 9.80) 7.52) 2.72)	25 173 CT	(0.94) (2.83) (7.05) (7.76) (2.95)	285285 252525	0.91) 2.60) 6.81) 10.00) 7.72) 2.83)	25 C 74 C 186 C 250 C 76 C	(0.98) (2.91) (7.32) (10.24) (7.87) (2.99)	24 (68 (179 (258 (1)	0.94) 2.68) 7.05) 7.83) 7.83)
Season	734 (;	29.70)	Season 754 (29.70) 695 (27.37) 762 (30.00) 713 (28.	.) 762	(30.00)	713 (2	28.08)		30.36)	733 (2	771 (30.36) 733 (28.86)		785 (30.90) 7	755 (29.73)		801 (31.53) 784 (30.87)	1.53)	784 (30	1	821 (3	821 (32.31) 801 (31.53)	801 (3	31.53)

REGION: 27 Jordan Valley CROP: Alfalfa Hay

		5 out	5 out of 10 years		•	6 out of 10 years	of 10 's	•	7 out	out of 10 years		8 out of 10 years	of 10		6	9 out of 10	10		19 out of 2	of 20	
MONTH	E E	crop in.	Met mm	IRR in.	ET crop		Net IRR mm in.	ETC	crop in:	Net IRR mm in.	E E	crop in.	Net ma	IRR in.	ET crop		Net IRR in.	E	crop in.	a set	IRR
April May June July Aug Sep Oct	78 121 147 181 163 103 54 0	(3.07) (4.76) (5.79) (7.13) (5.59) (5.59) (2.13)	8255823 2255823	2.32) 3.66) 4.76) 6.89) 5.47) 3.66) 1.65)	80 (123 (151 (145 (106 (3.15) 4.84) 5.94) 17.20) 14.17) 2.17)	64 (2.52) 99 (3.90) 129 (5.08) 178 (7.01) 142 (5.59) 98 (3.86) 45 (1.77)	126 (173 (173 (174 (174 (174 (174 (174 (174 (174 (174	3.31) 6.02) 7.32) 7.32) 5.83) 2.24)	69 (2.72) 106 (4.17) 135 (5.31) 181 (5.13) 144 (5.67) 105 (4.13) 48 (1.89)	88 C3 130 C3 157 C3	3.46) 5.12) 6.18) 7.40) 5.94) 2.28)	78 (115 (145 (149 (108 (3.07) 5.71) 7.24) 5.87) 2.01)	91 (3.58) 135 (5.31) 161 (6.34) 190 (7.48) 156 (6.14) 113 (4.45) 60 (2.36)	(8) 83 (1) 127 (1) 127 (2) 154 (2) 154 (2) 154 (2) 155 (2) 112 (2) 155	(5.00) (6.06) (7.32) (6.06) (4.41) (2.24)	92 138 138 145 156 156 156 156 156 156 156 156 156 15	3.62) 5.43) 6.54) 6.30) 6.30) 2.40)	87 (132 (132 (158 (159 (114 (111210140414
Season	826 (32.53)	Season 826 (32,53) 722 (28,41)	8.41)	843 (33.	.18) 7.	843 (33.18) 755 (29.73)	861 (33	(33.89)	788 (31.02)	ŀ	881 (34.67) 830 (32.68)	830 (3,	ł	906 (35.66) 873 (34.36)	6) 873	(34.36)	926	926 (36.46)	898	(35,36)

REGION: 27 Jordan Valley CROP: Corn (Silage)

		5 out	5 out of 10 years	6 out of 10 years	9	7 out o year	out of 10 years	8 out of 10 years		9 out of 10 years	f 10 s	19 out	19 out of 20
MONTH	E	r crop in.	Net IRR mm in.	ET crop mm in. m	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net mm in. mm	IRR in.	ET crop	Net IRR	ET crop	Net IRR
May June July Aug Sep Oct	65 135 220 174 121	(2.56) (5.31) (8.66) (6.85) (4.76) (0.08)	43 (1.69) 110 (4.33) 212 (8.35) 172 (6.77) 109 (4.29) 2 (0.08)	66 (2.60) 47 138 (5.43) 118 223 (8.78) 214 177 (6.97) 175 124 (4.88) 114 2 (0.08) 2	7 (1.85) 8 (4.65) 4 (8.43) 5 (6.89) 4 (4.49) 2 (0.08)	67 (2.64) 140 (5.51) 1 225 (8.86) 2 182 (7.17) 1 126 (4.96) 1 3 (0.12)	52 (2.05) 125 (4.92) 217 (8.54) 179 (7.05) 118 (4.65) 3 (0.12)	69 (2.72) 57 (143 (5.63) 133 (227 (8.94) 221 (186 (7.32) 184 (128 (5.04) 123 (3 (0.12) 3 ()	2.24) 8.24) 7.24) 7.24) 4.84)	70 (2.76) 150 (5.91) 1 231 (9.09) 2 191 (7.52) 1 133 (5.24) 1 3 (0.12)	62 (2.44) 145 (5.71) 225 (8.86) 190 (7.48) 129 (5.08) 3 (0.12)	70 (2.76) 155 (6.10) 237 (9.33) 197 (7.76) 136 (5.35) 3 (0.12)	66 (2.60) 150 (5.91) 228 (8.98) 196 (7.72) 132 (5.20) 3 (0.12)
Seasor	717	(28.22)	648 (25.51)	Season 717 (28.22) 648 (25.51) 730 (28.74) 670 (26.39)	0 (26.39)	743 (29.26) 6	94 (27.33)	743 (29.26) 694 (27.33) 756 (29.77) 721 (28.38)	1	778 (30.64) 754 (29.69)	54 (29.69)	798 (31.42)	73

REGION: 27 Jordan Valley CROP: Grain (Spring)

		5 out ye	5 out of 10 years		3 9	6 out of 10 years	10		7 out of 10 years	of 10 rs			8 out of 10 years	s 10		٥	9 out of 10 years	10		19 out of 20 years	f 20
MONTH		crop in.	Net I	IRR in.	ET crop mm in.	-	Net IRR mm in.	ETC	oro in:	Net 1	IRR in.	ET Cr	crop in.	Net IRR		ET crop		Net IRR mm in.	ET crop	e l	Net IRR mm in.
March April May June July Aug	28 28 28 170 140 140	(0.12) (2.05) (3.78) (6.69) (8.11) (0.63)	~%%%% ~~~~~~	0.08) 1.26) 2.68) 5.63) 7.83) 0.59)	3 (0.12) 53 (2.09) 98 (3.86) 174 (6.85) 209 (8.23) 16 (0.63)	12) 2 39) 37 36) 76 35) 152 23) 203 53) 16	(0.08) (1.46) (2.99) (5.98) (7.99) (0.63)	3 (55 (100 (177 (211 (0.12) 2.17) 3.94) 6.97) 8.31)	3 (0 41 (1 82 (3 158 (6 205 (8	0.12) 1.61) 3.23) 6.22) 8.07) 0.63)	3 (0 56 (2 103 (4 181 (7 213 (8	0.12) 2.20) 4.06) 7.13) 1 8.39) 2	3 (0. 46 (1. 90 (3. 167 (6. 208 (8.	0.12) 1.81) 3.54) 6.57) 8.19) 2	3 (0.12) 58 (2.28) 106 (4.17) 185 (7.28) 217 (8.54) 17 (0.67)	1	3 (0.12) 50 (1.97) 97 (3.82) 178 (7.01) 211 (8.31) 17 (0.67)	60 60 60 108 64 108 64 108 64 108 64 108 64 108 108 108 108 108 108 108 108 108 108	0.16) 3 (2.36) 53 (4.25) 101 (7.56) 183 (8.74) 214 (0.71) 18 (3 (0.12) 3 (2.09) 1 (3.98) 3 (7.20) 4 (8.43) 3 (0.71)
Season	543 ((21.38)	459 (18	(20.	Season 543 (21.38) 459 (18.07) 553 (21.78) 486 (19.1	78) 486	(19.13)	562 (22.14)	2.14)	505 (19	(19.88)	573 (22	(22.57) 5	530 (20.	(20.86) 5	586 (23.06)	36) 556	(21.90)	909	(23.78) 572	2 (22.53)

EGION: 27 Jordan Valley

	2	+ of 10	100	25 40		4			
	3 >	years	o one	years	/ out of 10 years	of 10 Irs	8 out of 10 years	9 out of 10 years	19 out of 20 years
MONTH	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.	ET crop Net IRR mm in. mm in.
Feb	8 (0.31	-	8 (0.31)	-	0.35)	1 (0 04)	35,	11 / 0 / 2/ 6	1, 0, 0,
March	33 (1.30	7	34 (1.34)	12	1.42)	21 (0.83)	1,66	0 (54.0) 07	14 (0.47)
April	78 (3.07	22	81 (3.19)	83	3,35)	69 (2,72)	3.46)	01 (3.58) 84	(/) (/) 64
May.	136 (5.35)) 107 (4.21)	141 (5.55)	115 (4.53)	145 (5.71)	123 (4.84)	148 (5.83) 131 (5.16)	155 (6, 10) 144	157 (6 18)
en.	50.7	152	184 (7.24)	161	7.36)	168 (6.61)	7.52)	196 (7.72) 189	203 (200)
July	151 (5.94	145	153 (6.02)	147	(90.9	150 (5.91)	6.10)	3) 158 (6.22) 154 (6.06)	162 (6.38) 156 (6.14)
Season	585 (23.02	Season 585 (23.02) 477 (18.77) 601 (23.65) 504 (19.	601 (23.65)	504 (19.85)	616 (24.25)	532 (20.95)	628 (24.72) 564 (22.2	616 (24.25) 532 (20.95) 628 (24.72) 564 (22.20) 651 (25.62) 607 (23.90) 672 (25.53) 625 (27.43)	472 (24 (5) 425 (2) 41V

REGION: 27 Jordan Valley CROP: Grass Seed (Spring)

ut of years	5 out of 10 years	6 out of 10 years	of 10 ars	7 out of years	out of 10 years	8 out of years	out of 10 years	9 out of 10 years	of 10 rs	19 out of years	of 20
Net I mm i	IRR in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.
	6	•	(00 0) 0	1 0 0 04)	-	\ ~	0 (0.00)	$\overline{}$	J	$\overline{}$	$\overline{}$
, -	0.05		1 (0.04)	10 (0.39)		13 (0.51)	1 (0.04)	13 (0.51)	7 (0.28)	14 (0.55)	8 (0.31)
. ~	0.08)	85	_	19 (0.75)	9	J	J	J	J	<u> </u>	<u>.</u>
30	1.18)	67	33 (1.30)	J	37 (J	J	J	_	<u> </u>	٠ .
51	2.01)	82	$\overline{}$	J) 79	J	J	J	J	_	٠ .
8	(3.86)	126 (_	J	112 (J	J	J	_	<u> </u>	٠.
88	(0,7)	197 (_	J	193 (J	J	J	J	J	٠ .
168	(6.61)	174 (_	J	135	J	J	J	J	J	_
113	(4.45)	128	_	_	123 (J	J	J	J	_	J
8	2.60	85	. ~	J) 	J	J	V	J	_	_
2	(0.08)	77	3 (0.12)	J)	J	J	J	J	_	_
0	(0.00)	-	0 (0.00)	J	0	J	~ ∣	~	00.000	6 (0.24)	~
719	(28.31)	Season 869 (34.21) 719 (28.31) 887 (34.93) 754 (29.	754 (29.68)	904 (35.60)	793 (31.23)	935 (36.82)	841 (33.11)	967 (38.08)	896 (35.27)	997 (39.25)	931 (36.64)

REGION: 27 Jordan Valley CROP: Pasture


		5 out of 10 years	of 10 Irs		6 out	6 out of 10 years	7 out of 10 years	of 10 Irs	8 out ye	8 out of 10 years	9 out of 10 years	of 10 Irs	19 ou ye	19 out of 20 years
MONTH	E E	crop in.	Net IRR mm in.		ET crop	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.	ET crop	Net IRR mm in.	ET crop mm in.	Net IRR mm in.
March April May June July Aug Sep Sep	89 (28 (128 (157 (157 (157 (157 (157 (157 (157 (157	(0.28) (3.50) (5.04) (6.18) (7.60) (5.94) (4.37)	6 (0.24) 68 (2.68) 68 (2.68) 130 (3.94) 131 (5.16) 149 (5.87) 98 (3.86) 58 (2.28)		8 (0.31) 92 (3.62) 135 (5.31) 161 (6.34) 195 (7.68) 174 (4.49) 77 (3.03)	6 (0.24) 73 (2.87) 107 (5.21) 140 (5.51) 180 (7.44) 151 (5.94) 105 (4.13)	8 (0.31) 96 (3.78) 137 (5.39) 144 (6.46) 198 (6.46) 158 (6.22) 116 (4.57)	7 (0.28) 79 (3.11) 114 (4.49) 114 (5.71) 193 (5.60) 113 (4.45) 67 (2.64)	8 (0.31) 101 (3.98) 139 (5.47) 167 (6.57) 200 (7.87) 161 (6.34) 118 (4.65) 81 (3.19)	7 (0.28) 88 (3.46) 123 (4.84) 154 (6.06) 196 (7.72) 159 (6.26) 116 (4.57) 71 (2.80)	9 (0.35) 104 (4.09) 145 (5.71) 172 (6.77) 203 (7.99) 165 (6.50) 121 (4.76) 84 (3.31)	9 (0.35) 95 (3.74) 135 (5.31) 165 (6.50) 199 (7.83) 120 (4.72) 79 (3.11)	9 (0.35) 106 (4.17) 148 (5.83) 178 (7.01) 207 (8.15) 170 (6.69) 123 (4.84) 85 (3.35)	9 (0.35) 99 (3.90) 140 (5.51) 169 (6.65) 201 (7.91) 169 (6.65) 121 (4.76) 83 (3.27)
Season	911	(35.86)	795 (31.3	31) 9	Season 911 (35.86) 795 (31.31) 936 (36.84) 833 (32.	(32.78)	956 (37.64)	872 (34.34)	975 (38.38)	914 (35.99)	1003 (39.48)	(39.48) 966 (38.02) 1026 (40.39)	1026 (40.39)) 991 (39.00)


REGION: 27 Jordan Valley CROP: Potatoes


1	ı	522521	S
8	Net IRR mm in.	2 (0.87) 5 (2.56) 4 (6.46) 1 (9.09) 0 (7.48) 1 (2.80)	768 (30.23) 743 (29.26)
years		25 27 28 25 25 25 25 25 25 25 25 25 25 25 25 25	23) 743
^	T crop	(0.94) (2.76) (6.77) (9.41) (7.52) (2.83)	(30.
	ET	252 238 24 253 253 253	292
	in.	0.83) 6.30) 6.30) 7.28) 2.72)	28.55)
of 10 irs	Met m	21 (62 (160 (228 (185 (69 (725 (
y out of 10 years	crop in.	0.91) 2.76) 6.54) 9.17) 7.28) 2.76)	9.45)
	ET C	25 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	(27.33) 747 (29.42) 725 (28.55)
	ي بد	0.75) 5.24) 5.83) 7.05) 2.64)	33)
9	Net IRR mm in.		4 (27.
out of 10 years		7) 19 (8) 57 (8) 148 (8) 224 (9) 179 (4) 67 (8) 69
დ გ^	crop in.	(0.87) (2.68) (6.38) (9.02) (7.09) (2.64)	(28.6
	ET	22 68 162 229 180 67	728
	IRR in.	0.63) 2.05) 5.59) 8.70) 6.85) 2.52)	(26.34) 728 (28.68) 694
94 13	Net III	16 C 172 C 172 C 174 C 64 C	8
7 out of 10 years	crop in.	0.87) 2.64) 6.22) 8.94) 2.60)	ຂ
	ET C.	22 (67 (5) (67 (5) (67 (5) (67 (5) (67 (5) (6) (6) (6) (6) (6) (6) (6)	716 (28.
			1
2	Net IRR mm in.	(0.59) (1.85) (5.39) (8.58) (6.69) (2.40)	(25.5
6 out of 10 years	ŽĘ	15 47 47 47 47 47 47 47 47 47 47 47 47 47	648
% %	crop in.	(0.83) (2.60) (6.14) (8.86) (6.77)	(27.76
	E E	225 225 172 65	705
	in.	(0.47) (1.65) (4.96) (8.46) (6.57) (2.28)	4.39)
5 out of 10 years	Net IRR mm in.	12 (12 (12 (12 (12 (12 (12 (12 (20 (2)
		79) 56) 74) 2 69) 1	Season 693 (27.28) 620 (24.39) 705 (27.76) 648 (25.50)
	ET crop	20 (0.79) 65 (2.56) 152 (5.98) 222 (8.74) 170 (6.69) 64 (2.52)	3 (27
		ł	99 nos
	MONTH	April May June July Aug Sep	Seas


3.2 ETref CONTOUR MAPS


Contour plots of ET_{ref} are a useful tool for private firms and government agencies involved in water resources management, hydrologic balance studies, water quality planning, and environmental analysis. A series of plots, one for each month, are included which indicate the mean (50 percent probability or 5 out of 10 years) monthly ET_{ref} over the state in millimeters per day (mm/d). The monthly total ET_{ref} in millimeters is obtained by multiplying the plotted value for the site of interest by the number of days in the month. Recall that ET_{ref} represents the water use by a fully developed grass cover of uniform height, disease and weed free, in a well-watered environment. For other vegetation covers, K_c values should be applied as shown in Equation (2).
































4 EXAMPLES

4.1 APPLICATION TO SYSTEM DESIGN

In this section, we will demonstrate application of the ET_{GTOP} and Net Irrigation Requirement tables for irrigation system design using the example of potatoes grown in the Hermiston area. First, locate those tables applicable to the Hermiston area. Figure 1 and Table 1 show that Hermiston is in region number 14. Table 2 indicates that the pages corresponding to this area for ET_{GTOP} and Net Irrigation Requirements are from 103 to 111. Turning to this section, we see that the crops are listed in alphabetical order. There are three tables for potatoes, depending on an early, mid, or late planting dates. Assume that for contract purposes, the growing season will correspond to the mid planting date (April 10) shown in Table 1. Planting dates and growing seasons indicated in Table 1 are general guidelines, but are generally accurate enough for irrigation system design and management purposes in Oregon.

Next, choose the proper design probability level for your situation. This level depends on the crop's susceptibility to water stress, the value of the crop, and the grower's acceptable level of risk. The higher the probability level you choose, the less risk there will be for crop damage due to extreme weather conditions, but the system costs will be higher. It is a judgement call and what is acceptable to one grower or system designer may not work for another.

Table 4 suggests general guidelines for probability levels for different crop types. These values are based on relative value of the crops, susceptibility to water stress, and adaptability of the crop to explore a large volume of soil within the potential root zone. Values in Table 4 should be considered as starting values that may be modified by the grower and designer for specific cases.

Table 4. Suggested range of probability levels in percent for irrigation system design based on type of crop.

CROP TYPE	PROBABILITY MINIMUM	LEVEL MAXIMUM
Field Crops	50	70
Orchards - New Planting	70	80
Orchards - Mature	50	60
Specialty Crops	80	90

Continuing with the example, let's assume we decide to use the Specialty Crop probability levels for design considering the value of potatoes and the relative susceptibility to quality damage from water stress. Assume that the grower and designer are satisfied with an 80 percent or 8 out of 10 year design level. The irrigation system capacity is based on the peak month water requirement, applying the concept that if the capacity is adequate for the maximum use month, it is adequate for any other month. From the table for Hermiston, the peak month is July with an ET_{Grop} of 226 mm (8.9 in.). Analysis of climatic data for the region indicates that no effective precipitation is expected at this probability level for July and therefore the net irrigation requirement is also 226 mm (8.9 in.).

The net irrigation requirement is the estimate of the amount of water which will be used by the crop. This amount of water must be delivered to the active root zone for maximum production. Certain amounts of water applied to the field will not reach the root zone. Water that leaves the field in spray and wind drift from a sprinkler system, runs off the low point of the field (required for some types of surface irrigation systems), or percolates through the soil past the root zone is not considered to be available to meet the net irrigation requirement of the crop. Some of this water may be used to leach salts out of the root zone or have other beneficial uses, but it is not considered to meet the net irrigation requirement as defined in this report.

We developed a system of irrigation efficiencies to calculate the volume of water required at different points in an irrigation system based on the net irrigation requirement (Cuenca, 1989). The combined application and distribution pattern efficiency, E₀, accounts for deep percolation, runoff, and water leaving the field as spray and wind drift. It is extremely problematic to estimate the combined efficiency for different types of irrigation systems because it is a function of soil type, crop type, meteorological conditions, system design, and management. Table 5 presents a range of combined efficiencies for different types of irrigation systems. The values given in Table 5 should be considered as starting values if no specific information is available for the particular system in question. These values are based on attainable values for systems that are generally well designed and managed. A lower efficiency is related to systems with a lower level of management or operating in an arid climate. The higher values can be considered for well managed systems or a humid climate. These values should be modified if reliable local information is available for the system in question. See Cuenca (1989) for more details and methods to compute the combined efficiency for various types of systems.

Table 5. Suggested combined application and distribution pattern efficiencies in percent for various types of irrigation systems assuming reasonable system design and management.

SYSTEM	COMBINED	EFFICIENCY HIGH
Basin, level border, level furrow, graded border, or graded furrow surface with tailwater return	80	95
Graded border and graded furrow surface with no tailwater return but with cutback	65	75
Graded border and graded furrow surface with no tailwater return and no cutback	40	65
Hand-move and side-roll sprinkler with offsets	70	80
Solid set sprinkler with low wind design	55	65
Solid set sprinkler with high wind design	65	75
Big gun with low wind design	60	70
Big gun with high wind design	70	80
Continuous move sprinkler - center pivot or linear move	75	85
Trickle (or drip)	80	90
Subsurface	85	95

The gross irrigation requirement, or amount of water that must be applied to the field, is obtained by dividing the net irrigation requirement by the combined distribution and application pattern efficiency. In equation form,

$$i_g = \frac{i_n}{E_c} \tag{3}$$

where

 i_g = gross irrigation depth, mm

 i_n = net irrigation depth, mm

 E_c = combined efficiency, decimal fraction

For this example, assume that the irrigation system in Hermiston is a graded furrow that is well designed and well managed, with no tailwater return, but uses a cutback of the stream size when the water reaches the end of the furrow. The combined efficiency for this case, from Table 5, is 75 percent and the gross depth is calculated as,

$$i_g = \frac{226mm}{0.75} = 301mm \tag{4}$$

so that is is equal to 301 mm (11.9 in.).

The gross volume of water (V_0) required for the irrigation system during the month is equal to the gross depth multiplied by the area (A) planted to potatoes, taking care that the units are consistent. The required system flow rate (Q) is equal to the gross volume divided by the total time (T) of irrigation during the peak month, again paying attention to consistency of units. Let's work an example assuming that the area of potatoes to be irrigated is 25 ha (62 ac) and that the total time of irrigation for the month is 320 h [i.e. two 8 h sets per day, 5 days per week for 4 weeks].

$$V_{g} = i_{g}(A) \tag{5}$$

$$V_g = 301 \, mm \left(\frac{1 \, m}{1000 \, mm} \right) 25 \, h\alpha \left(\frac{10,000 \, m^2}{h\alpha} \right) = 75,250 \, m^3$$
 (6)

or

$$V_g = 11.9in. \left(\frac{1ft}{12in.}\right) 62ac = 61.5ac \cdot ft$$
 (7)

The flow rate required for the system is,

$$Q = \frac{V_g}{T} \tag{8}$$

$$Q = \frac{75,250m^3}{320h} \left(\frac{1h}{60min}\right) \left(\frac{1000L}{1m^3}\right) = 3916L/min \tag{9}$$

or

$$Q = \frac{61.5ac \cdot ft}{320h} \left(\frac{326.000gal}{1ac \cdot ft} \right) \left(\frac{1h}{60min} \right) = 1044gpm$$
 (10)

The table given in the Appendix may be applied for conversion between English system units and the Système International (SI - commonly called metric system) more generally used throughout the world. Final system design should be based on manufactured capacity of available equipment and cooperative efforts of the grower and an experienced system designer or engineer. Trade-offs will be required considering operating schedule, area to be irrigated, required flow rate, soil water-holding capacity, and soil intake rate.

4.2 APPLICATION TO IRRIGATION SCHEDULING

Irrigation scheduling involves determining the time and required depth of irrigation throughout the growing season. Numerous irrigation scheduling methods are available. Traditional methods may depend on a fixed, calender-based schedule that may be modified depending on observed crop status. Some scheduling methods include monitoring meteorological variables and estimating crop water use over the period of interest using a method such as the FAO Blaney-Criddle applied in this report. Others involve monitoring soil moisture content using devices ranging from a simple soil sampler to a sophisticated neutron probe. The objective of all of the methods is to assist the grower in applying the correct amount of water to replenish that used by the crop since the last irrigation.

The crop water requirements in this report are based on an average of 46 years of meteorological data. Since no year is average, the Crop Water Use tables in this report should only be used for planning irrigations. Actual decisions should be based on observed meteorological and crop conditions since the last irrigation.

The following example shows how to use the crop water requirement tables for scheduling irrigations for the example mid-season potato crop for the Hermiston area. Assume that the irrigation system has been designed, based on the peak month crop water requirement and soil water-holding capacity of the root zone, to apply a net irrigation depth of 50 mm (2.0 in.) for each irrigation. If the system is going to be operated in the same manner (i.e. same set time) all season, the question is what irrigation interval should be anticipated for planning purposes during August.

From the mid-season potato table for Hermiston, the net irrigation requirement for August is seen to be 193 mm (7.60 in.) for 8 out of 10 years. Since there are 31 days in August, the estimated daily water use is 6.2 mm/d (0.25 in./d). If a net depth of 50 mm (2.0 in.) is to be applied for each irrigation, the irrigation interval, I_f , is calculated as,

$$I_f = \frac{i_n}{ET_{crop}} \tag{11}$$

$$I_f = \frac{50mm}{6.23mm/d} = 8d \tag{12}$$

For planning purposes, we could anticipate irrigating the same field every 8 days during August. This result would have to be modified to account for actual meteorological and crop conditions at the time of operation.

5 REFERENCES

- Allen, R.G. and C.E. Brockway. 1982. Consumptive Irrigation Requirements for Crops in Idaho. Final Technical Completion Report. Idaho Water and Energy Resources Research Institute. University of Idaho. Moscow.
- Allen, R.G. and C.E. Brockway. 1983. Estimating Consumptive Use on a Statewide Basis. Advances in Irrigation and Drainage, Proceedings of the American Society of Civil Engineers Irrigation and Drainage Division Specialty Conference, Jackson. 79-89.
- Basketfield, D.L. 1986. Irrigation Requirements for Selected Oregon Locations. M.S. Thesis. Oregon State University. Corvallis. 229 pp.
- Cuenca, R.H. 1989. Irrigation System Design An Engineering Approach. Prentice-Hall, Orlando. 552 pp.
- Doorenbos, J. and W.O. Pruitt. 1977. *Crop Water Requirements.* Food and Agriculture Organization of the United Nations, Irrigation and Drainage Paper no. 24, Revised. Rome.
- Jensen, M.E., R.D. Burman, R.G. Allen (editors), R.H. Cuenca (contributing author), and others. 1990. Evapotranspiration and Irrigation Water Requirements. ASCE Engineering Practices Manual No. 70, Committee on Irrigation Water Requirements, American Society of Civil Engineers. 332 pp.
- United States Department of Agriculture, Soil Conservation Service. 1964. *Irrigation Water Requirements*. Technical Release No. 21.
- Watts, D.G., C.R. Dehlinger, J.W. Wolfe and M.N. Shearer. 1968. *Consumptive Use and Net Irrigation Requirements for Oregon*. Circular of Information 628. Agricultural Experiment Station, Oregon State University. Corvallis. 40 p.

6 APPENDIX

APPENDIX A. Conversion between English and Système International (SI) units for quantities applicable to irrigation system design and management.

QUANTITY	FROM: ENGLISH UNITS	TO: SI UNITS	MULTIPLY BY:
Area	in.²	m²	0.000 645 16
	ft.²	m²	0.092 903 04
	in.²	mm²	645.16
	in.²	cm²	6.451 6
	acre	ha	0.404 687 3
	mile²	km²	2.589.998
Flow, mass, rate	lb/min	kg/min	0.453.592 4
	lb/s	kg/s	0.453.592 4
	g/min	g/min	
	ton (short)/h	t/h, M g/h	0.907 184 7
Flow, volume	ft³/s	m³/s	0.028 316 85
	ft³/s	m³/min	1.699 011
	gal/s (gps)	L/s	3.785 412
	gal/s (gps)	m³/s	0.003 785 412
	gal/min (gpm)	L/min	3.785 412
	gal/min (gpm)	L/s	0.063 090 20
	oz/s	mL/s	29.573 53
	oz/min	mL/min	29.573 53
	gal/h	L/h	3.785 412
	ft³/s	m³/s	0.028 316 85
Length	mile	km	1.609 344
	rod	m	5.029 210
	yd	m	0.914.4
	ft	m	0.3048
	in.	cm	2.54
	in.	mm	25.4
Mass	ton (long)	t, Mg	1.016 047
	ton (short)	t, Mg	0.907 184 7
	lb	kg	0.453 592 4
	slug	kg	14.593 90
	OZ	g	28.349 52

QUANTITY	FROM: ENGLISH UNITS	TO: SI UNITS	MULTIPLY BY:
Volume	yd³ ft³ bushel ft³ in.³ in.³ gal qt pt oz acre ft	m³ m³ L L L cm³ L L L d d d mL m³	0.764 554 9 0.028 316 85 35.239 07 28.316 85 0.016 387 06 16.387 06 3.785 412 0.946 352 9 0.473 176 5 29.573 53 1 233.489 1.233.489
Volume per area	bushel (U.S.) gal/acre	m³ L/ha	0.035 239 07 9.353 958
Volume per time	gal/h	L/h	3.785 412

Archival copy. For cur	rent information, see tl	ne OSU Extension	n Catalog: https	:://catalog.extension	o.oregonstate.edu/em8530
	This publication was pre 8 and June 30, 1914. Ex U.S. Department of Agr	tension work is a co	ooperative progr		
	Oregon State University materials—without rega marital status, disability Title VI of the Civil Rig Section 504 of the Reha Equal Opportunity Emp	ard to race, color, re o, and disabled veter thts Act of 1964, Tit bilitation Act of 19	ligion, sex, sexua ran or Vietnam-e le IX of the Edu	al orientation, nationa era veteran status—as cation Amendments o	<i>al origin, age,</i> required by f 1972, and