

© Copyright by Nicole S. Marshall
June 3, 2008
All Rights Reserved

**Potential of Eradicating Noxious Weed Seeds from the
Soil with Heat and Carabid Seed Predators**

An Undergraduate Thesis in Bioresource Research
By Nicole S. Marshall

Oregon State University

June 3, 2008

Date

Ed Peachey, Faculty Mentor

Date

John Parmigiani, Committee Member

Date

Anita Azarenko, BRR Director

Date

I understand that my thesis project will become part of the permanent collection of Oregon State University, Bioresource Research. My signature below authorizes release of my project to any reader upon request.

Nicole S. Marshall, Author

Potential of Eradicating Noxious Weed Seeds from the Soil with Heat and Carabid Seed Predators

By

Nicole Marshall

Baccalaureate of Science in Bioresource Research,

Toxicology

Plant Growth and Development

Chemistry minor

Mentor (supervisor): Dr. Ed Peachey¹

Secondary Mentor: Greg Fitzpatrick²

M.E. Supervisor: John Parmigiani³

Committee Member: Anita Azarenko¹

Garvin Crabtree Laboratory: OSU Horticulture; AG and Life Sciences Bldg.

¹ OSU Department of Horticulture, ² The Nature Conservancy, ³ OSU Department of Mechanical Engineering

Table of Contents	
	Page
Introduction	1
1. Weed Control Strategies	2
1.1 Prescribed Field Burns and Localized Flame Weeding	
1.2 Hand Weeding	
1.3 Steam Sterilization	
1.4 Herbicides	
1.5 Solarization	
1.6 Solar (UV) Radiation and Fresnel Lens	
1.7 Tillage	
1.8 Microwave Radiation	
1.9 Biological Controls	
1.10 Direct Soil Heating	
2. Project 1: Effect of direct-soil heating on weed seed survival	12
2.1 Materials and methods	12
a. Heat Treatments in Laboratory	
2.2 Results and discussion	14
a. Heat Treatments in laboratory	
3. Project 2: Beetle Predation	20
3.1 Material and methods	20
3.2 Results and discussion	22
4. References	26
5. Appendix I	I
6. Appendix II	VI
7. Appendix III	VIII
8. Appendix IV	X
9. Appendix References	XXIII

Graphics: Figures and Tables

Figure Legends

Figure 1	Weed wrenches (photo)
Figure 2	Cultivit (photo)
Figure 3	Cultivit schematic
Figure 4	Diesel fired weed burner
Figure 5	Flow chart representing changes in dormancy level and termination of dormancy in seed populations and the factors that most likely affect each process
Figure 6	Percent germination (\pm SE) of un-imbibed seeds of six weed seeds exposed to heat for 5 seconds
Figure 7	Percent germination (\pm SE) of imbibed seeds of five weed seeds exposed to heat for 5 seconds
Figure 8	(a-f) Percent germination (\pm SE) for all individual species after varied heat treatments
Figure 9	Percent Germination at 100 C based on increasing seed size
Figure 10	(a-b) Linear relationships to predict future outcomes (temp, survival, and time)
Figure 11	Male and female <i>Pterostichus melanarius</i>
Figure 12	Average Beetle Predation with Varying Media (6/21/08 – 7/31/08)
Figure 13	Average Carabid Beetle Preferential weed seed predation per beetle per day
Figure 14	Beetle Hotel: Single Beetle Predation per beetle per day (male vs. female)

Table Legends

Table 1	Structures and thermal properties of selected oxides
Table 2	Effect of species, time of exposure to heat, and imbibition on seed survival from 20-100°C at 20°C intervals
Table 3	Percent germination at 100°C based on increasing seed size
Table 4	Estimated cost of propane at four speeds in the field for agriculture and restoration use
Table 5	Carabid Preferential Predation of weed seeds via media, seed preference, and sex

