

27914
W8
07
no. 7
R
SCIENCE
TECHNOLOGY

Selected Bibliography

on Glues and Gluing

for 1964, 1965, and 1966



Compiled by

Raymond A. Currier

Bibliography 7

August 1968

**Forest Research Laboratory
School of Forestry
OREGON STATE UNIVERSITY
Corvallis**

Selected Bibliography on Glues and Gluing
for 1964, 1965, and 1966

compiled by

Raymond A. Currier

This bibliography is a continuation of a series formerly prepared by Division 6, Glues and Gluing, of the Forest Products Research Society, and published in the Forest Products Journal. The last such list was published for the year 1963.

The number and variety of wood and wood-base products utilizing adhesives at some point during their manufacture are growing annually. Coupled with this increased emphasis of glued wood products has been a parallel upswing in the literature pertaining to product manufacturing technology as well as basic and applied research in the field of adhesives and adhesion.

This listing of selected articles on glues and gluing was prepared to bring together significant contributions in these fields so that interested persons could save both time and effort in information retrieval. With the current information explosion in scientific and technical literature, such compilations will be of increasing utility.

Information for each entry was chosen with the aim of speeding its retrieval. Most abbreviations are according to suggestions of the Commonwealth Agricultural Bureaux. Authors and publishers have been given with particular care, because only three of the items listed are available from the Forest Research Laboratory; for all others, consult the original source.

- "Adhesives and the Cantilevered House." Adhesives Age 7(5):28-29. 1964.
- Adhesives for Bonding Wood to Metal. Res. Note FPL-082, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 4 p. 1964.
- "Adhesives in Flush Door Manufacture." Board 7(8/9):6-7. 1964.
- American Society for Testing and Materials. Adhesion. Spec. Tech. Publ. 360, Amer. Soc. Test. Mater., Philadelphia, Pa. 212 p. 1964.
- "A Proposed New Test for Accelerated Aging of Phenolic Resin-Bonded Particleboard." For. Prod. J. 16(6):19-23. 1966.
- Arnoldt, W. "Behaviour of Usual Extenders in Urea-Resin Glues and Their Testing without Gluing." Holz Roh-u. Werkstoff 22(1):8-13. 1964.
- Arnoldt, W. "Wetting of the Wood Surface by Aqueous Adhesives in the Manufacture of Plywood." Holz-Zlb. 90(142), Suppl. (Moderne Holzverarbeitung) 56:305-306. 1964.
- Artamonov, B. I. "A Combined Heating Process in the Gluing of Plywood with Urea Glues." Derev. Prom. 13(4):10-11. 1964.
- Artamonov, B. I. "Electrical Properties of Sets of Veneer Layers When Glued in a R. F. Field." Lesn. Ž. Arhangel'sk 7(2):118-121. 1964.
- Artamonov, B. I. "Calculation of Combined Heating in the Gluing of Sets of Veneer Layers." Lesn. Ž. Arhangel'sk 8(2):109-115. 1965.
- Association of American Railroads. Laboratory Investigation to Determine Static and Repeated Load Strength of Full-Size Southern Pine Glued Laminated Stringers. Bur. Railway Econ. Library, Washington, D. C. 20013. 41 p. 1964.
- Backovic, M. "Research in Montage Gluing of Boards from Solid Beech Wood." Pregled naučnoteh. Rad. Inform. Sarajevo 2(3):33-47. 1965.
- Bandekow, R. J. "The Cause and Cure of Flush Door Gluing Problems." Woodwkg. Dig. 66(8):32-33; 66(10):37-40. 1964.
- Baumann, H. "On the Development of Strong Adhesion-Glue-Lines." Holz Roh-u. Werkstoff 23(1):16-19. 1965.
- Beaver, W. "Save Space and Cut Costs with Bulk Adhesives Handling." Adhesives Age 8(4):38. 1965.

- Been, J. "Bonding with Synthetic Polymers. Part 1. The Bonding Process." Adhesives Age 7(9):34-36. 1964.
- Bergin, E. G. The Gluability of Various Eastern Canadian Wood Species. Canad. Wood Prod. Ind. Oct. and Nov. 2 p. 1964.
- Bergin, E. G. "Effect of Curing Temperature on Rate of Cure and Quality of Casein Glued Joints." For. Prod. J. 15(4):152-154. 1965.
- Bergin, E. G. Glue Bond Failures; their Causes and Prevention. Contribution P-102, For. Prod. Res. Branch, For. Prod. Lab., Ottawa, Canada. 1965.
- Bergin, E. G., and Godin, V. Contact Adhesives. Publ. 1161, Forestry Branch, For. Prod. Lab., Ottawa, Canada. 22 p. 1966.
- Berzin's, G. V., Šnjucin', F. A. and Baltpurvin's, Z. R. "Veneering Wooden Panels on One Side Only." Trud. Inst. Lesohoz. Probl., Riga. 26:169-172. 1963.
- Biryukov, V. A. "A Semi-Automatic Machine for End-Gluing Short Pieces of Lumber." Derev. Prom. 12(8):12-14. 1963.
- Blomquist, R. F. Adhesives--Past, Present, and Future. 1963 Edward Marburg Lecture. Amer. Soc. Test. Mater., Philadelphia, Pa. 34 p. 1964.
- Blomquist, R. F. "The Current Status of Wood Glues in U.S. A. (1) The Plywood Industry." N.Z. Timb. J. 11(9):53-54, 57. 1965. (2) "The Laminated Timber Industry." 11(10):26-30. 1965.
- Blomquist, R. F. "Adhesives." Panel 3:12-15. Amer. Plywood Assoc., Tacoma, Wash. 1966.
- Blomquist, R. F. and Olson, W. Z. "Durability of Fortified Urea-Resin Glues Exposed to Extreme Weathering." For. Prod. J. 14(10):461-466. 1964.
- Blomquist, R. F. and Olson, W. Z. Experiments in Gluing Southern Pine Veneer. Res. Note FPL-032, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 33 p. 1964.
- Bloomquist, P. R. "Southern Pine Plywood Adhesives Technology." For. Ind. 93(2):39-41. 1966.
- Bohannon, B. Prestressed Laminated Wood Beams. Res. Paper FPL 8, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 32 p. 1963.
- Bohannon, B. Flexural Behaviour of Large Glue-Laminated Beams. Res. Paper FPL 72, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 15 p. 1966.

- Bohannon, B. and Selbo, M. L. Evaluation of Commercially Made End Joints in Lumber by Three Test Methods. Res. Paper FPL 41, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 38 p. 1965.
- "Bonded Balsa Absorbs Landing Impact Energy in Military Application." Adhesives Age 7(10):30-31. 1964.
- "Bonding Hardwood Edge Strips to Softwood." Adhesives Age 9(2):32-33. 1966.
- Booth, C. C. and Button, N. F. "Pre-Pressing Plywood." For. Prod. J. 16(2):15-19. 1966.
- Bøye, C. "Comparison of Strength Properties (Weathering Resistance) of Glue Set by Traditional Methods (Cold-Setting) and by Radio-Frequency Heating." Traeindustrien 14(9):136-137. 1964.
- "Breakthrough in Laminating Reported." Crow's For. Prod. Dig. 43(3): 35. 1965.
- Bryant, B. S. "Price Drop Affects Adhesives Industry." For. Ind. 91(1):88-89. 1964.
- Brynildsen, O. Strength Properties and Testing Methods of Glued Finger Joints in Structural Timbers. Norwegian Inst. of Wood Wkg. & Wood Tech., Oslo, 25. 1965. Norsk Skogind. 19(6):247-51. 1965.
- Bune, A. "The Composite Board: Some Recent Advances in Veneering." Board Practice 8(9):209-210. 1965.
- Buschbeck, L. "Technical Problems in the Use of Foamed Glues in Particleboard Manufacture." Holztechnol., Dresden 5(1):54-59. 1964.
- Button, N. F. and Booth, C. C. "How to Lower Costs by Prepressing Plywood." Wood & Wood Prod. 70(9):48, 50-52. 1965.
- Carroll, K. W. "Selecting a High Production Adhesives System." Adhesives Age 9(7):20-26. 1966.
- Carruthers, J. F. S. "The Risborough Continuous Laminating Machine." Wood 30(10):51-54. 1965.
- Carruthers, J. F. S. and Burrige, M. S. "The Edge-Tacking of Laminated Members." Wood 29(8):42-45. 1964.
- "Catalyst Saves Overtime." Woodwkg. Dig. 68(6):46-47. 1966.
- Chistyakov, A. M. "Gluing of Honeycomb Constructions with Pre-Drying of the Glue Layer." Derev. Prom. 14(5):8-9. 1965.

- Chugg, W. A. "Glued Laminated Timber Structures." Architect & Surveyor, London 9(6):119-124. 1964.
- Chugg, W. A. Glulam--the Theory and Practice of the Manufacture of Glued Laminated Timber Structures. Ernest Benn, London. 423 p. 1964.
- Chugg, W. A. and Gray, V. R. "Gluing of Cast Iron Railway Base-plates to Jarrah Sleepers-1." Wood 30(2):45-47; (3):48-51. 1965.
- Chugg, W. A. and Gray, V. R. Plastics in Glued Timber Structural Joints. Conference on Plastics in Building Structures 1965, No. 15. Timb. Res. & Development Assoc., High Wycombe, Bucks. 8 p. 1965.
- Chugg, W. A. and Gray, V. R. "Ways of Testing Glues." Woodwkg. Ind. 22(4):36-37. 1965.
- Chugg, W. A. and Parekh, G. J. The Effect of Grain Direction on the Shear Strength and Durability of Glued Joints in Two Softwoods. Rept. C/RR/24, Timb. Res. and Development Assoc., High Wycombe, Bucks. 7 p. 1966.
- Chugg, W. A., and others. The Gluability of Hardwoods for Structural Purposes. Res. Rept. C/RR/22, Timb. Res. and Development Assoc., High Wycombe, Bucks. 18 p. 1965.
- Clad, W. "On the Elasticity of Cured Glue-Lines in Wood Bondings." Holz Roh-u. Werkstoff 23(2):58-67. 1965.
- "Clamp Carrier Variations." Adhesives Age 7(5):27. 1964.
- Clark, L. E., Jr. "A Practical Guide to Wood Adhesives." For. Prod. J. 15(4):176-177. 1965.
- "Close Tolerances Keep Laminating Plant on Beam." Wood & Wood Prod. 69(9):58-59. 1964.
- "Coated Fabric Prevents Glue from Building on Wood-Working Machines." Adhesives Age 9(10):26. 1966.
- "Cold Press System Cuts Cost of Laminated Table Tops." Nat. Hardwood 39(8):72-74, 76. 1965.
- Coleman, D. G. "On-Site Adhesives Will Not Come From Current Adhesive Manufacturers." For. Prod. J. 16(3):14-18. 1966.
- Cone, C. N. "Question: How Good is Plywood's Commercial Standard CS45-60?" For. Ind. 91(9):40-41, 59. 1964.

- Cone, C. N. "Softwood Plywood Adhesive Bonds for Construction Uses." Spec. Tech. Publ. 401:80-93. Amer. Soc. Test. Mater., Philadelphia, Pa. 1966.
- "Continuous Laminating System Does Job Five Times Faster." Wood & Wood Prod. 70(8):40. 1965.
- "Cooperative Effort Up-Grades Product for Sidewall Producer." Adhesives Age 8(3):26. 1965.
- "Corn By-Product Bolsters Glue Line." For. Ind. 92(2):108. 1965.
- Creedle, F. W. "Two Hot New Gluing Methods Give Singer the Edge." Woodwkg. Dig. 68(9):47-50. 1966.
- "Cures and Veneers Flakeboard in One Press Pass." Wood & Wood Prod. 71(3):45-46. 1966.
- Currier, R. A., Marian, J. E. and Stumbo, D. A. "Selected Bibliography on Glues and Gluing." For. Prod. J. 14(5):229-232. 1964.
- "DAS:Increasing Water Resistance of Plywood Adhesives." Woodwkg. Dig. 66(11):52. 1964.
- Dawe, P. S. "Standard Tests for Finger Joints." Wood 29(12):45-47. 1964.
- Deppe, H. J. and Ernst, K. "Investigations on the Durability of Gluing with Carbamide and Phenolic Resins for Wood Particleboard." Holz Roh-u. Werkstoff 24(7):285-290. 1966.
- Device for Estimating Wood or Glue Failure in Glue Block Shear Test. Res. Note FPL-0102, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 2 p. 1965.
- "Dialdehyde Starch Promising in Glue for Plywood Industry." Chem. & Engng. News 42(38):58-59. 1964.
- Doman, L. S. The Effect of Moisture Content at Time of Manufacture and after Subsequent Storage on the Bond Quality of Laminated Beams Glued with a Resorcinol Resin. Progr. Rept. 137, For. Prod. Res. Lab., Princes Risborough, Great Britain. 3 p. 1964.
- Doman, L. S. and Knight, R. A. G. Investigations into Glues and Gluing: the Effect of Moisture Content at Manufacture and Test on the Bond Quality in Laminated Beams Made with a Resorcinol Resin. Progr. Rept. 143, For. Prod. Res. Lab., Princes Risborough, Great Britain. 1966.
- Donovan, C. F. "How to Test the Strength of Bonded Joints." Adhesives Age 9(3):24-26. 1966.

- Dost, W. A. and Maxey, C. Gluing Characteristics of Some California Hardwoods: Black Oak, Chinkapin, Madrone, and Tanoak. Calif. Forestry & Forest Prod. Lab. 36, Univ. of Calif., Berkeley. 1964.
- Doyle, D. V. Performance of Nail-Glued Joints of Plywood to Solid Wood. Res. Note FPL-042, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 17 p. 1964.
- "Drying Hood Aids Edge Gluing." For. Ind. 93(13):97. 1966.
- Dupont, W. "Rationalizing Glue Joints in the Wood Industry." Holz-Zbl. 89(141):Suppl. (Moderne Holzverarbeitung) 30, 176-180. 1963.
- Dupont, W. "Strength of Glued Finger Joints in Beech." Holz-Zbl. 90(99):Suppl. (Moderne Holzverarbeitung) 50, 275. 1964.
- "Edge Glue Spreader With Vertical Axis Application Roll." Adhesives Age 7(9):29. 1964.
- Egner, K. "Developing a Test for Ascertaining Injuries to Fibres by Glues." Berichte aus der Bauforschung, Berlin 25:1-17. 1962.
- Egner, K. "The Bearing Strength and Durability of Glue Joints Between Boards Placed at Oblique Angles." Berichte aus der Bauforschung, Berlin 25:51-78. 1962.
- Egner, K. and Jagfeld, P. "Gluing Base Plates to Sleepers." Holz-Zbl. 90(64/65):Suppl. (Moderne Holzverarbeitung) 44, 245-250. 1964.
- Egner, K. and Jagfeld, P. "Investigations on Finger-Jointed Planks after Many Years of Use. Behaviour under Pulsating Tensile Stress." Holz Roh-u. Werkstoff 22(3):107-113. 1964.
- Egner, K. and Jagfeld, P. "Investigations on the Gluability of Taroil-Impregnated Beech Sleepers to Finger-Jointed Sleepers." Holz Roh-u. Werkstoff 23(1):20-27. 1965.
- Egner, K., Jagfeld, P. and Kolb, H. "The Behaviour of Fingerjoints in Window Frames." Holz-Zbl. 92(89):1627-1631. 1966. Berichte aus der Bauforschung, Berlin 47:24-55. 1966.
- Egner, K. and Kolb, H. "Investigations on the Aging of Glues for Supporting Structural Wooden Elements." Holz Roh-u. Werkstoff 24(10):439-442. 1966.
- "End-Grain Balsa Core in Glued-Up Panels." Wood & Wood Prod. 69(6):16, 20. 1964.
- "End-Glued Redwood New at Willits." Crow's For. Prod. Dig. 44(1): 10-11. 1966.

- England, R. F. and Miles, W. F. Core Delamination and Shear Tests for Laminated Wood. Development Rept. E-526-2, Puget Sound Naval Shipyard, Bremerton, Wash. 20 p. 1964.
- England, R. F. and Stahl, E. Marine Laminating Properties of Selected Wood Species: Outdoor Exposure Alaska Yellow Cedar, Western Larch. Progr. Rept. E-412-L4. Puget Sound Naval Shipyard, Bremerton, Wash. 4 p. 1964.
- "Epoxy Adhesives Invade the Wood Glue Market." Woodwkg. Dig. 66(11): 33-36. 1964.
- Erb, C. Effect of Overdrying on the Glueability of Softwood Veneer. Lab. Rept. 103, Amer. Plywood Assoc., Tacoma, Wash. 13 p. 1965.
- Ettling, B. F. and Adams, M. F. "Quantitative Determination of Phenolic Resins in Particleboard." For. Prod. J. 16(6):25-28. 1966.
- Feihl, O. and Godin, V. Veneer and Plywood from Aspen Poplar. Publ. 1157, Forestry Branch, For. Prod. Lab., Ottawa, Canada. 1966.
- "Fibrous Overlay Bonded to Wood at High Speeds." Adhesives Age 7(5):25. 1964.
- Filler, M. C., Hofstrand, A. D. and Howe, J. P. "Studies in Laminated Beam Design for Four Western Softwoods." For. Prod. J. 14(10):451-455. 1964.
- Finley, J. A. The Exposure Wall Program. Lab. Rept. 97, Amer. Plywood Assoc., Tacoma, Wash. 6 p. 1964.
- Flemming, H. "Use of PVA Glues, Individually or in Combination, in the Wood Industry." Drev. Výskum (3):113-128. 1963.
- Fowler, J. F. "Western Industry Studies Waterproof Glueline Problem." Plywood 5(2):12-15. 1964.
- "FPL Device Estimates Glue Joint Quality." Wood & Wood Prod. 70(9):106. 1965.
- Franklin, C. O. "Functionality of Adhesives." Adhesives Age 7(9):30-31. 1964.
- Futo, L. P. "The Microtechnology of the Coating and Gluing of Plywood with Phenolic Resins." Mitt. Schweiz. Anst. Forstl. Versuchsw. 39(3):151-212. 1963.
- Gardiner, C. S. "Case Presented for All-Exterior Glue Lines." Crow's For. Prod. Dig. 43(6):27-28. 1965.

- Gay, F. J. and Hirst, K. "Termite-Proof Plywood Through Glue-Line Poisons." For. Prod. Newslett., Commonw. Sci. Industr. Res. Organ., Australia 297:1-3. 1963.
- Gefahrt, J. "Effect of Ohmic Conductivity on the Transformation of Energy in the Radio-Frequency Heating of Glue Lines." Holz Roh-u. Werkstoff 23(1):10-15. 1965.
- Gefahrt, J. "The Behaviour of Laminated Beams under Conditions of Extreme Heat and Fire Hazard." Holz-Zbl. 92(102):1813. 1966.
- Gillespie, R. H. "Accelerated Aging of Adhesives in Plywood-Type Joints." For. Prod. J. 15(9):369-378. 1965.
- Gillespie, R. H., Olson, W. Z. and Blomquist, R. F. "Durability of Urea-Resin Glues Modified With Polyvinyl Acetate and Blood." For. Prod. J. 14(8):343-349. 1964.
- "Glue-Nailing Eliminates Cracked Tiles." Adhesives Age 7(11):24. 1964.
- "Gluing Cycle Cut 50% with New Preheater." Wood & Wood Prod. 70(1): 31, 66, 68. 1965.
- "Gluing/Laminating." Wood & Wood Prod. Section 2, 69(10):121-138. 1964.
- "Gluing, Laminating." Wood & Wood Prod. Section 2, 70(10):143-164. 1965.
- "Glu-Lam Stock Processed at 550 Lineal F. P. M." For. Ind. 93(5):85. 1966.
- Gray, T. F. "Glue Application by Cascade Coater." Wood 30(2):51-53. 1965.
- Gray, V. R. and Chugg, W. A. "From Crude Beginnings." Woodwkg. Ind. 22(2):39. 1965.
- Grigorescu, V., Plugaru, I., et al. "New Rapidly Curing Adhesives Shorten the Pressing Period at Fabrication of Particle Boards, Plywood and Veneered Furniture." Stud. Cerc. Inst. Cerc. For., Bucuresti 25:245-256. 1965.
- Guiher, J. K. "Effect of Moisture on Lumber-Core Panels." For. Prod. J. 15(3):117-120. 1965.
- Gulyás Kiss, E. "Technical Possibilities of Uniform Binder Distribution and Its Effect on the Characteristics of Chipboard." Faipari Kutatások, Budapest. 1:15-61. 1966.

- Harada, H. and Okuno, Y. "An Electron Microscope Investigation on the Gluing of Wood." J. Jap. Wood Res. Soc. 11(6):240-244. 1965.
- "Hard Maple/Laminating Specialists." Nat. Hardwood 39(10):36-39, 52. 1965.
- Haskell, H. H. "The Triangle." Wood & Wood Prod. 70(3):54, 56, 58. 1965.
- Haskell, H. H., Bair, W. M. and Donaldson, W. "Progress and Problems in the Southern Pine Plywood Industry." For. Prod. J. 16(4):19-24. 1966.
- Hayashi, D., et al. "Bonding Test of Wood-Based Material to Metal." Wood Ind., Tokyo 21(2):19-24. 1966.
- Hemming, C. B. "Economics Main Concern in Gluing." For. Prod. J. 14(2):61-62. 1964.
- Herczeg, A. "Wettability of Wood." For. Prod. J. 15(11):499-505. 1965.
- Heyer, O. C. and Blomquist, R. F. Stressed-Skin Panel Performance after Twenty Five Years of Service. Res. Paper FPL 18, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 12 p. 1964.
- "High Speed Lumber Laminating Boosts Output 5 Times by Automating Production Process." Woodwkg. Dig. 67(9):35. 1965.
- Hock, C. W. "Pressure-Sensitive Adhesives: What Makes Them Stick." Adhesives Age 7(3):21-25. 1964.
- "Hot Press Problems Can Be Solved by Trouble Shooting." Adhesives Age 7(12):35. 1964.
- "How to Bond and Pre-Finish Flush Doors." Adhesives Age 9(6):36. 1966.
- "How to Glue Wood Plies with Grain in the Same Direction." Adhesives Age 9(4):36. 1966.
- "How to Save Costs with Automatic Spraying." Adhesives Age 8(6):28-29. 1965.
- Huber, H. F. and Stroble, H. G. "Capsular Adhesives." Tappi 49(5):41A-44A. 1966.
- Hudson, R. W. "Durability of Structural Adhesives Under High Temperature Conditions." Wood 30(12):47-49. 1965.
- Hudson, R. W. Investigations into Glues and Gluing: the Efficacy of Low Glue Spreads Obtained by Airless Spraying. Progr. Rept. 144, For. Prod. Res. Lab., Princes Risborough, Great Britain. 1965.

- Huggins, M. W., Aplin, E. N. and Palmer, J. H. L. Static and Repeated Load Tests of Delaminated Glulam Beams. Rept. 32, Ontario Joint Highway Res. Programme, Dept. Engng., Univ. Toronto, Ontario, Canada. 64 p. 1964.
- Huggins, M. W., Aplin, E. N. and Palmer, J. H. L. "Evaluation of the Effect of Delamination." Engng. J., Montreal, Feb., 1-10. 1966.
- Hunt, D. G. "The Use of Adhesives with Wood Chipboard." Board Practice 8(9):211-214. 1965.
- "Industry Faces Glue Bond Decision." For. Ind. 92(1):70-71. 1965.
- Ivanenko, A. D., Nikitin, V. M., et al. "Alkali Lignin - a Substitute for Phenolic Raw Material in the Condensation of Phenol-Formaldehyde Resins for Gluing Plywood." Derev. Prom. 15(4): 9-10. 1966.
- Iwashita, M. and Cadelina, O. B. "Studies on Particle Board VIII. Influence of Specific Gravity of Particle Board on Dowel Joint Strength." Bull. For. Exp. Sta.; Meguro, Tokyo 172:159-169. 1965.
- Jain, N. C., Gupta, R. C. and Bajaj, S. C. "Phenol Lignin Formaldehyde Resins--Further Experiments--Plywood Adhesives from Black Liquor." Paintindia 14(12). 1965.
- Jenkins, J. L. "The Ultimate Shear Strength of Laminated Timber by Compression Testing." Aust. J. Appl. Sci. 15(3):147-159. 1964.
- Jochem, D. C. "Rapid Duplication of Glue Failure Measuring Device." For. Prod. J. 16(10):56. 1966.
- Johnson, V. C. Continuous-Web Ply-Box Beams Assembled by Adhesives or Entirely by Nailing. Test record E/TR/28. Timb. Res. and Development Assoc., High Wycombe, Bucks. 1966.
- Johnston, A. H. "The Problems of Quality Control in Glue-Lamination." Bull. Timb. Development Assoc., Wellington, N. Z. 2(3):11-12. 1965.
- "Joints Cut Waste." For. Ind. 91(1):226. 1964.
- Jones, F. B. "How to Select and Use Aqueous Adhesive Formulations." Adhesives Age 7(8):30-32. 1964.
- Jurecic, A. "The Basic Principles of Adhesion--a Survey." Tappi 49(7):306-310. 1966.
- Kalina, M. "The Shear Stress in Plywood Gussets at Glued Trusses." Holz Roh-u. Werkstoff 23(10):394-396. 1965.

- Kehr, E., Macht, K. -H. and Riehl, G. "On the Chip-Bonding Process in Particle-Board Manufacture. 1. The Effect of the Amounts Passing through Turbulent-Air Nozzles." Holztechnol., Dresden 5(1):17-26. 1964.
- Kehr, E., Macht, K. -H., and Riehl, G. "Influence of the Throughput of Binders When Twisting Nozzles Are Used and about Other Comparative Tests with Whirling and Twisting Nozzles." Holztechnol., Dresden 6(1):51-55. 1965.
- Kell, R. M. and Cooper, C. W. Durability of Bonded Housing Components. Spec. Tech. Publ. 401, Amer. Soc. Test. Mater., Philadelphia, Pa. 1966.
- Keylwerth, R. "Investigations on Free and Restraint Swelling of Wood - Part III: Swelling in Bonded Parquet." Holz Roh-u. Werkstoff 21(10):415-423. 1963.
- Keylwerth, R. "Veneer as Flooring Material." Holz Roh-u. Werkstoff 23(11):445-452. 1965.
- Khrulev, V. M. "Accelerated Testing of the Durability of Glued Joints." Lesn. Z. Arhangel'sk 7(1):121-128. 1964.
- Khrulev, V. M. "Functional Expression of the Results of Accelerated and Long-Term Ageing of Glue-Lines in Wooden Units." Derev. Prom. 13(11):15-17. 1964.
- Khrulev, V. M. "Strength of Urea Polyvinyl Acetate Glue Joints." Derev. Prom. 15(9):3-4. 1966.
- Kjučukov, G. and Siskov, I. "Effect of the Urea-Glue Filler on the Bond Strength of Beech Plywood before and after Veneering." Nauc. Trud. Lesoteh. Inst., Sofija 11:199-211. 1963.
- Klein, G. "The Gluing of Wood With Synthetic Adhesives. Parts I and II." S. Afr. For. J. 48:19-29; 49:7-16. 1964.
- Klinetob, A. B. "Proper Care of Spreader Reduces Gluing Problems." Adhesives Age 9(1):25. 1966.
- Knight, R. A. G. The Efficiency of Adhesives for Wood. For. Prod. Res. Bull. 38 (third edition). London. 29 p. 1964.
- Knight, R. A. G. Requirements and Properties of Adhesives for Wood. For. Prod. Res. Bull. 20 (fourth edition). London. 20 p. 1964.
- Knight, R. A. G. and Doman, L. S. Investigations into Glues and Gluing. The Effect of Density on Bond Quality as Assessed by the Three Methods of the Beam Unit. Progr. Rept. 145, For. Prod. Res. Lab., Princes Risborough, Great Britain. 1966.

- Knight, R. A. G. and Soane, G. E. "Predicting the Durability of Phenolic Glues in Plywood." Wood 29(7):44-46. 1964.
- Knight, R. A. G. and Soane, G. E. Investigation into Glues-Gluing. The Durability of Glues for Plywood Manufacture. Series V. Progr. Rept. 138. For. Prod. Res. Lab., Princes Risborough, Great Britain. 12 p. 1964.
- Koberle, M. and Plesko, I. "Effect on Combustion Products Drying Medium on Quality of Dried Veneers." Dřevo 20(5):180-181. 1965.
- Koch, P. "Beams from Boltwood: A Feasibility Study." For. Prod. J. 14(11):497-500. 1964.
- Koch, P. "Strength of Beams with Laminae Located According to Stiffness." For. Prod. J. 14(10):456-460. 1964.
- Koch, P. "Effects of Seven Variables on Properties of Southern Pine Plywood: Part I. Maximizing Wood Failure." For. Prod. J. 15(9):355-361. 1965.
- Koch, P. "Effects of Seven Variables on Properties of Southern Pine Plywood: Part II. Maximizing Wet Shear Strength." For. Prod. J. 15(11):463-465. 1965.
- Koch, P. and Jenkinson, P. "Effects of Seven Variables on Properties of Southern Pine Plywood: Part III. Maximizing Dry Strength." For. Prod. J. 15(12):488-494. 1965.
- Koleják, M. and Borba, J. "Evaluation Concerning the Function of the Centrifugal Sprayer 'Loedige' and the Pressure Nozzle 'Bullows L-500.'" Holztechnol., Dresden 7(4):219-224. 1966.
- Kollmann, F., Clad, W. and Wittmann, D. "Comparative Tests on the Strength of Wood Glue Bonds with Urea Formaldehyde Resins." Holz Roh-u. Werkstoff 22(9):325-332. 1964.
- Konishi, C. "Test of End Joints by Finger Jointer. Influence of Cutting Force by Three-Side Planer Related to Gluing Faculty on Conditioning Period after Heating." J. Hokkaido For. Prod. Res. Inst. 13(150):5-11. 1964.
- Konishi, C. "Test of End Joints by Finger Jointer. Relation between Bending Strength and Conditions on Jointing by Radio Frequency Heating." J. Hokkaido For. Prod. Res. Inst. 13(148):4-15. 1964.
- Konishi, C., Yoshida, N. and Nara, N. "Test of End Joints by Finger Jointer (3). Factors that Affect the Finishing on Joint Flooring." J. Hokkaido For. Prod. Res. Inst. 13(155):7-13. 1964.
- Koval'chuk, L. M. and Baskakin, E. N. "Bonding Together Wood and Plastics with RF Heating." Derev. Prom. 14(8):6-7. 1965.

- Koval'chuk, L. M. and Chistyakov, A. M. "The Use of Sheet Electric Heaters for Gluing in Woodworking." Derev. Prom. 12(8):7-9. 1963.
- Koval'chuk, L. M., Kormilitsyna, R. V. and Zhilonov, V. G. "Gluing Wood to Metals." Derev. Prom. 13(11):10-11. 1964.
- Kraus, H. "Tests that Led to Simple Edge Gluing [for Shuttering.]" Holz-Kurier, Wien 18(51/52):15-16. 1963.
- Kreibich, R. E. and Freeman, H. G. "Testing Adhesives for Creep." Adhesives Age 8(8):29-34. 1965.
- Kristensen, P., Bøye, C. and Jensen, B. "Testing Dowels." Trae-industrien 15(2):15-19. 1965.
- Kroeschell, W. O. "A Controlled Test for Measuring the Gluability of Paperboard." Tappi 47(6):336-338. 1964.
- Krpan, J. "Moisture Changes in the Manufacture of Beech Plywood." Holz Roh-u. Werkstoff 23(8):309-312. 1965.
- Krueger, G. P. Behavior of an Epoxy-Polysulfide Adhesive in Wood Joints Exposed to Moisture Content Changes. Res. Paper FPL 24, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 24 p. 1965.
- Krueger, G. P. and Blomquist, R. F. Performance of a Rigid and a Flexible Adhesive in Lumber Joints Subjected to Moisture Content Changes. Res. Note FPL-076, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 43 p. 1964.
- Krueger G. P. and Blomquist, R. F. Experimental Techniques for Determining Mechanical Behavior of Flexible Structural Adhesives in Timber Joints. Res. Paper FPL 21, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 16 p. 1965.
- Kruglikov, A. A., Bersenev, A. P., Permikin, I. P. and Yanovskaya, N. S. "Using the FM Resin (Urea-Phenol-Formaldehyde) in the Production of Particle Boards." Derev. Prom. 12(2):10-11. 1963.
- Kulikov, V. A. "Pressing Pressure When Gluing Laminated Wood, and Its Relation to the Topography of the Rotary-Cut Veneer." Lesn. Ž. Arhangel'sk. 9(1):105-111. 1966.
- Kulikov, V. A., Martynikhina, N. M. and Kolman, B. P. "Vacuum Gluing of Plywood." Derev. Prom. 13(3):14-17. 1964.
- Kurata, H. and Ito, K. "Machining, Laminating and Nailing Characteristics of Planted Larch." J. Hokkaido For. Prod. Res. Inst. 14(162):7-11. 1965.

- Kurtenacker, R. S. Adhesives for Assembly of Lightweight Wood Containers. Res. Note FPL-054, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 10 p. 1964.
- "Laminated Butcher Blocks Beef Up Unique Operation." Wood & Wood Prod. 69(11):38, 84. 1964.
- "Laminated Timber Automation." B. C. Lumberm. 50(1):106. 1966.
- Lantos, G. "The Development of Steel-Reinforced Glued-Laminated Timber Structural Components." Timb. Tr. J. 249(4572):53-54. 1964.
- Lauren, S. "Adhesives for Wallboard." Adhesives Age 8(5):30-31. 1965.
- Lee, Y. H. and Wong, C. N. "A Preliminary Study on the Efficiency of Stepped Joints in Bending." Malay. For. 27(1):63-71. 1964.
- Legas, L. E. "Phenolic Resin Surpasses Urea Bond in Board Tests." For. Ind. 91(10):42. 1964.
- Lehmann, H. L. "Phenol Formaldehyde Resins in the Manufacture of Chipboard." Board 7(8/9):5. 1964.
- Lehmann, H. L. "New Developments in Hot Press Veneering." Spec. Issue S/1-S/4. Timb. Tr. J. 1965.
- Lehmann, W. F. "Improved Particleboard through Better Resin Efficiency." For. Prod. J. 15(4):155-161. 1965.
- Leppin, J., Lamberts, K., and Pungs, L. "Investigations on Shortening the Pressing Time in Particleboard Manufacture by the RF-Preheating Process." Holz Roh-u. Werkstoff 24(12):573-578. 1966.
- Lindroos, A. R. "The Phenolic Resin Gluing of Plywood and the Possibilities of Developing It." Pap. ja. Puu. Papper och Trä 46(2): 53-60. 1964.
- Littleford, T. W. "Strength Tests of End and Edge Joined Douglas-Fir Plywood." B. C. Lumberm. 48(7):68, 70-71. 1964.
- Littleford, T. W. "Performance of Glue-Laminated Beams under Prolonged Loading." Inform. Rept. UP-X-15, For. Prod. Lab., Vancouver, Canada. 1966.
- "Low-Cost Protein Glue Is Water Resistant." Plywood 5(11):46-47. 1965.
- "Lumber Upgraded by Finger Jointing." For. Ind. 93(13):96. 1966.

- Lutz, J. "How Growth Rate Affects Properties of Softwood Veneer." For. Prod. J. 14(3):97-102. 1964.
- "Manual Glue Spreaders Solve Problems of Small-Area Application." Adhesives Age 7(2):29. 1964.
- Mardan, Yu. M. "Ultrasonic Gluing of Wood." Derev. Prom. 14(12): 25-26. 1965.
- Markov, A. A. "Veneering Hard Fibreboards." Derev. Prom. 14(5): 16. 1965.
- Marra, A. A. (Conference Director). Proceedings of the Conference on Theory of Wood Adhesion. Sponsored by the Natl. Sci. Foundation and Univ. Michigan, Ann Arbor. 1964.
- "Matching Up and Edge Gluing Uniform Width Plates Quickly." Adhesives Age 8(1):24-25. 1965.
- Matsumoto, T. "Studies on the Resin Sheet Overlay. Report 7. On the Weathering Test of Self-Bonding Phenolic Resin Sheet Overlaid Plywoods." Bull. For. Exp. Sta., Meguro, Tokyo 170:99-115. 1964.
- Matsumoto, T. "Studies on Resin Sheet Overlay. Rept. 7. Effect of Resin Content on the Exterior Weathering Resistance of Phenolic Resin Sheet Overlaid Plywood." Bull. For. Exp. Sta., Meguro, Tokyo 188:185-199. 1966.
- Matsumoto, T. and Yano, K. "Gluing Test of Polyvinyl-Asbestos Floor Tile on Plywood." Bull. For. Exp. Sta., Meguro, Tokyo 170: 117-126. 1964.
- Maxey, C. W. "Measuring Texture and Contact Area of End-Wood Surfaces." Mater. Res. & Stand. 4(6):279-285. 1964.
- Mazurčik, A. I. "Continuous Veneering of Wood." Lesn. Ž. Arhangel'sk 9(5):86-88. 1966.
- McCormack, P. H. "Animal Glues vs. Vinyl Copolymers." Woodwkg. Dig. 67(6):34-36; (7):29. 1965.
- McNutt, J. E. "Wetting and Adhesion." Adhesives Age 7(10):24-29. 1964.
- "Methods of Bonding Curved-Form Parts." Adhesives Age 8(11):35. 1965.
- Milek, J. "A Novel Retrieval System for Adhesive Materials Technology." Adhesives Age 9(5):31-33. 1966.
- Military Standardization Handbook: Adhesives. MIL-HDBK-691 (MR). U.S. Dept. of Defense. 51 p. 1964.

- Miller, D. G. and George, P. "Causes of Radio Frequency Burns in Edge Glued Joints." For. Prod. J. 15(1):33-36. 1965.
- Miller, D. J. and Currier, R. A. "Penetrability of Glue Lines in Douglas-Fir Plywood by Preservative Solutions." For. Prod. J. 14(7):303-309. 1964.
- Moglia, P. J. "The Knife Testing of Plywood with a Small Pneumatic Chisel." For. Prod. Newslett., Commonw. Sci. Industr. Res. Organ., Australia 306:1-2. 1964.
- Moren, R. "Dimensional Stabilisation of Plywood and Veneer." Wood 31(8):40-42. 1966.
- Mukudai, J. "The Internal Stress in Plywood Resulting from Cross-Laminated Gluing." Bull. For. Exp. Sta., Meguro, Tokyo 155:127-140. 1963.
- Mukudai, J. "The Internal Stresses in Glued Wood Products. Report 1. Analysis of Internal Stresses in Laminated Wood Resulting from Difference of Swelling of Shrinkage between Laminations and Relations between Internal Stresses and Results in Accelerated Delamination Test." Bull. For. Exp. Sta., Meguro, Tokyo 176:107-134. 1965.
- Nakarai, Y. and Tsukaya, Y. "Influence of the Variation in the Thickness of Different Veneers in One-Pieced Core Sheet on the Adhesive Strength of Plywood." Wood. Ind., Tokyo 20(12):24-27. 1965.
- Nakarai, Y. and Watanabe, T. "Studies on Water Soluble Phenol Resin Adhesive for Plywood." J. Jap. Wood Res. Soc. 11(4):137-141. 1965.
- Narayanamurti, D., Krishnamurthy, G. S. and Ragunatha Rao, D. M. "Note on Wood Adhesives Based on C[ashew] K[ernel] T[esta] Tannin." Paintindia, Bombay 14(3):43-44. 1964.
- Nash, N. "Adhesives of the Future." Woodwkg. Dig. 66(11):29. 1964.
- Nash, N. "Getting Stuck." Woodwkg. Dig. 66(7):29. 1964.
- Nash, N. "Nature's Glues." Woodwkg. Dig. 66(8):21. 1964.
- Nash, N. "Polyvinyl Acetate Adhesives: A Success Story." Woodwkg. Dig. 66(10):25. 1964.
- Nash, N. "Synthetic Adhesives Revolutionized Gluing." Woodwkg. Dig. 66(9):33. 1964.
- Neusser, H. "The Effect on Wood Failure of Water Immersion in Plywood Bond Tests." Holztechnol., Dresden 6(2):117-123. 1965.

- Neville, E. C. "Avoiding Wastage by Finger Jointing." Timb. Tr. J. 256(4670):63-67. 1966.
- "New Adhesive Used in Hardwood Pleasure Boats." Nat. Hardwood 39(4):71-73, 76-77. 1965.
- "New Dimension Plant Specializes in Edge-Glued Panels." Wood & Wood Prod. 71(8):54, 56. 1966.
- "New Glue Adapted To Southern Pine Plywood." Sth. Lumberm. 209 (2604):18. 1964.
- "New Lumber End-jointing Gives Extra Strong Bond." Canad. For. Ind. 86(5):57. 1966.
- "New Method Sharply Speeds Plywood Glueline Testing." Wood & Wood Prod. 69(3):51, 63. 1964.
- "New Press Laminates with Dry Adhesive." Woodwkg. Dig. 67(2):67. 1965.
- "New Process Laminates Lumber at High Speed." Sth. Lumberm. 211 (2624):17. 1965.
- "New Self-Bonding Cross Band Solves Veneering Problems." Woodwkg. Dig. 66(9):59. 1964.
- "New Uses and Misuses Spur Glue Study." Crow's For. Prod. Dig. 43(6):35-37. 1965.
- Nicholls, W. H. "Phenolic Resin Binders For Chipboard." Board Mfg. 9(4):38-39. 1966.
- Nishihara, M., Moriya, K. and Sugano, M. "Gluing Faculties of Laminated Wood Made of Red Meranti Wood Grown in Sarawak." Bull. For. Exp. Sta., Meguro, Tokyo 190:160-167. 1966.
- Noguchi, M. "Research for the Improvement of Wood (Rept. No. 10). Studies on Durability of Urea Resin Adhesive (I). On Prevention of Crack of Urea Resin Adhesive." Bull. For. Exp. Sta., Meguro, Tokyo 167:43-57. 1964.
- Norimoto, M., Takahara, S. and Yamada, T. "Rheology of Formation of Resin Layer on Wood Surface (1)." Wood Res., Kyoto 36:23-32. 1965.
- Northcott, P. L. "Specific Gravity Influences Wood Bond Durability." Adhesives Age 7(10):34-36. 1964.
- Northcott, P. L., Colbeck, H. G. M., and Kozak, A. Can the Service Life of Bonds Be Predicted? Spec. Publ. 401:3-15. Amer. Soc. Test. Mater., Philadelphia, Pa. 1966.

- Northcott, P. L. and Hancock, W. V. Accelerated Tests for Deterioration of Adhesive Bonds in Plywood. Spec. Tech. Publ. 401:62-79. Amer. Soc. Test. Mater., Philadelphia, Pa. 1966.
- Oekerman, G. F. Exterior Gluing of Southern Yellow Pine Veneer. Lab. Rept. 99, Amer. Plywood Assoc., Tacoma, Washington. 33 p. 1964.
- Okuma, M. "Creep Deformation in the Pressing Process of Plywood." J. Jap. Wood Res. Soc. 10(1):17-21. 1964.
- Okuro, A. and Nishizawa, O. "On the Properties and the Gluing Test of Polyvinylacetate Emulsion Adhesives." Bull. For. Exp. Sta., Meguro, Tokyo 163:103-110. 1964.
- Orth, H., El-Jarrad, M. and Geigle, H. "The Effect of Short Glass Fibres on the Strength of Plywood." Holz-Zbl. 91(20), Suppl. (Moderne Holzverarbeitung) 62:336. 1965.
- Ota, M. and Tsubota, Y. "Studies on the Fatigue of 2-Ply Laminated Wood. II. Several Investigations on the Static Viscoelastic Behaviour of 2-Ply Laminated Wood Subjected to Bending Tests." J. Jap. Wood Res. Soc. 12(2):90-95. 1966.
- Palka, L. C. "Factors Affecting the Strength Properties of Douglas-Fir Plywood Normal to the Glueline." For. Prod. J. 16(3):44-52. 1966.
- Patterson, T. J. Finger Joints/Design and Tests. Lab. Rept. 100, Amer. Plywood Assoc., Tacoma, Wash. 23 p. 1965.
- "Pavilion Constructed with Bonded Sandwich Panels Proves Successful." Adhesives Age 9(2):28-29. 1966.
- Perkins, R. H. Durability Studies of Casein Glue Joints Made with Penta Treated Wood. Res. Progr. Rept. 107, Agric. Exp. Sta., Purdue Univ., Lafayette, Ind. 14 p. 1964.
- Peteri, G. "Using Pinus Radiata Bark Extracts as an Adhesive." Inform. Tech. Inst. For., Santiago 21:99-102. 1965.
- Peterson, R. W. How Moisture Affects Strength of Casein Bonds. Contribution P-40, Forestry Branch, For. Prod. Lab., Ottawa, Canada. 3 p. 1964. Canad. Wood Pro. Ind. Feb. 1964.
- Peterson, R. W. Wood Adhesives. Publ. 1055. Forestry Branch, For. Prod. Lab., Ottawa, Canada. 27 p. 1964.
- Petrov, A. K. "High-Frequency Heating in the Gluing of Long Pieces." Derev. Prom. 12(10):5-7. 1963.

- Pillar, W. O. "Dynamic Method of Determining Curing Properties of an Adhesive in Contact with Wood." For. Prod. J. 16(6):29-37. 1966.
- Pincus, G., Cottrell, E. F. and Richards, D. B. "Rigid Roof Trusses with Glued-Finger Corners." For. Prod. J. 16(2):37-42. 1966.
- Plaza, A. S. Study of Laminated Wood; Tests of Glue Setting with High Frequencies. Application to the Manufacture of Gun Stocks. Inst. For. Invest. Exp., Madrid. 94 p. 1966.
- Plomley, K. F. Tannin-Formaldehyde Adhesives for Wood. II. Wattle Tannin Adhesives. Technol. Paper 39, Div. For. Prod., Commonw. Sci. Industr. Res. Organ., Australia. 1966.
- Plomley, K. F., Gottstein, J. W. and Hillis, W. E. "Tannin-Formaldehyde Adhesives for Wood." Aust. J. Appl. Sci. 15(3): 171-182. 1964.
- "Plywood Finger Joint Tested." For. Ind. 92(1):113. 1965.
- Ponomareva, L. A. "Optimum Conditions for Gluing Parquet Boards with High-Frequency Heating in an Electric Field." Derev. Prom. 13(6):9-10. 1964.
- "Potlatch Adapts Finger Jointing." Sth. Lumberm. 212(2636):25. 1966.
- Pound, J. "Hardboard and R. F. Heating." Wood 30(4):83-85. 1965.
- Pound, J. "Jointing Particle Board." Wood 30(11):67-69. 1965.
- Pound, J. "Laminated Window Frames." Wood 30(6):69-71. 1965.
- Pound, J. "Lipping Particle Board." Wood 30(8):44-46. 1965.
- Pound, J. "Making Laminated Shapes with R. F. Heating." Wood 30(10):55-57. 1965.
- Pound, J. "Recent Trends in R. F. Heating." Wood 30(2):48-50. 1965.
- Pound, J. "R. F. Carcase Presses." Wood 30(9):53-55. 1965.
- Pound, J. "R. F. Edge Jointing with Automatic Feed." Wood 30(1): 44-46. 1965.
- Pound, J. "Unfamiliar Facts on R. F. Heating." Wood 30(5):48-50.
- Pound, J. "Using the Stray Field Platen." Wood 30(7):49-51. 1965.
- Pound, J. "Common Shortcomings with R. F. Heating." Wood 31(3): 45-47. 1966.
- Pound, J. "Edge Banding with Low Voltage Heating." Wood 31(7):45-47. 1966.

- Pound, J. "Furniture Manufacture and R. F. Heating." Wood 31(4):52-54. 1966.
- Pound, J. "Glue Line Pressures." Wood 31(11):41-43. 1966.
- Pound, J. "Glue Spreading for RF Heating." Wood 31(10):53-55. 1966.
- Pound, J. "Keeping R. F. Electrodes Clean." Wood 31(5):45-47. 1966.
- Pound, J. "Lipping Flush Doors." Wood 31(1):44-46. 1966.
- Pound, J. "Low Voltage Heating Calculations." Wood 31(2):46-48. 1966.
- Pound, J. "Materials for RF Heating." Wood 31(9):41-43. 1966.
- Pound, J. "RF Heating for Quality Control." Wood 31(6):65-67. 1966.
- Pound, J. "Some Basic Facts on RF Heating." Wood 31(8):43-45. 1966.
- "Power Co. Uses Glued-Laminated Line Towers." West. Conserv. J. 21(3):50-51. 1964.
- "Presses Automatically Cycled." For. Ind. 91(3):105. 1964.
- "Produce 4,000 Doors Daily With Six New Cold Presses." Wood & Wood Prod. 71(5):31-32. 1966.
- Prusakova, I. R. and Shnabel, A. D. "Method of Reducing the Bleeding of Urea Glue." Derev. Prom. 14(6):24. 1965.
- Rajcan, J. and Kozelouh, B. "Designing Glued Finger Joints." Holz-technol., Dresden 4(3):222-228. 1963.
- Raknes, E. "Gluing of Wood Pressure-Treated with Water-Borne Preservatives and Flame Retardants." J. Inst. Wood Sci. 11:24-44. 1963.
- Rayner, C. A. A. "Cascade Gluing in Plywood Manufacture." Adhesives Age 8(2):33-35. 1965.
- Rayner, C. A. A. "Resin Adhesives in Wood Chipboard--Some Comparative Features." Wood 31(7):41-44. 1966.
- Reeves, W. "Pecan Shell Processing Gets Special Attention for Plywood Manufacturing." Plywood 7(2):50-52. 1966.
- Rice, J. T. "The Effect of Urea-Formaldehyde Resin Viscosity on Plywood Wood Bond Durability." For. Prod. J. 15(3):107-112. 1965.
- Robertson, J. E. "Let's Analyze The Glue Extender Problem." Plywood 7(1):30-33, 58. 1966.

- Romney, A. B. "Builders Are Putting Easy-To-Use Adhesives to Work on More Jobs to Improve Quality and Appearance." Amer. Builder 86(10):96-101. 1964.
- Saga, M. "On the Effect of Gluing Method (Wet and Dry) and Thickness of Base Plywoods (3 mm. and 6 mm.) at the Delamination Test of Fancy Plywood." Wood Ind., Tokyo 19(2):17-22. 1964.
- Saga, M., Rokubuichi, T. and Matsuda, T. "On the Delamination Test Conditions of Fancy Plywood." Wood Ind., Tokyo 19(3):16-22. 1964.
- Sakurada, S., et al. "Weather Resistance of Plywoods." Wood Ind., Tokyo 19(5):20-21. 1964.
- Sanchez Plaza, A. Study of Laminated Wood; Experiments in High-Frequency Glue Setting. Application to the Manufacture of Gunstocks. Inst. For. Invest. Exp., Madrid. 1966.
- Scales, M. "Epoxy Based Structural Adhesives." Adhesives Age 7(11): 22-24. 1964.
- Schaeffer, R. E. Preliminary Study of the Gluing of Ammonium Salt-Treated Wood with Resorcinol-Resin Glues. Res. Note FPL-0112, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 9 p. 1966.
- Schaeffer, R. E., Gillespie, R. H. and Blomquist, R. F. "Chemical Interaction of Ammonium Salt Fire Retardants and Resorcinol Resin Adhesives." For. Prod. J. 16(5):23-30. 1966.
- Schischka, E. "The Calculation of Glued Supporting Structures." Holz-forsch. u. Holzverwert. 18(2):21-22. 1966.
- Schleusener, J. "Dynamic and Static Investigations on Metal/Wood Bonds." Holztechnik 44(3):102-104, 106. 1964.
- Selbo, M. L. "Cylindrical Shear Specimen for Test on Glue Bonds in Laminated Timbers." Spec. Tech. Publ. 353, Symposium on Timber, 1962:45-54. Amer. Soc. Test. Mater., Philadelphia, Pa. 1964.
- Selbo, M. L. "Rapid Evaluation of Glue Joints in Laminated Timbers." For. Prod. J. 14(8):361-365. 1964.
- Selbo, M. L. "Ten-Year Exposure of Laminated Beams Treated With Oilborne and Waterborne Preservatives." For. Prod. J. 14(11): 517-520. 1964.
- Selbo, M. L. "Test For Quality of Glue Bonds in End-Jointed Lumber." Spec. Tech. Publ. 353, Symposium on Timber, 1962:78-86. Amer. Soc. Test. Mater., Philadelphia, Pa. 1964.

- Selbo, M. L. "Performance of Melamine Resin Adhesives In Various Exposures." For. Prod. J. 15(12):475-483. 1965.
- Selbo, M. L., Knauss, A. C. and Worth, H. E. "After Two Decades of Service, Glulam Timbers Show Good Performance." For. Prod. J. 15(11):466-472. 1965.
- Selbo, M. L., Knauss, A. C. and Worth, H. E. "20 Years of Service Prove Durability of Pressure-Treated Glulam Bridge Timbers." Wood Pres. News 44(3):5-8, 16; (4): 10-14. 1966.
- Selection and Properties of Woodworking Glues. Res. Note FPL-0138, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 1966.
- Seto, K., Nozaki, K., Takahashi, M. and Niioka, T. "The Performance of Glue Spreader." J. Hokkaido For. Prod. Res. Inst. 13(153): 8-14. 1964.
- Seto, K., Nozaki, K., Takahashi, M. and Niioka, T. "The Performance of Glue Spreader." J. Hokkaido For. Prod. Res. Inst. 13(155): 13-21. 1964.
- Seto, K., Nozaki, K., Takahashi, M. and Niioka, T. "The Performance of Glue Spreader (3)." J. Hokkaido For. Prod. Res. Inst. 14(156):12-14. 1965.
- "Shadow Guide Lines To Boost Lay-Up Accuracy." Woodwkg. Dig. 68(4):46. 1966.
- Sherrer, R. E. "Analysis of a Proposed Adhesive Test." Mater. Res. & Stand. 5(3):125-131. 1965.
- "Show Case Trim And Panels Are Adhesive Bonded." Woodwkg. Dig. 66(8):50. 1964.
- Shteynberg, S. E. "Bent-and-Glued Supporting Structures for Prefabricated Building." Derev. Prom. 14(6):13-14. 1965.
- Skeist, I. "Modern Structural Adhesives for Use in the Building Industry." Adhesives Age 7(4):21-26. 1964.
- Slooten, H. J. van der. "First Laminated Arches in Venezuela." For. Prod. J. 14(11):540-542. 1964.
- Slooten, H. J. van der. Investigation of Six Phenol-Resorcinol-Formaldehyde and Resorcinol-Formaldehyde Adhesives. Lab. Nac. Prod. For., Univ. Los Andes, Merida, Venezuela. 1963.
- Soper, V. R. and Hann, R. A. "Variables in Specimen Preparation Influence Results of IB Tests on Particleboard." For. Prod. J. 14(6):261-264. 1964.

- Southern Pine Inspection Bureau. SPIB Glued-Lumber Standards for Southern Pine. Sth. Pine Inspection Bur., New Orleans, La. 16 p. 1965.
- "Specially Equipped Spreaders Save Time and Labor in Timber Lamination." Adhesives Age 9(3):27. 1966.
- Spörl, H. -H. "Automatic Carcass Assembly with R. F. Heating." Holztechnol., Dresden 6(4):233-240. 1965.
- Stanger, A. G. "The Strength of Finger-Jointed Air-Dry Radiata Pine." Bull. Timb. Development Assoc., Wellington, N. Z. 2(1): 3-6. 1965.
- Stanger, A.G. and Blomquist, R. F. "A Comparison of Block Shear, Cross-Lap Tension, and Glueline Cleavage Methods of Testing Glued Joints." For. Prod. J. 15(12):468-474. 1965.
- Stegmann, G. and Ginzler, W. "Determination of the Content of Urea-Formaldehyde Adhesives in Particleboard." Holz Roh-u. Werkstoff 23(2):55-57. 1965.
- Steidle-Saier, M. "Wooden Trellis Beams Glued with Synthetic Resins in Concrete and Concrete Shuttering Construction." Holz-Zbl. 91(91):1596-1597. 1965.
- Steinhaus, M. "Historic Notes on Wood-Laminating in the United States." For. Prod. J. 14(1):40. 1964.
- Steller, S. and Repka, P. "Cold Pre-Pressing of Plywood." Dřevo 21(4):119-122. 1966.
- Stensrud, R. K. and Nelson, J. W. "Importance of Overlays to the Forest Products Industry." Adhesives Age 9(6):31-35. 1966.
- Stöger, G. "Estimation and Testing of the Exhalation of Formaldehyde out of Particle Boards Bounded with Urea-Resins." Holz-forsch. u. Holzverwert. 17(6):93-98. 1965.
- Stumbo, D. A. "Influence of Surface Aging Prior to Gluing on Bond Strength of Douglas-Fir and Redwood." For. Prod. J. 14(12): 582-589. 1964.
- Sullivan, J. D. and Harrison, W. L. "Rate of Viscosity Change for a Urea-Formaldehyde Resin." For. Prod. J. 15(11):480-484. 1965.
- Sunley, J. G. and Dawe, R. S. "Strength of Finger Joints in Timber Structures." Timb. Tr. J. 252(4617):59-64. 1965.
- "Switch to Fast-Setting Glues Halves Press Curing Time." Wood & Wood Prod. 71(4):30. 1966.

Synthetic Resin Adhesives (Phenolic and Aminoplastic) for Wood. Part 1. Gap-Filling Adhesives. Brit. Stand. 1204. 20 p. 1964.

Synthetic Resin Adhesives (Phenolic and Aminoplastic) for Wood. Part 2. Close-Contact Adhesives. Brit. Stand. 1204. 20 p. 1965.

Synthetic-Resin Glues. Res. Note FPL-0141, For. Prod. Lab., For. Serv., U.S. Dept. Agric., Madison, Wis. 25 p. 1966.

Tanaka, A. "Studies on the Powdered Drybonding Process in the Manufacture of Plywood. I. On the Relation between the Gluing Condition and the Strength of Adhesion." J. Jap. Wood Res. Soc. 10(4):131-135. 1964.

Tanaka, A. "Studies on the Powdered-Dry Bonding Process in the Manufacture of Plywood. II. On the Influences of Water on the Adhesion." J. Jap. Wood Res. Soc. 10(5):188-192. 1964.

Tanaka, A. and Takashima, K. "Studies on the Powdered-Dry Bonding Process in the Manufacture of Plywood. IV. On the Exothermic Behaviours in the Initial Reaction of Urea-Formaldehyde and Those of Urea-Resin Adhesives." J. Jap. Wood Res. Soc. 12(6):277-281. 1966.

Tanaka, A. and Takashima, K. "Studies on the Powdered-Dry Bonding Process in the Manufacture of Plywood. III. On the Gelatin Behaviours of Urea-Resin Adhesive." J. Jap. Wood Res. Soc. 12(6): 272-276. 1966.

Tarkow, H., Feist, W. C. and Southerland, C. F. "Interaction of Wood with Polymeric Materials: Penetration Versus Molecular Size." For. Prod. J. 16(10):61-65. 1966.

Tarkow, H. and Southerland, C. "Interaction of Wood With Polymeric Materials. I: Nature of the Adsorbing Surface." For. Prod. J. 14(4):184-186. 1964.

Temkina, R. Z. "Urea-Formaldehyde Glues with a Minimum Content of Free Formaldehyde." Derev. Prom. 12(8):10-12. 1963.

Temkina, R. Z. "Urea Resins and Binders for the Manufacture of Wood Chipboards with Soviet Equipment." Derev. Prom. 14(3): 4-7. 1965.

"Testing Device Developed." Crow's For. Prod. Dig. 43(3):24. 1965.

"Tests on Laminated Flooring Board." Wood Ind., Tokyo 19(12):20-25. 1965.

- Thielges, B. H. "When Is 'Waterproof' Not Waterproof?" Woodwkg. Dig. 67(10):41-42. 1965.
- "Thinking Out Loud... ' on Gluing Problems." Wood & Wood Prod. 69(4):26-27. 1964.
- Timber Development Association. "Plywood and Glue Have Major Parts in Modern Construction." Bull. Timb. Development Assoc., Wellington, N.Z. 2(3):6-7. 1966.
- Tomaš, M. and Jurík, L. "Urea-Formaldehyde Resins with a Low Content of Free Formaldehyde." Drev. Vyskum 1963 (3):171-178. 1963.
- Treiber, H. "Stereometric Adaptation in the Gluing of Highly Polymeric Materials, Particularly Wood Chips." Holz Roh-u. Werkstoff 23(8):319-331. 1965.
- Tsukhlo, V. M. "The Flow Properties of the Chip/Glue Mix." Derev. Prom. 12(2):13-15. 1963.
- Tsutsumoto, T. and Satô, S. "Studies on the Drying Characteristics of Veneer (II). On the Effect of Drying Temperature on the Properties of Dried Veneer." Bull. For. Exp. Sta., Meguro, Tokyo 173:155-165. 1965.
- Tsutsumoto, T., Satô, S. and Yagishita, M. "Moisture Content of Veneer Related to Quality of Plywood." Bull. For. Exp. Sta., Meguro, Tokyo 176:151-171. 1965.
- Twiss, S. B. "Structural Adhesive Bonding. Part I: Adhesive Characteristics." Adhesives Age 7(12):26-31. 1964.
- Twiss, S. B. "Structural Adhesive Bonding. Part II: Adhesive Classification." Adhesives Age 8(1):30-34. 1965.
- "Ultra Violet Rays Trace Squeeze-Out." Woodwkg. Dig. 68(2):51. 1966.
- "Unusual Presses Facilitate Use of Adhesives in Furniture Manufacture." Adhesives Age 8(10):41. 1965.
- Urbanik, E. and Dziedzic, L. "The Influence of Some Fungicides and Insecticides on the Shear Strength of Urea-Formaldehyde Resin Bonded Joints." Holztechnol., Dresden 7(2):123-126. 1966.
- Uyemura, T. and Hoshi, T. "Application of Radio Frequency Heating to End Joints of Wood Flooring Board." Wood Ind., Tokyo 18(10):19-24. 1963.
- Vasenin, R. M. "Adhesion of High Polymers." Adhesives Age 8(5):18-25; (6):30-35. 1965.

- "Veneer Banding Output Tripled With New Machine." Wood & Wood Prod. 70(6):45. 1965.
- Veynberg, I. P. "Increasing Impact Bending Strength of Finger-Jointed Pieces." Derev. Prom. 15(11):12. 1966.
- Vohralik, V. "High Speed Bonding." Board Practice 8(3):69-70. 1965.
- Voyutskii, S., et al. "The Nature of the Adhesion Bond Between Polymers." Dokl. Akad. Nauk. USSR. 161(2):377-379. 1965.
- Wagenführ, R. "Microscopical Methods of Test for Joints in the Wood Technique." Holztechnol., Dresden 6(2):93-96. 1965.
- "Waterproof Glueline Shaping Up for Construction Grade Plywood." Wood & Wood Prod. 69(8):40, 42-43. 1964.
- Weakley, F. B. and Mehlretter, C. L. "Low Cost Protein Glue for Southern Pine Plywood." For. Prod. J. 15(1):8-12. 1965.
- Wetherall, W. F. "The Effect of Preservatives on Gluing Techniques." Wood 29(3):38-42. 1964.
- Williamson, D. V. S. "Hot Melt Adhesives in Europe. Trends and Developments." Adhesives Age 8(8):24-27. 1965.
- Williston, E. M. "Improved Utilization by Continuous Laminating." Proc. Soc. Am. For. Mtg.:67-68. 1963.
- "Wisconsin Institute Talks Stress Various Adhesive Bonding Problems." Adhesives Age 7(4):36, 39-42. 1964.
- "Wood Used in Street Lighting." Crow's For. Prod. Dig. 42(3):14. 1964.
- Wood-Working Machinery and Equipment for Use with Synthetic Resin Glues. II. Glue Spreading Machines. Tech. Notes CIBA Prod. Co. 556 Morris Ave., Summit, New Jersey. Oct. (2-9.) 1965.
- Wood-Working Machinery and Equipment for Use with Synthetic Resin Glues. III. Presses. Tech. Notes CIBA Prod. Co., 556 Morris Ave., Summit, New Jersey. Dec. (2-11.) 1965.
- Yagishita, M. and Egusa, Y. "The Effect of Lathe Check on Bond Strength of Plywood." Bull. For. Exp. Sta., Meguro, Tokyo 176: 173-185. 1965.
- Yagishita, M., Saga, M. and Okanishi, T. "Gluing Tests of Plywood. Meranti Woods Grown in Sarawak." Bull. For. Exp. Sta., Meguro, Tokyo 190:178-180. 1966.
- Yamagishi, Y. "Studies of the Bond Strength of Plywoods." Hokkaido For. Prod. Res. Inst. 46:1-87. 1966.

- Yamagishi, Y., Imura, S. and Okada, M. Studies on the Test Methods of Particle Boards and Particle Board Core Plywoods. Part 2. The Test Methods on the Bond Quality of the Glue Line between Veneer and Particle Board. Rept. 36, Hokkaido For. Prod. Res. Inst. 25 p. 1964.
- Yamagishi, Y., Imura, S. and Yoshida, H. "Standard Tests of the Plywood Bond-Strength in the Foreign Specifications." J. Hokkaido For. Prod. Res. Inst. 14(164):15-23. 1965.
- Yanovskaya, N. A. and Fantalova, N. N. "Investigation of 'FMF' Resin for Gluing Plywood Made of Peeled Birch Veneer with False Heart." Derev. Prom. 15(5):8-9. 1966.
- Yelf, J. T. A Method for the Semi-Automatic Production of Plywood Tension-Shear Specimens. Inform. Rept. VP-X-3, For. Prod. Lab., Vancouver, B. C. 3 p. 1965.
- Yurek, D. A. "Selecting the Design of Adhesive Bonded Joints." Adhesives Age 8(12):22-28. 1965.
- Zabrodkin, A. G. "Synthetic Glues for Plywood Manufacture." Derev. Prom. 14(12):9-12. 1965.
- Zabrodkin, A. G. "The Use of Synthetic Glues in Plywood Manufacture." Derev. Prom. 14(6):5-7. 1965.
- Zartl, J. "Contribution to the Discussion on Free Formaldehyde in Particle Boards." Holzforsch. u. Holzverwert. 18(2):22-23. 1966.
- Zigel'boym, S. N. "Gluing Wood with PVA Emulsion." Derev. Prom. 13(6):3-5. 1964.
- Zigel'boym, S. N. "Strength of Gluing of Wood." Derev. Prom. 14(7):11-13. 1965.
- Zigel'boym, S. N., Frejdin, A. S. and Oves, V. I. "Gluing Paper Overlays to Wood." Derev. Prom. 14(11):3-5. 1965.