
R. D. Bayer, P. O. Box 1467, Newport, Oregon 97365

Copyright © 1996 by R. D. Bayer. Without charge, permission is freely given to anyone to use any means to copy part or all of this article as long as this article is credited as the source.

CITATION: Bayer, R. D. 1996. An incomplete compilation of Oregon coast pelagic and beached bird records through 1983. Journal of Oregon Ornithology 5:601-610.

A. INTRODUCTION

This compilation is meant only to be a guide because it is imperfect. I gathered these citations during a single search of the sources cited in section B; ideally, I would have gone through all those sources again to perhaps find records that I missed or to correct errors that I made. Further, I did this compilation in 1983 and have not updated it.

Nevertheless, I doubted that I would improve this compilation, so it will have to suffice until someone improves it.

B. SOURCES OF INFORMATION

B-1. SOURCES THAT WERE SEARCHED

Materials searched for this compilation include:

- 1) Gabrielson and Jewett (1940)
- 2) Browning (1974)
- field notes columns of Bird-Lore, which was continued by Audubon Magazine
- 4) field notes columns of Audubon Magazine (1941-1946), which was continued by Audubon Field Notes
- 5) field notes columns of Audubon Field Notes (1947-1970), which was continued by American Birds
- 6) field notes columns in American Birds (1971-1983).
- 7) field notes columns in Oregon Birds (1 [Aug.-Sept. 1977] 10 [1][1984]).

B-2. OTHER POTENTIAL SOURCES THAT WERE NOT SEARCHED

Other sources that could be searched for more records include:

- 1) American Birds and Oregon Birds since 1983
- 2) newsletters of Oregon Audubon chapters or other naturalist groups
- 3) published papers cited in Gabrielson and Jewett (1940), Scott et al. (1972), and Egger (1980)
- 4) Schmidt (1989)
- 5) Briggs et al. (1992)
- 6) 1947-1981 index to Audubon Field Notes and Am. Birds in Watson (1982)
- 7) indexes to Oregon Birds in or cited in Contreras (1992:4, 33-40)
- 8) unpublished field notes (e.g., Bob Loeffel's [South Beach, Oregon] beached bird records since 1978).

C. PELAGIC SIGHTINGS

C-1. INTRODUCTION

Land birds can also be seen offshore, but there are few records off Oregon. I suspect that this may be because pelagic birds are the prime

purpose of a pelagic trip, so birders may ignore the few terrestrial birds that they see. The importance of these offshore landbird sightings is that they indicate that some birds either become so disoriented that they end up out over the ocean or that land birds may migrate offshore.

Some examples of terrestrial birds seen offshore of Washington include: a Horned Lark 40 miles off Westport on 13 Sept. 1970 (1971 American Birds [AB] 25:98), a jaeger killing a Brown-headed Cowbird off Westport, Washington on 29 Aug. 1971 (1972 AB 26:111), a Yellow-headed Blackbird, Brown-headed Cowbird, and Savannah Sparrow well off Westport on 20-21 Aug. 1977 (1978 AB 32:250), and a Bank and a Barn Swallow several miles offshore of Westport on 11 May 1980 (1980 AB 34:809),

There are also a number of terrestrial birds that have been found offshore of Oregon that are included in the following compilation.

Note that if a number is not given that there may have been more than one of the species seen; only the presence of the species was noted.

Gould and Forsell (1989) give a good review of pelagic seabird censusing techniques, and Wahl (1984) and Briggs et al. (1992) examine seabird abundance over the Outer Continental Shelf along the Oregon and/or Washington coasts.

C-2. CODES

AB=American Birds
AFN=Audubon Field Notes
BL=Bird-Lore
G & J=Gabrielson and Jewett (1940)
OB=Oregon Birds
OBRC=Oregon Bird Records Committee

C-3. PELAGIC RECORDS

5 March 1927, off Oregon: four Black-footed Albatrosses (G & J 1940:80). 30 Aug. 1929, 3-6 miles off Newport: many Sabine's Gulls (many hundreds flew south past boat during day, mostly as individuals or in small flocks, G & J 1940:300), Sooty and Pink-footed shearwaters, many Red-necked Phalaropes, Red Phalarope (1929 BL 31:416) and Arctic Terns (G & J 1940:304).

30 Aug. 1930, 9-15 miles off Newport: two Black-footed Albatrosses, 1-2 Parasitic Jaegers, and great numbers of Red Phalaropes (G & J 1940:80, 274, 279).

29 Sept. 1930, south of Columbia River: Short-tailed Shearwater and Arctic Terns (G & J 1940:81, 304).

20 July 1931, Newport pelagic: Sooty and Pink-footed shearwaters, Cassin's Auklet, Common Murre, Western Gull, Marbled Murrelet, Red-necked Phalarope, Pigeon Guillemot, Tufted Puffin (1931 BL 33:341).

7-8 May 1932, Depoe Bay (Lincoln Co.) pelagic: 50 Oldsquaws flying north as small groups or individuals with one flock of 20 birds (G & J 1940:165), Sooty Shearwater, Tufted Puffin, Common Murre, Pigeon Guillemot, Cassin's Auklet, Double-crested, Brandt's, and Pelagic cormorants, Western and Glaucous-winged gulls, White-winged and Black scoters (1932 BL 34:280).

22-23 Sept. 1932, south of Columbia River mouth: flock of five Buller's Shearwaters and an immature female Pomarine Jaeger (G & J 1940:84, 278).
23 Sept. 1932, Columbia River pelagic: several thousand Sooty Shearwaters, few Pink-footed Shearwaters, 1 Short-tailed Shearwater, many Pomarine and Parasitic jaegers, Marbled Murrelet, Common Murre, Double-crested, Brandt's, and Pelagic cormorants, Western and Glaucous-winged gulls, Red-necked Phalarope (1932 BL 34:407).

Dec. 1932 through mid-February 1933, Tillamook and Lincoln Co. nearshore: hundreds of live Tufted Puffins; abnormally many freshly dead Black-legged Kittiwakes, Ancient Murrelets, Horned Puffins, and Parakeet Auklets; reason for this rare winter influx was unknown (G & J 1940:298, 317, 319, 321).

- 18 & 20 July 1933, Lincoln Co. pelagic: Pink-footed and Sooty shearwaters, Red and Red-necked phalaropes (1933 BL 35:279).
- 25-27 Aug. 1933, Depoe Bay pelagic: many Sooty Shearwaters, many Red-necked Phalaropes, few Red Phalaropes, Marbled Murrelet, Common Murre, Pigeon Guillemot, Tufted Puffin, Brown Pelican (1933 BL 35:336).
- 8-9 Sept. 1933, Depoe Bay pelagic: many Sooty Shearwater, 12 Pomarine Jaegers (2 collected), many Pink-footed Shearwaters, Red-necked Phalarope, Marbled Murrelet (1933 BL 35:336; G & J 1940:278).
- 12-13 July 1934, Depoe Bay pelagic: Common Murre, Sooty Shearwater, Red-necked Phalarope, Red-throated Loon (1934 BL 36:315).
- 20 July 1934, Depoe Bay pelagic: Sooty and Pink-footed shearwaters, Red-necked Phalarope (1934 BL 36:315).
- 24-25 Aug. 1934, Depoe Bay pelagic: many Red-necked Phalaropes, Common Murre, Pigeon Guillemot, Tufted Puffin, Cassin's Auklet, Marbled Murrelet, Brown Pelican, Sooty Shearwater, Short-eared Owl (observed 10 miles offshore in fog), flock of Northern Pintails flying south (1934 BL 36:377).
 - 10 Sept. 1934, Depoe Bay pelagic: Rhinoceros Auklet (G & J 1940:318).
- 31 May 1935, Depoe Bay pelagic: Red-necked and Red phalaropes abundant (1935 BL 37:381).
- 15 June 1935, Depoe Bay pelagic: few Red-necked and Red phalaropes (1935 BL 37:381).
- 3 Aug. 1935, Depoe Bay pelagic: many Sooty Shearwaters, few Pink-footed Shearwaters, 2 No. Fulmars, Rhinoceros Auklet, jaeger, Red-necked Phalarope, Common Murre (1935 BL 37:381).
- 6 Aug. 1935, off Cape Kiwanda: thousands of Sooty Shearwaters, Red-necked Phalaropes common (1935 BL 37:381).
- 17 Sept. 1936, Pacific City pelagic: many Sooty Shearwaters (1936 BL 38:472).
- 17 Aug. 1957, 5-25 miles off Depoe Bay: Black-footed Albatrosses, Long-tailed Jaeger, Bonaparte's Gulls (1958 AFN 12:52, 53).
- 15-22 April 1958, 20-30 miles offshore between Yaquina Head and the Columbia River: Black-footed Albatross, Laysan Albatross, Sooty Shearwater, Short-tailed Shearwater, Fork-tailed and Leach's storm-petrels (1958 AFN 12:377).
- First half of June 1961, up to 90 miles off coast: Black-footed Albatross, Sooty and Pink-footed shearwaters, Fork-tailed and Leach's storm-petrels (1961 AFN 15:487).
 - 10 June 1961, off Tillamook: Cassin's Auklet (1961 AFN 15:488).
- 23 Nov. 1962, off Sand Lake: Bonaparte's and Heermann's gulls and Black-legged Kittiwakes migrating south (1963 AFN 17:60).
- 20 Jan. 1965, off Yaquina Bay: 1 Black-footed Albatross, 2 Black-legged Kittiwakes (1965 AFN 19:409-410).
- 8 Aug. 1965, off Coos Bay: 50 Black-footed Albatrosses (1965 AFN 19:571).
- 12 Aug. 1967, 2-3 miles off Yaquina Bay: Fork-tailed Storm-Petrels, flock of Red Knots (1967 AFN 21:596).
- 5 Oct. 1968, off Newport: Black-footed Albatrosses, 10 Pink-footed Shearwaters, Sooty Shearwaters, Cassin's Auklets, and Tufted Puffin (1969 AFN 23:94, 98).
- 24 July 1969, off Coos Bay: 2-3 Black-footed Albatrosses, Black-legged Kittiwake, Red-necked Phalaropes, 700 Heermann's Gulls, and Marbled Murrelets (1969 AFN 23:685-687).
- 28 July 1969, 115 miles off Cape Falcon: immature male Xantus' Murrelet (Browning 1974).
- 29 Aug. 1969, off Depoe Bay: 150 Pink-footed Shearwaters, 2 Long-tailed Jaegers (1971 AB 25:95, 97).
- 19 Nov. 1969, 65 miles off Newport: photograph of captured Xantus' Murrelet (scrippsi race) (accepted by OBRC, 1980 OB 6:86).
- 6 June 1970, 5 miles off Coos Bay: Ovenbird that stayed on board for about an hour until the fog raised (1970 AFN 24:711); it was photographed (1970 AB 24:711, 1978 OB 4[3]:8).
- First week in Sept. 1970, more than 100 miles off coast: 6 Xantus' Murrelets, one collected (1971 AB 25:98).

- 24 July 1971, 20-30 miles off Columbia River: 15 Red Phalaropes, Arctic Terns, 3 Cassin's Auklets, 6-7 Tufted Puffins (1971 AB 25:897-898).
- 17 Aug. 1971, off Depoe Bay: 7 Buller's Shearwaters, Pomarine Jaegers, Sabine's Gulls (1972 AB 26:107, 109-110).
- 28 Oct. 1971, 200 miles off northern Oregon: Laysan Albatross, Red Phalaropes, 6 Glaucous-winged Gulls, 4 Black-legged Kittiwakes (1972 AB 26:107, 109-110).
- 16 March 1972, 20-50 miles off Newport: 6 Black-footed Albatrosses, 1 Laysan Albatross (1972 AB 26:644).
- 1 April 1972, up to 15 miles off Depoe Bay: Black-legged Kittiwakes (1972 AB 26:799).
 - 23 May 1972, 40 miles off Newport: 2 Sabine's Gulls (1972 AB 26:799).
- 17 June 1972, 5 miles off Cape Meares: Parasitic Jaegers (1972 AB 26:895).
- 27-30 June 1972, 65 miles off Yaquina Head: Laysan Albatross (28th), South Polar Skuas (27th and 30th) (1972 AB 26:893, 895).
- 19 Aug. 1972, off Depoe Bay: Black-footed Albatross, Sooty Shearwaters, 200 Pink-footed Shearwaters, 150 Buller's Shearwaters, 3 Short-tailed Shearwaters, Red Phalaropes (1973 AB 27: 105, 108).
- 19 Sept. 1972, off Newport: Black-footed Albatrosses, 1 Laysan Albatross, No. Fulmar, Sooty Shearwaters, 50 Buller's Shearwaters, Long-tailed Jaeger, Arctic Terns (1973 AB 27:105, 108).
- June 1973, 65-165 miles off Newport: photograph of captured
- Xantus' Murrelet (accepted by OBRC, 1980 OB 6:87).
- 13-16 July 1973, off Newport: Black-footed Albatrosses, No. Fulmars, Pink-footed Shearwaters (mostly 20 miles from shore), Flesh-footed Shearwater, Fork-tailed Storm-Petrels, Red-necked Phalaropes, Pomarine Jaeger, 2 South Polar Skuas (40 miles offshore), 2 Tufted Puffins (35 miles offshore), 2 Horned Puffins (one 10 miles, the other 35 miles offshore) (1973 AB 27:908, 910).
- 21 July 1974, 25 miles off Newport: 60 Black-footed Albatrosses, 100 No. Fulmars (about 60% were dark-phase), 1 Flesh-footed Shearwater, 2 Short-tailed Shearwater, thousands of Red Phalaropes, many Red-necked Phalaropes, many Fork-tailed Storm-Petrels, 4-5 Pomarine Jaegers, many Parasitic Jaegers, 3 Long-tailed Jaegers, 3 South Polar Skuas, many Sabine's Gulls (1974 AB 28:938,941). Skua record accepted by OBRC (1980 OB 6:86).
- 24 Aug. 1974, off Depoe Bay: Black-footed Albatrosses, Pink-footed, Buller's, and Sooty Shearwaters; Pomarine, Parasitic, and Long-tailed Jaegers, Black-legged Kittiwakes, Sabine's Gulls, Rhinoceros Auklets, and Cassin's Auklets (1975 AB 29:106, 108-109).
 - 19 Sept. 1974, 65 miles west of Newport: skua (1975 AB 29:109).
- 28-29 July 1975, off Yaquina Head: 250 No. Fulmars, 80-100 Pomarine Jaegers, 10 Parasitic Jaegers, 20 Long-tailed Jaegers, skua, 30-40 Sabine's Gulls, Marbled Murrelet, many Cassin's Auklets, Rhinoceros Auklets, and Tufted Puffins (1975 AB 29:1021, 1023).
 - 11 Aug. 1975, 45 miles off Newport: 2 skuas (1976 AB 30:115).
- 6, 8, 7 13 July 1976, off Coos Bay: 10-100 Black-footed Albatrosses, 1-5 No. Fulmars, up to 10 Pink-footed Shearwaters, up to several thousand Sooty Shearwaters, 1 Fork-tailed Storm-Petrel, and Parasitic Jaegers (1976 AB 30:992,994).
- 17 Aug. 1976, 12 miles off Newport: Laysan Albatross (1977 AB 31:212). 28-29 Aug. 1976, off Depoe Bay: Pink-footed Shearwaters and Leach's Storm-Petrel (1977 AB 31:212-213).
- 30 Jan. 1977, off southern Oregon: Black-footed and Laysan Albatrosses, No. Fulmars, Short-tailed Shearwater, Black-legged Kittiwakes, Common Murres, Cassin's Auklets, and Tufted Puffin (1977 AB 31:364-366).
- 18 Aug. 1977, off Cape Meares, Tillamook Co.: two Parakeet Auklets (1978 OB 3:30).
- 27 Aug. 1977, off Depoe Bay: 39 Black-footed Albatrosses, 1 Laysan Albatross, 1 No. Fulmar, 20 Pink-footed, 6 Buller's, and 4000 Sooty Shearwaters; 1 Fork-tailed Storm-Petrel, 1 Pomarine, 1 Parasitic, and 2 Long-tailed Jaegers; 1000 Common Murres (1978 AB 32:246, 248).

- 10 Sept. 1977, off Coos Bay: 1 Black-footed Albatross, 25 Pink-footed, 75 Sooty, and 1 Manx/Black-vented Shearwaters; 5 Pomarine, 3 Parasitic, and 1 Long-tailed Jaegers; 2 Sabine's Gulls, and 50 Common Murres (1978 AB 32:246, 248). Manx/Black-vented record accepted by OBRC (1981 OB 7;75).
 - 20 Aug. 1978, off Coos Bay: 6 Leach's Storm-Petrels (1979 AB 33:207).
- 30 Sept. 1978, off Newport: possible Short-tailed Albatross seen but it probably was an aberrant Black-footed Albatross; 2 Flesh-footed and 2 Short-tailed Shearwaters, 31 Pomarine Jaegers, 7 skuas (1979 AB 33:206-207). Skua photographed (accepted by OBRC, 1980 OB 6:86). Least Tern sighting was accepted by OBRC (1980 OB 6:86), but not the Flesh-footed Shearwater sighting (1980 OB 6:94).
- 13 Dec. 1978, 350 miles west of southern Oregon: Mottled Petrel (1979 AB 33:306).
- 14 Dec. 1978, 200 miles west of Tillamook: 1-2 Black-footed and 2 Laysan Albatrosses and 1 Tufted Puffin (1979 AB 33:306-307).
- 4 Jan. 1979, off Oregon: 4 Black-footed and 1 Laysan Albatrosses, and No. Fulmars (1979 AB 33:306).
- 29 Sept. 1979, Newport pelagic: 2 adult Flesh-footed Shearwaters (record accepted by OBRC, 1980 OB 6:82), 4 South Polar Skuas (accepted by OBRC, 1981 OB 7:78).
- 20 Sept. 1980, off Brookings: 1 Flesh-footed Shearwater (accepted by OBRC, 1981 OB 7:75), 500 Red Phalaropes (1981 AB 35:216-217). 20 miles off Brookings around the Russian fishing fleet: 40 Pomarine, 40 Parasitic, and 5 Long-tailed Jaegers; 1 skua (accepted by OBRC, 1981 OB 7:78) (1981 AB 35:217). Also, Manx/Black-vented Shearwater that was not accepted by OBRC (1981 OB 7:83).
- 27 Sept. 1980, off Newport: about 75 Pink-footed Shearwaters (1981 AB 35:216)
- 4 Oct. 1980, Newport pelagic: South Polar Skua (accepted by OBRC (1981 OB 7:78).
 - 18 Oct. 1980, off Newport: about 200 No. Fulmars (1981 AB 35:216).
- 31 March 1981, 60 miles off Waldport (1981 OB 7:98, 1982 AB 36:886): over 15 Black-footed Albatrosses, 2 Laysan Albatrosses, 20 Tufted Puffins, 9 Mottled Petrels (accepted by OBRC, 1982 OB 8:103), about 250 Leach's Storm-Petrels, Sooty and Short-tailed shearwaters.
- 20 May 1981, 50-60 nautical miles off Oregon coast:
 2 loons, 12 Black-footed Albatrosses, 1 Laysan Albatross, 4 Solander's
 Petrels, thousands of Sooty Shearwaters off Columbia River mouth,
 1 Short-tailed Shearwater, 12 Fork-tailed Storm-Petrel, 617 Leach's
 Storm-Petrels, 1 Pomarine Jaeger, 1 jaeger, 3 Arctic Terns, 4 Common Murres,
 4 Tufted Puffins, and 21 Rhinoceros Auklets (1981 OB 7:99).
- 28 Aug. 1981, 14 miles NW of Brookings: Flesh-footed Shearwater (accepted by OBRC, 1982 OB 8:102).
- 30 Sep. 1981, Newport pelagic: Flesh-footed Shearwater photographed (accepted by OBRC, 1981 OB 7:75).
- 3 Oct. 1981, Newport pelagic: one Flesh-footed Shearwater (accepted by OBRC, 1982 OB 8:102).
- 28 March 1982, off Newport: Manx/Black-vented Shearwater (1982 AB 36:886).
- 31 March 1982, 70 miles off Cape Blanco: Laysan Albatross (1982 AB 36:886).
- 25 April 1982, off Newport: 3-400 No. Fulmars, 25 Pink-footed Shearwaters, Pomarine Jaeger, 2 Arctic Terns (1982 AB 36:886-887). Off Coos Bay: Pink-footed Shearwater and Short-tailed Shearwaters (1982 OB 8:50).
- 12 Sept. 1982, 12 miles off Coos Bay: 1 Laysan Albatross (1983 AB 37:214).
 - 18 Sept. 1982, off Brookings: Long-tailed Jaeger (1983 AB 37:216).
- 17 Oct. 1982, Coos Bay pelagic: Flesh-footed Shearwater (NOT accepted by OBRC, 1983 OB 9:63).
- 11 Dec. 1982, off Coos Bay: 1 Buller's Shearwater and 3 No. Fulmars (1983 AB 37:330).
- 6 March 1983, about 20 miles off Tillamook: 1 Laysan Albatross (1983 AB 37:903).

- 1 May 1983, off Coos Bay: Black-footed Albatrosses, No. Fulmars, first-year Sabine's Gull (1983 AB 37:903, 905).
- 17 July 1983, 30 miles off of South Jetty of Columbia River: 4 Pomarine Jaegers and Cassin's Auklets (1983 AB 37:1020-1021). Off Columbia River: 20 No. Fulmars (1983 OB 9:93).
- 3 Sept. 1983, off Tillamook Co.: Flesh-footed Shearwater (1983 OB 9:93).

D. BEACHED BIRD RECORDS

D-1. CODES

AB=American Birds
AFN=Audubon Field Notes
BL=Bird-Lore
G & J=Gabrielson and Jewett (1940)
OB=Oregon Birds
OBRC=Oregon Bird Records Committee
SJCR=South Jetty of Columbia River, Clatsop Co.

D-2. OILED BIRDS

15-20 dead oiled Common Murres were at Newport (Lincoln Co.) on 20 July 1922 (1922 BL 24:288). Oiled Common Murres and Rhinoceros Auklets were on a Coquille River beach (Coos Co.) on 13 March 1932 (1932 BL 34:215). In late Dec. 1932, there were many oil soaked birds near Netarts (Tillamook Co.) (1933 BL 35:111). Thousands of oiled gulls were on the beaches at the mouth of the Columbia (Clatsop Co.) after the wreck of a freighter (1936 BL 38:164).

About 300 birds, mainly murres and cormorants died from a slick off the Lincoln County coast in late February 1979 (1979 OB 5[2]:19). One dead, heavily-oiled Horned Puffin was at a beach near Tillamook Bay (Tillamook Co.) on 30 March 1979 (1979 AB 33:801). Several hundred murres died off Lincoln Co. in mid-March 1980 (1980 OB 6:110).

D-3. "BIRD WRECKS"

From late Dec. 1932 to mid-Feb. 1933, many seabirds (Black-legged Kittiwakes, Rhinoceros Auklets, Cassin's Auklets, Horned Puffins, Tufted Puffins, Ancient Murrelets, and Parakeet Auklets) were found on northern coast beaches (1933 BL 35:111, 165; G & J 1940:298, 315, and 319). In Jan. 1936, there were many Common Murres, some Rhinoceros Auklets, some Marbled and Ancient murrelets, a few Western Grebes, but mostly Cassin's Auklets on beaches after several storms (1936 BL 38:164).

D-4. SPECIES ACCOUNTS

YELLOW-BILLED LOON.--2 at Sunset Beach, Clatsop Co. in early April 1977 (1977 AB 31:1037); one adult in winter plumage on 8 April 1977 at Sunset Beach (accepted by OBRC, 1982 OB 8:102).

BLACK-FOOTED ALBATROSS.--1 near Nehalem (Tillamook Co.) on 27 March 1976 (1976 AB 30:756).

LAYSAN ALBATROSS.--1 dead near SJCR on 4 Dec. 1977 (1978 AB 32:390).

NORTHERN FULMAR.—Hundreds to thousands were found dead on Tillamook beaches on 20-22 Nov. 1921 following a storm (G & J 1940:85). 11 dead near Tillamook on 20 March 1949 (1949 AFN 3:182). 36 dead at SJCR on 16 Nov. 1963 (1964 AFN 18:66). One dead at SJCR on 31 Jan. 1964 (1964 AFN 18:379). Some dead on Oregon beaches in late Dec. 1965 and early Jan. 1966 (1966 AFN 20:449). "Wreck" in late Feb. and early March 1976 with up to 40-80 fulmars/mile of beach in some places along the north

coast (1976 AB 30:756). Some dead at Sunset Beach throughout spring of 1977 (1977 AB 31:1038). 60 dead on Sunset Beach on 7 Jan. 1978 (1978 AB 32:390). 11 (2 white phase, 9 dark phase) on northwest coast beaches during 1979-1980 winter (1980 AB 34:299). Many dead in Nov. 1981 on coast beaches (1981 AB 36:209).

MOTTLED PETREL.--2 found on beaches 4-6 miles south of Newport (Lincoln Co.) on 18 March 1972; specimens in Oregon State University collection (1972 AB 26:644).

MURPHY'S PETREL.--1 dead on beach 5 miles south of Newport (accepted by OBRC, 1982 OB 8:103). This is the first specimen record for North America (Gilligan et al. 1994:11).

SOOTY SHEARWATER.--1 freshly dead at SJCR on 23 April 1975 (1975 AB 29:897).

SHORT-TAILED SHEARWATER.--One at Netarts on 11 May 1916 and 27 Dec. 1932, one at Seaside (Clatsop Co.) on 29 Sept. 1930, one at Columbia River mouth on 23 Feb. 1933, one at Depoe Bay (Lincoln Co.) on 1 Jan. 1935, and one from Clatsop Co. beaches on 12 Jan. 1935 and 6 Feb. 1935 (1933 BL 35:147, 165; G & J 1940:81). Many dead were found along coast in Dec. 1934 and Jan. 1935 (G & J 1940:82). 1 dead on Tillamook Co. beach on 9 Aug. 1972 (1973 AB 27:105). 3 dead at Sunset Beach on 21 May 1977 (1977 AB 31:1038). Dead Short-taileds found at Tillamook Bay in late Nov. and early Dec. 1977 (1978 OB 3:29). 1 dead on Sunset Beach on 15 July 1978 (1978 AB 32:1200). 3 on Sunset Beach on 31 May 1980 (1980 AB 34:808; 1980 OB 6:127). One dead Short-tailed at Cannon Beach (Clatsop Co.) on 30 Dec. 1981 (1982 OB 8:6). 1 dead at Sunset Beach on 23 Jan. 1983 (1983 AB:37:329). One dead on beach near Tillamook on 11 May 1983 (1983 OB 9:51).

FORK-TAILED STORM-PETREL.--Individuals picked up at Tillamook Bay on 24 Nov. and at Neskowin (Tillamook Co.) on 23 Nov. 1973 (1974 AB 28:93). 1 dead at Yaquina Head (Lincoln Co.) on 25 Nov. 1976 (1977 AB 31:213). One dead on a northern beach on 15 Dec. 1979 (1980 AB 34:299).

LEACH'S STORM-PETREL.--One dead at Tillamook Co. on 26 Oct. 1966 (1967 AFN 21:68). 1 along Clatsop Co. beach on 6 March 1976 (1976 AB 30:756).

BROWN PELICAN.--"Many" dead on Oregon beaches after the 14 Nov. 1981 storm (1982 AB 36:209).

KING EIDER.--1 dead at Cape Arago beach (Coos Co.) on 18 Nov. 1980 (1981 AB 35:216) that was accepted by OBRC (1982 OB 8:104).

RED-NECKED PHALAROPE.--1 dead on Tillamook Co. beach on 17 April 1976 (1976 AB 30:880).

PARASITIC JAEGER.--One dead on Yaquina Bay north jetty (Lincoln Co.) on 30 March 1974 (1974 AB 28:843). 1 dead on Tillamook Bay beach on 3 March 1979 (1979 AB 33:801).

LONG-TAILED JAEGER.--1 dead on highway south of Boiler Bay (Lincoln Co.) on 8 May 1976 (1976 AB 30:880).

HERRING GULL.--One dead at Seal Rocks (Lincoln Co.) on 15 Dec. 1930 (G & J 1940:287).

BLACK-LEGGED KITTIWAKE.--Many dead on coastal beaches between Dec. 27 and March 13 in 1932-1933 and 1934-1935 winters (G & J 1940:298). 1 dead at SJCR on 12 Feb. and 1 dead at Tillamook on 18 March 1972 (1972 AB 26:646). 60 dead/mile at Sunset Beach on 9 March 1976 (1976 AB 30:758).

RED-LEGGED KITTIWAKE.--One fresh adult female on beach near DeLake (Lincoln Co.) on 28 Jan. 1933 (G & J 1940:299). Unspecified number found at Cannon Beach on 30 Dec. 1981 and at Sunset Beach on 24 Jan. 1982 (1982 AB 36:324). Dead Red-legged Kittiwake at Cannon Beach in the winter of 1981-1982 (1982 OB 8:8). Decomposed bird at Sunset Beach, Clatsop Co. on 24 Jan. 1982 (accepted by OBRC, 1982 OB 8:106).

COMMON MURRE.--277 dead murres per 0.5 mile beach on 6 Aug. 1934 at Siletz Bay (Lincoln Co.) (1934 BL 36:316). Many dead on Oregon beaches after storms in Jan. 1936 (1936 BL 38:164). Many dead on Oregon beaches throughout Sept. 1967 (1968 AFN 22:81). Die-off along north coast beaches in late July 1980, 3 birds/mile on each tide for a week; the ratio was 9 juveniles to 1 adult (1980 AB 34:923). Beginning in late June 1981, large numbers on Oregon beaches (1981 AB 35:972).

CRAVERI'S MURRELET.--Adult male found on beach north of Reedsport (Douglas Co.) in mid-August 1975 (1976 AB 30:115, Jehl 1975); this specimen is no. 39,553 at the San Diego Museum of Natural History (Bayer 1989:55), but the collector later realized that he had errored and that this specimen was really a juvenile Common Murre (Watson 1987).

ANCIENT MURRELET.--Died by the dozens on Oregon beaches during 1932-1933 winter; before it had been a winter straggler to the coast (G & J 1940:315). Some dead on north coastal beaches on 29 Dec. 1932 and 5 Jan. 1934 (1932 BL 35:111; 1934 BL 36:120). Some dead on beaches after storms in Jan. 1936 (1936 BL 38:164). 1 dead at Sunset Beach on 9 March 1976 (1976 AB 30:758).

CASSIN'S AUKLET.--Commonly dead on north coastal beaches on 29 Dec. 1932 and 5 Jan. 1934 (1933 BL 35:111; 1934 BL 36:120). Many dead on beaches in Jan. 1936 after storms (1936 BL 38:164). Many dead on beach from Nehalem south to Cape Arago on about 26-28 Nov. 1965 (1966 AFN 20:85). 3 near Sunset Beach on 6 March 1976 (1976 AB 30:758).

PARAKEET AUKLET.--Dead on beaches (including Lincoln Co. beaches on four dates) during eight separate occasions before 1936 from Jan. 1-Feb. 26 (G & J 1940:317). In Lincoln Co., one dead at Newport on 27 Jan. 1914, at Taft on 21 Feb. 1932, at Delake or Depoe Bay on 5 Feb. 1933, and Gleneden on 26 Feb. 1933 (1933 BL 35:111, G & J 1940:317). 1 dead in Tillamook Co. on 3 Dec. 1977 (1978 AB 32:249) accepted by OBRC (1980 OB 6:87). Dead bird on Lincoln Co. beach on 18 April 1982 accepted by OBRC (1983 OB 9:57).

RHINOCEROS AUKLET.--Several came ashore in Lincoln Co. during a March storm in 1901 (Woodcock 1902:8). Some dead along Tillamook Co. beaches on 29 Dec. 1932 (1933 BL 35:111). Few dead on Oregon beaches in Jan. 1936 after storms (1936 BL 38:164). 4 near Sunset Beach on 6 March 1976 (1976 AB 30:758).

TUFTED PUFFIN.--One on Tillamook Co. beach on 29 Dec. 1932 (1933 BL 35:111); many dead near Columbia River mouth on 23 Feb. 1933 (1933 BL 35:165). 1 on Neskowin beach on 23 Nov. 1973 (1974 AB 28:96). 3 near Sunset Beach on 6 March 1976 (1976 AB 30:758). Two dead at Sunset Beach on 2 Jan. 1980 (1980 OB 6:110). 3 dead at Sunset Beach on 13 Jan. and 23 Feb. 1980 (1980 AB 34:300). 17 dead found on north coast beaches from 15 March to 4 April 1980 (1980 AB 34:809).

HORNED PUFFIN.--One at Netarts on 7 March 1916, a male and female on Lane Co. beach on 15 March 1919, and many dead along north coast beaches from 27 Dec. 1932 until Feb. 1933 (i.e., "greatest [number] in last 30 years," 1933 BL 35:111, 165; G & J 1940:319). 3 dead on beach south of Newport (Lincoln Co.) on 19 Feb. 1959 (1960 AFN 14:335). Adult male on beach at Florence (Lane Co.) on 5 Aug. 1969 that is in the Oregon State University collection (1970 AFN 24:86). Dead Horned Puffin at Cape Lookout (Tillamook Co.) during the spring of 1977 and on 20 Aug. 1977 (1977 OB 2:42). One dead,

heavily oiled Horned Puffin at beach near Tillamook Bay on 30 March 1979 (1979 OB 5[3]:19, 1979 AB 33:801). One dead at Cannon Beach on 26 Jan. 1980, one dead at Netarts on 9 Feb. 1980, 3 dead at Sunset Beach on 23 Feb. 1980 (1980 OB 6:109); 5 dead on northern beaches from 26 Jan-23 Feb. 1980 (1980 AB 34:300). 11 dead on north coast between 15 March and 4 April 1980 (1980 AB 34:809). Dead bird on Lincoln Co. beach on 27 Jan. 1981 accepted by OBRC (1983 OB 9:58).

ASH-THROATED FLYCATCHER.--l found on beach at Cannon Beach on 8 Aug. 1972 (1973 AB 27:109). (Could it have flown out over the ocean and died?)

E. COMMON AND SCIENTIFIC NAMES

Phalarope, Red

Common Name Scientific Name ______ Albatross, Black-footed Albatross, Laysan Albatross, Short-tailed Auklet, Cassin's Diomedea nigripes Diomedea immutabilis Diomedea albatrus Ptychoramphus aleuticus Auklet, Parakeet Auklet, Rhinoceros Blackbird, Yellow-headed Auklet, Parakeet Cyclorrhynchus psittacula Cerorhinca monocerata Xanthocephalus xanthocephalus Cormorant, Brandt's Phalacrocorax penicillatus Cormorant, Double-crested Phalacrocorax auritus Cormorant, Pelagic Phalacrocorax pelagicus Cowbird, Brown-headed Molothrus ater Eider, King Somateria spectabilis Flycatcher, Ash-throated Myiarchus cinerascens Fulmar, Northern Fulmarus glacialis Grebe, Western Aechmophorus occidentalis Guillemot, Pigeon Cepphus columba Gull, Bonaparte's Larus philadelphia Larus glaucescens Gull, Glaucous-winged Gull, Heermann's Larus heermanni Gull, Herring Larus argentatus Gull, Sabine's Xema sabini Gull, Western Larus occidentalis Stercorarius longicaudus Stercorarius parasiticus Jaeger, Long-tailed Jaeger, Parasitic Jaeger, Pomarine Stercorarius pomarinus Kittiwake, Black-legged Rissa tridactyla Kittiwake, Red-legged Rissa brevirostris Knot, Red Calidris canutus Lark, Horned Eremophila alpestris Loon, Common Gavia immer Loon, Pacific Gavia pacifica Loon, Red-throated Gavia stellata Loon, Yellow-billed Gavia adamsii Murre, Common Uria aalge Murrelet, Ancient Synthliboramphus antiquus Murrelet, Craveri's Synthliboramphus craveri Murrelet, Marbled Brachyramphus marmoratus Murrelet, Xantus' Synthliboramphus hypoleucus Oldsquaw Clangula hyemalis Ovenbird Seiurus aurocapillus Owl, Short-eared Asio flammeus Pelican, Brown Pelecanus occidentalis Petrel, Fork-tailed Storm-Oceanodroma furcata Petrel, Leach's Storm-Oceanodroma leucorhoa Petrel, Mottled Pterodroma inexpectata Petrel, Murphy's Pterodroma ultima Petrel, Solander's Pterodroma solandri

Phalaropus fulicaria

Phalarope, Red-necked Pintail, Northern Puffin, Horned Puffin, Tufted Scoter, Black Scoter, White-winged Shearwater, Black-vented Shearwater, Buller's Shearwater, Flesh-footed Shearwater, Manx Shearwater, Pink-footed Shearwater, Short-tailed Shearwater, Sooty Skua, South Polar Sparrow, Savannah Swallow, Bank Swallow, Barn Tern, Arctic Tern, Least **************************

Phalaropus lobatus Anas acuta Fratercula corniculata Fratercula cirrhata Melanitta nigra Melanitta fusca Puffinus opisthomelas Puffinus bulleri Puffinus carneipes Puffinus puffinus Puffinus creatopus Puffinus tenuirostris Puffinus griseus Catharacta maccormicki Passerculus sandwichensis Riparia riparia Hirundo rustica Sterna paradisaea

F. LITERATURE CITED

Bayer, R. D. 1989. Records of bird skins collected along the Oregon coast. Studies in Oregon Ornithology No. 7.

Sterna antillarum

- Briggs, K. T., D. H. Varoujean, W. W. Williams, R. G. Ford, M. L. Bonnell, and J. L. Casey. 1992. Chap. III and Appendix A: seabirds of the Oregon and Washington OCS [Outer Continental Shelf], 1989-1990. In J. J. Brueggeman (Ed.), Oregon and Washington marine mammal and seabird surveys. U.S. Dept. Interior, Minerals Management Service, Pacific OCS Region, OCS Study MMS 91-0093.
- Browning, M. R. 1974. Notes on the hypothetical list of Oregon birds. Northwest Science 48:166-171.
- Contreras, A. 1992. Cumulative index to Oregon Birds volumes 1-17 (1975-1991). Alan Contreras Books, 4098 Market St. NE No. 22, Salem, OR 97301.
- Egger, M. 1980. Bibliography of Oregon ornithology: an updating for the years 1971-1977, with a revised, cross-referenced list of the birds of Oregon. Oregon Field Ornithologists Special Publication No. 1.
- Gabrielson, I. N. and S. G. Jewett. 1940. Birds of Oregon. Oregon State Monographs, Studies in Zoology No. 2. (Reprinted in 1970 by Dover Publications as "Birds of the Pacific Northwest.")
- Gilligan, J., M. Smith, D. Rogers, and A. Contreras. 1994. Birds of Oregon: status and distribution. Cinclus Publ., McMinnville, Oregon.
- Gould, P. J. and D. J. Forsell. 1989. Techniques for shipboard surveys of marine birds. U.S. Dept. Interior, Fish and Wildlife Service, Fish and Wildlife Tech. Report 25.
- Jehl, J. R., Jr. 1975. A Craveri's Murrelet from Oregon. Western Birds 6:109.
- 1989. Rare birds of Oregon. Oregon Field Ornithologists Schmidt, O. (Ed.) Special Publication No. 5.
- Scott, J. M., T. W. Haislip, Jr., and M. Thompson. 1972. A bibliography of Oregon ornithology (1935-1970), with a cross-referenced list of the birds of Oregon. Northwest Science 46:122-139.
- Wahl, T. R. 1984. Distribution and abundance of seabirds over the Continental Shelf off Washington., including information on selected marine mammals. State of Washington, Dept. of Ecology, Olympia, Washington.
- Watson, C. H. 1982. Index to Oregon bird reports in Audubon Field Notes and American Birds 1947-1981. Oregon Field Ornithologists Special Publication No. 3
- Watson, C. H. 1987. Correction to 2 published records of Oregon birds. Oregon Birds 13:436
- Woodcock, A. R. 1902. Annotated list of the birds of Oregon. Oregon Agricultural Experiment Station Bull. No. 68.