

## CLIMATOLOGICAL NOTE NUMBER 48

## SEPTEMBER 1960

FREQUENCIES OF DAILY EXTREMES IN TEMPERATURE AT NORTH BEND, OREGON

- Question: "During a given 10-day period at North Bend, what is the likelihood the maximum temperature observed during the day will be a certain value?"
- Table 1: As an example of how to read Table 1, which presents data on daily maximum temperatures, look at the top row of numbers for the period 1-10 January. Values tabulated are based on actual observations made at North Bend during the years 1948-58, and are presented on the basis of "days in 100 days". That is, during the first third of January, daily maximum temperatures from 30 F to 39 F occurred at the rate of 3 days in 100 days. During the same period, daily maximum temperatures from 40 F to 49 F occurred at the rate of 47 days in 100 days. Combining these two statements, one may compute that during the first third of January daily maximum temperatures from 30 F to 49 F occurred at the rate of 3+47, which is 50 days in 100 days, or 50 per cent of the days. Similar combinations of data may be made with respect to other maximum temperatures and other periods of the year.
- Question: "During a given 10-day period at North Bend, what is the likelihood the minimum temperature observed during the day will be below a certain value?"
- Table 2: Table 2 is similar to Table 1, except it presents data on daily minimum temperatures. As an example of how to read this Table, look again at the row of values for the first third of January. Suppose we are interested, in the question above, in minima below 30 F. For this period, we may compute the answer by adding all the numbers to the left of the column headed "30-39 F"; that is 1+10; that is, 11 days in 100 days, or 11 per cent of the time. The likelihood that minimum temperature will be above 29 F during this period, therefore, is 100 11, which is 89 per cent, or about 9 chances in 10.

If we had been interested in minima below 20 F in the question above, the answer would have been the sum of the numbers lying to the left of the column headed "20-29 F"; that is, 1 day in 100 days, or 1 per cent of the time. The likelihood of minima above 19 F, therefore, would be 100 - 1, or 99 per cent. As with maximum temperatures, similar combinations of data for other temperatures and other periods of the year may be made to answer other specific questions.

OREGON FOREST RESEARCH CENTER

CORVALLIS

		20.00		Tempe	rature,	degrees ]	Ţ.	
Period		30-39	40-49	50-59	60-69	70-79	80-89	90-99
	1 - 10	3	47	46				i. Tur
Jan.	11 - 20	1	46	50	3			
	21 - 31	8	35	53	4			
	1 - 10		28	61	11	and the second	all and an arrangement	
Feb	11 - 20	4	30	58	8			
	21 - 29		29	63	8			
	1 - 10		36	52	12			
Mar.	11 - 20		27	65	8			
	21 - 31		11	82	7			
1.12	1 - 10		2	89	7	2		
Apr.	11 - 20		5	74	19	2		
	21 - 30		4	83	13		A. Carlos	an and
	1 - 10	1.1		69	29	1	1	e server a la company
May	11 - 20			53	43	2	2	
	21 - 31			44	55	1		
	1 - 10	s to briefly when	Second and	35	61	3	1	
June	11 - 20			18	79	3		
	21 - 30	S. Station		7	89	4		
	1 - 10	Sec. San	E A PARTIE	1	93	5	1	
July	11 - 20				95	5		
	21 - 31		N. Sandan C.	2	87	11		
6.99 - A	1 - 10	1.00	As and a	1	91	8	March 1	
Aug.	11 - 20			1	75	24		
	21 - 31		in the second	1	76	23		
	1 - 10			5	66	25	3	1
Sept.	11 - 20			11	76	12	1	
	21 - 30		the second	14	71	15	Letters and	
	1 - 10			18	65	10		1
Oct.	11 - 20			30	63	7		
	21 - 31		3	44	51	1	1	
	1 - 10			57	41	2		
Nov.	11 - 20		12	65	22	1		
	21 - 30		9	68	23	48.06.00.0		the Long
	1 - 10	1	15	76	8		See the set	
Dec.	11 - 20	1	24	66	9			
	21 - 31	1	33	60	6	and the second second		

Table 1. Frequency of Daily Maximum Temperatures at North Bend, Oregon, as Days in 100 Days.

2

		Temperature, degrees F									
Period		10-19	20-29	30-39	40-49	50-59	60-69				
	1 - 10	1	10	47	41	1					
Jan.	11 - 20		11	48	37	4					
	21 - 31	2	18	35	42	3					
	1 - 10		4	42	49	5					
Feb.	11 - 20		6	44	45	5					
	21 - 29		1	56	34	9					
	1 - 10		1	55	40	4					
Mar.	11 - 20		1	55	44						
	21 - 31			39	60	1					
	1 - 10			37	61	2					
Apr.	11 - 20			17	82	1					
	21 - 30			23	75	2					
	1 - 10			14	75	11					
May	11 - 20			2	71	27					
14.	21 - 31				68	32					
	1 - 10				67	33					
June	11 - 20				40	60					
	21 - 30				35	65					
	1 - 10				25	75					
July	11 - 20	Х.			14	86					
	21 - 31				22	78					
and the second s	1 - 10				17	83					
Aug.	11 - 20				18	82					
	21 - 31				19	77	4				
	1 - 10				27	73					
Sept.	11 - 20				38	62					
	21 - 30				54	46					
	1 - 10				60	40					
Oct.	11 - 20			7	57	36					
	21 - 31			13	66	21					
arout the a	1 - 10			16	73	11					
Nov.	11 - 20		2	31	57	10					
	21 - 30		4	32	49	15					
	1 - 10			42	51	7					
Dec.	11 - 20		4	33	52	11					
	21 - 31		3	54	39	4					

Table 2. Frequency of Daily Minimum Temperatures at North Bend, Oregon, as Days in 100 Days.



Frequency	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
Days with maximum	temp	eratu	res 90	For	above							
Most in a year	0	0	0	0	0	0	0	0	1	0	0	0
Mean	0	0	0	0	0	0	0	0	0	0	0	0
Fewest in a year	0	0	0	0	0	0	0	0	0	0	0	0
Days with minimum	temp	eratur	es 32	Forl	pelow					. Be f		
Most in a year	26	9	6	1	0	0	0	0	0	1	6	16
Mean	7	4	2	0	0	0	0	0	0	0	2	4
Fewest in a year	0	0	0	0	0	0	0	0	0	0	0	0

Table 3. Occurrence of Extremes in High and Low Temperatures at North Bend.

Question: "In a given month at North Bend, what is the greatest frequency of high daily temperature maxima observed, and how does it compare with the average frequency?"

- Table 3: To give the reader an idea of the variability of temperature extremes in a given period from one year to another, data on the range of frequencies of high and low temperatures together with average frequencies are presented in Table 3. This Table is developed from the same observations as the other Tables of this Note, but presents them differently. Interpretation of data such as in Table 3 is considered in some detail on page 15 of Note 22, "Putting Weather Records to Work."
- The data: One must keep in mind that the observations of temperature summarized in these Tables were made about five feet above a grassy plot in the official U.S. Weather Bureau instrument shelter at North Bend Airport. Not only will temperatures vary from place to place at a given time, but also they will be different nearer the earth's surface or farther from it than in the official shelter. In short, values presented here cannot be considered more than a suggestion of the patterns in time and space of temperature occurring on a given day.

Even with these various restrictions on interpreting the data, they will give the reader a rough idea of the levels of temperature extreme likely at different times of the year in the North Bend area.

For detailed information on dates of last freeze in the spring and first freeze in the fall at various locations in Oregon, the reader may wish to refer to a publication soon to be made available by the Oregon Agricultural Experiment Station, Corvallis.

> William P. Lowry, In Charge, Forest Meteorology

