

# Canning Tomatoes and Tomato Products



Photo by Lynn Ketchum, Oregon State University.

# Canning Tomatoes and Tomato Products

Carolyn A. Raab

## Contents

Selecting Equipment.....	3
Preparing Equipment .....	3
Preparing Tomatoes.....	4
Packing the Jars .....	4
Adding Acid .....	5
Adding Salt .....	5
Closing the Jars .....	5
Processing .....	5
Cooling the Jars.....	8
Testing the Seal.....	8
Storing.....	8
Before Using .....	8
Styles of Home-Canned Tomatoes.....	9
Tomato/Vegetable Combinations.....	14
Safety Checklist .....	inside back cover

**R**ipening tomatoes are a familiar sight in Pacific Northwest gardens and fields during the late summer months. Because the storage life of fresh tomatoes is limited, many households preserve them for year-round enjoyment. Home canning is one of the most popular preservation methods.

When canning tomatoes and tomato products, safe procedures must be used. Microorganisms that cause spoilage (molds, yeast, bacteria) are destroyed by heat processing. Several factors influence the time and temperature required:

- composition of tomatoes (acidity, solids content)
- composition of other vegetables or meats added (acidity)
- style of tomato preparation (crushed, whole, or halved)
- type of liquid added to tomatoes (juice, water, none)
- consistency of tomato product (thick, thin)
- initial temperature (hot or raw pack)
- type of jar (size, shape)

Processing times are scientifically determined. Therefore, it is extremely important to follow a tested recipe for tomatoes and tomato products (such as salsa). Changes in the amount or type of ingredients and method of preparation can influence the processing conditions needed to guarantee safety. For example, addition of extra vegetables to a salsa recipe can change acidity and overcooking can change consistency. *Products that are not prepared according to instructions should be frozen.*

Over the years, tomato-canning recommendations have changed as a result of new research findings. In 1987, the U.S. Department of Agriculture completed extensive testing of tomato canning procedures. On the basis of this research, several changes were made to ensure that home-canned tomatoes and tomato products will be safe to eat and can be stored on the shelf without spoiling:

- Processing times were lengthened to ensure that tomato varieties with a high solids content will be adequately processed.
- Pressure canner recommendations were added as an alternative to boiling water processing.
- Recommended pressures now differ for dial and weighted gauges.
- Altitude corrections for both boiling water canners and pressure canners were revised.

Failure to use these new instructions could increase the chance of spoilage and food waste. Examine jars carefully before use. Discard those with signs of spoilage.

## Selecting Equipment

You may use either a boiling water canner or a pressure canner for processing many tomato products.

**Boiling water canner.** These canners made of aluminum or porcelain-covered steel have removable perforated racks and fitted lids. The canner must be deep enough so that at least 1 inch of briskly boiling water will cover the tops of jars during processing.

**Pressure canner.** Pressure canners are available in many sizes. A dial gauge or weight indicates the pressure inside the canner. The gasket keeps steam from leaking out around the cover. A petcock, safety valve, or weight is used to control the escape of air or steam during processing. The pressure canner should have a rack to hold jars off the bottom. Pressure saucepans are no longer recommended for use in home canning.

**Jars.** Processing times are based on a standard size and shape of jar. Mason-type jars designed for home canning are the best choice. However, some commercial jars may be used for canning in the boiling water canner when new two-piece lids are used. Commercial jars are not recommended for use in the pressure canner. When using a commercial jar in a boiling water canner, be sure that dimensions are similar to standard jars and that screw bands fit snugly. Processing times may not be adequate for sizes and shapes other than those of standard canning jars.

**Lids.** Choose the size of closure that fits your jars (wide mouth or regular). To prevent sealing failures, do not re-use lids.

## Preparing Equipment

Inspect jars for cracks and chips, and discard damaged ones. Also inspect metal screw bands, and discard any with dents or rust.

Wash jars, screw bands, and lids in hot, soapy water. Rinse. Place jars upside down on a clean, dry cloth or leave them in the dishwasher until needed.

Check manufacturer's directions for heating lids before use.

Before each use, inspect the pressure canner. See that the petcock and safety valve are not blocked. Clean them several times a year by drawing a string or pipe cleaner through the openings. Be sure the gasket around the cover fits tightly, and replace the gasket if it is loose. If you have a weighted pressure gauge, keep it clean. Check dial pressure gauges for accuracy once a year (more often if the canner is used frequently or dropped). Your county Extension office may be able to tell you where the gauge can be checked.

If the dial gauge reads high or low by more than 2 pounds, buy a new one. Low readings may indicate that the accuracy of the gauge is unpredictable.

## Preparing Tomatoes

Select firm, underripe-to-ripe tomatoes. Use of decayed or over-ripe tomatoes may result in spoilage of canned products. Do not can tomatoes from dead or frost-killed vines.

Wash the tomatoes in cool running water. To can crushed, whole, or halved tomatoes, remove the skins by dipping them in boiling water for 30 to 60 seconds or until the skins split. Dip them in cold water, then slip off the skins and remove the cores.

Yields will vary. The amount generally needed per quart is as follows:

Type	Pounds needed
Crushed tomatoes	2¾
Whole or halved tomatoes	3
Tomato juice	3¼
Tomato sauce	5 to 6½

## Packing the Jars

Follow either hot pack or raw pack directions. In the hot pack method, food is packed in jars while it is still very hot. Then the cooking liquid or boiling water is added. In the raw pack method, raw food is packed in the jars and covered with boiling water or juice.

The hot pack method has several advantages. Heated tomatoes are easier to pack into jars because they are softer. As a result, more can be put into each jar, fewer jars are needed, and there is less

floating of tomatoes. However, hot-packed tomatoes are not as firm in texture.

Pack food and liquid to allow  $\frac{1}{2}$  inch headspace unless otherwise specified. Headspace is the space between the food or liquid and the top of a jar. If the jars are too full, some of the contents could bubble out during heat processing and prevent sealing by sticking to the rim. Too much headspace may also prevent sealing if the processing time is too short to exhaust all air from the jar.

After packing, run a plastic spatula around the inside of the jar to remove air bubbles.

## Adding Acid

As an extra measure to prevent spoilage, add acid to jars of whole, crushed, or juiced tomatoes before processing:

- **Bottled lemon juice:** 1 Tablespoon per pint; 2 Tablespoons per quart

- **Citric acid USP:**  $\frac{1}{4}$  teaspoon per pint;  $\frac{1}{2}$  teaspoon per quart  
Vinegar (5 percent acidity) may be used instead of lemon juice or citric acid (2 Tablespoons per pint; 4 Tablespoons per quart); however, flavor changes may be undesirable.

Sugar may be added to mask sour flavor of the acids (1 teaspoon per pint; 2 teaspoons per quart).

## Adding Salt

Salt is added to tomatoes for flavor, not to preserve them. Therefore, it may be omitted. If you use salt, add  $\frac{1}{2}$  teaspoon to each pint jar, 1 teaspoon to each quart jar.

## Closing the Jars

Wipe jar rims and threads with a clean, damp cloth to remove any bits of food that might prevent a seal. Follow manufacturer's directions for preheating lids. Put on the lid and screw the metal band following manufacturer's directions for tightening.

## Processing

Tomatoes and tomato products must be heat processed to destroy microorganisms that cause spoilage. Either a pressure canner or a boiling water canner may be used.

### **Processing in a boiling water canner:**

1. Fill the canner halfway with clean water. Preheat water to 140°F for raw-packed foods and 180°F for hot packed foods.
2. Arrange the jars on the rack. Add very hot water, if needed, to bring the water level up to 1 to 2 inches above the jar tops. (Don't pour water directly on the jars.) Place a tight-fitting cover on the canner. If a pressure canner is used for boiling water canning, leave the cover unfastened and the petcock open to prevent buildup of pressure.
3. Set a timer for recommended processing time (in table 2 on pages 10–13) after water comes back to a rolling boil. At altitudes above 1,000 feet, times must be increased because temperatures will not reach 212°F. (See table 1 on page 7 for adjustments for altitude.) Keep water boiling gently and steadily. Add boiling water if necessary to keep jars covered.
4. When jars have been boiled for the recommended time, take off the heat and remove the canner lid. Wait 5 minutes before removing the jars. Spoilage could occur if jars are left in hot water.

### **Processing in a pressure canner:**

1. Follow the manufacturer's directions for use.
2. Have 2 to 3 inches of boiling water in the canner.
3. Arrange the jars on a rack so steam can flow freely around each one.
4. Fasten the canner lid securely so no steam escapes around the rim.
5. Watch for steam to escape steadily through the petcock. When steam has escaped for 10 minutes, close the petcock or place a weighted gauge on the canner. This "exhausting" step is very important to remove all the air from the canner. Air that is trapped in the canner will cause inadequate heating of jars. This step is needed even for those types of pressure canners labeled "self-exhausting."
6. When the correct pressure is reached, set a timer for the recommended processing time (see table 1 on page 7 and table 2 on pages 10–13). Also write down the time when processing will be completed as a double check on the timer accuracy. At sea level,

use 10 pounds of pressure for a weighted gauge, 11 pounds for a dial gauge. (Research has shown that 10 pounds of pressure with a weighted gauge is comparable to 11 pounds on a dial gauge.) At altitudes above 1,000 to 2,000 feet, it is necessary to increase the pounds of pressure to compensate for decreased atmospheric pressure.

7. Watch the canner continuously to be sure that the pressure stays constant. If the pressure fluctuates, regulate it immediately by adjusting the heat, not by opening the petcock or removing the weight. Fluctuating pressure may cause liquid to be drawn from the jars and cause some jars not to seal. Canners with a weighted gauge will either jiggle two or three times a minute or rock slowly throughout the process. Check the instruction manual.
8. When the timer sounds, remove the canner from the heat. Do not cool the canner with water or cold towels. When the pressure returns to zero, remove the weight from the vent port or slowly open the petcock. Wait 10 minutes, unfasten the lid, and remove it carefully. Lift the lid away from you so that the steam does not burn your face. Immediately remove the jars. Spoilage could occur if jars are allowed to stand in the warm canner.

**Table 1. Pressure adjustments for altitude**

<b>Elevation</b>	<b>Pounds of pressure</b>
<i>Weighted gauge canner</i>	
Sea level to 1,000 feet	10 pounds
Above 1,000 feet	15 pounds
<i>Dial gauge canner</i>	
Sea level to 2,000 feet	11 pounds
2,001 to 4,000 feet	12 pounds
4,001 to 6,000 feet	13 pounds
6,001 to 8,000 feet	14 pounds



## Cooling the Jars

Put the jars on a rack or cloth so air can circulate freely around them. There should not be a cold draft or fan blowing on the jars.

## Testing the Seal

Test each jar for a seal within 12 to 24 hours. Jars with flat, metal lids are sealed if the following:

1. The lid has popped down in the center.
2. The lid does not move when pressed down.
3. The center of the lid gives a clear, ringing sound when tapped with a spoon. (This is not as reliable as the other methods.)

If you discover that a jar has not sealed within 24 hours of the initial processing, refrigerate or freeze the contents or reprocess. To reprocess, start by removing the lid. Check and clean the sealing surfaces of the jar. Use a new lid and process again for the full time. The quality of the food will not be as good after reprocessing.

If more than 24 hours have passed when you discover an unsealed jar, examine it for spoilage. *Do not taste the food.* If the food appears to be edible, boil it for 10 minutes and then freeze or refrigerate it. It is not safe to reprocess at this point.

Note: If jars unseal during storage, safety must be evaluated.

## Storing

Wipe the jars and label them with the date and contents. Screw bands should be removed so the liquid under them will not cause rusting.

Store jars in a cool, dark, dry place. For best eating quality and nutritive value, eat the food within 1 year. Exposure to heat, freezing temperatures, or light decreases the quality and shelf life of canned food.

## Before Using

Before opening each jar, look for bulging lids, leaks, and any unusual appearance of the food. After opening, check for off-odor, cotton-like mold growth on the food surface or underside of lid, foam, or spurting liquid. *Never taste questionable foods.* If there is any sign of spoilage, destroy the food.

**Handling spoiled food.** Suspect containers of spoiled low-acid foods, including tomato/vegetable or meat mixtures, should be treated as if they have *Clostridium botulinum* toxin and handled carefully. Whether they're sealed or unsealed, they should be detoxified before disposal.

**Detoxifying spoiled food.** Contact with botulinum toxin can be fatal. Take care to avoid contact with suspect foods or liquids. Wear rubber or heavy plastic gloves when handling suspect foods and cleaning up.

Carefully place the opened containers of suspect food on their sides in an 8 quart or larger stock pot, pan, or boiling-water canner. Put lids in pot. Wash gloved hands to avoid contaminating other surfaces. Carefully add water to a level at least 1 inch above the containers, avoiding splashing. Place a lid on the pot and heat the water to boiling. Boil 30 minutes. Cool and discard lids and food in the trash.

**Cleaning up the area.** Make a fresh solution of 1 part unscented liquid household chlorine bleach (5% to 6% sodium hypochlorite) to 5 parts water. Clean work surfaces, equipment, or other items such as can openers. Spray or wet contaminated surfaces with the bleach solution and let stand for 30 minutes. Wipe up treated spills with paper towels. (Note: Bleach is an irritant itself and should not be inhaled or allowed to come in contact with the skin.)

To avoid the risk of botulism, tomato-vegetable mixtures that are not canned according to scientifically tested processing recommendations should be boiled even if you detect no signs of spoilage. Boil foods for 10 minutes at altitudes below 1,000 feet. Add one additional minute of boiling time for each additional 1,000 feet of elevation.

## Styles of Home-Canned Tomatoes

Scientifically tested processing recommendations exist for several styles of home-canned tomatoes. Use table 2 on pages 10–13 to find the instructions that you need. Make these decisions:

1. Do you want to can crushed tomatoes, whole or halved tomatoes, tomato sauce, or tomato juice?
2. If tomatoes are whole or halved, what type of liquid will you add (water, juice, none)?
3. Will you use a boiling water canner or a pressure canner?

**Table 2. Preparing and processing tomatoes and tomato products**

Type of product	Preparation
<b>Crushed</b> Packed hot without added liquid	Prepare tomatoes as directed (p. 4). Trim off any bruised or discolored portions and cut into quarters. Heat one-sixth of a canner load quickly in a large pot, crushing them with a wooden spoon as they are added to press out juice. (Continue heating to boiling, stirring to prevent burning.) Gradually add remaining quartered tomatoes, stirring constantly. (Crushing is not necessary for these.) Boil gently 5 minutes after adding all tomatoes. Fill jars immediately with hot tomatoes, leaving ½ inch headspace. Add acid (p. 5) and, if desired, add salt (p. 5).  Adjust lids and process in a boiling water canner or pressure canner.
<b>Whole or halved</b> Packed in water	Prepare tomatoes as directed (p. 4). Leave whole or halve.  <i>Raw pack:</i> Fill jars with raw, peeled tomatoes. Cover with hot water, leaving ½ inch headspace.  <i>Hot pack:</i> Add enough water to cover tomatoes in a large pan and boil gently for 5 minutes. Fill jars with hot tomatoes and cover with hot cooking liquid, leaving ½ inch headspace. Add acid (p. 5) to jars of both hot and raw pack products. If desired, add salt (p. 5). Adjust lids and process in a boiling water canner or pressure canner.
<b>Whole or halved</b> Packed in tomato juice	Prepare tomatoes (p. 4) and tomato juice (pp. 12–13) as directed.  <i>Raw pack:</i> Heat tomato juice in a saucepan. Fill jars with raw tomatoes and cover with hot tomato juice, leaving ½ inch headspace.  <i>Hot pack:</i> Completely cover tomatoes with tomato juice in large pan. Boil gently for 5 minutes. Fill jars with hot tomatoes and cover with hot tomato juice, leaving ½ inch headspace. Add acid (p. 5) to jars of both hot and raw pack products. If desired, add salt (p. 5). Adjust lids and process in a boiling water canner or pressure canner.
<b>Whole or halved</b> Packed raw without added liquid	Prepare tomatoes as directed (p. 4). Leave whole or halve. Loosely fill jars with raw tomatoes, pressing until spaces fill with juice. Leave ½ inch headspace. Add acid (p. 5) and, if desired, add salt (p. 5). Adjust lids and process in a boiling water canner or pressure canner.

\*See table 1 on page 7 for altitude adjustment.

Size of jars	Pressure canner Processing time in minutes at 240°F (10 lb for weighted gauge; 11 lb for dial gauge)	Boiling water canner Processing time in minutes with altitude adjustment for various elevations			
		0 to 1,000 feet	1,001 to 3,000 feet	3,001 to 6,000 feet	6,001 to 8,000 feet
Pint	15*	35	40	45	50
Quart	15*	45	50	55	60
Pint	10*	40	45	50	55
Quart	10*	45	50	55	60
Pint	25*	85	90	95	100
Quart	25*	85	90	95	100
Pint	25*	85	90	95	100
Quart	25*	85	90	95	100

**Table 2. Preparing and processing tomatoes and tomato products (continued)**

Type of product	Preparation
<b>Tomato juice</b>	<p>Wash, remove stems, and trim off bruised or discolored portions. To prevent juice from separating into water and pulp layers, quickly cut about 1 pound of tomatoes into quarters and heat immediately to boiling in a sauce pan while crushing. Continue to slowly add and crush freshly cut tomato quarters to the boiling mixture. (Make sure the mixture boils constantly and vigorously while you add the remaining tomatoes.) Simmer 5 minutes after adding all pieces.</p> <p>If you are not concerned about juice separation, simply slice or quarter tomatoes into a large saucepan. Crush, heat, and simmer for 5 minutes before juicing. Press both types of heated crushed tomatoes through a sieve or food mill to remove skins and seeds. Heat juice again to boiling. Fill jars with hot juice, leaving ½ inch headspace.</p> <p>Add acid (p. 5) and, if desired, add salt (p. 5). Adjust lids and process in a boiling water canner or pressure canner.</p>
<b>Tomato/ vegetable juice blend</b>	<p>Prepare, crush, and simmer tomatoes as for making tomato juice. An average of 22 pounds of tomatoes is needed per canner load of 7 quarts. Add no more than 3 cups of any combination of finely chopped celery, onions, carrots, and peppers to each 22 pounds of tomatoes. Simmer mixture 20 minutes. Press hot cooked tomatoes and vegetables through a sieve or food mill to remove skins and seeds. Bring tomato-vegetable juice blend to boiling and fill jars immediately, leaving ½ inch headspace. Add acid (p. 5) and, if desired, add salt (p. 5). Adjust lids and process in a boiling water canner or pressure canner.</p>
<b>Tomato sauce</b>	<p>Wash tomatoes, remove stems, and trim off bruised or discolored portions. Heat and press as for making tomato juice. Simmer in large-diameter pan until sauce reaches desired consistency. (Volume should be reduced by about one-third for thin sauce, or by about one-half for thick sauce.) Fill jars, leaving ½ inch headspace. Add acid (p. 5) and, if desired, add salt (p. 5). Adjust lids and process in boiling water canner or pressure canner.</p>

\*See table 1 on page 7 for altitude adjustment.

Size of jars	Pressure canner Processing time in minutes at 240°F (10 lb for weighted gauge; 11 lb for dial gauge)	Boiling water canner Processing time in minutes with altitude adjustment for various elevations			
		0 to 1,000 feet	1,001 to 3,000 feet	3,001 to 6,000 feet	6,001 to 8,000 feet
Pint	15*	35	40	45	50
Quart	15*	40	45	50	55

Pint	15*	35	40	45	50
Quart	15*	40	45	50	55

Pint	15*	35	40	45	50
Quart	15*	40	45	50	55

# Tomato/Vegetable Combinations

## Approximate One-Pound Equivalents

- 1 pound = 3 to 4 small tomatoes
- 1 pound = 10 large chile peppers
- 1 pound = 2½ cups chopped onions
- 1 pound = 6½ cups sliced mushrooms

## Mexican Tomato Sauce

- 2½ pounds to 3 pounds chile peppers, chopped
- 18 pounds tomatoes
- 3 cups onions, chopped
- 1 Tablespoon salt
- 1 Tablespoon oregano
- ½ cup vinegar (5% strength)

**Yield:** About 9 pints

**Caution:** Wear plastic or rubber gloves and do not touch your face when handling or cutting hot peppers. If you don't wear gloves, wash hands thoroughly with soap and water before touching your face or eyes.

**Procedure:** Wash and dry chiles. Slit each pepper along the side to allow steam to escape. Peel using one of the following methods:

- *Oven or broiler method:* Place chiles in a 400°F oven or under a broiler for 6 to 8 minutes until skins blister.
- *Range top method:* Cover hot burner, either gas or electric, with heavy wire mesh. Place chiles on burner for several minutes until skins blister.

Place peppers in a pan and cover with a damp cloth. (This will make peeling easier.) After several minutes of cooling, slip off skins. Discard seeds and chop. Wash tomatoes and dip in boiling water for 30 to 60 seconds or until skins split. Dip in cold water, slip off skins, and remove cores. Coarsely chop tomatoes and combine chopped peppers and remaining ingredients in a large saucepan. Bring to a boil. Cover and simmer for 60 minutes. Fill jars, leaving 1 inch headspace. Adjust lids and process in a pressure canner at 240°F: 20 minutes for pints, 25 minutes for quarts (10 pounds of pressure with a weighted gauge; 11 pounds of pressure with a dial gauge). Adjust pressure for altitude (see table 1 on page 7).

## Chile Salsa (Hot Tomato–Pepper Sauce)

- 2 pounds chile peppers, chopped
- 5 pounds tomatoes
- 1 pound onion, chopped
- 1 cup vinegar (5% strength)
- 1 Tablespoon salt
- ½ teaspoon pepper

**Yield:** 6 to 8 pints

**Procedure:** Prepare chiles as directed in the Mexican Tomato Sauce recipe. Wash tomatoes and dip in boiling water for 30 to 60 seconds or until skins split. Dip in cold water, slip off skins, and remove cores. Coarsely chop tomatoes and combine onions, peppers, and remaining ingredients in a large saucepan. Heat to boiling and simmer for 10 minutes. Fill pint jars, leaving ½ inch headspace. Adjust lids and process in a boiling water canner: 15 minutes for 0 to 1,000 feet altitude; 20 minutes for 1,001 to 6,000 feet; or 25 minutes at 6,001 to 8,000 feet.

## Spaghetti Sauce Without Meat

- 30 pounds tomatoes
- 1 cup onions, chopped\*
- 5 cloves garlic, minced
- 1 cup celery or green pepper, chopped\*
- 1 pound mushrooms, sliced\* (optional)
- ¼ cup vegetable oil
- 4½ teaspoons salt or to taste
- 2 teaspoons black pepper
- 2 Tablespoons oregano
- ¼ cup parsley, minced
- ¼ cup brown sugar

\*It is not safe to increase the proportion of onions, peppers/celery, or mushrooms.

**Yield:** About 9 pints

**Procedure:** Wash tomatoes and dip in boiling water for 30 to 60 seconds or until skins split. Dip in cold water and slip off skins. Remove cores and quarter tomatoes. Boil 20 minutes, uncovered, in a large saucepan. Put through food mill or sieve. Sauté onions, garlic, celery or peppers, and mushrooms (if used) in vegetable oil until tender. Combine sautéed vegetables and tomatoes, and add salt, pepper, herbs, and sugar. Bring to a boil. Simmer, uncovered, until thick enough for serving. (The volume will have been reduced by nearly one-half.) Stir frequently to avoid burning. Fill jars, leaving 1 inch headspace. Adjust lids and process in a pressure canner at 240°F: 20 minutes for pints; 25 minutes for quarts (10 pounds of pressure with a weighted gauge; 11 pounds of pressure with a dial gauge). Adjust pressure for altitude (see table 1 on page 7).



## Spaghetti Sauce With Meat

30 pounds tomatoes  
2½ pounds ground beef or sausage  
5 cloves garlic, minced  
1 cup onion, chopped  
1 cup celery or green peppers, chopped  
1 pound mushrooms, sliced (optional)  
4½ teaspoons salt or to taste  
2 teaspoons black pepper  
2 Tablespoons oregano  
¼ cup parsley, minced  
¼ cup brown sugar

**Yield:** About 9 pints

**Procedure:** To prepare tomatoes, follow directions for Spaghetti Sauce Without Meat recipe. Sauté beef or sausage until brown. Drain off fat. Add garlic, onion, celery or green pepper, and mushrooms (if used). Cook until vegetables are tender. Combine with tomato pulp in a large saucepan. Add salt, pepper, herbs, and sugar. Bring to a boil. Simmer, uncovered, until thick enough for serving. (Volume will have been reduced by nearly one-half.) Stir frequently to avoid burning. Fill jars, leaving 1 inch headspace. Adjust lids and process in a pressure canner at 240°F: 60 minutes for pints; 70 minutes for quarts (10 pounds of pressure with a weighted gauge; 11 pounds of pressure with a dial gauge). Adjust pressure for altitude (see table 1 on page 7).

## Tomatoes with Zucchini

**Quantity:** An average of 12 pounds of tomatoes and 4 pounds of zucchini is needed per canner load of 7 quarts. An average of 7 pounds of tomatoes and 2½ pounds of zucchini is needed per canner load of 9 pints.

**Procedure:** Wash tomatoes and zucchini. Dip tomatoes in boiling water 30 to 60 seconds or until skins split. Then dip in cold water, slip off skins and remove cores and quarter. Slice or cube zucchini. Bring tomatoes to a boil and simmer 10 minutes. Add zucchini and boil gently 5 minutes. Fill jars with mixture, leaving 1 inch headspace. Add 1 teaspoon of salt per quart, if desired. Adjust lids and process in a pressure canner at 240°F: 30 minutes for pints; 35 minutes for quarts (10 pounds pressure with a weighted gauge; 11 pounds with a dial gauge). Adjust pressure for altitude (see table 1 on page 7).

## **Safety Checklist**

- Select firm, ripe tomatoes. Do not can tomatoes from dead or frost-killed vines.
- Use the amount and type of ingredients specified.
- Prepare ingredients as directed.
- Acidify tomatoes with lemon juice or citric acid.
- Process tomatoes in a boiling water canner or pressure canner for the time specified.
- Examine jars for spoilage before use.

Carolyn A. Raab is an Extension foods and nutrition specialist at Oregon State University, Corvallis, Oregon. The information in this publication is based on U.S. Department of Agriculture recommendations. The material was reviewed by Extension specialists in food and nutrition at Washington State University and the University of Idaho.

How to order printed copies of this publication:

**Oregon**

800-561-6719

<http://extension.oregonstate.edu/catalog/>

**Washington**

800-723-1763

<http://pubs.wsu.edu>

**Idaho**

208-885-7982

<http://www.extension.uidaho.edu/catalog.asp>

© 2010 Oregon State University

Pacific Northwest Extension publications are produced cooperatively by the three Pacific Northwest land-grant universities: Oregon State University, Washington State University, and the University of Idaho. Similar crops, climate, and topography create a natural geographic unit that crosses state lines. Since 1949, the PNW program has published more than 600 titles, preventing duplication of effort, broadening the availability of faculty specialists, and substantially reducing costs for the participating states.

Published and distributed in furtherance of the Acts of Congress of May 8 and June 30, 1914, by the Oregon State University Extension Service, Washington State University Extension, University of Idaho Extension, and the U.S. Department of Agriculture cooperating.

The three participating Extension services offer educational programs, activities, and materials—without regard to race, color, religion, sex, sexual orientation, national origin, age, marital status, disability, and disabled veteran or Vietnam-era veteran status—as required by Title VI of the Civil Rights Act of 1964, Title IX of the Education Amendments of 1972, and Section 504 of the Rehabilitation Act of 1973. The Oregon State University Extension Service, Washington State University Extension, and University of Idaho Extension are Equal Opportunity Employers.

Published June 1988. Revised January 2010.