

Table S1. Genomes of *Burkholderia* spp. included in this study^a

Species	Strain	Isolation	Reference or Accession #
<i>B. ambifaria</i>	AMMD	Soil	NC_008390, NC_008391, NC_008392, NC_008385
<i>B. ambifaria</i>	MC40-6	Rhizosphere	NC_010551, NC_010552, NC_010557, NC_010553
<i>B. cenocepacia</i>	AU1054	Cystic fibrosis	PRJNA13919
<i>B. cenocepacia</i>	HI2424	Soil	PRJNA13918
<i>B. cenocepacia</i>	J2315	Cystic fibrosis	(Holden, Seth-Smith et al. 2009)
<i>B. cenocepacia</i>	MC0-3	Rhizosphere	NC_010508, NC_010515, NC_010512
<i>B. cepacia</i>	GG4	Rhizosphere	(Hong, Koh et al. 2012)
<i>B. dolosa</i>	AU0158	Cystic fibrosis	NZ_AAKY00000000
<i>B. mallei</i>	ATCC23344	Non-CF (Human infection)	(Nierman, DeShazer et al. 2004)
<i>B. multivorans</i>	ATCC17616	Soil	NC_010084, NC_010086, NC_010087, NC_010070
<i>B. phymatum</i>	STM815	Root nodules	Vandamme et al., 2002
<i>B. pseudomallei</i>	K96243	Non-CF (Human infection)	Holden et al., 2004
<i>B. ubonensis</i>	Bu (ABBE00)	Soil	NZ_ABBE00000000
<i>B. vietnamiensis</i>	G4 (ATCC53617)	Industrial	(Maida, Fondi et al. 2014) NC_009256, NC_009255, NC_009254, NC_009230, NC_009227, NC_009229, NC_009228, NC_009226

^aStrains included in multigene neighbor-joining tree (Fig. 3A) are in bold font.