

































































































## Watermelons


Variety	Source	Overall Score <sup>1</sup>	Brix <sup>2</sup>	Seed Color	Flesh Color	Rind Color	Fruit Length (cm)	Fruit Width (cm)	Disease <sup>3</sup>	Notes
Sugar Baby	Territorial	4	10.5	Black	Pale red	Dark green	23.0	20.0	9	Early; ringspot virus
Sweet Amigo	D. Palmer	4	11.0	Brown	Red	Green striped	36.0	24.0	8	Poor yield
Tiger Baby	Nichols	8	12.0	Brown	Red	Green striped	22.0	20.0	1	Dense, crisp, sweet flesh; late
Treasure Chest	Rupp	3	10.0	Seedless	Yellow	Green striped	18.5	21.5	7	—
Triple Crown	Rupp	4	11.5	Seedless	Red	Green striped	26.0	23.0	9	Crisp texture; good yield
Triple Prize	Rupp	4	11.0	Seedless	Red	Green striped	22.0	20.5	8	Coarse texture; fair flavor; cavity
Triple Star	Rupp	6	12.0	Seedless	Red	Green striped	23.0	23.0	5	Crisp flesh; fair flavor
Triple Star	Seeds By Design	4	11.5	Seedless	Red	Green striped	23.0	20.0	8	—
Winter King & Queen	Nichols	5	8.5	Black	Red	Pale green	17.0	20.0	7	Coarse texture
Yellow Doll	Harris	4	11.0	Black	Pale yellow	Green striped	19.0	18.5	7	Cavity
Yellow Sunshine	Johnny's	6	12.0	Black	Yellow	Green striped	23.0	21.0	5	Coarse texture

Planted June 13, 2000, Corvallis, OR.

<sup>1</sup>Scores based on 1–9 scale with 9 = best.

<sup>2</sup>Brix = percent soluble solids (a measure of sweetness in fruit; higher numbers mean sweeter fruit).

<sup>3</sup>Scores based on 1–9 scale with 9 = severe (primary pathogen was angular leaf spot).



Watermelons