


OREGON'S AGRICULTURAL

progress

SPRING/SUMMER 1982

Can We Win the Potato Race?



Agricultural Experiment Station
Oregon State University

comment

John R. Davis
Director, Oregon Agricultural Experiment Station

The chickens have started scratching

The old saying "when the going gets tough, the tough get going" surely applies to the University and the Agricultural Experiment Station. For those many persons from Roseburg to Portland to Burns to Newport who are unemployed, or for those farmers and ranchers who defaulted on loans and had to sell out, the going really got tough, and the future certainly looks bleak. There's no valid comparison to being out of a job, but for the Agricultural Experiment Station, we've had to sell out a few of our programs and have reduced the number of scientists by almost 13 percent from last year.

But the future is far from being bleak for us—we've regrouped, re-evaluated, re-sorted and made plans to support Oregon's agriculture in high priority areas, with a major thrust toward economic development. In Oregon, major issues deal with jobs, with producing a product at a reasonable profit, and in many cases with selling the product in a reliable market—in other words, with economic development. We, therefore, have pointed ourselves in this direction: to provide the basic scientific support and the transfer of technology that will help Oregon's agribusiness get back on its economic feet.

Successful ventures

Over the years, agricultural research has provoked many successful ventures that have produced economic diversity and new jobs in Oregon. Examples of these include:

1. Developing a new virus-free cheese starter, so dairies can start and finish a batch of cheese at a much lower average cost with much less waste.
2. Developing bush beans to replace pole beans, thereby providing a new stimulus for Oregon's food processing industries.



3. Developing a chum salmon run at the coast, which has the potential of adding significantly to Oregon's fishing industry. Similarly, the Oregon moist pellet for fish, and the salmon run in Young's Bay near Astoria, have been a real shot in the arm for our fisheries.
4. Developing disease-resistant, higher-yielding varieties of wheat that contribute substantially to making 76 percent of the tonnage flowing through the Port of Portland agricultural goods.
5. Developing an understanding of the cause of white muscle disease in cattle and, by suggesting the use of selenium additives to feed, reducing losses of cattle from the disease in many areas of Oregon.

Economic development

We could identify many research programs that have created new industries and new jobs and strengthened economic activity in Oregon. But we don't intend to rest on these laurels. Rather, we have dedicated ourselves to mission-oriented research that has direct impacts on economic development.

We've got a lot of work to do with fewer resources, but somehow we'll increase our research on improving crop production and assessing new crop possibilities, on economically and environmentally sound pest management and on agricultural trade and marketing. You can be sure that sound economic development—good jobs, reasonable profits and consumer concerns—will be foremost in our planning. We'll work even more diligently to develop improved crop varieties, to assist food processors in developing new products and reducing costs, to develop sound economic

and scientific support for Oregon's industries. We'll be leaner, but we'll be tougher (just like most of you). The future is still there and we intend to make the best of it! As Henry Ford said, "Business is never so healthy as when, like a chicken, it must do a certain amount of scratching for what it gets."

John R. Davis

SPRING/SUMMER 1982

Richard Floyd, Editor
Experiment Station Communications

Dave King, Assistant Editor
Experiment Station Communication

Andy Duncan, Editor
Oregon's Agricultural Progress

John Subert, Designer
Oregon's Agricultural Progress

Cover: Rising shipping costs and stepped up research are helping the Midwest and East challenge Northwest supremacy in potato production. See Page 8. (Drawing: John Subert)

Vol. 28, No. 4/Vol. 29, No. 1, *Oregon's Agricultural Progress*, a research report, is published by the Oregon Agricultural Experiment Station, John R. Davis, Director. Send comments or questions to Editor, AdS 416R, Oregon State University, Corvallis, OR 97331. Written material may be reprinted provided no endorsement of a commercial product is stated or implied. Please credit *Oregon's Agricultural Progress* and Oregon State University. To simplify technical terminology, trade names of products or equipment sometimes are used. No endorsement of product names is intended no is criticism implied of products not mentioned.

FREE

That's right. There is no charge for *Oregon's Agricultural Progress*. For a subscription, fill out this order form and mail it to: Editor, *Oregon's Agricultural Progress*, AdS 416R, Oregon State University, Corvallis, OR 97331

name

street or route no.

city

zip

Page 4



4 Cauliflower Seasoning

Cauliflower is a promising over-winter crop for western Oregon, a North Willamette branch experiment station study shows.

6 Heyday

In Oregon, how you grow alfalfa is more important than where, researchers have found.

Page 6



8 Potato Race

The Northwest can't afford to lose this contest, according to crop scientist Al Mosley.

12 Mink's Coat

At the OSU Fur Farm, a little white capsule is helping winter coats grow faster.

Page 8



14 Research Notes

- Acid rain
- Lilies
- New barley
- Darwin's 'world'
- Cabbage
- Drink your antibodies

16 Annual Publications Index

The index lists reports and articles published by Experiment Station scientists in 1981.

Page 12



24 Profile

Bill Brown has professional sympathy for the state economist in charge of revenue forecasting.

A new season- ing for cauliflower

Although cauliflower is white it may turn some Oregonians' pocketbooks green, a researcher at OSU's North Willamette Agricultural Experiment Station at Aurora believes.

Four years of testing suggests winter cauliflower, which is planted in the fall and harvested in the spring, is a promising crop for Willamette Valley vegetable growers and processors, and for home gardeners, says Delbert Hemphill, a horticulturist at the North Willamette station.

"I think it's a good opportunity for growers and processors to generate some cash at a time (April and May) when they usually don't have much going. Growers could put it in rotation with peas, beans or something else and get two crops a year on a piece of ground, and processors could utilize their equipment more efficiently," said Hemphill.

Most cauliflower grown in the Willamette Valley is a fall type planted in June or early July and harvested in September or October, the researcher noted.

Testing at North Willamette and six other sites ranging from Corvallis to Sandy,

east of Portland, has shown several types of winter cauliflower grow well in western Oregon.

"Two Dutch varieties, Armado April and Armado May, seem to have the best winter hardiness and quality," Hemphill said, explaining that the months in the variety names indicate when the cauliflower should be ready for harvesting.

The way Hemphill envisions it, Willamette Valley farmers would plant winter cauliflower seedlings from mid-August through September, depending on their schedule for other crops, on land where peas, beans or another crop had just been harvested.

"I like the taste of winter cauliflower better."

The cauliflower would be ready for harvest in the spring in time for peas, beans or another crop to be planted again, completing the double-crop cycle.

"The idea with winter cauliflower is to get it established in the fall. During an average winter around here it will continue to grow slowly, then the heads will really start developing in late winter or early spring," the researcher said.

Cold or long winters can be damaging, he noted.

"The problem this year was that it didn't turn warm soon enough. The cool spring made the heads develop late and they were



smaller than in 1980-81. That was a warm winter and we got a very good yield—three tons of processed weight per acre in some plots. That would be about 10 tons of cauliflower an acre for fresh market,” Hemphill said.

“A few Willamette Valley growers have been trying to overwinter cauliflower for years,” he said. “It seems like they get frozen out every few years. But these European varieties we’ve been looking at are pretty hardy.”



Winter cauliflower looks promising for commercial growers and home gardeners, says horticulturist Delbert Hemphill, shown here checking a test plot at the North Willamette experiment station.

In appearance and taste, winter cauliflower is a little different from the fall type most Oregonians are used to buying, the researcher explained. Fall cauliflower heads are round like grapefruit; winter cauliflower heads, although similar in color and size, are shaped more like a half dome with little edible material on the underside. Winter cauliflower heads are less dense.

“I like the taste of winter cauliflower better,” Hemphill said. “It’s more delicate. I like it raw and it’s particularly good as a salad vegetable.”

Most fall cauliflower grown in Oregon is frozen. Only about 2,000 acres were planted in 1980. But cauliflower is a high-value crop and the 19,000 tons (unprocessed weight) produced were worth about \$4.4 million.

Like fall cauliflower, some winter cauliflower could be sold for fresh market but most would have to be processed, Hemphill speculated.

“There’s a limited fresh market in Oregon and when you started paying to ship it out of state you’d have to compete with California and other states,” he said.

Winter cauliflower presents home gardeners an opportunity to produce another vegetable—relatively easily—early in the season, Hemphill believes.

“Fall cauliflower is kind of hard for home gardeners—like broccoli,” he said. “Insects are really a problem. But with winter cauliflower there’s no watering once you get the stand up in the fall, and insects aren’t too much of a problem that time of the year.”

There is a hitch. Farmers would want to transplant seedlings to shorten the growing season so they could produce two crops. It would be cheaper for home gardeners to grow winter cauliflower from seeds, according to Hemphill.

“But seed is real hard to come by,” he said. “I know of one company down in Lorane that sells seed. I’m sure others would if the demand was there.”

Cauliflower isn’t the only vegetable Hemphill and other OSU researchers are eyeing for overwintering. Among others being evaluated, spinach looks promising, Hemphill said.

“From a processor’s standpoint, almost anything would be good,” he said. “April and May are a little too early for strawberries and peas. About the only thing a processor might have going then is rhubarb.” □

Heyday for Hay



Despite what many people think, high quality alfalfa can grow in many parts of Oregon.

That is a major finding in an OSU study of alfalfa hay quality and its impact on livestock.

"Traditionally, people associate high quality alfalfa with eastern Oregon, particularly the areas around Redmond and Klamath Falls, but this study showed us that management factors are more important than where you grow alfalfa," said OSU agronomist David Hannaway.

"The higher elevation areas in eastern Oregon do produce better hay, on the average, but the quality range between there and other areas is narrow, we found," Hannaway added.

Alfalfa, cut several times a season, must dry in the field before baling.



In Oregon, growing alfalfa is a \$100-million-a-year industry, the researcher said. Top alfalfa sells for about \$80 to \$85 a ton or higher. Lower grade alfalfa sells for \$50 to \$70 a ton.

Top quality alfalfa is fed chiefly to dairy cattle, dairy goats, sheep and occasionally to horses. Lower quality alfalfa is fed mostly to beef cattle.

Alfalfa is grown in western Oregon counties such as Lane, Marion, Washington and Yamhill but the majority produced in the state is grown in eastern Oregon.

Often, western Oregon alfalfa is of lower quality because it is harvested later in the year when the weather is better, or cut and damaged by rain, Hannaway said, explaining that, after it is cut, alfalfa must dry in the field several days before it is baled.

"When you wait until July for the first cutting, as a lot of people in western Oregon have done, the alfalfa is coarser and less digestible," he said. "We're encouraging farmers and ranchers to harvest in mid- to late May.

"It's a good trick to do it that early west of the mountains because of the rain," he said, adding that a chemical being studied shows promise for use as a spray that would cause alfalfa to dry in one to two days.

"We've found the single most important management decision is when to cut," the researcher said. "If you cut your alfalfa in the late bud stage when the plants have a higher proportion of leaves and a low proportion of indigestible fiber, you'll get a higher quality hay with a higher feed value."

"The single most important management decision is when to cut."

Alfalfa is cut three times a season in western Oregon and three to four times in most parts of eastern Oregon, Hannaway explained. Each cutting, plants are mowed to within an inch or two of the ground. The tops grow back in about six weeks.

One option for persons who want to produce high quality alfalfa in western Oregon is to use the first cutting of the season for silage, rather than hay, because silage doesn't have to dry as much, OSU researchers say.

The study showed the only way to assure you are buying top quality alfalfa is to have it analyzed (to measure properties such as crude protein content and digestibility) at one of the commercial testing laboratories around the state or at the OSU Forage Testing Laboratory on the campus.

New hay grading standards proposed by the American Forage and Grassland Council and the Federal Grain Inspection Service were examined in the study. Overall, the proposed standards, which relate the chemical composition of hay to performance data such as how much milk dairy cattle produce and how much weight animals gain, would be an improvement over current standards that divide hay into five grades based on appearance, smell and feel, researchers concluded.


Another part of the research focused on milk production in dairy cattle fed various percentages and grades of alfalfa. Milk production was highest in animals fed a 45 percent ration of Grade 1 alfalfa (the top grade). There did not seem to be a significant difference in milk production in animals fed a 30 percent alfalfa ration when the animals were given Grade 2 or Grade 3 alfalfa.

Taking part in the multidisciplinary study besides Hannaway, who coordinated reporting of the findings in Oregon Agricultural Experiment Station Technical Bulletin 141, were Donald Claypool and H.P. Adams of the OSU animal science department; Mark Buettner and George Carter of the Klamath Agricultural Experiment Station at Klamath Falls; Frank W. Adams of the OSU agricultural chemistry department; Lonnie Allison, formerly of the Klamath Agricultural Experiment Station, and Lester Vough, formerly of the OSU crop science department.

Single copies of Technical Bulletin 141 are available free to Oregonians who write the Bulletin Clerk, OSU printing department, Corvallis 97331. □

The ultimate test for this bale of alfalfa will be how much milk the cows that eat it produce.





The Great Potato Race

Crop scientist Al Mosley



Hearing OSU crop scientist Al Mosley talk about a situation that concerns him these days, you might be tempted to picture it in an athletic framework, maybe as a marathon race where talented newcomers line up year after year to take a shot at the perennial, but aging, champion (representing the Northwest).

But what Mosley sees is an economic contest, one the potato growers (really, all the citizens) of Oregon, Idaho and Washington can't afford to lose.

"We're going to have to start running faster just to keep standing still," the Experiment Station potato specialist said one day not long ago. Then he dropped the sports talk:

"Potatoes are a \$200-million-a-year industry in Oregon alone," he said. "The Northwest grows more than half of them sold in this country, including about 75 percent of the baking and processing potatoes. But nine-tenths of the breeding research is going on in the Midwest and East. There must be 13 or 14 breeding programs back there and there are two out here. They're trying to breed us right out of business."

"We can grow the Russet Burbank (by far the most popular potato for baking and processing) better than anyone anywhere else in the country. That's our edge. But with all that research, you can see they're



Left: Al Mosley (left), research assistant Dan Hane of OSU's experiment station at Hermiston (center), and Luther Fitch (right), Umatilla County Extension agent, inspect potatoes grown in variety tests at the Hermiston facility. Below: Agronomist Malcolm Johnson of the Central Oregon branch experiment station checks potatoes from variety tests at Redmond.

going to outgun us sooner or later. Transportation costs are going up fast and when they develop a russet potato for baking and processing that does well back east, a potato McDonald's can use for French fries, the processing plants are going to move closer to where most of the people are. Some already have."

There you have it. Mosely is worried the Northwest potato industry is stumbling. But he doesn't expect to see it fall from its top position. Northwest potato growers, and Mosely and many other researchers, don't plan to let it.

"The potato growers in Oregon, Idaho and Washington see what's happening and they're getting together to pool their clout and see that what has to be done is done," he said.

At the top of the list of "what has to be done," the researcher believes, is intensified research in potato breeding, potato diseases and potato production methods.

In Oregon, several OSU efforts are contributing in those areas. The next step, expected early in 1983, will be an expanded varietal development program to be operated by OSU in cooperation with the U.S. Department of Agriculture's regional potato breeding station at Aberdeen, Idaho. A USDA potato breeding station at Prosser, Washington, also will help with the program.

Oregon has no potato breeding station in the state, although it is fourth on the list of top potato-producing states behind neighbors Idaho and Washington and Maine, which grows mostly potato varieties



used for the fresh market. Breeding, which includes crossing germplasm (genetic material) from two or more potato varieties, can produce potatoes with better disease and weather tolerance, better yields and other desirable qualities.

Under a plan now being worked out in detail, the Aberdeen station will increase its breeding efforts by making new crosses for Oregon. The Aberdeen station will provide

Oregon researchers with true potato seeds from these new crosses and Oregon researchers will grow the seeds into seedlings and screen them so the Northwest will have more potato selections to work with.


"We're trying to strengthen the Aberdeen program. They'll be making more crosses and testing more germplasm and the USDA administration is enthusiastic about the prospect," said Mosley, noting that Oregon potato growers pushed for the expanded program and will provide much of the initial funding.

"They're trying to breed us right out of business."

The breeding station in Washington will contribute to the Oregon program by developing and screening potato plants that might be used in special crosses for Oregon.

A brief explanation of how potatoes are grown makes it easier to explain the logistical details of the program. Potatoes can grow from true seeds or from tubers like the potatoes people eat. Potatoes are produced commercially by cutting tubers into pieces and planting the pieces, which contain buds commonly called eyes.

In the new program, potato seedlings will be grown from seeds obtained at Aberdeen and planted on the OSU campus in greenhouses or screenhouses. Then small tubers from these seedlings will be planted at a test site at Powell Butte in central



Oregon's expanded potato variety development program is a step in the right direction, says George Carter, shown standing in front of a potato storage facility at the Klamath Falls branch experiment station, where he is superintendent.

Oregon operated by the Redmond branch experiment station. The seedlings will be evaluated in the field and the best will be harvested for further testing at Powell Butte and at the branch experiment stations in important potato growing areas such as Klamath Falls in southern Oregon, Ontario in the Treasure Valley and Hermiston in the Columbia Basin, plus other Northwest sites.

Except that the breeding will focus directly on Oregon and that seedlings will be screened first in Oregon, the process will resemble a potato variety development program started about 10 years ago by two longtime leaders in Oregon potato research, Malcolm Johnson, superintendent of the Redmond branch experiment station, and George Carter, superintendent of the branch experiment station at Klamath Falls.

In that program, Johnson, Carter, Mosley, Charles Stanger of the Malheur branch experiment station at Ontario and others have been going to Aberdeen each fall to select 75 to 150 promising potato crosses and bring them back to Oregon for testing at Redmond, Klamath Falls, Hermiston and other sites.

"I think there will be lots of advantages to this new approach," said Carter. "We'll probably learn and change things as we go, but the concept is a good one. The physical limitation in potato selection work is in how much material you can grow and handle. Joe Pavak (the Aberdeen potato breeder) could make enough crosses in a year or two to last us a lifetime. Growing the seedlings

and evaluating the tubers is the hard part. Eventually, we'll grow over 60,000 seedlings a year in Oregon and they'll do the same in Idaho. This could almost double the opportunity to develop a superior new potato variety for Oregon and the Northwest."

Mosley, who will help coordinate the new program from Corvallis, noted it can take 10 to 12 years to produce a potato variety and researchers and growers aren't expecting overnight payoffs, just a chance to compete on a more equal basis with their eastern counterparts.

"I think there will be lots of advantages to this new approach."

"There have been three or four new russet potatoes released east of the Mississippi River in the last year or two and only one out west here," he said.

The one western potato, a russet called Lemhi released jointly by the Idaho, Washington and Oregon agricultural experiment stations, demonstrates a challenge facing researchers. Its yields are good but probably not good enough to threaten the Russet Burbank, the standard by which all new baking and processing potatoes are judged.

"The Russet Burbank has been around more than 100 years and the story goes that Luther Burbank (the famous horticulturist) produced it by chance when he planted

seeds from a potato seed ball a squirrel had carried over a few rows in a test plot," said Mosley. "We've never been able to beat it. Farmers know how to handle it, grow it and store it, and processors are geared up for it. They're reluctant to switch from a good thing."

But that doesn't mean farmers growing the Russet Burbank in Oregon have no problems. Disease is a formidable foe.

Mary Powelson, an OSU plant pathologist, is directing studies of several potato diseases, including early dying disease, caused by a fungus transmitted through the soil. Early dying cuts yields by killing plants prematurely. The more potato crops are grown on a piece of land, the more the fungus builds up in the soil and the worse the early dying problem.

The disease seems to thrive in the irrigated, intensely farmed fields of the Columbia Basin, where Powelson is doing most of her field studies. She and colleagues are working with a chemical called Vapam that can be applied in irrigation water and shows promise for controlling early dying disease.

Powelson also is studying blackleg and stem soft rot, bacterial diseases that reduce potato yields. Recently, she discovered one type of bacteria that causes the diseases can be spread through the soil, as well as spread through seed tubers, as previously known. That information may help in efforts to manage the diseases.

Among many other disease studies is one aimed at reducing virus problems by producing virus-free seed potatoes. Results



from the seven-year-old project, initiated by OSU plant pathologists Tom Allen and Paul Koepsell and seed certification assistant Oscar Gutbrod, are impressive.

A tumble from the top would cause far-reaching economic tremors.

In a procedure they devised, the researchers identify virus-free tissue in potato stems, clone the tissue to produce seedlings, and use the seedlings to grow virus-free seed potatoes. Field production of virus-free seed potatoes is being done at a central Oregon test site which is isolated and relatively disease-free. That generates enough seed tubers for growers who want to develop their own virus-free stock.

Virus-free seed potatoes can produce yields about 30 percent higher than those of infected tubers and about 10 percent of the potatoes produced in Oregon today are from the virus-free OSU seed potato stock, said Allen. Increased yields from virus-free seed potatoes added more than \$6 million to growers' profits last year, he calculated.

Nearly 90 percent of the potatoes produced in Oregon five years from now will come from virus-free seed stock, the researcher believes.

Other statewide OSU studies of how to plant, till, irrigate, fertilize, store and process potatoes, and campus work in determining and certifying the purity of seed tubers, promise to give a boost to the

potato industry in Oregon and throughout the Northwest, Mosley believes. Exporting is going to have a positive impact, too, he thinks.


"There's great potential in exports," he said. "I feel we can help some of these developing countries by selling them high quality seed potatoes, and we are in perfect position to sell processed potatoes to the countries like Japan that have the technology to use them."

There are other obstacles. For example, if electricity rates soar as expected, the cost of irrigating potatoes in drier parts of Oregon will loom as a large stumbling block. But with growers and researchers in Idaho, Washington and Oregon responding to the eastern challenge, the Northwest can stay on top in potato production, Mosley believes. Good thing too, he pointed out, because in Oregon at least a tumble from the top would send out far-reaching economic tremors.

"Potatoes have the biggest payroll of any crop in our state. Three-fourths of the potatoes we produce are processed here," he said. "That's like having most of our wheat used in Oregon bakeries. We need to increase potato varietal development here in Oregon just to play it safe, if for no other reason. We can't afford to take a chance on losing our potato industry." □

Left: So far, researchers have not produced a potato more attractive to Northwest growers and processors than the more-than-100-year-old Russet Burbank, says Al Mosley, shown in an OSU greenhouse with seedlings being tested. Below: OSU scientists are producing virus-free potatoes by growing tiny plantlets like these in bottles from tissue on potato stems found to be disease-free.





Animal scientist Fred Stormshak, left, and graduate student researcher Jack Rose pose with a mink at the OSU Fur Farm.

Hurrying the mink's coat

OSU animal scientists say a hormone speeds fur growth

Normally in Oregon, or anyplace else, it takes about seven months for a mink to grow its plush winter fur coat, the kind used in coats people wear.

Jack Rose, a doctoral student, and Fred Stormshak, his advisor in OSU's animal science department, say a chemical implant they've developed can cut that time by as much as six weeks. They're excited by the prospect, although they believe more research is needed to fine-tune the procedure.

"An average fur farm might have 5,000 mink. To the rancher, eliminating several weeks of cold, late fall feeding and care with one implant could be quite a bonus," said Rose, noting that he and Stormshak are receiving inquiries from mink ranchers interested in testing the implant themselves.

Rose and Stormshak developed the implants, which resemble plastic, time-release cold capsules, for use in experiments at the OSU Fur Farm on campus.

connection between melatonin and mink fur development.

The first experiment, with 30 adult, female mink divided into three groups of 10, showed they were right.

In early June, they shaved spots on all the test animals. They implanted melatonin capsules on the back of the necks of the 10 mink in one group and housed those animals in outside cages. They did not give melatonin to mink in the other two groups and housed one group outside and one inside in a facility that reduced daily exposure to light (reducing a mink's exposure to light is known to speed up winter fur growth, although it requires building a light-tight facility). They fed all the animals the same diet.

By mid-October, mink given melatonin had prime winter coats—the kind the other mink caged outside had six weeks later. The mink given melatonin even had prime fur before the animals housed indoors under controlled lighting.

In the experiments, the researchers made a logical jump from tests done elsewhere that showed the hormone melatonin affected hair growth in weasels. Melatonin, secreted by the pineal gland in the brain of animals, is thought to be regulated by the amount of daylight and darkness. Mink, like weasels, develop their dense winter fur rapidly in the fall when there is more darkness each successive day, so the researchers figured there could be a



Left: A melatonin implant. Lower left: John Adair, OSU Fur Farm manager, shows off a light-colored mink. Below: Adair keeps OSU mink in cages such as these so scientists like Stormshak and Rose can use them in their research. When it comes to how to raise mink, Adair is the campus expert.



"It was striking. Here you'd have one animal in the control group with a bald patch and another, hormone-treated animal in a cage nearby you couldn't even tell had been shaved," Rose said.

An experiment the next year that included young (mink kits are born in early spring) and adult mink of both sexes yielded similar fur growth results.

A key test, from the mink rancher's viewpoint, was when pelts of animals given melatonin and pelts of other OSU mink were sent to the Seattle Fur Exchange, where pelts are graded on a one-to-four scale (one being tops). All the pelts were purchased. Graders, who knew nothing of the experiments, gave pelts of the animals implanted with melatonin grades ranging from 1½ to 2. They gave other OSU pelts grades ranging from 1 to 2—a very slight grading difference.

Given all that, John Adair, who as manager of the OSU Fur Farm works closely with mink ranchers, sees possibilities for the implant.

"It would be interesting to check out the subtle differences in fur quality and also to determine the effects, if any, that the implants may have on breeding animals.

But mink ranchers would welcome a way of cutting costs like this," he said.

"Because current pelt prices may average about \$40, people think it's a lucrative business. It isn't. Actually, mink ranchers are selling pelts for what they did 20 years ago—in the face of sharply increased production costs. Research that could help reduce those costs would be valuable," he added.

By mid-October, mink given melatonin had prime winter coats.

Oregon, with about 40 mink ranches, mostly in the Willamette Valley and on the northern coast, produces about 150,000 pelts a year, making it seventh in the country in pelt production (Wisconsin is the leader), Adair said.

Suppose a large number of mink ranchers decide they want to try the implants. How will they get them? That has Rose and Stormshak a bit frustrated because they aren't sure.

"One of the first questions a representative from a big drug company I

contacted about manufacturing the implants asked me was how many mink are pelted every year," said Stormshak.

The man's enthusiasm faded when the researcher told him he thought the figure was about 3½ million for the United States and around 20 million worldwide, and that OSU officials have learned that the implant is not patentable because melatonin is a naturally occurring substance.

"When one of these companies thinks of FDA (Food and Drug Administration) clearances they'd have to get and the development process necessary, it's easy for them to just say forget it," Stormshak said. "Those 3½ million mink pelted in this country are in contrast to the millions and millions of cattle that create a market for other types of implants.

"But really, we haven't exhausted the commercial possibilities," he added. "Some small company looking for something to manufacture may come along and decide this looks lucrative. The production cost would be relatively small and if you could just sell a million implants a year at a dollar a shot that wouldn't be too bad. Unless there's a problem we're unaware of, the mink rancher would be way, way ahead."

□

research notes

They ignore acid rain

Acid rain may be wreaking havoc with fish and granite statues but it won't do much harm to U.S. crops, judging by an OSU study of its effect on wheat, corn, alfalfa, tomatoes, lettuce and more than a dozen other plants.

"Plants seem to ignore acid rain is the best way to put it," said Dale Moss, project director and head of OSU's crop science department.

"I wouldn't feel one bit spooky about saying our results suggest it doesn't have much impact on crops. We see some stimulation, some inhibition, but no big effect. Generally, by our results, it's just not a problem," added the project field research supervisor, Shelton Ferrigan.

The work of Experiment Station researchers on the three-year-old project (featured in an article in the Spring 1980 issue of *Oregon's Agricultural Progress*) is being funded by the U.S. Environmental Protection Agency.

Some studies elsewhere in the country seem to back up the OSU finding. Others don't.

Acid rain, said to be falling with increasing frequency in some parts of the country, is formed when pollutants such as sulfur dioxide and nitrogen oxide combine with moisture in the atmosphere.

It has been fingered as the culprit in lakes where fish and all other life died, in polluted drinking water and in the speeded up erosion of granite and marble structures in the Midwest and East.

The OSU study, which started as a broad look at how acid rain affects about 20 key crops, is narrowing in focus this spring and summer to four experiments with field corn, the type fed to livestock. □

New barley developed

A new, six-row winter feed barley developed by OSU agronomists has been named Scio.

High yielding with stiff straw, Scio is being released by the agricultural experiment stations of Oregon, Idaho and Washington.

Fairly tall and early, the new variety is the result of a cross between Luther/Hudson barley and a barley line from Illinois. It averaged 102 percent of Boyer and 107 percent of Mal in two years of regional testing. Both are commercial varieties.

In more than five years of testing in the Willamette Valley, Scio averaged 107 percent of Boyer and 103 percent of Mal.

"Scio's major strength is in resistance to lodging (falling over before harvest)," said Mary Verhoeven, who developed the new variety. "It appears to be particularly well adapted to the high rainfall areas of Oregon and Washington and to irrigated areas of production where straw strength is a major consideration."

The new barley averaged 76 percent winter survival, indicating a moderate amount of winter hardiness, in a two-year test at 49 locations.

Some seed is available at Hyslop Agronomy Farm near Corvallis. Approximately 60 acres of registered seed now is growing, Verhoeven said. □

Virus-free lilies

Consistency can hide dirty work, OSU researchers who developed the world's first virus-free Easter lily have learned.

They used to think lily symptomless virus was harmless, as the name suggests.

"We didn't know it caused any problems until we started growing virus-free Easter lilies and they turned out to be to about 30 percent larger than ordinary stock," said Tom Allen, OSU plant pathologist.

The virus probably has been stunting the growth of lilies around the world for centuries, said Allen, adding that that's not particularly damaging commercially because most lilies are tall enough.

Having virus-free Easter lily stock helps growers get rid of two very damaging viruses, though, Allen said.

One, called cucumber mosaic virus, discolors Easter lily leaves in a green and yellow pattern. The other, tulip breaking virus, causes dark streaks to appear on lily leaves.

The virus-free Easter lily was developed at the A.N. Roberts Easter Lily Research Center near Brookings on the southern Oregon coast. The center is operated by OSU and the Pacific Bulb Growers Association.

In 1980 and 1981, virus-free Easter lilies were grown in the field at the research center. This year, virus-free stock has been distributed to two growers in the Brookings area for commercial testing.

Viruses that infect Easter lilies are transmitted by aphids, said Allen, who has been studying the process with fellow OSU researchers A.N. Roberts and J.P. McMorran, Lee Riddle of the Brookings



Tom Allen with a virus-free lily.

research center and W.C. Anderson of the Northwestern Washington Research and Extension Unit at Mt. Vernon, Washington.

Spraying insecticides and applying a light oil to the tops and bottoms of virus-free Easter lilies growing in the field while aphids are active can keep the plants from being infected with viruses, Allen said.

Growing Easter lilies is a \$5-million-a-year industry in southern Oregon and northern California. □



Wildlife ecologist Bruce Coblentz shot this wild goat during a visit to Santiago Island in the Galapagos chain.

Pigs are ruining Darwin's 'world'

Survival of the fittest has taken an ironic turn in the Galapagos Islands where 19th Century naturalist Charles Darwin did much of the field work for his famed theory of how life evolves through natural selection, according to Experiment Station wildlife ecologist Bruce Coblentz.

Marauding pigs and goats that are descendants of animals released by man are ravaging the very island Darwin once described as "a little world within itself" because of its abundant and unique native forms of life.

"Pigs have been observed eating eggs from beneath female green sea turtles as the eggs were laid," said Coblentz, who plans to help stop the destruction.

Last year, Coblentz and Bill Baber, a doctoral student in OSU's fisheries and wildlife department, went to the Galapagos Islands (about 600 miles west of Ecuador, which owns them) at the request of the Office of Biological Conservation of the Smithsonian Institution in Washington, D.C.

Smithsonian officials wanted Coblentz, who has directed studies of domestic animals gone wild on islands elsewhere in

the world, to evaluate the pig and goat problem.

Coblentz and Baber found that the animals, unchecked by predators, had turned parts of 350-square-mile Santiago Island, where Darwin spent most of his time in the Galapagos chain, into barren, rocky areas.

The goats can help eliminate the pigs, they decided.

Wild pigs are shy and stick close to heavy cover if they can, said Coblentz, explaining that hordes of wild goats on Santiago Island have made pigs vulnerable by eating most of the brush the pigs would hide in.

The rifle is the most practical tool for eliminating the pigs, he said. Ecuadorian wildlife specialists believe they will be able to eliminate the goats on Santiago Island once the pigs are gone.

The Charles Darwin Research Station in the Galapagos Islands, supported by the Smithsonian, the World Wildlife Fund and the Frank Zoological Society, has given top priority to Coblentz's proposal for a study of Santiago Island's pigs and a pig eradication program, the OSU researcher said. The project will begin in mid-summer, he said.

□

Drink your antibodies

Beef cattle ranchers may feel like whooping "Hey Baby, Drink Your Milk," the Oregon dairy industry advertising slogan, if Bill Hohenboken is successful.

The OSU animal scientist and two of his graduate students, Lindsay Norman and Noelle Muggli, are using selective breeding to try and produce beef calves that absorb disease-fighting antibodies more effectively from colostrum, the first milk a cow produces after giving birth.

Antibodies can help prevent disease during the first six weeks of a calf's life, but calves lose the ability to absorb them into their systems about 26 hours after birth, Hohenboken said.

"The average death loss of calves in the United States is about five percent," he said. "If, through selective breeding for optimum levels of antibody absorption, we could save 10 of every 100 calves lost we would be doing researchers a big favor."

Some crossbred calves absorb more antibodies than others, indicating the ability to extract antibodies from colostrum depends, at least partially, on a cow's genetic makeup, the researchers have found in their studies. Also, they have found that younger cows produce fewer antibodies.

One big question still needs answering.

"It is tempting to believe the best level of antibodies for a calf is a maximum level. However, maximum is not necessarily optimum," Hohenboken said, adding that nature often works toward medium levels rather than highs or lows in such things.

He hopes his next study will show what level of antibodies is best for calves, he said.

□

Cabbage release

Four new cabbage breeding lines resistant to club root, a fungus, have been developed and released by Experiment Station vegetable breeder Jim Baggett.

"These new lines are of good quality but have no advantages over commercial varieties if club root is not present," said Baggett, explaining that the disease, although found in several areas of western Oregon, is most prevalent in moist, acidic soils near the coast.

Once established in the soil, club root may remain for many years, the researcher

said. It causes tumorlike growths on the roots of cabbages, broccoli and similar vegetables, stunting their growth.

The breeding lines have been named Oregon 100, 123, 140 and 142.

Baggett has small quantities of seed and will give them to farmers and gardeners whose soil contains the club root fungus, he said. The researcher can be contacted through the OSU horticulture department.

□

1981 PUBLICATIONS INDEX

Oregon Agricultural Experiment Station scientists conduct a lot more research than *Oregon's Agricultural Progress* has the space to report. Most readers know that. But some of you may not know of other Experiment Station publications available to Oregonians. The scientists write reports—called Circulars of Information, Station Bulletins, Technical Bulletins and Special Reports—about their research findings. Also, the scientists have reprints—called Technical Papers—of articles they write for scientific journals and papers they present at scientific meetings. Usually, Oregonians can obtain single copies of the circulars, bulletins, reports and reprints free.

Following is an index of publications that were printed in 1981. They are categorized by the departments of the OSU School of Agriculture and by branch experiment stations. Copies of Circulars of Information, Technical Bulletins and Station Bulletins may be obtained by writing the OSU Bulletin Mailing Service, Industrial Building, OSU, Corvallis 97331. Copies of Special Reports and reprints may be obtained by contacting the scientists who wrote them through the scientists' campus departments or branch experiment stations. When requesting a publication, refer to the number preceding the title.

Circulars of Information

Agricultural and Resource Economics Department

- CI 688, Production and Marketing Strategies for Oregon High Desert Rangeland Cattle Producers 1968-1978.
- CI 689, Supply and Disposition of Cool Season Grass Seed in U.S. and Overseas Markets.
- CI 690, The Japanese White Wheat Marketing System.
- CI 692, Economics of Producing Ethyl Alcohol From Agricultural Products in Oregon.
- CI 698, White Wheat Marketing Margins Between the Pacific Northwest and Japan.

Station Bulletins

Agricultural Chemistry Department

- SB 648, Meadowfoam (*Limnanthes alba*): Its Research and Development as a Potential New Oilseed Crop for the Willamette Valley of Oregon.

Agricultural and Resource Economics Department

- SB 647, Ocean Transportation Serving Pacific Northwest Agriculture.
- SB 652, Demand and Supply in the Oregon Grass Seed Industry: An Economic Analysis.
- SB 655, Portfolio Analysis of Contracting Strategies for Farmer Marketing Cooperatives.

Crop Science Department

- SB 648, Meadowfoam (*Limnanthes alba*): Its Research and Development as a Potential New Oilseed Crop for the Willamette Valley of Oregon.
- SB 649, The Influence of Seeding Rates on Yield and Stand of Alfalfa in Oregon's Willamette Valley.
- SB 651, The Influence of Seeding Rates on Quality of Alfalfa in Oregon's Willamette Valley.

Entomology Department

- SB 650, The Oregon State Insect (Oregon Swallowtail Butterfly).

Technical Bulletins

Crop Science Department

- TB 141, Alfalfa Hay Quality in Oregon.

Special Reports

Anthropology Department

- SR 641, Labor Relations and Decline of the Oregon Strawberry Economy: Effects on Farm Size.

Agricultural and Resource Economics Department

- SR 610, Outdoor Recreation and the Public Interest: Proceedings of the 1979 Meeting of W-133.
- SR 617, New Shops on Main Street: A Growth Industry?
- SR 631, Estimated Expenditures by Salmon and Steelhead Sport Anglers for Specified Fisheries in the Pacific Northwest.

- SR 636, Economics of Integrated Pest Management An Interpretive Review of the Literature.

Animal Science Department

- SR 609, 1981 Progress Report... Research in Beef Cattle Nutrition and Management.
- SR 613, Summary of Reports... 1981 Sheep and Wool Days.
- SR 643, Reports of the 23rd Annual Swine Day.

Botany Department

- SR 633, Irrigated Crop Research in Oregon's Columbia Basin 1981 Research Report

Central Oregon Experiment Station—Redmond

- SR 632, Oregon Potato Variety Trials 1980.

Columbia Basin Agricultural Research Center—Hermiston

- SR 632, Oregon Potato Variety Trials 1980.
- SR 633, Irrigated Crop Research in Oregon's Columbia Basin 1981 Research Report.

Columbia Basin Agricultural Research Center—Pendleton

- SR 606, Best Management Practices and Water Quality Demonstration and Evaluation Project Five-County North Central Area, October 1979 to April 1980.
- SR 623, 1981 Research Report Columbia Basin Agricultural Research.

Crop Science Department

- SR 608, Results of the Seventh International Winter X Spring Wheat Screening Nursery (1979-1980).
- SR 618, Local Climatological Data for Oregon State University 1980 with Normals, Means, and Extremes.
- SR 619, Effects of Simulated Sulfuric Acid Rain on Crop Plants.
- SR 621, Alfalfa Hay Quality Survey.
- SR 632, Oregon Potato Variety Trials 1980.
- SR 633, Irrigated Crop Research in Oregon's Columbia Basin 1981 Research Report.

Eastern Oregon Agricultural Research Centers—Burns and Union

- SR 609, 1981 Progress Report . . . Research in Beef Cattle Nutrition and Management.
- SR 620, 1981 Research in Rangeland Management.

Klamath Experiment Station—Klamath Falls

- SR 632, Oregon Potato Variety Trials 1980.
- SR 635, Hay and Pasture Research in the Klamath Basin, Oregon 1980 A Research Progress Report.

Malheur Experiment Station—Ontario

- SR 632, Oregon Potato Variety Trials 1980.

North Willamette Experiment Station—Aurora

- SR 611, Vegetable Research at the North Willamette Agricultural Experiment Station 1979-1980.

Poultry Science Department

- SR 612, Comparison of Broiler Performance and Economics in Conventional and Light-tight Floor Pen Houses with Continuous and Intermittent Light Programs.

Rangeland Resources Department

- SR 620, 1981 Research in Rangeland Management.
- SR 635, Hay and Pasture Research in the Klamath Basin, Oregon 1980 A Research Progress Report.
- SR 640, Hydrologic Outputs From Woodland, Shrubland, and Grassland Ecosystems in Relation to Grazing Management Strategies: An Annotated Bibliography.

Technical Paper Reprints

Agricultural Chemistry Department

- 4888, "Effects of Chlorinated Bisphenols on *Torula* Yeast Glucose-6-Phosphate Dehydrogenase," Jun-Lan Wang, D.R. Buhler, *Journal of Toxicology and Environmental Health*, Volume 8, pages 639-648, 1981.
 - 4955, "Cadmium Absorption and Tissue Distribution in Rats Provided Low Concentrations of Cadmium in Food or Drinking Water," D.R. Buhler, D.C. Wright, K.L. Smith, I.J. Tinsley, *Journal of Toxicology and Environmental Health*, Volume 8, pages 185-197, 1981.
 - 5074, "Invitro Binding of ¹⁴C-Labeled Acidic Compounds to Serum Protein and Their Tissue Distribution in the Rat," S.C. Fang, F.T. Lindstrom, *Journal of Pharmacokinetics and Biopharmaceutics*, Volume 8, Number 6, pages 583-597, 1980.
 - 5294, "Preparation of Chlorinated Phenoxyphenols," K.J. Kolonko, M.L. Deinzer, T.L. Miller, *Synthesis*, Volume 2, page 133, 1981.
 - 5482, "Effect of Cadmium Administration on Absorption, Retention, and Excretion of Zinc-65 Administered to Rats," S.C. Fang, P.D. Whanger, *Environmental Research*, Volume 26, pages 130-135, 1981.
 - 5489, "Studies on the Sorption of Elemental Mercury Vapor by Soils," S.C. Fang, *Archives of Environmental Contamination and Toxicology*, Volume 10, pages 193-201, 1981.
 - 5508, "Influence of Dietary Fatty Acids on the Incidence of Mammary Tumors in the C3H Mouse," I.J. Tinsley, J.S. Schmitz, D.A. Pierce, *Cancer Research*, Volume 41, pages 1460-1465, 1981.
 - 5519, "Effect of Ethoxyquin on the Toxicity of the Pyrrolizidine Alkaloid Monocrotaline and on Hepatic Drug Metabolism in Mice," C.L. Miranda, H.M. Carpenter, P.R. Cheeke, D.R. Buhler, *Chemo-Biological Interactions*, Volume 37, pages 95-107, 1981.
 - 5534, "Protective Effects of Butylated Hydroxyanisole Against the Active Toxicity of Monocrotaline in Mice," C.L. Miranda, R.L. Reed, P.R. Cheeke, D.R. Buhler, *Toxicology and Applied Pharmacology*, Volume 59, pages 424-430, 1981.
 - 5538, "Synthesis and Purification of Nonachloro-2-Phenoxyphenol," M.L. Deinzer, T.L. Miller, B.L. Arbogast, J.G. Lambertson, *Journal of Agricultural and Food Chemistry*, Volume 29, page 679, 1981.
 - 5571, "Tissue Metallothionein: Dietary Interaction of Cadmium and Zinc with Copper, Mercury, and Silver," S.H. Oh, P.D. Whanger, J.T. Deagen, *Journal of Toxicology and Environmental Health*, Volume 7, pages 547-560, 1981.
 - 5578, "Cytokinin-Active Ribonucleosides in *Phaseolus* RNA," C.A. Edwards, D.J. Armstrong, R.W. Kaiss-Chapman, R.O. Morris, *Plant Physiology*, Volume 67, pages 1181-1184, 1981.
 - 5594, "N-terminal Polyhedrin Sequences of *Baculovirus* Evolution," G.F. Rohrmann, T.J. Bailey, M.N. Pearson, R.R. Becker, G.S. Beaudreau, *Journal of Molecular Evolution*, Volume 17, pages 329-333, 1981.
 - 5642, "Determination of Chlorpyrifos and 3,5,6-Trichloro-2-Pyridinol Residues in Peppermint Hay and Peppermint Oil," R.D. Inman, U. Kiigemagi, M.L. Deinzer, *Journal of Agricultural and Food Chemistry*, Volume 29, Number 2, page 321, 1981.
 - 5651, "Effect of Hydroxychlorodiphenyl Ether (Chlorinated Pre- and Iso-predioxins) on Erythrocyte Membrane ATPase Activity," D.J. Lorusso, T.L. Miller, M.L. Deinzer, *Journal of Toxicology and Environmental Health*, Volume 8, page 215, 1981.
 - 5663, "Evidence for Selenocysteine in Ovine Tissue Organelles," M.A. Beilstein, M.J. Tripp, P.D. Whanger, *Journal of Inorganic Biochemistry*, Volume 15, pages 339-347, 1981.
 - 5687, "Ovine and Bovine Metallothioneins: Purification, Number of Species, Zinc Content and Amino Acid Composition," P.D. Whanger, S.H. Oh, J.T. Deagen, *The Journal of Nutrition*, Volume 3, Number 7, pages 1207-1215, 1981.
 - 5688, "Ovine and Bovine Metallothioneins: Accumulation and Depletion of Zinc in Various Tissues," P.D. Whanger, S.H. Oh, J.T. Deagen, *The Journal of Nutrition*, Volume 3, Number 7, pages 1196-1206, 1981.
 - 5694, "Kinetics of Alkylation Reactions of Pyrrolizidine Alkaloid Derivatives," J.J. Karchesy, M.L. Deinzer, *Heterocycles*, Volume 16, page 631, 1981.
 - 5695, "Dietary Copper Enhances the Hepatotoxicity of *Senecio Jacobaea* in Rats," C.L. Miranda, M.C. Henderson, D.R. Buhler, *Toxicology and Applied Pharmacology*, Volume 60, pages 418-423, 1981.
 - 5696, "Effect of Consumption of Milk from Goats Fed *Senecio Jacobaea* on Hepatic Drug Metabolizing Enzyme Activities in Rats," C.L. Miranda, P.R. Cheeke, D.E. Goeger, D.R. Buhler, *Toxicology Letters*, Volume 8, pages 343-347, 1981.
 - 5730, "Floral Hop Aroma in Beer," V.E. Peacock, M.L. Deinzer, S.T. Likens, G.B. Nickerson, *Journal of Agricultural and Food Chemistry*, Volume 29, Number 6, page 1265, 1981.
 - 5740, "Induction of Endogenous Viral Gene Expression by Halogenated Hydrocarbons," M.N. Pearson, G.S. Beaudreau, A.M. Deeney, *Carcinogenesis*, Volume 2, Number 6, pages 489-494, 1981.
 - 5742, "Metallothionein and Cu-Chelatin: Characterization of Metal-Binding Protein from Tissues of Four Marine Animals," J.W. Ridlington, D.C. Chapman, D.E. Goeger, P.D. Whanger, *Comparative Biochemistry and Physiology*, Volume 70 B, pages 93-104, 1981.
 - 5745, "High Performance Liquid Chromatographic Analysis of Pyrrolizidine (*Senecio*) Alkaloids Using a Reverse-Phase Styrene-Divinylbenzene Resin Column, H.S. Ramsdell, D.R. Buhler, *Journal of Chromatography*, Volume 210, pages 154-158, 1981.
 - 5761, "Synthesis of Nonachloro-3-Phenoxyphenol. Carbon-13 NMR Spectra of Polychlorinated Intermediates," M.L. Deinzer, T.L. Miller, J.G. Lambertson, B.L. Arbogast, *Journal of Organic Chemistry*, Volume 46, page 4800, 1981.
 - 5762, "Distribution of Cytokinin-Active Nucleosides in Isoaccepting Transfer Ribonucleic Acids from *Agrobacterium Tumefaciens*, G.S. Beaudreau, *Biochemistry*, Volume 21, pages 6012-6017, 1981.
 - 5764, "Response of Vegetable Crops to Sublethal Application of 2,4-D," D.H. Hemphill, Jr., M.L. Montgomery, *Weed Science*, Volume 29, pages 632-635, 1981.
 - 5831, "Some Observations on the AOAC Method for the Analysis of Brominated Oils," R.R. Lowry, I.J. Tinsley, *Journal of the American Oil Chemists' Society*, Volume 58, Number 11, pages 991-993, 1981.
 - 5847, "Combined High Performance Liquid Chromatography: Radioimmunoassay for Cytokinins," E.M.S. MacDonald, D.E. Akiyoshi, R.O. Morris, *Journal of Chromatography*, Volume 214, pages 101-109, 1981.
 - 6137, "DNA Sequence Homology Between *Autographa Californica* and *Orygia Pseudotsugata*," G.F. Rohrmann, M.E. Martignoni, G.S. Beaudreau, *Journal of General Virology*, 1981.
- ### Agricultural Engineering
- 5184, "Controlling Odors from Confinement Livestock Production Facilities," J.R. Miner, *Livestock Waste: A Renewable Resource, Proceedings 4th International Symposium on Livestock Wastes*, pages 297-301, 1981.
 - 5197, "Fabric Swatches as an Aid in Livestock Odor Evaluations," J.R. Miner, L.A. Licht, *Livestock Waste: A Renewable Resource, Proceedings 4th International Symposium on Livestock Wastes*, pages 302-305, 1981.
 - 5199, "Water Energy and Labor Requirements for Future Pacific Northwest Irrigation," Larry D. King, Martin L. Hellickson, *Transactions of the American Society of Agricultural Engineers*, Volume 24, Number 3, pages 691-698, May/June, 1981.
 - 5339, "Direct Conversion of Solar Radiation to Mechanical Power Using Bimetals and Linear Fresnel Lenses," V.R. Pritchard, M.L. Hellickson, *Transactions of the American Society of Agricultural Engineers*, Volume 24, Number 4, pages 1026-1029, 1981.
 - 5386, "Strip-Till Planting in Dryland Cereal Production," Floyd Bolton, Dean E. Booster, *Transactions of the American Society of Agricultural Engineers*, Volume 24, Number 1, pages 59-61, January/February, 1981.
 - 5739, "The Potential Advantages of Deficit Irrigation," M.J. English, *Irrigation: The Hope and the Promise, Proceedings of the 1981 Annual Conference of the Irrigation Association*, Salt Lake City, February 15-18, 1981.
- ### Agricultural and Resource Economics
- 5438, "The Net Economic Incentive for Illegal Mexican Migration: A Case Study," Joe B. Stevens, Richard Cuthbert, *International Migration Review*, Volume 13, pages 543-550, June 1981.
 - 5677, "The Supply and Demand of Marketing Contracts Under Risk," Steven T. Buccola, *American Journal of Agricultural Economics*, Volume 63, pages 503-509, August 1981.
 - 5714, "Economic Evaluation of Small Watershed Projects in Midlife," Herbert H. Stoevener, Roger G. Kraynick, *Proceedings of the Symposium on Surface Water Impoundments*, Volume 1, pages 413-427, 1981.
 - 5755, "The Relationship Between Private Ranchland Prices and Public Land Grazing Permits," John R. Winter, James K. Whittaker, *Land Economics*, Volume 57, pages 414-421, August 1981.
 - 5758, "Costs of Marketing Slaughter Cattle: Computerized Versus Conventional Systems," Steven Buccola, Alice Chieruzzi, *Agricultural Economics Research*, Volume 33, pages 31-35, July 1981.

Animal Science Department

- 5025, "Effect of Dietary Protein on High-producing Dairy Cows in Early Lactation," D.W. Claypool, M.C. Pangborn, H.P. Adams, *Journal of Dairy Science*, Volume 63, pages 833-837, 1981.
- 5140, "The Relationship Between Duration of Estrus and Prolificacy in Crossbred Ewes," Martin R. Dally, W.D. Hohenboken, *Canadian Journal of Animal Science*, Volume 60, pages 779-782, 1980.
- 5260, "In Vitro Binding of Prostaglandin F-2 to Uterine Luminal Protein of Pregnant and Non-Pregnant Ewes," W.F. Pope, F. Stormshak, *Journal of Reproduction and Fertility*, Volume 63, pages 211-213, 1981.
- 5331, "The Effect of Dietary Alfalfa of Varying Saponin Content on Yolk Cholesterol Level and Layer Performance," H.S. Nakauae, R.R. Lowry, P.R. Cheeke, G.H. Arscott, *Poultry Science*, Volume 59, pages 2744-2748, 1981.
- 5336, "Relationships Between Eating Rate of Sheep and Live Weight Gain, Weight and Fill of the Gastrointestinal Tract," D.C. Church, R.P. Randall, E. Ortega, *Journal of Animal Science*, Volume 51, pages 1373-1380, 1980.
- 5359, "Simulation of Beef Cattle Production Systems in the Llanos of Colombia Part I. Methodology and Alternative Technology for the Tropics," Joel M. Levine, W.D. Hohenboken, A.G. Nelson, *Agricultural Systems*, Volume 7, Number 2, pages 37-48, 1981.
- 5360, "Simulation of Beef Cattle Production Systems in the Llanos of Colombia Part II. Results of the Modelling," Joel M. Levine, W.D. Hohenboken, A.G. Nelson, *Agricultural Systems*, Volume 7, Number 2, pages 83-93, 1981.
- 5466, "Nutritional Evaluation of Leaf Protein Concentrates Prepared From Selected Tropical Plants," P.R. Cheeke, L. Telek, R. Carlsson, J. Evans, *Nutrition Reports International*, Volume 22, Number 5, 1980.
- 5481, "Thoughts on Learning," William D. Hohenboken, *National Association of Colleges and Teachers of Agriculture Journal*, Volume XXIV, pages 12-13, 1981.
- 5491, "Nutritive Value of Leaf Protein Concentrates Prepared From Amaranthus Species," P.R. Cheeke, R. Carlsson, G.O. Kohler, *Canadian Journal of Animal Science*, Volume 61, pages 199-204, 1981.
- 5492, "Performance of Growing-finishing Swine Fed High Levels of Alfalfa Meal: Effects of Dietary Additives and Antibiotics," J.S. Powley, P.R. Cheeke, D.C. England, W.H. Kennick, *Proceedings, Western Section, American Society of Animal Science*, Volume 31, page 125, 1981.
- 5510, "Temporal Relationships Between Endometrial RNA Polymerase Activities and Steroid Hormone Receptors Following Estradiol Administration During the Midluteal Phase of the Ovine Estrous Cycle," M.B. Zelinski, F. Stormshak, *Biology of Reproduction*, Volume 24, pages 119-124, 1981.
- 5527, "Toxicity of *Senecio jacobaea* (tansy ragwort) in Rats," C.L. Miranda, P.R. Cheeke, J.A. Schmitz, D.R. Buhler, *Toxicology and Applied Pharmacology*, Volume 56, pages 432-442, 1980.
- 5534, "Protective Effects of Butylated Hydroxyanisole Against the Acute Toxicity of Monocrotaline in Mice," C.L. Miranda, P.R. Cheeke, D.R. Buhler, *Toxicology and Applied Pharmacology*, Volume 59, pages 424-430, 1981.
- 5539, "Tower Rapeseed Meal as a Protein Source for Weanling Rabbits," J.C. Throckmorton, P.R. Cheeke, N.M. Patton, *Canadian Journal of Animal Science*, Volume 60, pages 1027-1028, 1981.
- 5551, "Estrus, Ovulation and Embryo Survival in Confinement-managed Gilts of Different Weights and Sexual and Chronological Ages," R.E. Knott, D.C. England, W.H. Kennick, *Journal of Animal Science*, Volume 50, 1981.
- 5553, "Effects of Electrical Stimulation and Delayed Chilling of Beef Carcasses on Carcass and Meat Characteristics," E.A. Elgasim, W.H. Kennick, L.A. McGill, D.F. Rock, A. Soeldner, *Journal of Food Science*, Volume 46, page 340, 1981.
- 5569, "Characteristics of Spermatozoan Midpiece Length and Its Relationship With Economically Important Traits in Cattle," S.D. Lukefahr, W.D. Hohenboken, *Journal of Dairy Science*, Volume 64, pages 508-512, 1981.
- 5633, "Performance of Growing-finishing Swine Fed High Levels of Alfalfa Meal: Effects of Alfalfa Level, Dietary Additives and Antibiotics," J.S. Powley, P.R. Cheeke, D.C. England, T.P. Davidson, W.H. Kennick, *Journal of Animal Science*, Volume 53, page 308, 1981.
- 5696, "Effect of Consumption of Milk From Goats Fed *Senecio jacobaea* on Hepatic Drug Metabolizing Enzyme Activities in Rats," C.L. Miranda, P.R. Cheeke, D.E. Goeger, D.R. Buhler, *Toxicology Letters*, Volume 8, pages 343-347, 1981.
- 5699, "Distribution of Progesterone in the Reproductive Tract of Beef Cows," W.F. Pope, R.R. Maurer, F. Stormshak, (Abstract) 14th Annual Meeting Midwestern Section, American Society of Animal Science, Volume 53, Supplement Number 1, 1981.
- 5709, "Genetic, Environmental and Interaction Effects on Lamb Survival, Cumulative Lamb Production and Longevity of Crossbred Ewes," W. Hohenboken, S.E. Clarke, *Journal of Animal Science*, Volume 53, pages 966-976, 1981.
- 5711, "The Effect of Ammoniation Treatment on Intake and Nutritive Value of Wheat Straw," R. Herrera-Saldana, D.C. Church, R.O. Kellems, *Proceedings, American Society of Animal Science*, Western Section, Volume 32, 1981.
- 5748, "Genetic Differences in Concentrations of Immunoglobulins G1 and M in Serum and Colostrum of Cows and in Serum of Neonatal Calves," L.M. Norman, W.D. Hohenboken, K.W. Kelly, *Journal of Animal Science*, Volume 53, 1981.
- 5802, "Effects of Selenium in a Mineral-salt Mixture on Heifers Grazing Tall Fescue and Quack Grass Pastures," R.L. Hathaway, J.E. Oldfield, M.R. Buettner, *Proceedings, Western Section, American Society of Animal Science*, Volume 32, pages 32-33, 1981.
- 5805, "Milk Production and Litter Growth Traits in Straightbred and Crossbred Rabbits," S.D. Lukefahr, W.D. Hohenboken, P.R. Cheeke, N.M. Patton, *Proceedings, Western Section, American Society of Animal Science*, Volume 32, pages 298-302, 1981.
- 5809, "Factors Affecting Blood Selenium Levels in Oregon Horses and Association of Blood Selenium Levels with Disease Incidence," Susan E. Basler, Donald W. Holtan, *Proceedings, Western Section, American Society of Animal Science*, Volume 32, pages 399-400, 1981.
- 5811, "Effect of Bulk Density of Finishing Diets on Consumption by Beef Cattle," R.O. Kellems, D.C. Church, *Proceedings, American Society of Animal Science*, Western Section, Volume 32, pages 26-28, 1981.
- 5812, "Feedlot Performance and Sensory Evaluation of Meat From Lambs Supplemented With Liquefied Fish, Cottonseed Meal or Urea," A.A. Shqueir, D.C. Church, R.O. Kellems, *Proceedings, American Society of Animal Science*, Western Section, Volume 32, pages 96-100, 1981.
- 5813, "Forage Quality Effect on Nutrient Consumption by Beef Cattle When Fed in Combination With a Liquid Supplement," R.O. Kellems, D.C. Church, *Proceedings, American Society of Animal Science*, Western Section, Volume 32, pages 184-187, 1981.
- 5817, "Effect of Sodium Hydroxide and Phosphoric Acid Treatment on Pepsin and *In Vitro* Digestibilities of Steam Hydrolyzed Feather Meal," R.J. Steiner, D.C. Church, R.O. Kellems, *Proceedings, American Society of Animal Science*, Western Section, Volume 32, pages 56-59, 1981.
- 5929, "Carcass and Meat Characteristics of Flemish Giant and New Zealand White Purebred and Terminal-cross Rabbits," S.D. Lukefahr, W.D. Hohenboken, P.R. Cheeke, N.M. Patton, W.H. Kennick, *Journal of Applied Rabbit Research*, Volume 4, pages 66-72, 1981.
- 6183, "Effects of Liquefied Fish in Liquid Supplements, Cottonseed Meal and Feather Meal Protein Supplementation on *In Vivo* and *In Vitro* Rumen Parameters," A.A. Shqueir, D.C. Church, R.O. Kellems, *Journal of Animal Science*, (Abstract), 1981.

Department of Botany and Plant Pathology

- 5389, "Morphology and Timing of Secondary Sporidial Mating in a Wheat-Bunt Fungus *Tilletia caries* (DC.) Tul.," J.F. Kollmorgen, A. Owczarzak, E.J. Trione, *Transactions of the British Mycological Society*, Volume 75, pages 461-471, 1980.
- 5393, "Quantifying Vesicular-Arbuscular Mycorrhizae: A Proposed Method Towards Standardization," Brenda Biermann, R.G. Linderman, *New Phytologist*, Volume 87, pages 63-67, 1981.
- 5455, "Presence of Vesicular-Arbuscular Mycorrhizae in *Eucalyptus* spp. and *Acacia* sp., and Their Absence in *Banksia* sp. After Inoculation with *Glomus fasciculatus*," N. Malajczuk, R.G. Linderman, J. Kough, J.M. Trappe, *New Phytologist*, Volume 87, pages 567-572, 1981.
- 5459, "Seedborne Cucumber Mosaic Virus in Selected *Phaseolus vulgaris* Germplasm and Breeding Lines in Idaho, Washington, and Oregon," R.F. Davis, Z. Weber, H. Pospieszny, M. Silbernagel, R.O. Hampton, *Plant Disease*, Volume 65, pages 492-494, 1981.

- 5475, "Reaction of Some Pacific Coast Strawberry Cultivars to Leaf Scorch," R.H. Converse, W.C. Denison, F.J. Lawrence, Plant Disease, Volume 65, pages 254-255, 1981.
- 5478, "Ethylene Production by Cultures of *Cylindrocodium floridanum* and *c. scoparium*," Paige E. Axelrood-McCarthy, R.G. Linderman, Phytopathology, Volume 71, pages 825-830, 1981.
- 5521, "Infection of Cultivated Strawberries by Tomato Ringspot Virus," R.H. Converse, Phytopathology, Volume 71, pages 1149-1152, 1981.
- 5555, "The Israeli Strawberry Industry," R.H. Converse, HortScience, Volume 16, pages 19-22, 1981.
- 5567, "Graft Transmission of Calico from Three Blackberry Cultivars," R.H. Converse, K.L. Kowalczyk, Acta Horticulturae, Volume 112, pages 47-52, 1980.
- 5578, "Cytokinin-active Ribonucleosides in *Phaseolus* RNA. I. Identification in tRNA from Etiolated *P. vulgaris* L. Seedlings," Cynthia A. Edwards, Donald J. Armstrong, Richard W. Kaiss-Chapman, Roy O. Morris, Plant Physiology, Volume 67, pages 1181-1187, 1981.
- 5579, "Cytokinin-active Ribonucleosides in *Phaseolus* RNA. II. Distribution in tRNA Species from Etiolated *P. vulgaris* L. Seedlings," Cynthia A. Edwards, Donald J. Armstrong, Plant Physiology, Volume 67, pages 1185-1189, 1981.
- 5585, "In vitro Propagation of Heat-treated Red Raspberry Clones," Joanna L. Pyott, R.H. Converse, HortScience, Volume 16, pages 308-309, 1981.
- 5588, "Chlorotic Ringspot and Decline of Ornamental Shamrock (*Oxalis regnellii*)," D.L. Coyier, Plant Disease, Volume 65, pages 275-276, 1981.
- 5605, "Diagnosis of Virus Disease of Lilies" Thomas C. Allen, North American Lily Society Yearbook, Volume 33, pages 41-43, 1980.
- 5616, "Genetic Regulation of Cytokinin Metabolism in *Phaseolus* Tissue Cultures," Donald J. Armstrong, Sang-Gu Kim, Machteld C. Mok, David W.S. Mok, In: "Metabolism and Molecular Activities of Cytokinins," J. Guern, C. Péaud-Lenoël, eds., Springer-Verlag, New York, pages 97-104, 1981.
- 5762, "Distribution of Cytokinin-active Nucleosides in Isoaccepting Transfer Ribonucleic Acids from *Agrobacterium tumefaciens*," R.O. Morris, D.A. Regier, R.M. Olson, Jr., L.A. Struxness, D.J. Armstrong, Biochemistry, Volume 21, pages 6012-6017, 1981.
- 5792, "Virus-tested Rubus Cultivars in the USDA Research Collection," R.H. Converse, Fruit Varieties Journal, Volume 35, pages 141-145, 1981.
- Columbia Basin Agricultural Research Center-Pendleton**
 - 5098, "Corn Cockle (*Agrostemma githago*) Competition in Winter Wheat (*Triticum aestivum*)," D.J. Rydrych, Weed Science, Volume 29, Number 3, pages 360-363, May 1981.
 - 5531, "A Portable Device for Installing Lightweight Borders for Runoff and Erosion Plots," W.R. Warn, R.R. Allmaras, G.A. Muilenburg, J.F. Zuzel, Soil Science Society of America Journal, Volume 45, Number 3, pages 664-666, May/June 1981.
- 5886, "Nitrogen Fertilization, Stem Nitrate Concentration, and Grain Yield of Irrigated White Winter Wheat in Eastern Oregon," F.V. Pumphrey, P.E. Rasmussen, Proceedings, 32nd Annual Pacific Northwest Fertilizer Conference, Billings, Montana, pages 59-73, 1981.
- Crop Science Department**
 - 5543, "Hop Production, Breeding, and Variety Development in Various Countries," Alfred Haunold, Journal of American Society of Brewing Chemists, Volume 39, pages 27-34, 1981.
 - 5544, "Effect of Simulated Sulfuric Acid Rain on Yield, Growth and Foliar Injury of Several Crops," Jeffrey J. Lee, Grady E. Neely, Shelton C. Perrigan, Louis C. Grothaus, Environmental and Experimental Botany, Volume 21, pages 171-185, 1981.
 - 5595, "Control of Annual Bluegrass (*Poa annua*) in Perennial Ryegrass (*Lolium perenne*) Seed Fields," W.O. Lee, Weed Science, Volume 29, pages 444-447, 1981.
 - 5697, "A Rapid and Sensitive Assay of ADPG-pyrophosphorylase Using Luciferase," Te May Ching, Analytical Biochemistry, Volume 111, pages 327-330, 1981.
 - 5856, "Effect of a Pre-Irrigation Period on the Activity of Ethofumesate Applied to Dry Soil," D. McAuliffe, A.P. Appleby, Weed Science, Volume 29, pages 712-717, 1981.
- Eastern Oregon Agricultural Research Center-Burns (Squaw Butte)**
 - 5041, "Effects of Tebuthiuron on a Western Juniper Community," C.M. Britton, F.A. Snea, Journal of Range Management, Volume 34, Number 1, pages 30-32, 1981.
 - 5432, "The Efficacy of an Estradiol-silicone Rubber Removable Implant in Suckling, Growing and Finishing Steers," Journal of Animal Science, Volume 52, Number 2, pages 939-944, 1981.
 - 5726, "Will Your Sagebrush Range Burn?" Carlton M. Britton, Robert G. Clark, Forrest A. Snea, Rangelands, Volume 3, Number 5, pages 207-208, October 1981.
 - 5797, "Monensin and Zeranol Alone and in Combination for Growing-finishing Steers and Growing Heifers," D.G. Wooten, H.A. Turner, R.J. Raleigh, Proceedings Western Section, American Society of Animal Science, Volume 32, pages 11-14, 1981.
- Eastern Oregon Agricultural Research Center-Union**
 - 5254, "Deer and Elk Use on Foothill Rangelands in Northeastern Oregon," Richard F. Miller, William C. Krueger, M. Vavra, Journal of Range Management, Volume 34, pages 201-204, 1981.
 - 5277, "Effects of Range Improvement on Roosevelt Elk Winter Nutrition," Ihor M. Mereszczak, William C. Krueger, M. Vavra, Journal of Range Management, Volume 34, pages 184-187, 1981.
 - 5289, "Effect of Slide and Frequency Observation Numbers on the Precision of Microhistological Analysis," J.L. Holechek, M. Vavra, Journal of Range Management, Volume 34, pages 337-338, 1981.
 - 5380, "Diet Quality and Performance of Cattle on Forest and Grassland Range," J.L. Holechek, M. Vavra, J. Skovlin, Journal of Animal Science, Volume 53, pages 291-298, 1981.
- 5432, "The Efficacy of an Estradiol-silicone Rubber Removable Implant in Suckling, Growing and Finishing Steers," H.A. Turner, R.L. Phillips, M. Vavra, D.C. Young, Journal of Animal Science, Volume 42, pages 939-944, 1981.
- 5560, "The Effect of Winter Feed Levels on Subsequent Production of Steer," R.L. Phillips, J.L. Holechek, M. Vavra, Proceedings Western Section, American Society of Animal Science, Volume 32, pages 105-107, 1981.
- 5561, "The Effect of Pre-calving Energy Levels on Cow Performance," R.L. Phillips, M. Vavra, Proceedings Western Section, American Society of Animal Science, Volume 32, pages 117-120, 1981.
- Entomology Department**
 - 4987, "Olfactory and Acoustic Behavior of *Pseudohylesinus nebulosus* (Coleoptera: Scolytidae) on Douglas-fir Bark," P.T. Oester, J.A. Rudinsky, L.C. Ryker, Canadian Entomologist, Volume 113, pages 645-650, 1981.
 - 5317, "An Aseptic Technique for Rearing Larvae of the Leafcutting Bee, *Megachile rotundata*," B.L. Fichter, W.P. Stephen, J.D. Vandenberg, Journal of Apicultural Research, Volume 20, pages 184-188, 1981.
 - 5693, "Aldrin Epoxidase Activity and Cytochrome P-450 Content of Microsomes Prepared from Alfalfa and Cabbage Looper Larvae Fed Various Plant Diets," D.E. Farnsworth, R.E. Berry, S.J. Yu, L.C. Terriere, Pesticide Biochemistry and Physiology, Volume 15, pages 158-165, 1981.
 - 5717, "Synonymy and Distribution Records in the Genus *Eucerceris* (Hymenoptera: Philanthidae)," G.R. Ferguson, New York Entomological Society, Volume 89, pages 172-183, 1981.
 - 5749, "Two New *glaber* Group Species of *Macrocheles* (Acari: Macrochelidae) from Southern Africa," G.W. Krantz, International Journal of Acarology, Volume 7, pages 3-15, 1981.
 - 5803, "Determining Low Temperature Threshold for Pupal Development of the Western Cherry Fruit Fly for Use in Phenology Models," J.R. VanKirk, M.T. AliNiazee, Environmental Entomology, Volume 10, pages 968-971, 1981.
 - 5849, "Time Related Decay in Prey Antigens Ingested by the Predator, *Podisus maculiventris*, as Detected by ELISA," B.L. Fichter, W.P. Stephen, Oecologia, Volume 51, pages 404-407, 1981.
- Fisheries and Wildlife Department**
 - 5361, "Razor Clams, *Siliqua patula* (Dixon): Gonadal Development, Induced Spawning and Larval Rearing," W.P. Breese, Anja Robinson, Aquaculture, Volume 22, pages 27-37, 1981.
 - 5398, "Molt of the Spotted Owl," E.D. Forsman, Auk, Volume 98, Number 4, pages 735-742, 1981.
 - 5434, "A New Subspecies of Tui Chub (Osteichthyes: Cyprinidae) from Guana Basin, Nevada and Oregon," Jack E. Williams, Carl E. Bond, The Southwestern Naturalist, Volume 26, Number 3, pages 223-230, 1981.

- 5467, "Varied Effects of Clear Cut Logging on Predators and Their Habitat in Small Streams of the Cascade Mountains, Oregon," Michael L. Murphy, James D. Hall, Canadian Journal of Fisheries and Aquatic Science, Volume 38, pages 137-145, 1981.
 - 5541, "Effects of Number of Circular Plots on Estimates of Avian Density and Species Richness," M.L. Morrison, R.W. Mannan, G.L. Dorsey, Studies in Avian Biology, Volume 6, pages 405-408, 1981.
 - 5584, "Ecological Analysis of Species Introductions into Aquatic Systems," H.W. Li, P.B. Moyle, Transactions of American Fisheries Society, Volume 110, pages 772-782, 1981.
 - 5635, "Dispersal and Dispersion of an Introduced Population of *Sylvilagus floridanus*," B.J. Verts, L.N. Carraway, Great Basin Naturalist, Volume 41, pages 167-175, 1981.
 - 5647, "The Influence of Substrate Organic Content on the Growth of a Stream Chironomid," R.L. Mattingly, R.W. Cummins, R.H. King, Hydrobiologia, Volume 77, pages 161-165, 1981.
 - 5703, "Effects of Canopy Modification and Accumulated Sediment on Stream Communities," Michael Murphy, Charles P. Hawkins, N.H. Anderson, Transactions of the American Fisheries Society, Volume 110, pages 469-478, 1981.
 - 5723, "Effects of Low Temperature on the Development of the Microsporidian *Glugea stephani* in English Sole (*Parophrys vetulus*)," Robert E. Olson, Journal of Wildlife Diseases, Volume 17, Number 4, pages 559-562, 1981.
 - 5734, "Possible Dangers of Introducing Sawtooth Oak," Bruce E. Coblenz, The Wildlife Society Bulletin, Volume 9, Number 2, pages 136-138, 1981.
 - 5738, "Dynamics of a Transferrin Polymorphism in a Population of *Sylvilagus nuttalli*," John R. Skalski, B.J. Verts, Oecologia (Berl), Volume 49, pages 329-332, 1981.
 - 5751, "Old-growth Forests as Wildlife Habitats," E.C. Meslow, C. Maser, J. Verner, Transactions of the North American Wildlife and Natural Resources, pages 405-408, Estimating Conference, Volume 46, pages 329-335, 1981.
 - 5784, "Trends in Particulate Organic Matter Fluxes, Community Processes and Macroinvertebrate Functional Groups Along a Great Lakes Draining Basin River Continuum," K.W. Cummins, M.J. Klug, G.M. Ward, G.L. Spengler, R.W. Speaker, R.W. Ovink, D.C. Mahan, R.C. Petersen, Verh International Verein Limnology, Volume 21, pages 620-630, 1981.
 - 6127, "Stream Rehabilitation and Enhancement," James D. Hall, Calvin O. Baker, Influence of Forest and Rangeland Management on Anadromous Fish Habitat in Western North America, 1981.
- Food Science and Technology Department**
- 3011, "Isolation and Partial Characterization of Bovine Remen Myosin," C.O. Perera, A.F. Anglemier, Meat Science, Volume 5, pages 149-158, 1981.
 - 4768, "Aflatoxin-induced Hepatocellular Carcinoma in Rainbow Trout (*Salmo gairdneri*) and the Synergistic Effects of Cyclopropanoid Fatty Acids," G.L. Schoenhard, J.D. Hendricks, J.E. Nixon, D.J. Lee, J.H. Wales, R.O. Sinnhuber, N.E. Pawlowski, Cancer Research, Volume 41, pages 1011-1014, 1981.
 - 5248, "Null Effect of Dietary Aroclor 1254 on Hepatocellular Carcinoma Incidence in Rainbow Trout (*Salmo gairdneri*) Exposed to Aflatoxin B₁ as Embryos," J.D. Hendricks, T.P. Putnam, R.O. Sinnhuber, Journal of Environmental Pathology and Toxicology, Volume 4, pages 9-16, 1980.
 - 5293, "Use of Beef Tallow as an Energy Source in Coho Salmon (*Oncorhynchus kisutch*), Rations," T.C. Yu, R.O. Sinnhuber, Canadian Journal of Fisheries and Aquatic Sciences, Volume 38, pages 367-370, 1981.
 - 5314, "Enhancement of Aflatoxin B₁ Hepatocarcinogenesis in Rainbow Trout, (*Salmo gairdneri*) Embryos by Prior Exposure of Gravid Females to Dietary Aroclor 1254," J.D. Hendricks, W.T. Stott, T.P. Putnam, R.O. Sinnhuber, Published in Aquatic Toxicology: Fourth Conference Proceedings, American Society for Testing and Materials, pages 203-214, 1981.
 - 5374, "Separation of Methyl Malvalate From Methyl Sterulate," N.E. Pawlowski, P.M. Loveland, R.O. Sinnhuber, Journal of the American Oil Chemists' Society, Volume 58, pages 692-694, 1981.
 - 5511, "Inhibition of Microbial Growth in English Sole (*Parophrys retulus*)," Yuh-Mei Chung, J.S. Lee, Journal of Food Protection, Volume 44, Number 1, pages 66-68, January 1981.
 - 5513, "Comparison of Sodium and Sodium/Potassium Salt Mixtures in Processed Vegetables," C. Jane Wyatt, Journal of Food Science, Volume 46, pages 302-303, January 1981.
 - 5529, "Causes of Browning in Pear Juice Concentrate During Storage," C.J. Cornwell, R.E. Wrolstad, Journal of Food Science, Volume 46, pages 515-518, February 1981.
 - 5530, "The Effect of Prolonged Administration of Bovine Insulin in Rainbow Trout (*Salmo gairdneri* R.), Richard F. Ablett, Russell O. Sinnhuber, Richard M. Holmes, Daniel P. Selivonchick, General and Comparative Endocrinology, Volume 43, pages 211-217, 1981.
 - 5547, "Liver and Kidney Pathology in Rainbow Trout (*Salmo gairdneri*) Exposed to Dietary Pyrrolizidine (*Senecio*) Alkaloids," J.D. Hendricks, R.O. Sinnhuber, M.C. Henderson, D.R. Buhler, Experimental and Molecular Pathology, Volume 35, pages 170-183, 1981.
 - 5548, "Color Degradation in an Ascorbic Acid-anthocyanin-flavanol Model System," M.S. Poei-Langston, R.E. Wrolstad, Journal of Food Science, Volume 46, pages 1218-1222, April 1981.
 - 5556, "Alteration of Liver Microsomal Proteins From Rainbow Trout (*Salmo gairdneri*) Fed Cyclopropanoid Fatty Acids," D.P. Selivonchick, J.L. Williams, H.W. Schaup, Lipids, Volume 16, pages 211-214, March 1981.
 - 5591, "Carcinogenicity of Aflatoxinol in Fischer 344 Rats," J.E. Nixon, J.D. Hendricks, N.E. Pawlowski, P. M. Loveland, R.O. Sinnhuber, Journal of the National Cancer Institute, Volume 66, pages 1159-1163, 1981.
 - 5614, "Incidence and Growth of *Bacillus cereus* in Retail Pumpkin Pies," C. Jane Wyatt, V.H. Guy, Journal of Food Protection, Volume 44, pages 422-424, June 1981.
 - 5615, "Growth of *Salmonella typhimurium* and *Staphylococcus aureus* in Retail Pumpkin Pies," C. Jane Wyatt, V.H. Guy, Journal of Food Protection, Volume 44, pages 418-421, June 1981.
 - 5646, "Sodium in Processed Foods," C. Jane Wyatt, Journal of Practical Cardiology, Volume 7, Number 8, pages 83-105, July 1981.
 - 5658, "Anomalies in the Mass Spectrum of N-Nitrosopyrrolidine," L.M. Libbey, R.A. Scanlan, Journal of the Association of Official Analytical Chemists, Volume 64, pages 1255-1256, May 1981.
 - 5678, "The Use of Isolated Hepatocytes From Rainbow Trout (*Salmo gairdneri*) in the Metabolism of Acetaminophen," R.S. Parker, M.T. Morrissey, P. Moldeus, D.P. Selivonchick, Comparative Biochemistry and Physiology, Volume 70B, pages 631-633, 1981.
 - 5680, "The Effect of Bovine Insulin on [¹⁴C] Glucose and [³H] Leucine Incorporation in Fed and Fasted Rainbow Trout," R.F. Ablett, R.O. Sinnhuber, D.P. Selivonchick, General and Comparative Endocrinology, Volume 44, pages 418-427, 1981.
 - 5698, "Phage-insensitive, Multiple-strain Starter Approach to Cheddar Cheese Making," R.K. Thunell, W.E. Sandine, F.W. Bodyfelt, Journal of Dairy Science, Volume 64, pages 2270-2277, 1981.
 - 5730, "Floral Hop Aroma in Beer," V.E. Peacock, M.L. Deinzer, S.T. Likens, G.B. Nickerson, L.A. McGill, Journal of Agricultural and Food Chemistry, Volume 29, Number 6, pages 1265-1269, 1981.
 - 5993, "N-Nitrosamines in Beer," M.M. Mangino, R.A. Scanlan, T.J. O'Brien, ACS Symposium Series Number 174, pages 229-245, 1981.
- Foods and Nutrition Department**
- 5265, "Macrostructure of Selected Raw Starches and Selected Heated Starch Dispersions," Zoe Ann Holmes, Al Soeldner, Journal of The American Dietetic Association, Volume 78, Number 2, pages 153-157, February 1981.
 - 5266, "Effect of Heating Rate and Freezing and Reheating of Corn and Wheat Starch-Water Dispersions," Zoe Ann Holmes, Al Soeldner, Journal of The American Dietetic Association, Volume 78, pages 352-355, April 1981.
 - 5267, "Characteristics of a Cream of Cheese with Bacon Frozen Soup Concentrate," Carolyn Brown, Zoe Ann Holmes, Al Soeldner, Journal of The American Dietetic Association, Volume 79, Number 2, pages 154-158, August 1981.
 - 5486, "Heat Transfer and Temperature of Foods During Processing," Z.A. Holmes, M. Woodburn, CRC Critical Reviews in Food Science and Nutrition, Volume 14, pages 231-294, April 1981.
 - 5570, "The Effect of Dietary Citrus Pectin on the Excretion of Human Fecal Neutral and Acid Steroids and the Activity of 7 α -Dehydroxylase and α -Glucuronidase," Jane K. Ross, James E. Leklem, The American Journal of Clinical Nutrition, Volume 34, pages 2068-2077, October 1981.
 - 5572, "Urinary 4-Pyridoxic Acid, Urinary Vitamin B-6 and Plasma Pyridoxol Phosphate as Measures of Vitamin B-6 Status and Dietary Intake in Adults," Terry D. Shultz, James E. Leklem, Book, pages 297-320, 1981.
 - 5574, "Microbiological Assay of Vitamin B-6 in Blood and Urine," Lorraine T. Miller, Margaret Edwards, Book, pages 45-56, 1981.
 - 5610, "Influence of Cooked Wheat Bran on Bowel Function and Fecal Excretion of Nutrients," M.H.M. Yu, L.T. Miller, Journal of Food Science, Volume 46, Number 3, pages 720-723, May/June 1981.

- 5899, "Production of Botulinum Toxin in Inoculated Pack Studies of Foil-Wrapped Baked Potatoes," H. Sugiyama, Margy Woodburn, K.H. Yang, Colleen Movroydis, *Journal of Food Protection*, Volume 44, Number 12, pages 896-898, December 1981.
- Horticulture Department**
 - 3958, "Acclimatization of Aseptically Cultured Apple Plants to Low Relative Humidity," K.E. Brainerd, L.H. Fuchigami, *Journal of the American Society for Horticultural Science*, Volume 106, pages 515-518, July 1981.
 - 5156, "Butler—A Filbert Pollinizer," H.B. Lagerstedt, *Fruit Variety Journal*, Volume 35, pages 109-111, July 1981.
 - 5157, "Ennis—A Large Filbert," H.B. Lagerstedt, *Fruit Variety Journal*, Volume 35, pages 107-109, July 1981.
 - 5431, "Breeding Strawberries for Machine Harvest in the Pacific Northwest," F.J. Lawrence, L.W. Martin, In: *Strawberry Mechanization*, Ed. Lloyd W. Martin, Justin R. Morris, pages 30-37, August 1980.
 - 5453, "Abaxial Transpiration and Water Loss in Aseptically Cultured Plum," L.H. Fuchigami, T.Y. Cheng, A. Soeldner, *Journal of the American Society for Horticultural Science*, Volume 106, pages 519-522, July 1981.
 - 5471, "Relationship of Vegetative Maturity in *Salix purpurea* as Influenced by Mineral Fertilization," L.H. Fuchigami, C.J. Weiser, *Journal of the American Society for Horticultural Science*, Volume 106, pages 140-143, March 1981.
 - 5474, "Ennis and Butler Filberts," H.B. Lagerstedt, *HortScience*, Volume 15, pages 833-835, December 1980.
 - 5528, "Leaf Anatomy and Water Stress of Aseptically Cultured 'Pixy' Plum Grown Under Different Environments," K.E. Brainerd, L.H. Fuchigami, S. Swiatkowski, C.S. Clark, *Volume 16*, pages 173-174, April 1981.
 - 5540, "Vegetative and Reproductive Growth Responses of Three Strawberry Cultivars to Nitrogen," Patrick J. Breen, Lloyd W. Martin, *Journal of the American Society for Horticultural Science*, Volume 106, pages 266-272, May 1981.
 - 5554, "Ethylene and Ethane Production and Electrolyte Leakage of Waterstressed 'Pixy' Plum Leaves," K. Kobayashi, L.H. Fuchigami, K.E. Brainerd, *HortScience*, Volume 16, pages 57-59, February 1981.
 - 5564, "Effect of Prebloom Oil Application on Pear Fruit Set and the Possible Mode of Action," P.B. Lombard, P.H. Westigard, R.W. Zwick, W.M. Mellenthin, G.C. Martin, *HortScience*, Volume 16, Number 1, pages 54-55, February 1981.
 - 5586, "Breeding Primocane Fruiting Red Raspberries at Oregon State University," F.J. Lawrence, *Acta Horticulturae*, Volume 112, pages 145-149, December 1980.
 - 5589, "Current Photosynthate as a Limiting Factor in Adventitious Root Formation on Leafy Pea Cuttings," Tim D. Davis, John R. Potter, *Journal of the American Society for Horticultural Science*, Volume 106, pages 278-282, May 1981.
 - 5612, "Winter Injury to Apple Cultivars as Affected by Growth Regulators, Weed Control Method, and Rootstocks," M.N. Westwood, H.O. Bjornstad, *Journal of the American Society for Horticultural Science*, Volume 106, pages 430-438, July 1981.
 - 5616, "Genetic Regulation of Cytokinin Metabolism in *Phaseolus* Tissue Culture," D.J. Armstrong, S.-G. Kim, M.C. Mok, D.W.S. Mok, In: *Metabolism and Molecular Activities of Cytokins*, Ed. J. Guern and C. Peaud-Lenoel; Springer-Verlag, pages 97-104, 1981.
 - 5620, "Rootstock Studies with Peach and *Prunus subcordata* Benth.," A.N. Roberts, M.N. Westwood, *Fruit Variety Journal*, Volume 35, pages 12-20, January 1981.
 - 5625, "Oregon 91 Green Bean," J.R. Baggett, W.A. Frazier, G.W. Varseveld, *HortScience*, Volume 16, page 230, April 1981.
 - 5626, "Oregon 17 Green Bean," J.R. Baggett, W.A. Frazier, G.W. Varseveld, *HortScience*, Volume 16, pages 228-229, April 1981.
 - 5627, "Oregon 83 Green Bean," J.R. Baggett, W.A. Frazier, G.W. Varseveld, *HortScience*, Volume 16, page 229, April 1981.
 - 5649, "Dormancy Stages and Cold Hardiness of Red-Osier Dogwood," K. Kobayashi, L.H. Fuchigami, K. Brainerd, *HortScience*, Volume 15, page 77, June 1980.
 - 5653, "Utilization of Fruit and Nut Germplasm," Maxine M. Thompson, *HortScience*, Volume 16, pages 132-135, April 1981.
 - 5682, "Measuring Dormancy: The Rise and Fall of Square Waves," K.A. Timmis, L.H. Fuchigami, R. Timmis, *HortScience*, Volume 16, pages 200-202, April 1981.
 - 5683, "Complementary Interactions Between Weeds, Weed Control Practices, and Pests in Horticultural Cropping Systems," R.D. William, *HortScience*, Volume 16, pages 508-513, August 1981.
 - 5702, "Seasonal Nutrient Element Distribution in Leaves of 'Ace' and 'Nellie White' Cultivars of the Easter Lily," M.H. Chaplin, A.N. Roberts, *Communications in Soil Science and Plant Analysis*, Volume 12, pages 227-237, March 1981.
 - 5754, "Horticulture for the 1980s: A Balanced Approach," M.N. Westwood, *Proceedings of the Oregon Horticultural Society*, Volume 72, pages 54-59, 1981.
 - 5773, "Filbert Tree Training and Pruning," H.B. Lagerstedt, *Proceedings of Nut Growers Society of Oregon*, Washington, and British Columbia, Volume 66, pages 70-79, 1981.
 - 5774, "The Dynamic Filbert Industry in the Pacific Northwest," H.B. Lagerstedt, *Proceedings of Nut Growers Society of Oregon*, Washington, and British Columbia, Volume 66, pages 92-93, 1981.
 - 5782, "Filbert Breeding—Grower Participation," Maxine M. Thompson, *Proceedings of Nut Growers Society of Oregon*, Washington, and British Columbia, Volume 66, pages 94-97, 1981.
 - 5810, "Another Look at 'Day-Neutral' Strawberries and 'Primocane' Fruiting Raspberries," F.J. Lawrence, *Proceedings of the Oregon Horticultural Society*, Volume 72, pages 108-112, 1981.
 - 5815, "Developmental Controls of Morphological Mutants of *Phaseolus vulgaris* L.: Differential Expression of Mutant Loci in Plant Organs," C.T. Shii, M.C. Mok, D.W.S. Mok, *Developmental Genetics*, Volume 2, pages 279-290, 1981.
 - 5852, "A New Device for Hot-Callusing Graft Unions," H.B. Lagerstedt, *HortScience*, Volume 16, pages 529-530, August 1981.
 - Microbiology Department**
 - 5368, "Corresponding Changes in Kynurenine Hydroxylase Activity, Membrane Fluidity and Sterol Composition in Mitochondria of *Saccharomyces cerevisiae*," C. McLean-Bowen, L.W. Parks, *Journal of Bacteriology*, Volume 145, pages 1325-1333, 1981.
 - 5436, "Bacterins and Vaccines For Control of Infectious Diseases in Fish," J.S. Rhovec, J.R. Winton, J.L. Fryer, *National Science Council Symposium Series No. 3, National Science Council Taipei, Taiwan*, pages 115-121, 1981.
 - 5464, "Development and Commercial Use of a Multiple Strain Starter," Suzanne D. Daniell, William E. Sandine, *Journal of Dairy Science*, Volume 64, pages 407-415, 1981.
 - 5535, "A Field Study on the Acute Effects of the Dispersant Corexit 9527 on Glucose Uptake by Marine Microorganisms," R.P. Griffiths, T.M. McNamara, B.A. Caldwell, R.Y. Morita, *Marine Environmental Research*, Volume 5, pages 83-91, 1981.
 - 5549, Characteristics of Nitrogen-fixing *Klebsiella oxytoca* Isolated From Wheat Roots," M.L. Cakmakci, H.J. Evans, R.J. Seidler, *Plant and Soil*, Volume 61, pages 53-63, 1981.
 - 5631, "A Cell Line Derived From Rainbow Trout (*Salmo gairdneri*) Hepatoma," J.L. Fryer, B.B. McCain, J.C. Leong, *Fish Pathology*, Volume 15, Number 3/4, pages 193-200, 1981.
 - 5636, "Persistent Infection of Three Salmonid Cell Lines With Infectious Pancreatic Necrosis Virus (IPNV)," R.P. Hedrick, J.L. Fryer, *Fish Pathology*, Volume 15, Number 3/4, pages 163-172, 1981.
 - 5661, "Incidence of Viral Erythrocytic Necrosis Among Hatchery Reared Salmonids of Oregon," J.S. Rohovec, A. Amandi, *Fish Pathology*, Volume 15, Number 3/4, pages 135-141, 1981.
 - 5664, "Isolation of a New Reovirus From Chum Salmon in Japan," J.R. Winton, C.N. Lannan, J.L. Fryer, T. Kimura, *Fish Pathology*, Volume 15, Number 3/4, pages 155-162, 1981.
 - 5666, "Inhibition of Sterol Transmethylation by Analogs of S-adenosylhomocysteine," M.T. McCammon, L.W. Parks, *Journal of Bacteriology*, Volume 145, pages 106-112, 1981.
 - 5669, "Failure of the Most Probable Number (MPN) Technique to Detect Coliforms in Drinking Water and Raw Water Supplies," T.M. Evans, C.E. Waarvick, Ramon J. Seidler, M.W. LeChevallier, *Applied and Environmental Microbiology*, Volume 41, pages 130-138, 1981.
 - 5670, "Microcultural Study of Bacterial Size, Microcolony, and Ultramicrocolony Formation by Heterotrophic Bacteria in Seawater," F. Torrella, R.Y. Morita, *Applied and Environmental Microbiology*, Volume 41, pages 518-527, 1981.
 - 5698, "Our Industry Today, Phage-Insensitive, Multiple-Strain Starter Approach to Cheddar Cheese Making," R.K. Thunell, W.E. Sandine, *Journal of Dairy Science*, Volume 64, pages 2270-2277, 1981.
 - 5712, "Bacterial Kidney Disease of Salmonid Fish," J.L. Fryer, James E. Sanders, *Annual Review of Microbiology*, Volume 35, pages 273-298, 1981.
 - 5732, "*Thiopoloca*: Methyltroph and Significance in the Food Chain," R.Y. Morita, R. Iturriaga, V.A. Gallardo, Kieler Meeresforsch Sonderh. 5, pages 384-389, 1981.

- 5767, "Impact of Verification Media and Resuscitation on the Accuracy of the Membrane Filter Total Coliform Enumeration Technique," T.M. Evans, R.J. Seidler, M.W. LeChevallier, Applied and Environmental Microbiology, Volume 41, pages 1144-1151, 1981.
 - 5779, "Colonization of Growing Radish Plants by Clinical and Nonclinical Isolation of *Klebsiella* Inoculated Onto Seeds," D. K. Yamamoto, Ramon J. Seidler, Current Microbiology, Volume 5, pages 289-293, 1981.
 - 5800, "Lack of Specificity in Accumulation of Sterols by *Phytophthora cactorum*," R.A. Gonzales, L.W. Parks, Lipids, Volume 16, pages 384-388, 1981.
 - 5820, "Field Observations on the Acute Effect of Crude Oil on Glucose and Glutamate Uptake in Samples Collected From Arctic and Sub-Arctic Waters," R.P. Griffiths, T.M. McNamara, B.A. Caldwell, R.Y. Morita, Applied and Environmental Microbiology, Volume 41, pages 1400-1406, 1981.
 - 5848, "Antibiotic Resistant Bacteria in Drinking Water," J.L. Armstrong, D.S. Shigeno, J.J. Calomiris, R.J. Seidler, Applied and Environmental Microbiology, Volume 42, pages 277-283, 1981.
 - 5878, "*Klebsiella planticola* sp. nov.: A New Species of *Enterobacteriaceae* Found Primarily in Nonclinical Environments," S.T. Bagley, R.J. Seidler, D.J. Brenner, Current Microbiology, Volume 6, pages 105-109, 1981.
 - 5882, "Physiological Response of *Saccharomyces cerevisiae* to 15-azasterol Mediated Growth Inhibition," R.J. Rodriguez, L.W. Parks, Antimicrobial Agents and Chemotherapy, Volume 20, pages 184-189, 1981.
 - 5895, "Relationship of Cell Envelope Stability to Substrate Capture in a Marine Psychrophilic Bacterium," G.G. Geesey, R.Y. Morita, Applied and Environmental Microbiology, Volume 42, pages 533-540, 1981.
 - 5939, "The Long Term Effects of Crude Oil on Uptake and Respiration of Glucose and Glutamate in Arctic and Sub-Arctic Marine Sediments," R.P. Griffiths, B.A. Caldwell, W.A. Broich, R.Y. Morita, Applied and Environmental Microbiology, Volume 42, pages 792-801, 1981.
 - 5951, "The Fine Structure of *Cristispira* From the Lamellibranch *Cryptomya californica* Conrad," E.V. Lawry, H.M. Howard, J.A. Baross, R.Y. Morita, Current Microbiology, Volume 6, pages 355-360, 1981.
 - 5957, "Limitations of Standard Coliform Enumeration Techniques," R.J. Seidler, T.M. Evans, J.R. Kaufman, C.E. Waarvick, M.W. LeChevallier, Journal of American Water Works Association, Volume 73, pages 538-542, 1981.
 - 5997, "The Effect of Sterol on the Energy Producing Capacity of Yeast Mitochondria," C. McLean-Bowen, L.W. Parks, Chemistry and Physics of Lipids, Volume 29, pages 137-145, 1981.
 - 6009, "Relative Microbial Activity and Mineralization Associated With Water Masses in the Lower Cook Inlet, Alaska," R.P. Griffiths, T.M. McNamara, S.E. Stevens, R.Y. Morita, Journal of Oceanographical Society of Japan, Volume 7, pages 227-233, 1981.
 - 6128, "An Assessment of the Specificity of Sterol Uptake and Esterification in *Saccharomyces cerevisiae*," F.R. Taylor, L.W. Parks, Journal of Biological Chemistry, Volume 256, pages 13048-13054, 1981.
- Mid-Columbia Experiment Station**
- 5452, "A Bibliography of Psylla (Homoptera: Psyllidae) on Pear Trees," G.J. Fields, R.W. Zwick, H.R. Moffitt, USDA Bulletin 17, August 1981.
 - 5485, "Chlorine and Chlorine Dioxide for Control of 'd'Anjou' Pear Decay," R.A. Spotts, B.B. Peters, Plant Disease, Volume 64, pages 1095-1097, December 1980.
 - 5537, "Effects of Harvest Date on Ripening Capacity and Postharvest Life of 'd'Anjou' Pears," P.M. Chen, W.M. Mellenthin, Journal of American Society for Horticultural Science, Volume 106, pages 695-698, January 1981.
 - 5557, "Response of Sweet Cherry and Pollen Tube Growth to High Levels of Sulfur Dioxide," T.J. Facticeau, K.E. Rowe, Journal of American Society for Horticultural Science, Volume 106, pages 77-79, January 1981.
 - 5564, "Effect of Prebloom Oil Applications on Pear Fruit Set and the Possible Mode of Action," P.B. Lombard, P.H. Westgard, R.W. Zwick, W.M. Mellenthin, G.C. Martin, HortScience, Volume 16, Number 1, pages 54-55, 1981.
 - 5599, "'d'Anjou' Pear Decay Caused by a Low Temperature Basidiomycete," R.A. Spotts, J.A. Traquair, B.B. Peters, Plant Disease, Volume 65, pages 151-153, February 1981.
 - 5604, "Softening and Ripening of 'd'Anjou' Pears as Influenced by Simulated Transit Temperatures," W.M. Mellenthin, P.M. Chen, Journal of American Society for Horticultural Science, Volume 106, pages 35-38, January 1981.
 - 5611, "Apple Powdery Mildew and Scab Control Studies in the Pacific Northwest," R.A. Spotts, R.P. Covey, I.C. MacSwan, Plant Disease, Volume 65, pages 1006-1009, December 1981.
 - 5721, "Effects of Low Oxygen and Temperature on Quality Retention of 'Bing' Cherries During Prolonged Storage," P.M. Chen, W.M. Mellenthin, S.B. Kelly, T.J. Facticeau, Journal of American Society for Horticultural Science, Volume 106, pages 533-535, September 1981.
 - 5760, "Stem-end Decay and Quality of Low Oxygen Stored 'd'Anjou' Pears," P.M. Chen, R.A. Spotts, W.M. Mellenthin, Journal of American Society for Horticultural Science, Volume 106, pages 695-698, 1981.
- Nitrogen Fixation Laboratory**
- 5484, "The Effect of the Hydrogenase System in *Rhizobium japonicum* Inocula on the Nitrogen Content and Yield of Soybean Seed in Field Experiments," F.J. Hanus, S.L. Albrecht, R.M. Zablotowicz, D.W. Emerich, S.A. Russell, H.J. Evans, Agronomy Journal, Volume 73, pages 368-372, 1981.
 - 5549, "Characteristics of Nitrogen-fixing *Klebsiella oxytoca* Isolated from Wheat Roots," M.L. Cakmacki, H.J. Evans, R.J. Seidler, Plant and Soil, Volume 61, pages 53-63, 1981.
 - 5558, "Chemolithotrophy in *Rhizobium*," H.J. Evans, J.E. Lepo, F.J. Hanus, K. Purohit, S.A. Russell, Genetic Engineering of Symbiotic Nitrogen Fixation and Conservation of Fixed Nitrogen, Plenum Publishing Corporation, pages 141-158, 1980.
 - 5580, "Reversible Hydrogen-uptake Deficient Mutants of *Rhizobium japonicum*," J.E. Lepo, R.E. Hickok, S.A. Russell, H.J. Evans, Journal of Bacteriology, Volume 146, pages 614-620, 1981.
- 5691, "Hydrogen Losses and Hydrogenases in Nitrogen-fixing Organisms," H.J. Evans, K. Purohit, M.A. Cantrell, C. Eisbrenner, S.A. Russell, F.J. Hanus, J.E. Lepo, Current Perspectives in Nitrogen Fixation, Australian Academy of Science, Griffin Press, pages 84-96, 1981.
- North Willamette Experiment Station—Aurora**
- 5540, "Vegetative and Reproductive Growth Responses of Three Strawberry Cultivars to Nitrogen," Patrick J. Breen, Lloyd W. Martin, Journal of American Society for Horticultural Science, Volume 106, Number 3, pages 266-272, 1981.
 - 5764, "Response of Vegetable Crops to Sublethal Application of 2,4-D," Delbert D. Hemphill, Jr., Marvin L. Montgomery, Weed Science, Volume 29, pages 632-635, November 1981.
- Poultry Science Department**
- 4958, "True Metabolizable Energy Values of Corn and Different Varieties of Wheat and Barley Using Normal and Dwarf Single Comb White Leghorn Roosters," F. Boldaji, W.B. Roush, H.S. Nakaue, G.H. Arscott, Poultry Science, Volume 60, pages 225-227, January 1981.
 - 5331, "The Effect of Dietary Alfalfa of Varying Saponin Content on Yolk Cholesterol Level and Layer Performance," H.S. Nakaue, R.R. Lowry, P.R. Cheeke, G.H. Arscott, Poultry Science, Volume 59, pages 2744-2748, December 1980.
 - 5507, "Effect of Semen Collector on Semen Volume and Sperm Concentration in Broiler Breeder Males," F.H. Benoff, K.E. Rowe, J.I. Fuquay, J.A. Renden, G.H. Arscott, Poultry Science, pages 1062-1065, May 1981.
 - 5512, "Effect of Type of Feeder, Feeder Space, and Bird Density under Intermittent Lighting Regimes with Broilers," H.S. Nakaue, Poultry Science, pages 708-712, April 1981.
 - 5575, "Studies with Clinoptilolite. I. Effect of Feeding Varying Levels of Clinoptilolite (Zeolite) to S.C. Dwarf Leghorn Pullets and Ammonia Production," H.S. Nakaue, J.K. Koelliker, Poultry Science, pages 944-949, May 1981.
 - 5576, "Distribution of Inorganic Elements in Poultry House Dust," H.S. Nakaue, J.K. Koelliker, D.R. Buhler, G.H. Arscott, Poultry Science, pages 1386-1391, July 1981.
 - 5634, "Studies with Clinoptilolite. II. Effect of Feeding Broilers and the Direct Application of Clinoptilolite (Zeolite) on Clean and Reused Broiler Litter on Broiler Performance and House Environment," H.S. Nakaue, J.K. Koelliker, M.L. Pierson, Poultry Science, pages 1221-1228, June 1981.
 - 5657, "Histo-Chemistry of Uterovaginal Sperm-Host Glands in Japanese Quail (*Coturnix coturnix japonica*) with Reference to the Period of Oviposition," J.A. Renden, E.B. May, F.H. Benoff, Poultry Science, pages 2529-2535, November 1981.
 - 5685, "Evaluation of Meadowfoam (*Limnanthes alba*) Meal as a Feedstuff for Broiler Chicks and Weanling Rabbits," J.C. Throckmorton, P.R. Cheeke, N.M. Patton, G.H. Arscott, G.D. Jolliff, Canadian Journal of Animal Science, Volume 61, pages 735-742, September 1981.
 - 5840, "Effect of Mount St. Helens Volcanic Ash Dust on Broiler Performance and Health and on House Environment," (abstract), H.S. Nakaue, M.L. Pierson, D.H. Helfer, Poultry Science, Volume 60, page 1701, July 1981.

- 5841, "Effect of Gossypol Acetic Acid on Reproductive Capability of Dwarf Single Comb White Leghorn Roosters," (abstract), O. Akanbi, H.S. Nakaue, G.H. Arscott, Poultry Science, Volume 60, page 1613, July 1981.
- 5842, "Incidence of Deep Pectoral Myopathy in Turkeys due to Breeding and Altered Expression from Forced Exercise," (abstract), J.A. Harper, P.E. Bernier, L.L. Thompson-Cowley, Poultry Science, Volume 60, page 1667, July 1981.
- 5844, "Histological and Immunosuppressive Studies with Self-Dubbing Chickens," (abstract), J.A. Renden, P.E. Bernier, J.A. Schmitz, Poultry Science, Volume 60, page 1717, July 1981.
- 5845, "Effects of Feeding High Levels of Dehydrated Alfalfa and Kentucky Bluegrass to Growing Goslings," (abstract), A.G. Hollister, H.S. Nakaue, G.H. Arscott, Poultry Science, page 1758, July 1981.

Rangeland Resources Department

- 4999, "Tiller Length Vs. Tiller Weight: Applications to Plant Growth Studies," Steven H. Sharrow, Journal of Range Management, Volume 34, pages 354-356, September 1981.
- 5073, "Streambank Erosion and Ungulate Grazing Relationships," J.C. Buckhouse, J.M. Skovlin, R.W. Knight, Journal of Range Management, Volume 34, pages 339-340, July 1981.
- 5234, "An Assessment of Vigor and Production of Range Grasses Following Drought," David C. Ganskopp, Thomas E. Bedell, Journal of Range Management, Volume 34, pages 137-141, March 1981.
- 5254, "Deer and Elk Use on Foothill Rangelands in Northeastern Oregon," R.F. Miller, W.C. Krueger, M. Vavra, Journal of Range Management, Volume 34, pages 201-204, May 1981.
- 5277, "Effects of Range Improvement on Roosevelt Elk Winter Nutrition," I.M. Mereszczak, W.C. Krueger, M. Vavra, Journal of Range Management, Volume 34, pages 184-187, May 1981.
- 5381, "Effects of Stocking Rate on Sheep and Hill Pasture Performance," Steven H. Sharrow, William C. Krueger, Frank O. Thetford, Jr., Journal of Animal Science, Volume 52, pages 210-217, February 1981.
- 5387, "How a Forest Affects a Forage Crop," W.C. Krueger, Rangelands, Volume 2, pages 70-71, February 1981.
- 5392, "Relative Palatability of Seven *Artemisia* Taxa to Mule Deer and Sheep," Dennis P. Sheehy, A.H. Winward, Journal of Range Management, Volume 34, pages 397-399, September 1981.
- 5562, "Effect of Monensin on the Performance of Forage-fed Lambs," Steven H. Sharrow, David L. Thomas, Walter H. Kennick, Journal of Animal Science, Volume 53, pages 869-872, October 1981.
- 5592, "What Caused Those Terracettes?," J.C. Buckhouse, W.C. Krueger, Rangelands, Volume 3, pages 72-73, April 1981.
- 5838, "Comparing High Intensity Simulated Rainfall to Theoretically Characteristic Storms Within the Range Validation Study Area," R.E. Gaither, J.C. Buckhouse, IN: Proceedings Oregon Academy of Science, Volume 17, pages 10-15, 1981.

Soil Science Department

- 5447, "Runoff Losses of Atrazine and Terbutryn from Unlimed and Limed Soil," John D. Gaynor, V.V. Volk, Journal of Environmental Science and Technology, Volume 15, pages 440-443, 1981.
- 5449, "Wheat and Barley Growth and N Fertilizer Utilization Under Sprinkler Irrigation," N.W. Christensen, R.J. Killorn, Agronomy Journal, Volume 73, pages 307-312, 1981.
- 5516, "Physical and Mechanical Characteristics of Andisols," B.P. Warkentin, T. Maeda, Chapter 14 in Soils With Variable Charge, B.K.C. Theng, New Zealand Society of Soil Science, pages 281-301, 1981.
- 5618, "Vesicular-Arbuscular Endomycorrhizal Associations of Some Desert Plants of Baja California," Sharon L. Rose, Canadian Journal of Botany, Volume 59, pages 1056-1060, 1981.
- 5700, "Chloride Effects on Water Potentials and Yield of Winter Wheat Infected with Take-All Root Rot," N.W. Christensen, R.G. Taylor, T.L. Jackson, B.L. Mitchell, Agronomy Journal, Volume 73, Nov/Dec 1981.
- 5701, "Potential for Phosphorus Toxicity in Zinc Stressed Corn and Potato," N.W. Christensen, T.L. Jackson, Soil Science Society of America Journal, Volume 45, Number 5, pages 904-909, 1981.
- 5823, "Fertilizing Subclover with Elemental Sulphur," G. Kiemnec, T.L. Jackson, W. Mosher, Sulphur in Agriculture, Volume 5, pages 12-16, 1981.

Southern Oregon Experiment Station—Medford

- 5564, "Effect of Prebloom Oil Application on Pear Fruit Set and the Possible Mode of Action," P.B. Lombard, P.H. Westigard, HortScience, Volume 16, Number 1, pages 54-55, 1981.
- 5603, "Pear Psylla: Relationship of Early Season Nymph Densities to Honeydew-induced Fruit Damage on Two Pear Cultivars," P.H. Westigard, R.B. Allen, L.J. Gut, Journal of Economic Entomology, Volume 74, Number 5, pages 532-534, 1981.

Statistics Department

- 5507, "Effect of Semen Collector on Semen Volume and Sperm Concentration in Broiler Breeder Males," F.H. Benoff, K.E. Rowe, J.I. Fuguay, J.A. Renden, G.H. Arscott, Poultry Science, Volume 60, pages 1062-1065.
- 5582, "An Efficient Estimator of the Mean in a Two-Stage Nested Model," David Birkes, Justus Seely, Abdul-Mordy Azzam, Technometrics, Volume 23, Number 2, pages 143-148, May 1981.

Veterinary Medicine School

- 5221, "Relationship Between Hemoglobin Types and Reproduction Lamb, Wool and Mild Production and Health Related Traits and Cross Breed Ewes," M.R. Dally, W. Hohenboken, D.L. Thomas, A.M. Craig, Journal of Animal Science, Volume 50, Number 3, pages 418-427, 1981.
- 5835, "Modulation of the Ovine Immune System by *Fasciola hepatica*," Journal of Parasitology, Volume 67, Supplement 48, 1981.

profile

Can you spell what he does?

Think, for a moment, of what an econometrician does for a living.

If you drew a blank, don't be frustrated. Bill Brown has trouble with that one, too, and he's the senior econometrician in OSU's agricultural and resource economics department.

Brown has used his considerable knowledge and talents in many Agricultural Experiment Station projects, like helping farmers estimate the value of using various rates of nitrogen fertilizer on crops, working with poultry researchers trying to develop cost-efficient feed rations for broilers and helping government officials determine how much money sport fishermen spend every year in Oregon. But all that hardly seems to set him off from others in his field.

How is an econometrician different from a plain old economist? If you ask Bill Brown, be ready for a raised eyebrow, a half grin—signs of nervousness.

Recently, he grabbed a pencil and a sheet of paper and started furiously drawing graphs when a visitor to his dark, book-strewn little campus office asked that question.

His reaction told quite a bit.

Econometricians, Brown said when persuaded to give up on the chart-and-graph explanation attempt, are the mathematicians of the economics world. In a field of generalists and theorists, they boil economic relationships down into equations, called econometric models, other economists (and they themselves) can insert figures into to make estimates and forecasts. Many economists construct models for predicting this or that, but constructing mathematical models is the econometrician's specialty.

The 57-year-old Brown, who grew up on a small farm in west-central Kansas and studied agricultural economics as an undergraduate at Kansas State University, recalls getting interested in statistics, the econometrician's meat and potatoes, while a graduate student at Iowa State University in the early 1950s.

"I guess you might call it the infectious enthusiasm of Earl Heady, a professor of mine who's become famous in agricultural economics, that drew me in," he said.

Brown came to OSU in 1955 when he received his doctorate and since has plugged away behind the scenes, mostly, teaching and contributing to agricultural production research. Efforts like his are the



Bill Brown

sort seldom before the public eye but linked clearly to the pocketbooks of farmers and consumers.

Work has been a bit more high profile lately, though.

Brown is serving as a member of the Governor's Council of Economic Advisors, a group that consults with State Economist Chang M. Sohn on Oregon's model for forecasting revenues. Because of the recession and state budget problems, most Oregonians are painfully aware of the importance of the revenue forecasts.

The luxury of being able to practice his profession in relative obscurity for more than 25 years has given Brown great sympathy for the goldfish-bowl situation of Sohn (like Brown, an econometrician). Perhaps as much as anyone in the state, Brown knows the pitfalls of estimating something as important as how much money the government will have to spend by using figures that are themselves riddled with projections and, sometimes, downright guesses.

"The state's revenue forecasting reminds me of that old joke that it's no fun to be getting older but it's better than the alternative," he said.

One minor benefit of the revenue forecasting publicity is that it may familiarize Oregonians with econometrics, Brown noted. But even that won't completely solve his identity problem.

"My relatives back in Kansas will still wonder what it is I do," he said. "But I guess they'll keep figuring as long as I'm not fired or trying to hit them up for a loan it must not be too bad." □



THIRD CLASS
BULK RATE

POSTAGE PAID
U.S. DEPARTMENT OF AGRICULTURE
AGR 101

Agricultural Experiment Station
OREGON STATE UNIVERSITY
Corvallis, Oregon 97331
John R. Davis, Director
Publication

PENALTY FOR PRIVATE USE \$300