

105
E55
0.277

OREGON STATE UNIVERSITY LIBRARIES



12 0141869905

S

105

.E55

no. 277

rev. 1978

cop. 2

Local Climatological Data for Oregon State University 1977

With Normals, Means, and Extremes
COMPACT



Special Report 277

Revised March 1978



Agricultural Experiment Station
Oregon State University, Corvallis

in cooperation with the

United States Department of Commerce
National Oceanic and Atmospheric Administration
National Weather Service

PREFACE


Miscellaneous Paper 105, Agricultural Experiment Station, Oregon State University, "A Summary of Climate and Weather for Corvallis, Oregon, 1899 through 1960" by Wheeler Calhoun was published in March, 1961. The United States Department of Commerce National Weather Service, working with the Crop Science Department at Oregon State University, has instrumented the Hyslop Field Laboratory Weather Station to measure additional elements important to agricultural scientists. See Special Report 400, Agricultural Experiment Station, OSU, "Hyslop Farm Microstation Climate Summary," by P. D. Olson and Earl M. Bates, published in December, 1973, for additional climatic data. There will be a continuing need for a publication to make these data readily available to researchers. It is planned that local climatological data from Hyslop Field Laboratory Weather Station will be published annually.

Earl M. Bates
Advisory Agricultural Meteorologist
NOAA, National Weather Service
Oregon State University
Corvallis, Oregon 97331


Wheeler Calhoun Jr.
Associate Professor of Agronomy
Oregon State University
Corvallis, Oregon 97331

S
105
.E55
no. 277
rev. 1978
Cop. 2


WIND DIRECTIONS




Time: 10PM to 5AM PST



Time: 6AM to 10AM PST



Time: 11AM to 5PM PST



Time: 6PM to 9PM PST

Wind roses for four different time periods of the day at the Hyslop Field Lab.

The number in the center of the wind roses is the percent of time the wind was calm. Numbers at each of the compass points indicate the percentage of time the wind was from that direction.

WIND VELOCITIES

The Monthly Frequency of Duration of Consecutive Hours of Wind
in Ranges of 15 to 19 MPH and 20 MPH and Above for April Through October

Hyslop Field Lab

Month	Range of Wind in MPH	Number of Consecutive Hours					
		1	2	3	4	5	greater than 5
April	15 to 19	11	5	1			
	20 or greater	1					
May	15 to 19	2	0	1	1	0	1
	20 or greater	0					
June	15 to 19	8					
	20 or greater	0					
July	15 to 19	2					
	20 or greater	0					
August	15 to 19	3	1	0	3		
	20 or greater	0					
September	15 to 19	11	5	4	1	1	
	20 or greater	0					
October	15 to 19	8	3	0	1	1	1
	20 or greater	0	1				

This table shows the number of times (frequency) per month that wind at velocities of 15 to 19 MPH and 20 MPH and greater are likely to occur for periods of 1, 2, 3, 4, 5, or more than 5 consecutive hours (duration) at a time.

MONTHLY EVAPORATION FOR CROP SEASON

From Standard Weather Bureau
 Open Pan (1953-1977)
 (inches)

Year	Apr	May	Jun	Jul	Aug	Sept	Oct
1953	.73	2.64	3.43	6.77	5.48	4.13	1.65
1954	3.01	4.19	3.43	5.06	3.77	2.70	1.34
1955	1.16	4.44	5.04	5.30	6.72	4.25	1.30
1956	2.99	4.52	4.53	7.74	5.72	4.26	1.66
1957	2.71	3.43	4.62	7.05	5.87	5.07	1.55
1958	1.11	5.20	4.51	8.29	8.31	4.80	2.54
1959	2.80	3.27	5.00	9.13	8.11	3.57	1.84
1960	2.37	2.90	7.27	9.89	6.87	4.72	2.30
1961	2.01	2.33	6.97	8.53	7.06	4.55	1.97
1962	3.24	3.26	6.87	8.13	6.74	5.01	1.05
1963	2.61	4.31	5.20	6.52	8.16	4.68	1.63
1964	2.75	4.25	4.75	6.77	6.20	4.56	2.26
1965	2.86	4.96	6.31	8.96	6.35	6.57	2.04
1966	3.99	6.16	7.49	8.31	8.77	4.69	2.62
1967	2.61	5.61	6.69	9.08	8.69	6.49	2.18
1968	*	3.83	6.17	8.35	5.39	3.96	1.61
1969	2.73	5.83	5.36	7.61	8.31	4.34	1.25
1970	3.21	4.87	7.08	9.36	8.19	4.86	2.81
1971	3.33	5.48	4.91	7.82	6.99	5.22	2.28
1972	2.23	5.58	6.00	10.27	8.42	5.40	3.15
1973	4.41	6.10	6.50	9.48	6.88	5.54	2.11
1974	2.70	4.16	6.99	6.82	8.92	6.97	3.22
1975	2.55	5.12	6.05	7.09	6.16	6.96	1.55
1976	2.64	4.85	5.97	7.61	5.58	5.03	2.71
1977	3.55	4.47	6.70	7.68	7.95	3.32	*
MEAN	2.68	4.47	5.75	7.90	7.02	4.87	2.03

* Missing data.

AVERAGE MONTHLY MAXIMUM TEMPERATURES
1931-1975

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1931	50.2	52.9	57.5	67.3	75.2	73.5	84.8	83.6	73.1	65.0	51.5	45.1
1932	46.0	49.2	55.1	61.6	66.7	78.5	76.5	79.9	79.5	67.5	55.3	43.6
1933	44.1	45.9	54.6	63.5	60.4	71.3	81.9	83.0	68.6	67.5	52.9	51.2
1934	51.6	56.6	63.2	66.8	68.3	72.4	76.8	80.5	73.7	65.7	53.1	46.6
1935	44.6	50.5	49.7	59.8	69.6	76.2	79.9	83.7	81.7	63.3	49.9	46.8
1936	49.9	44.6	54.8	65.9	71.2	75.2	80.2	82.4	77.5	72.1	55.3	48.3
1937	38.3	47.8	57.6	58.3	70.1	74.6	81.5	80.2	76.3	69.5	54.8	49.0
1938	46.8	51.0	55.6	64.3	71.5	77.9	86.2	79.7	79.5	64.7	50.9	50.3
1939	49.1	47.4	58.5	67.6	71.6	72.9	83.0	84.5	77.6	65.4	56.7	51.9
1940	49.1	53.1	60.5	65.1	74.5	81.0	80.1	84.2	75.4	66.7	51.7	50.4
1941	49.4	56.5	65.1	66.1	68.5	73.0	86.7	79.1	70.7	63.7	54.0	48.0
1942	43.5	51.6	57.0	64.8	66.9	72.4	83.0	84.1	79.7	68.8	53.5	50.0
1943	42.1	55.9	56.2	66.3	67.1	71.9	82.1	78.4	81.5	63.9	54.6	47.3
1944	47.3	52.0	57.5	60.8	68.8	73.8	81.5	82.2	81.1	70.5	52.3	46.4
1945	49.8	52.9	53.6	59.6	69.5	75.4	84.6	83.0	75.5	68.3	51.6	48.0
1946	47.3	50.4	56.2	63.1	72.8	71.4	74.8	83.2	74.5	60.5	52.1	47.9
1947	43.7	56.1	61.4	65.4	74.8	71.1	77.3	80.2	79.1	62.7	55.1	49.7
1948	49.5	48.9	53.9	56.1	66.2	78.1	78.8	77.0	75.6	62.7	51.0	43.1
1949	38.6	48.8	55.9	66.2	72.0	76.8	79.4	79.1	76.4	61.1	58.2	47.1
1950	36.8	49.5	53.0	60.6	68.8	74.1	82.9	85.9	78.3	60.3	54.6	53.7
1951	46.2	52.4	51.6	68.2	69.3	80.2	81.4	84.3	78.9	63.2	53.7	44.9
1952	45.0	50.9	53.3	65.6	65.6	69.8	84.0	81.1	80.6	71.9	46.3	48.1
1953	51.5	51.4	53.3	58.8	62.3	66.2	79.7	77.5	76.6	64.8	54.3	47.7
1954	45.6	50.8	53.6	59.4	68.2	66.9	76.1	76.0	72.4	63.3	55.9	46.8
1955	43.7	48.3	48.9	53.1	64.5	71.9	73.6	80.7	74.1	62.3	48.3	46.5
1956	46.4	41.6	51.3	62.2	69.9	68.6	82.8	79.7	76.5	61.2	50.5	45.0
1957	37.6	49.3	53.1	61.1	67.5	72.9	78.1	77.5	79.9	63.1	52.6	48.6
1958	47.2	54.4	53.9	58.6	73.0	73.7	86.0	86.7	75.4	67.5	53.5	51.0
1959	47.6	48.8	54.3	61.2	63.5	71.4	83.7	81.2	70.0	64.0	53.6	45.4
1960	41.3	49.1	53.3	59.3	62.0	75.2	85.2	78.0	75.7	65.3	52.8	45.6
1961	50.2	52.7	53.4	59.0	63.5	77.3	81.7	84.8	72.1	63.6	49.8	47.0
1962	43.8	48.8	51.4	62.5	59.5	72.6	80.5	78.2	76.1	61.7	54.4	47.3
1963	41.5	56.1	53.8	54.6	66.7	70.3	74.0	78.7	77.4	64.3	52.4	45.4
1964	47.0	49.9	51.7	57.0	63.0	69.0	78.5	77.2	73.3	66.3	48.1	45.6
1965	44.1	50.5	59.0	61.3	64.6	72.3	82.6	79.9	74.9	65.8	54.2	43.6
1966	45.0	48.9	52.5	63.0	69.3	73.7	78.5	81.6	76.0	64.2	54.3	49.1
1967	48.8	52.6	52.0	54.7	68.2	76.9	84.1	88.9	82.1	63.1	54.0	46.5
1968	45.5	56.5	56.5	58.9	64.8	72.8	81.4	76.2	72.7	61.8	52.9	44.0
1969	39.9	46.5	57.3	58.7	70.0	74.5	78.9	79.0	74.8	60.4	52.6	46.9
1970	45.7	54.3	55.6	55.9	66.6	77.4	82.2	81.9	71.9	63.1	54.0	45.1
1971	44.1	48.5	50.2	58.0	66.5	67.5	80.9	83.1	72.0	61.0	50.5	44.5
1972	44.5	50.6	56.7	55.4	69.0	73.1	84.8	85.0	72.7	65.2	53.6	43.0
1973	44.8	52.6	53.3	60.9	70.1	73.4	82.9	78.9	75.1	62.0	49.3	48.9
1974	43.5	47.3	54.0	57.5	63.6	74.6	77.5	82.2	83.6	68.1	53.4	49.3
1975	48.0	48.1	52.1	54.5	65.9	71.6	79.8	76.0	80.6	60.5	51.9	48.4

Station moved from O.S.U. Campus to Hyslop Agronomy Farm, May 1952.

AVERAGE MONTHLY MINIMUM TEMPERATURES
1931-1975

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1931	37.0	34.5	39.8	43.3	47.4	50.6	53.8	52.6	50.0	44.8	36.3	35.3
1932	34.3	35.5	40.8	41.0	45.5	51.1	51.1	55.2	48.5	46.2	41.5	30.9
1933	33.9	32.0	38.2	39.6	43.7	50.3	52.5	53.6	48.6	38.5	37.5	42.4
1934	40.8	39.3	44.0	44.9	48.3	50.4	53.0	53.0	48.2	46.9	44.2	37.1
1935	32.7	36.2	35.3	41.2	42.2	50.5	52.5	53.0	51.3	42.6	35.5	34.3
1936	38.1	31.1	37.4	43.6	49.0	53.1	54.5	53.8	48.8	43.7	32.6	37.9
1937	25.9	35.1	40.8	40.1	45.9	53.3	54.7	52.2	51.5	47.6	44.0	37.7
1938	35.0	35.8	38.0	42.8	46.3	50.6	54.5	51.2	53.2	45.7	35.8	36.0
1939	36.7	34.1	38.7	42.5	46.0	48.9	53.0	53.0	51.1	45.9	40.6	40.4
1940	34.8	40.0	41.8	42.9	47.6	50.7	54.1	54.1	53.9	49.6	37.1	37.7
1941	37.2	37.6	40.6	42.0	46.3	51.2	56.2	55.2	50.4	44.8	40.6	38.0
1942	30.7	33.7	36.3	42.3	44.6	50.0	55.3	53.8	48.3	43.5	39.5	39.0
1943	29.0	36.0	37.3	42.3	43.7	48.6	51.8	51.6	50.6	46.2	38.2	32.5
1944	32.5	35.5	35.8	40.4	43.6	48.1	52.1	51.7	50.0	46.5	36.5	30.7
1945	34.0	37.5	36.4	39.9	46.6	49.2	51.7	50.6	46.9	41.1	40.0	35.4
1946	34.0	35.4	37.1	39.1	45.1	47.0	51.5	50.9	46.1	40.3	35.2	36.6
1947	30.5	35.7	39.5	41.6	45.8	49.3	51.0	49.0	48.6	46.1	39.5	35.5
1948	31.1	33.7	35.5	38.4	44.9	52.2	51.3	51.8	47.3	41.8	37.1	31.0
1949	22.0	33.5	39.7	41.7	46.6	49.2	50.9	52.0	50.4	38.7	41.2	35.6
1950	25.9	34.3	37.5	39.5	42.6	50.0	52.4	52.1	48.6	46.1	40.9	42.5
1951	34.7	36.9	34.0	39.2	44.6	48.5	50.2	49.5	48.3	44.9	39.5	33.5
1952	33.9	35.9	37.8	40.5	40.9	46.0	49.6	48.6	46.5	51.6	30.5	34.8
1953	41.0	35.1	35.6	39.4	43.6	46.9	49.3	52.3	49.8	41.2	39.8	35.8
1954	33.0	32.6	31.7	38.5	43.4	47.4	49.4	50.1	46.2	38.6	41.1	32.7
1955	32.1	31.1	32.8	35.6	39.9	47.1	48.7	47.1	45.5	43.0	36.3	34.9
1956	35.4	30.2	35.7	39.0	46.0	46.6	50.8	50.6	47.1	40.8	32.7	33.8
1957	25.8	34.5	39.5	40.8	47.5	49.5	49.1	48.4	48.8	42.3	31.2	36.7
1958	34.7	41.2	34.6	40.9	46.7	53.6	54.5	52.7	48.6	41.5	38.9	38.2
1959	35.9	33.6	35.8	39.1	42.7	49.0	51.4	49.2	47.8	43.9	34.1	33.5
1960	29.7	34.4	35.8	39.7	42.7	47.9	49.2	49.2	46.9	41.7	37.2	31.8
1961	36.1	39.2	38.2	40.2	44.9	49.6	50.9	52.6	45.1	40.6	33.5	35.1
1962	29.5	33.8	35.2	40.6	42.4	45.5	48.7	50.0	48.5	43.5	39.3	35.9
1963	26.7	39.0	35.5	38.9	43.8	48.1	50.0	51.6	51.1	43.0	39.7	32.2
1964	34.6	31.9	34.9	37.8	40.3	47.5	50.7	50.4	43.9	40.7	35.6	34.8
1965	35.0	35.9	35.9	40.7	40.8	46.2	50.5	53.1	46.1	43.8	41.4	32.6
1966	34.2	32.6	36.6	39.3	42.2	48.3	50.9	50.7	49.7	40.9	39.7	38.5
1967	37.5	33.6	35.3	34.8	41.8	49.9	50.4	52.9	48.8	42.6	39.7	35.4
1968	33.9	39.6	37.7	35.8	42.7	48.1	50.0	51.9	48.0	40.1	38.3	32.4
1969	28.4	32.1	34.1	37.6	45.8	53.6	49.7	47.9	48.9	41.3	37.2	35.9
1970	36.2	35.4	36.5	36.9	42.0	50.2	50.2	48.9	45.4	39.4	37.8	34.0
1971	34.9	33.3	34.6	37.8	42.9	46.5	50.6	52.0	46.0	39.7	37.4	33.4
1972	32.4	35.2	40.2	37.1	44.2	49.9	52.8	52.6	46.2	40.6	40.8	27.2
1973	31.3	36.8	36.3	39.1	43.5	49.6	51.0	48.6	50.5	43.6	38.3	38.5
1974	29.9	35.0	37.2	40.7	42.4	48.4	49.5	51.8	48.2	37.4	38.5	37.1
1975	36.8	34.0	35.8	35.1	42.4	46.7	51.1	50.4	46.6	43.7	35.5	36.0

Station moved from O.S.U. Campus to Hyslop Agronomy Farm, May 1952.

Latitude 44° 38'
 Longitude 123° 12'
 Elevation (ground) 225 ft.

METEOROLOGICAL DATA

Month	Temperature							Degree days	Precipitation					Relat. humid.		
	Averages			Extremes					Total	Greatest in 24 hrs.	Date	Snow, Sleet				
	Daily maximum	Daily minimum	Monthly	Highest	Date	Lowest	Date					Total	Greatest in 24 hrs.	Date		
J	44.8	27.8	36.3	60	19	16	9	.96	.31	13	0	0	-	89	77	
F	54.5	34.6	44.6	64	19	22	3	2.97	.80	22	0	0	-	95	76	
M	52.5	34.7	43.6	65	23	28	14	5.09	1.01	1	T	T	130	93	68	
A	62.9	37.6	50.3	77	24	29	14	1.02	.29	8	0	0	-	95	54	
M	61.8	41.6	51.7	70	100	33	12	3.43	.68	2	0	0	-	94	57	
J	74.6	47.7	61.2	86	25	37	2	1.13	.58	4	0	0	-	97	56	
J	78.8	49.1	64.0	92	31	41	6	.12	.08	18	0	0	-	92	41	
A	85.6	53.6	69.6	104	13	47	60	1.89	.98	24	0	0	-	88	50	
S	70.8	47.8	59.3	87	13	40	22	3.58	1.44	20	0	0	-	98	63	
O	64.1	43.8	54.0	71	13	36	27	2.58	.62	30	0	0	-	95	70	
N	51.2	37.7	44.5	60	25	22	20	8.11	2.00	25	3.3	3.3	22	92	81	
D	48.9	38.8	43.9	61	14	26	20	11.03	1.76	15	0	0	-	89	83	
Year	62.5	41.2	51.9	104	Aug 13	Jan 16	9	41.91	2.00	Nov 25	3.3	3.3	Nov 22	93	65	

NORMALS, MEAN

Month	Temperature							Normal degree days	Precipitation							Sno.		
	Normal			Extremes					Normal total	Maximum monthly	Year	Minimum monthly	Year	Maximum in 24 hrs.	Year			
	Daily maximum	Daily minimum	Monthly	Record highest	Year	Record lowest	Year											
(a)	30e	30e	30+	81	81			30+	81	81	81	67		34	81			
J	44.4	32.1	38.8	64	19400	-1	1950	7.06	15.51	1970	.96	1977	4.28	1965	4.8	51.9		
F	49.5	34.7	43.1	69	19160	-5	1899	4.63	15.23	1904	.12	1920	2.76	1961	0.8	9.5		
M	54.0	36.8	45.5	78	19470	12	1971	4.20	11.70	1904	.43	1926	1.90	1963	0.6	6.5		
A	61.0	40.5	50.1	91	1926	24	19680	2.05	7.99	1937	.22	1939	2.06	1937	T	1.5		
M	67.7	45.5	55.7	99	1922	28	19150	1.77	5.71	1896	.16	1947	2.23	1941	0	0		
J	72.9	49.2	61.0	102	1925	32	19290	1.15	3.84	1952	0	1918	2.14	1952	0	0		
J	81.2	51.6	65.9	107	1946	36	19210	.33	2.72	1947	0	1967	1.75	1947	0	0		
A	81.1	51.2	65.8	105	1972	35	1910	.55	5.24	1968	0	1955	1.35	1968	0	0		
S	75.8	48.3	62.0	103	1944	26	1919	1.31	5.40	1920	0	1975	2.18	1969	0	0		
O	64.2	43.0	53.2	90	19360	13	1919	3.78	9.70	1950	T	19180	2.26	1924	0.2	0.5		
N	52.2	37.2	45.3	73	1890	10	1896	6.04	18.28	1973	.22	1890	3.16	1921	0.3	9.5		
D	46.8	35.1	41.0	66	19500	-14	1919	6.83	14.47	1968	1.47	1976	3.58	1941	0.8	20.5		
Yr	62.6	42.1	52.3	107	1946	-14	1919	39.70	18.28	1973	0	19750	4.28	1965	7.5	51.9		
(a) Length of record, years.																		
* Missing data																		
Ø Also earlier dates, months or years																		
e 1931-1960 (adjusted to present location)																		
+ 1941-1970, 30 year normal																		
# Less than one																		
T Trace																		

FOR THE CURRENT YEAR

Hyslop Field Laboratory
Corvallis, Oregon 1977

Relative humidity	Wind		Number of days										EVAPORATION IN INCHES			MEAN DAILY RADIATION IN LANGLEYS			8:00 A.M. Sky			Clear	Partly cloudy	Cloudy	Precipitation .01 inch or more	Snow, Sleet, 1.0 or more	Thunderstorms	Max. temp.		Min. temp.	
	Fastest mile		Prevailing direction	Speed	Mean hourly speed			Mean hourly speed			Mean hourly speed			Mean hourly speed			Mean hourly speed			Mean hourly speed											
	Date	Direction			Mean hourly speed	Mean hourly speed	Mean hourly speed	Mean hourly speed	Mean hourly speed	Mean hourly speed	Mean hourly speed	Mean hourly speed	Mean hourly speed	Mean hourly speed	Mean hourly speed	Mean hourly speed															
64	86	4	S											124	17	6	8	7	0	0	0	0	0	22	0						
65	92	5	S											139	5	7	16	11	0	1	0	0	0	11	0						
53	86	5	S											211	8	8	15	20	0	1	0	0	0	10	0						
37	86	3	W											3.55	363	17	7	6	10	0	1	0	0	0	6	0					
47	85	4	W											4.47	344	9	7	15	17	0	0	0	0	0	0	0					
33	78	3	N											6.70	489	16	2	12	5	0	0	0	0	0	0	0					
26	70	3	NW											7.68	487	19	1	11	2	0	2	1	0	0	0	0					
27	70	3	NW											7.95	467	21	3	7	6	0	1	13	0	0	0	0					
46	87	3	SW											3.32	256	10	7	13	15	0	0	0	0	0	0	0					
61	86	3	SW											*	195	11	6	14	12	0	0	0	0	0	0	0					
79	92	4	S											*	5	9	16	21	1	1	0	1	11	0	0						
83	88	6	S											*	4	3	24	24	0	0	0	0	0	3	0						
52	84	4	S												142	66	157	150	1	7	14	1	63	0							

S, AND EXTREMES

Year	Relative humidity		Wind		Mean number of days										EVAPORATION IN INCHES			MEAN DAILY RADIATION IN LANGLEYS			Max. temp.		Min. temp.				
	Year	Year	4:00 A.M.	10:00 A.M.	Prevailing direction	FASTEAST MILE	Speed	Direction	MEAN DAILY RADIATION IN LANGLEYS	AVERAGE DAYTIME SKY COVER, TENTHS	MEAN MONTHLY EVAPORATION IN INCHES	8:00 A.M. Sky Cover	Clear	Partly cloudy	Cloudy	Precipitation .01 inch or more	Snow, Sleet, 1.0 or more	Thunderstorms	Heavy fog	Max. temp.	Min. temp.						
1950	90	84	78	89	4	S			87	.8	34	34	34	34	11	15	24	34	3	9	19	19	0	1	3	#	
1923	91	80	67	88	4	S			146	.7	5	10	13	17	5	10	13	17	0	#	0	#	7	#			
1891	89	71	57	83	5	S			239	.7	7	12	12	19	7	12	12	19	#	0	0	7	0				
1911	90	63	49	80	4	S			333	.7	2.64	9	12	9	12	9	13	#	0	0	9	0					
-----	93	55	43	78	4	N			463	.6	4.47	10	13	8	11	463	.6	4.47	10	13	8	11	#	0	0	#	0
-----	92	53	39	77	4	N			513	.5	5.71	10	12	8	8	513	.5	5.71	10	12	8	8	1	1	0	#	0
-----	92	45	31	75	4	N			574	.3	7.91	17	11	3	2	574	.3	7.91	17	11	3	2	1	4	0	0	0
-----	91	50	31	72	4	N			467	.3	6.99	16	10	5	3	467	.3	6.99	16	10	5	3	#	3	0	0	0
-----	87	58	48	72	5	N			363	.4	4.93	14	11	5	6	363	.4	4.93	14	11	5	6	#	2	0	#	0
1936	93	79	55	86	3	N			208	.6	2.03	8	12	11	13	208	.6	2.03	8	12	11	13	0	0	0	1	0
1955	93	85	81	91	3	S			105	.7	4	10	16	17	4	105	.7	4	10	16	17	4	#	0	#	6	0
1919	93	89	85	92	4	S			70	.8	3	8	20	20	3	70	.8	3	8	20	20	2	#	0	#	9	#
1950 Jan.	91	68	55	82	4	S					3468	106	130	129	148	3468	106	130	129	148	2	10	1	42	#		

MONTHLY PRECIPITATION
1931-1975
(inches)

Year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
1931	4.72	2.83	5.72	1.28	.19	3.35	T	0	1.52	3.82	6.58	9.12	39.13
1932	6.55	2.08	5.06	2.36	2.24	.24	.61	.83	T	3.99	4.89	8.09	36.94
1933	7.93	5.14	4.03	.76	3.70	.84	0	.69	1.68	2.67	1.00	14.15	42.59
1934	5.55	.98	2.12	1.94	1.28	.24	.26	.10	.57	4.57	9.71	8.10	35.42
1935	4.21	3.37	4.52	2.00	.52	.21	.51	.10	1.28	2.61	2.26	4.76	26.35
1936	10.82	5.35	1.97	1.43	3.41	1.70	.32	T	.89	.16	.24	5.82	32.11
1937	7.61	7.55	3.95	7.99	2.32	3.58	.08	.45	1.06	2.59	9.71	11.17	58.06
1938	4.03	6.33	7.42	1.51	.64	.08	.17	T	1.35	2.92	4.10	3.49	32.04
1939	3.92	3.60	2.44	.22	1.71	.70	.43	1.14	.43	2.90	.31	8.53	26.33
1940	4.41	9.80	4.93	2.26	2.62	.12	.16	T	2.75	4.14	4.46	4.71	40.36
1941	4.38	1.65	1.22	2.01	2.42	1.03	0	1.09	3.96	1.64	5.56	7.99	32.95
1942	4.95	3.36	1.04	1.62	2.56	1.11	.28	T	T	1.22	12.69	10.37	39.20
1943	5.09	3.78	5.60	2.01	1.16	1.32	.22	1.62	.02	5.54	2.51	2.66	31.53
1944	3.06	2.25	2.23	2.93	.85	.62	.14	T	2.18	1.36	4.63	2.74	22.99
1945	4.34	5.04	5.60	2.33	3.10	.22	.14	.08	.94	.89	10.08	5.03	37.79
1946	4.79	4.28	4.59	.68	.59	.98	.57	.01	2.17	4.22	6.78	3.76	33.42
1947	2.26	2.97	4.86	1.67	.16	2.55	2.72	.46	.61	9.05	3.10	3.45	33.86
1948	7.08	5.10	3.86	3.64	2.67	.39	.70	.06	1.87	2.34	5.97	7.46	41.14
1949	1.74	10.58	2.19	.55	2.06	.68	.03	.27	1.56	1.72	4.89	4.19	30.46
1950	12.17	5.23	4.16	.99	.65	.88	.21	.76	.97	9.70	7.73	5.13	48.58
1951	7.36	4.62	4.16	.65	1.40	.02	.11	.08	1.23	6.78	5.84	6.13	38.38
1952	5.08	4.17	1.75	.92	.35	3.84	0	.16	.40	1.02	1.55	7.13	26.37
1953	12.40	5.14	4.50	1.97	3.31	1.83	T	1.74	.49	3.12	6.96	7.81	49.27
1954	8.04	5.25	2.96	2.71	.90	3.11	.53	.64	1.60	3.56	5.86	6.92	42.08
1955	3.09	2.29	5.51	4.58	.91	.85	.62	0	1.97	7.58	7.32	12.64	47.36
1956	11.89	5.48	5.89	.93	1.98	1.14	.02	.34	1.12	5.96	1.38	4.56	40.59
1957	2.78	4.89	7.01	2.11	3.21	1.07	.17	.22	1.50	3.14	2.81	10.38	39.29
1958	8.15	7.81	2.55	3.66	1.12	2.91	.02	.02	1.30	2.68	8.49	4.15	42.86
1959	10.52	4.56	3.99	.84	2.20	1.31	.32	T	1.60	1.57	2.58	3.35	32.84
1960	4.38	6.49	7.18	3.29	3.92	.22	T	.64	.52	2.52	10.49	4.15	43.80
1961	4.80	10.12	7.46	2.23	2.05	.40	.59	.33	1.18	3.73	6.79	6.21	45.89
1962	1.21	3.82	6.37	2.90	2.31	.39	0	.51	1.60	4.62	7.89	2.90	34.58
1963	1.64	5.23	6.30	4.64	3.94	.98	.52	.65	.94	2.77	7.04	3.91	38.56
1964	11.68	.79	4.33	1.61	.55	.88	.57	.23	.31	1.25	9.23	13.27	44.70
1965	11.45	1.56	.59	2.00	1.08	.52	.39	.98	.04	2.12	8.70	7.69	37.12
1966	10.21	1.78	7.21	.95	.49	.76	.49	.27	1.71	3.18	5.27	7.67	39.99
1967	9.50	1.78	4.23	1.60	.85	.77	0	T	.84	6.19	3.46	6.32	35.54
1968	7.14	7.11	3.85	1.51	3.45	.79	.34	5.24	1.99	6.32	6.52	14.47	58.73
1969	9.35	4.27	1.81	1.94	1.64	2.46	.05	T	3.62	3.91	2.86	11.05	42.96
1970	15.51	5.97	2.29	2.66	1.12	.53	.12	T	1.06	4.03	7.30	12.47	53.06
1971	10.71	5.35	6.16	4.38	2.33	2.48	.02	.48	3.10	2.80	9.21	10.13	57.15
1972	10.10	5.13	6.46	4.27	2.36	1.01	.08	.24	2.28	.88	4.92	9.33	47.06
1973	5.56	1.65	3.63	1.75	.85	1.38	.02	.70	2.52	2.70	18.28	12.40	51.44
1974	11.59	7.52	8.87	2.39	1.46	.61	1.81	0	.07	1.41	6.88	8.15	50.76
1975	4.66	5.48	4.64	2.40	2.07	1.14	.62	1.68	0	4.30	5.51	6.83	39.33

Station moved from O.S.U. Campus to Hyslop Agronomy Farm, May 1952

Soil Temperature at 4-inch Level

Hyslop Field Lab, Corvallis, Oregon

Average for 11 years - 1960-1971

Date	Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
	max min											
1	42	39	42	39	44	41	53	45	59	49	70	58
2	41	39	42	38	45	41	52	45	60	49	72	59
3	40	39	42	38	46	40	54	43	61	50	74	59
4	40	38	44	40	46	40	55	44	63	55	73	60
5	39	37	43	40	47	41	54	46	63	52	73	60
6	38	37	43	39	46	40	55	47	62	51	74	60
7	38	37	43	39	47	41	55	45	63	51	72	61
8	38	36	43	39	48	41	57	46	66	53	73	61
9	38	36	44	38	48	41	55	48	67	53	71	61
10	38	37	44	40	47	42	53	47	65	43	73	60
11	38	36	44	40	49	44	55	46	65	54	71	60
12	39	36	44	41	49	43	56	45	68	54	72	60
13	38	36	45	41	48	42	54	45	65	54	74	60
14	40	37	45	41	48	42	56	46	65	54	75	61
15	41	39	44	41	48	43	55	46	66	54	75	62
16	41	39	45	42	50	43	56	47	67	54	75	62
17	42	40	45	42	50	47	54	46	68	55	77	63
18	42	40	46	43	49	43	55	45	69	55	76	63
19	43	41	46	42	50	42	43	46	70	56	79	63
20	43	40	46	42	49	41	55	45	68	57	78	63
21	43	40	47	41	50	43	55	46	69	57	77	63
22	42	41	46	41	52	43	57	46	70	57	78	64
23	42	40	46	40	51	44	57	49	68	57	76	63
24	41	39	47	41	51	44	57	49	69	56	75	62
25	42	40	47	41	52	43	57	49	69	56	74	62
26	42	40	47	42	50	44	58	50	71	57	76	63
27	42	40	46	42	52	44	59	49	71	57	75	63
28	41	39	46	41	37	52	45	59	49	71	57	62
29	41	39	41	37	52	45	60	48	72	58	74	61
30	42	39	42	39	52	45	60	48	71	58	75	62
31	41	39	41	39	53	45	53	45	71	58	74	64

Average Daily Radiation in Langleys

National Weather Service - Hyslop Field Laboratory, Corvallis, Oregon

Eleven Year Average*

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
1	88	128	177	231	395	544	525	479	377	314	144	74
2	84	139	185	305	443	491	642	521	454	279	155	90
3	103	105	173	375	422	446	638	544	431	283	161	89
4	101	120	179	314	368	553	573	444	416	281	145	83
5	80	106	196	324	382	492	586	474	359	281	140	62
6	75	116	217	309	308	427	531	465	396	248	138	89
7	74	167	243	299	442	518	527	485	407	247	107	89
8	71	136	256	293	460	462	516	527	417	245	108	73
9	80	120	221	252	398	484	492	540	415	203	114	82
10	94	141	171	341	407	487	516	565	366	202	104	80
11	66	129	230	394	469	443	562	529	416	198	138	81
12	62	114	213	307	491	569	607	469	382	200	119	79
13	66	140	219	331	518	564	611	462	388	215	118	66
14	94	125	192	311	488	520	617	499	345	268	99	58
15	49	127	240	330	447	496	626	458	363	240	86	58
16	69	138	239	319	503	530	548	409	362	243	110	56
17	86	114	309	275	497	531	576	481	345	218	68	85
18	94	120	277	262	494	592	561	488	336	212	94	46
19	88	137	271	288	463	565	601	424	329	168	75	42
20	117	199	313	300	435	559	571	471	303	182	74	39
21	106	177	257	358	543	538	605	417	293	175	75	57
22	93	185	204	391	408	522	588	434	295	124	65	52
23	80	191	246	338	459	479	598	407	334	150	51	53
24	101	188	237	313	431	430	604	375	335	184	71	58
25	83	212	276	378	475	511	583	461	346	172	76	85
26	113	175	217	381	502	506	587	466	341	173	83	75
27	96	185	252	341	530	521	565	429	354	123	110	79
28	134	159	292	431	554	538	582	448	329	157	127	63
29	100	296	417	517	523	546	457	307	185	115	74	74
30	107	338	445	524	546	554	358	348	143	75	72	72
31	113	275	574	574	543	543	543	343	143	79	79	79
Ave.	86.6	146.2	239.1	333.4	462.8	512.9	573.6	467.2	363.0	208.3	104.8	69.9

*1960-1963, 1970-1976

PROBABILITY DATES OF
FIRST FALL OCCURRENCE OF VARIOUS FREEZING
TEMPERATURES

Ten Per Cent Chance Of:

	32°	28°	24°
Albany	October 13	October 31	November 9
Corvallis	October 11	October 25	November 12
Eugene	October 9	October 25	November 7
Forest Grove	September 25	October 19	November 4
Portland	November 3	December 2	December 9
Salem	October 9	October 22	November 7

Twenty Per Cent Chance Of:

	32°	28°	24°
Albany	October 20	November 6	November 20
Corvallis	October 18	November 1	November 23
Eugene	October 16	November 1	November 18
Forest Grove	October 3	October 26	November 15
Portland	November 10	December 9	December 20
Salem	October 16	October 29	November 18

Fifty Per Cent Chance Of:

	32°	28°	24°
Albany	November 3	November 22	December 14
Corvallis	November 1	November 17	December 17
Eugene	October 30	November 17	December 12
Forest Grove	October 17	November 11	December 9
Portland	November 24	December 25	January 13
Salem	October 30	November 14	December 12

Data for these tables extracted from OAES, Station Bulletin 581

PROBABILITY DATES OF
LAST SPRING OCCURRENCE OF VARIOUS FREEZING
TEMPERATURES

WILLAMETTE VALLEY

Fifty Per Cent Chance Of:

	24°	28°	32°
Albany	January 21	February 20	April 2
Corvallis	January 28	February 27	April 15
Eugene	January 21	March 6	April 8
Forest Grove	February 10	March 29	April 26
Portland	January 15	January 24	February 28
Salem	February 1	March 9	April 19

Twenty Per Cent Chance Of:

	24°	28°	32°
Albany	February 13	March 12	April 17
Corvallis	February 20	March 19	April 30
Eugene	February 13	March 28	April 23
Forest Grove	March 5	April 18	May 11
Portland	February 7	February 13	March 15
Salem	February 24	March 28	May 4

Ten Per Cent Chance Of:

	24°	28°	32°
Albany	February 25	March 21	April 26
Corvallis	March 4	March 28	May 9
Eugene	February 25	April 6	May 2
Forest Grove	March 17	April 27	May 20
Portland	February 19	February 22	March 24
Salem	March 8	April 7	May 13

Data for these tables extracted from OAES, Station Bulletin 581

BIBLIOGRAPHY OF OREGON AND OSU CLIMATOLOGY

Bates, E., "Soil Temperature of Oregon's Agricultural Regions".
OSU Special Report 446, Nov. 1975.

Calhoun, W., "A Summary of Climate and Weather for Corvallis, Oregon
1899 through 1960". Miscellaneous Paper 105, March 1961.

Olson, P. and Bates, E., "Hyslop Farm Microstation Climate Summary".
OSU Special Report 400, Dec. 1973.

Sternes, G., and Kierulff, L., "The Climate of Benton County".
ESSA Weather Service, Portland, August 1969.

Sternes, G., "Climates of the States, Oregon". Climatography of the
United States, No. 60-35, Feb. 1960.

Climatological Data, Oregon. Published monthly plus annual summary
by National Climatic Center, Asheville, N.C.