

Table S2. Composition of fishes caught from 2007–2013 (^ 2008–2013), by area. Asterisks (*) indicate values < 0.1% of the total catch for each MPA/REF pair.

Common Name	Percent of Total Catch, by Area (%)				
	Año	Point	Piedras	Point	All
	Nuevo n = 14,933	Lobos n = 13,891	Blancas [^] n = 8,796	Buchon n = 9,233	Areas n = 46,853
Black-and- Yellow					
rockfish	0.4	*	0.1	0.6	0.3
Black rockfish	45.4	3.2	2.4	10.8	18.0
Black Surfperch	-	-	*	-	*
Blue rockfish	21.3	38.2	21.0	17.5	25.5
Bocaccio	-	*	0.1	*	*
Brown rockfish	1.2	*	2.0	0.2	0.8
Bull Sculpin	-	-	*	*	*
Cabezon	0.5	0.2	0.2	0.6	0.4
Calico rockfish	-	-	*	*	*
California Halibut	-	-	*	-	*
California Lizardfish	-	*	0.3	0.2	0.1
Canary rockfish	3.0	0.9	1.8	1.4	1.8
China rockfish	1.8	1.6	0.5	0.6	1.3
Copper rockfish	0.3	2.0	3.6	0.7	1.5
Gopher rockfish	14.6	26.5	35.0	45.8	28.1
Grass rockfish	0.1	*	-	-	*
Jack Mackerel	*	0.1	0.1	*	0.1

Kelp Greenling	1.3	0.4	0.5	0.5	0.7
Kelp rockfish	*	4.4	4.0	2.0	2.5
Lingcod	4.1	3.5	3.1	5.4	4.0
Ocean Whitefish	-	0.1	0.1	-	*
Olive rockfish	0.3	12.5	11.1	3.8	6.6
Pacific Bonito	-	-	*	-	*
Pacific Sardine	*	-	-	-	*
Painted Greenling	*	-	-	*	*
Petrale Sole	*	-	-	-	*
Pile Perch	*	-	-	-	*
Rock Greenling	*	*	-	-	*
Rock Sole	*	0.1	0.1	0.1	0.1
Rosy rockfish	0.1	1.1	0.2	1.0	0.6
Sanddab spp.	*	0.1	1.3	0.5	0.4
Sand Sole	*	-	-	-	*
Silver Salmon	*	-	-	-	*
Silverside spp.	*	-	*	*	*
Staghorn Sculpin	-	*	-	-	*
Starry rockfish	-	0.1	0.2	0.3	0.1
Striped Surfperch	*	*	-	*	*
Treefish	-	0.1	0.2	1.0	0.2
Tubesnout	-	-	-	*	*
Vermilion rockfish	3.2	2.1	9.1	3.6	4.1
White Croaker	0.1	-	-	-	*

Wolf Eel	-	-	-	*	*
Yellowtail rockfish	2.3	2.5	3.1	3.3	2.7
Total Number Species	30	28	30	30	43
Total rockfish Species	14	17	17	17	18