

For more information

2009 Northwest United States Cranberry Pesticide Chart. Cranberry Institute, 266 Main St., Wareham, MA 02571.

[AgriMet](#) – The Northwest Cooperative Agriculture Weather Network.

[EB0845E, Cranberry Pest Management Guide](#). Antonelli, A., K. Patten, and C. Daniels. Washington State University Extension Service.

[EM 8610, Cranberry tissue testing for producing beds in North America](#). Davenport, J., C. DeMoranville, J. Hart, K. Patten, L. Peterson, T. Planer, A. Poole, T. Roper, and J. Smith. 1995. Oregon State University Extension Service.

[EM 8672, South coastal Oregon cranberries nutrient management guide](#). Poole, A., J. Hart, T. Righetti, and B. Strik. 1997. Oregon State University Extension Service.

[EM 8677, Laboratories Serving Oregon: Soil, Water, Plant Tissue, and Feed Analysis](#). Hart, J. 2008. Oregon State University Extension Service.

[EM 8741, Nitrogen for Bearing Cranberries in North America](#). Hart, J (ed.) 2000. Oregon State University Extension Service.

[Pacific Northwest Insect Management Handbook](#). Oregon State University Extension Service.

[Pacific Northwest Plant Disease Management Handbook](#). Oregon State University Extension Service.

[Pacific Northwest Weed Management Handbook](#). Oregon State University Extension Service.

[PNW 245, Evaluating Honey Bee Colonies for Pollination: A Guide for Growers and Beekeepers](#). Burgett, D.M., G.C. Fisher, D.F. Mayer, and C.A. Johansen. 1993. University of Idaho Extension Service.

[PNW 247, Cranberry Production in the Pacific Northwest](#). Strik, B.C. et al. 2002. Oregon State University Extension Service.

Publication by Linda White, Extension assistant professor of commercial horticulture, Coos County; Oregon State University.

Acknowledgements

Art Poole, Extension professor emeritus of horticulture, Coos County; Oregon State University.

Photographs of cranberry bud development and growth on pages 1, 3, and 4 appeared in: Shifts in bud and leaf hardiness during spring growth and development of the cranberry upright: Regrowth potential as an indicator of hardiness. Workmaster, B.A.A. and J.P. Palta. 2006. J. Amer. Soc. Hort. Sci. 131:327-337.

Photograph of cranberries on page 1 by Lynn Ketchum, © Oregon State University.

Use pesticides safely!

- Wear protective clothing and safety devices as recommended on the label. Bathe or shower after each use.
- Read the pesticide label—even if you've used the pesticide before. Follow closely the instructions on the label (and any other directions you have).
- Be cautious when you apply pesticides. Know your legal responsibility as a pesticide applicator. You may be liable for injury or damage resulting from pesticide use.

© 2010 Oregon State University. Extension work is a cooperative program of Oregon State University, the U.S. Department of Agriculture, and Oregon counties. Oregon State University Extension Service offers educational programs, activities, and materials without discrimination based on age, color, disability, gender identity or expression, marital status, national origin, race, religion, sex, sexual orientation, or veteran's status. Oregon State University Extension Service is an Equal Opportunity Employer.

Published January 2010.